

Laboratory Control Sample/Laboratory Control Sample Duplicate Summary

SW-846

SDG No.:	Q3178	Analytical Method:	SW8260D
Client:	Weston Solutions, Inc.	Datafile :	VW032269.D

Lab Sample ID	Parameter	Spike	Result	Unit	Rec	RPD	Qual	Low	Limits High	RPD
VW0926SBS01	Dichlorodifluoromethane	20	21.2	ug/Kg	106			64	136	
	Chloromethane	20	20.2	ug/Kg	101			52	151	
	Vinyl chloride	20	22.8	ug/Kg	114			56	148	
	Bromomethane	20	23.1	ug/Kg	116			58	141	
	Chloroethane	20	21.5	ug/Kg	108			69	130	
	Trichlorofluoromethane	20	18.7	ug/Kg	94			69	134	
	1,1,2-Trichlorotrifluoroethane	20	21.7	ug/Kg	109			81	123	
	1,1-Dichloroethene	20	22.1	ug/Kg	111			79	121	
	Acetone	100	120	ug/Kg	120			40	171	
	Carbon disulfide	20	22.3	ug/Kg	112			59	130	
	Methyl tert-butyl Ether	20	20.5	ug/Kg	103			77	129	
	Methyl Acetate	20	16.1	ug/Kg	81			69	149	
	Methylene Chloride	20	21.3	ug/Kg	106			72	131	
	trans-1,2-Dichloroethene	20	21.2	ug/Kg	106			80	123	
	1,1-Dichloroethane	20	20.9	ug/Kg	104			82	123	
	Cyclohexane	20	21.3	ug/Kg	106			76	122	
	2-Butanone	100	100	ug/Kg	100			69	131	
	Carbon Tetrachloride	20	20.9	ug/Kg	104			76	129	
	cis-1,2-Dichloroethene	20	20.3	ug/Kg	102			82	123	
	Bromochloromethane	20	20.2	ug/Kg	101			80	127	
	Chloroform	20	20.8	ug/Kg	104			82	125	
	1,1,1-Trichloroethane	20	21.1	ug/Kg	106			80	126	
	Methylcyclohexane	20	20.3	ug/Kg	102			77	123	
	Benzene	20	21.0	ug/Kg	105			84	121	
	1,2-Dichloroethane	20	20.1	ug/Kg	101			81	126	
	Trichloroethene	20	20.9	ug/Kg	104			83	122	
	1,2-Dichloropropane	20	20.4	ug/Kg	102			83	122	
	Bromodichloromethane	20	20.1	ug/Kg	101			82	123	
	4-Methyl-2-Pentanone	100	91.9	ug/Kg	92			70	135	
	Toluene	20	20.8	ug/Kg	104			83	122	
	t-1,3-Dichloropropene	20	20.1	ug/Kg	101			78	124	
	cis-1,3-Dichloropropene	20	20.4	ug/Kg	102			81	122	
	1,1,2-Trichloroethane	20	19.3	ug/Kg	97			82	125	
	2-Hexanone	100	96.1	ug/Kg	96			66	138	
	Dibromochloromethane	20	20.0	ug/Kg	100			79	125	
	1,2-Dibromoethane	20	19.7	ug/Kg	99			80	125	
	Tetrachloroethene	20	21.4	ug/Kg	107			83	125	
	Chlorobenzene	20	21.7	ug/Kg	109			84	122	
	Ethyl Benzene	20	21.7	ug/Kg	109			82	124	
	m/p-Xylenes	40	44.2	ug/Kg	111			83	124	
	o-Xylene	20	21.6	ug/Kg	108			83	123	
	Styrene	20	22.2	ug/Kg	111			82	124	
	Bromoform	20	19.7	ug/Kg	99			75	127	
	Isopropylbenzene	20	20.6	ug/Kg	103			82	124	
	1,1,2,2-Tetrachloroethane	20	18.8	ug/Kg	94			77	127	
	1,3-Dichlorobenzene	20	21.6	ug/Kg	108			83	122	
	1,4-Dichlorobenzene	20	20.6	ug/Kg	103			84	121	
	1,2-Dichlorobenzene	20	20.9	ug/Kg	104			83	124	

Laboratory Control Sample/Laboratory Control Sample Duplicate Summary

SW-846

SDG No.: Q3178

Analytical Method: SW8260D

Client: Weston Solutions, Inc.

Datafile : VW032269.D

Lab Sample ID	Parameter	Spike	Result	Unit	Rec	RPD	Qual	Low	Limits	RPD
									High	
VW0926SBS01	1,2-Dibromo-3-Chloropropane	20	18.0	ug/Kg	90			66	134	
	1,2,4-Trichlorobenzene	20	19.8	ug/Kg	99			78	127	
	1,2,3-Trichlorobenzene	20	19.1	ug/Kg	96			70	137	