



A

B

C

SAMPLE DATA

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	09/23/25
Project:	RFP 916	Date Received:	09/23/25
Client Sample ID:	EME-TS14-01	SDG No.:	Q3179
Lab Sample ID:	Q3179-01	Matrix:	Water
Analytical Method:	NJEPH	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	2000 uL
Soil Aliquot Vol:	uL	Test:	EPH
Prep Method :	SW3510		

Prep Date :	Date Analyzed :	Prep Batch ID
09/29/25 08:30	09/29/25 19:56	PB169879

Datafile

CAS Number	Parameter	Conc.	Qualifier	Dilution	MDL	LOQ / CRQL	Units	
TARGETS								
Aliphatic C9-C12	Aliphatic C9-C12	8.68	J	1	8.28	30.0	ug/l	FE056055.D
Aliphatic C12-C16	Aliphatic C12-C16	17.2	J	1	13.5	20.0	ug/l	FE056055.D
Aliphatic C16-C21	Aliphatic C16-C21	100		1	8.34	30.0	ug/l	FE056055.D
Aliphatic C21-C28	Aliphatic C21-C28	12.5	U	1	12.5	40.0	ug/l	FE056055.D
Aliphatic C28-C40	Aliphatic C28-C40	403		1	23.8	60.0	ug/l	FE056055.D
Aromatic C10-C12	Aromatic C10-C12	3.71	J	1	2.07	20.0	ug/l	FF016476.D
Aromatic C12-C16	Aromatic C12-C16	7.91	J	1	4.26	30.0	ug/l	FF016476.D
Aromatic C16-C21	Aromatic C16-C21	43.8	J	1	8.27	50.0	ug/l	FF016476.D
Aromatic C21-C36	Aromatic C21-C36	23.8	U	1	23.8	80.0	ug/l	FF016476.D
Total AliphaticEPH	Total AliphaticEPH	529			66.4	180	ug/l	
Total AromaticEPH	Total AromaticEPH	55.4	J		38.4	180	ug/l	
Total EPH	Total EPH	584			105	360	ug/l	

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	09/23/25
Project:	RFP 916	Date Received:	09/23/25
Client Sample ID:	EME-TS14-01	SDG No.:	Q3179
Lab Sample ID:	Q3179-01	Matrix:	Water
Analytical Method:	NJEPH	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	2000 uL
Soil Aliquot Vol:	uL	Test:	EPH
Prep Method :	SW3510		

File ID :	Dilution:	Prep Date :	Date Analyzed :	Prep Batch ID
FE056055.D	1	09/29/25	09/29/25	PB169879

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
Aliphatic C9-C12	Aliphatic C9-C12	8.68	J	8.28	30.0	ug/l
Aliphatic C12-C16	Aliphatic C12-C16	17.2	J	13.5	20.0	ug/l
Aliphatic C16-C21	Aliphatic C16-C21	100		8.34	30.0	ug/l
Aliphatic C21-C28	Aliphatic C21-C28	40.0	U	12.5	40.0	ug/l
Aliphatic C28-C40	Aliphatic C28-C40	403		23.8	60.0	ug/l
SURROGATES						
3383-33-2	1-chlorooctadecane (SURR)	48.9		40 - 140	98%	SPK: 50
84-15-1	ortho-Terphenyl (SURR)	0.00		40 - 140	0%	SPK: 50

Quantitation Report For Aliphatic EPH Range.

Lab Sample ID:	Q3179-01	Acq On:	29 Sep 2025 19:56
Client Sample ID:	EME-TS14-01	Operator:	YP\AJ
Data file:	FE056055.D	Misc:	
Instrument:	FID_E	ALS Vial:	28
Dilution Factor:	1	Sample Multiplier:	1.00

Compound	R.T.		Response	Conc	highest_standard	Units
Aliphatic C9-C12	3.315	6.946	607540	4.339	300	ug/ml
Aliphatic C12-C16	6.947	10.396	1320678	8.611	200	ug/ml
Aliphatic C16-C21	10.397	13.773	8356375	50.376	300	ug/ml
Aliphatic C21-C28	13.774	17.443	920988	6.201	400	ug/ml
Aliphatic C28-C40	17.444	22.449	27507813	201.889	600	ug/ml
Aliphatic EPH	3.315	22.449	38713394	271.416		ug/ml
ortho-Terphenyl (SURR)	0.000	0.000	0	0		ug/ml
1-chlorooctadecane (SURR)	13.512	13.512	6818463	48.85		ug/ml
Aliphatic C9-C28	3.315	17.443	11205581	69.527	1200	ug/ml

Report of Analysis

Client:	Weston Solutions, Inc.		Date Collected:	09/23/25	
Project:	RFP 916		Date Received:	09/23/25	
Client Sample ID:	EME-TS14-01		SDG No.:	Q3179	
Lab Sample ID:	Q3179-01		Matrix:	Water	
Analytical Method:	NJEPH		% Solid:	0	
Sample Wt/Vol:	1000	Units: mL	Final Vol:	2000	uL
Soil Aliquot Vol:		uL	Test:	EPH	
Prep Method :	SW3510				

File ID :	Dilution:	Prep Date :	Date Analyzed :	Prep Batch ID
FF016476.D	1	09/29/25	09/29/25	PB169879

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
Aromatic C10-C12	Aromatic C10-C12	3.71	J	2.07	20.0	ug/l
Aromatic C12-C16	Aromatic C12-C16	7.91	J	4.26	30.0	ug/l
Aromatic C16-C21	Aromatic C16-C21	43.8	J	8.27	50.0	ug/l
Aromatic C21-C36	Aromatic C21-C36	23.8	U	23.8	80.0	ug/l
SURROGATES						
580-13-2	2-Bromonaphthalene (SURR)	49.2		40 - 140	98%	SPK: 50
321-60-8	2-Fluorobiphenyl (SURR)	48.6		40 - 140	97%	SPK: 50
84-15-1	ortho-Terphenyl (SURR)	47.1		40 - 140	94%	SPK: 50

Quantitation Report For Aromatic EPH Range.

Lab Sample ID:	Q3179-01	Acq On:	29 Sep 2025 19:33
Client Sample ID:	EME-TS14-01	Operator:	YP\AJ
Data file:	FF016476.D	Misc:	
Instrument:	FID_F	ALS Vial:	87
Dilution Factor:	1	Sample Multiplier:	1.00

Compound	R.T.		Response	Conc	highest_standard	Units
Aromatic C10-C12	4.521	6.397	266219	1.857	200	ug/ml
Aromatic C12-C16	6.398	9.101	574540	3.957	300	ug/ml
Aromatic C16-C21	9.102	13.420	3159636	21.916	500	ug/ml
Aromatic C21-C36	13.421	18.876	852645	6.517	800	ug/ml
Aromatic EPH	4.521	18.876	4853040	34.247		ug/ml
ortho-Terphenyl (SURR)	11.972	11.972	7183345	47.12		ug/ml
2-Bromonaphthalene (SURR)	8.027	8.027	6163999	49.21		ug/ml
2-Fluorobiphenyl (SURR)	8.902	8.902	4098461	48.59		ug/ml

Report of Analysis

Client:	Weston Solutions, Inc.		Date Collected:	
Project:	RFP 916		Date Received:	
Client Sample ID:	PB169879TB		SDG No.:	Q3179
Lab Sample ID:	PB169879TB		Matrix:	water
Analytical Method:	NJEPH		% Solid:	0
Sample Wt/Vol:	1000	Units: mL	Final Vol:	2000 uL
Soil Aliquot Vol:		uL	Test:	EPH
Prep Method :	SW3510			

File ID :	Dilution:	Prep Date :	Date Analyzed :	Prep Batch ID
FE056075.D	1		09/30/25	FE092925AL

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
Aliphatic C9-C12	Aliphatic C9-C12	8.28	U	8.28	30.0	ug/l
Aliphatic C12-C16	Aliphatic C12-C16	13.5	U	13.5	20.0	ug/l
Aliphatic C16-C21	Aliphatic C16-C21	8.34	U	8.34	30.0	ug/l
Aliphatic C21-C28	Aliphatic C21-C28	12.5	U	12.5	40.0	ug/l
Aliphatic C28-C40	Aliphatic C28-C40	23.8	U	23.8	60.0	ug/l
SURROGATES						
3383-33-2	1-chlorooctadecane (SURR)	33.6		40 - 140	67%	SPK: 50
84-15-1	ortho-Terphenyl (SURR)	0.00		40 - 140	0%	SPK: 50

Quantitation Report For Aliphatic EPH Range.

Lab Sample ID:	PB169879TB	Acq On:	30 Sep 2025 07:06
Client Sample ID:	PB169879TB	Operator:	YP\AJ
Data file:	FE056075.D	Misc:	
Instrument:	FID_E	ALS Vial:	44
Dilution Factor:	1	Sample Multiplier:	1.00

Compound	R.T.		Response	Conc	highest_standard	Units
Aliphatic C9-C12	3.315	6.946	0	0	300	ug/ml
Aliphatic C12-C16	6.947	10.396	0	0	200	ug/ml
Aliphatic C16-C21	10.397	13.773	0	0	300	ug/ml
Aliphatic C21-C28	13.774	17.443	0	0	400	ug/ml
Aliphatic C28-C40	17.444	22.449	0	0	600	ug/ml
Aliphatic EPH	3.315	22.449	0	0		ug/ml
ortho-Terphenyl (SURR)	0.000	0.000	0	0		ug/ml
1-chlorooctadecane (SURR)	13.511	13.511	4690622	33.61		ug/ml
Aliphatic C9-C28	3.315	17.443	0	0	1200	ug/ml

Report of Analysis

Client:	Weston Solutions, Inc.		Date Collected:		
Project:	RFP 916		Date Received:		
Client Sample ID:	PB169879TB		SDG No.:	Q3179	
Lab Sample ID:	PB169879TB		Matrix:	water	
Analytical Method:	NJEPH		% Solid:	0	
Sample Wt/Vol:	1000	Units: mL	Final Vol:	2000	uL
Soil Aliquot Vol:		uL	Test:	EPH	
Prep Method :	SW3510				

File ID :	Dilution:	Prep Date :	Date Analyzed :	Prep Batch ID
FF016472.D	1		09/29/25	FF092925AR

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
Aromatic C10-C12	Aromatic C10-C12	2.07	U	2.07	20.0	ug/l
Aromatic C12-C16	Aromatic C12-C16	4.26	U	4.26	30.0	ug/l
Aromatic C16-C21	Aromatic C16-C21	8.27	U	8.27	50.0	ug/l
Aromatic C21-C36	Aromatic C21-C36	23.8	U	23.8	80.0	ug/l
SURROGATES						
580-13-2	2-Bromonaphthalene (SURR)	48.0		40 - 140	96%	SPK: 50
321-60-8	2-Fluorobiphenyl (SURR)	43.2		40 - 140	86%	SPK: 50
84-15-1	ortho-Terphenyl (SURR)	38.9		40 - 140	78%	SPK: 50

Quantitation Report For Aromatic EPH Range.

Lab Sample ID:	PB169879TB	Acq On:	29 Sep 2025 17:35
Client Sample ID:	PB169879TB	Operator:	YP\AJ
Data file:	FF016472.D	Misc:	
Instrument:	FID_F	ALS Vial:	83
Dilution Factor:	1	Sample Multiplier:	1.00

Compound	R.T.		Response	Conc	highest_standard	Units
Aromatic C10-C12	4.521	6.397	0	0	200	ug/ml
Aromatic C12-C16	6.398	9.101	0	0	300	ug/ml
Aromatic C16-C21	9.102	13.420	0	0	500	ug/ml
Aromatic C21-C36	13.421	18.876	0	0	800	ug/ml
Aromatic EPH	4.521	18.876	0	0		ug/ml
2-Bromonaphthalene (SURR)	8.027	8.027	6015712	48.02		ug/ml
2-Fluorobiphenyl (SURR)	8.902	8.902	3646317	43.23		ug/ml
ortho-Terphenyl (SURR)	11.971	11.971	5934502	38.93		ug/ml



LAB CHRONICLE

OrderID:	Q3179	OrderDate:	9/24/2025 11:08:00 AM
Client:	Weston Solutions, Inc.	Project:	RFP 916
Contact:	Smita Sumbaly	Location:	J42

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q3179-01	EME-TS14-01	Water			09/23/25			09/23/25
			EPH	NJEPH		09/29/25	09/29/25	
			SPLP PCB	8082A		09/29/25	09/29/25	
			SPLP Pesticide	8081B		09/29/25	09/29/25	