

Analytical Sequence

Client: Weston Solutions, Inc.

SDG No.: Q3179

Project: RFP 916

Instrument ID: ECD_D

GC Column: ZB-MR1

ID: 0.32 (mm)

Inst. Calib. Date(s): 09/18/2025 09/18/2025

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES,
AND STANDARDS IS GIVEN BELOW:

CLIENT ID	LAB SAMPLE ID	DATE ANALYZED	TIME ANALYZED	DATAFILE	DCB RT #	TCX RT #
LBLK	LBLK	09/18/2025	09:49	PD090327.D	9.07	3.55
PEM	PEM	09/18/2025	10:03	PD090328.D	9.07	3.55
RESCHK	RESCHK	09/18/2025	10:16	PD090329.D	9.07	3.55
PSTDICCC100	PSTDICCC100	09/18/2025	10:30	PD090330.D	9.07	3.55
PSTDICCC075	PSTDICCC075	09/18/2025	10:43	PD090331.D	9.07	3.55
PSTDICCC050	PSTDICCC050	09/18/2025	10:57	PD090332.D	9.07	3.55
PSTDICCC025	PSTDICCC025	09/18/2025	11:11	PD090333.D	9.07	3.55
PSTDICCC005	PSTDICCC005	09/18/2025	11:24	PD090334.D	9.07	3.55
PCHLORICC500	PCHLORICC500	09/18/2025	12:05	PD090337.D	9.07	3.55
PTOXICC500	PTOXICC500	09/18/2025	13:12	PD090342.D	9.07	3.55
LBLK	LBLK	09/29/2025	11:15	PD090416.D	9.07	3.55
PEM	PEM	09/29/2025	11:29	PD090417.D	9.06	3.55
PSTDCCC050	PSTDCCC050	09/29/2025	14:24	PD090418.D	9.08	3.55
PB169882BL	PB169882BL	09/29/2025	17:24	PD090422.D	9.08	3.55
PB169882BS	PB169882BS	09/29/2025	17:37	PD090423.D	9.07	3.55
PB169882TB	PB169882TB	09/29/2025	17:51	PD090424.D	9.06	3.55
EME-TS14-01	Q3179-01	09/29/2025	18:46	PD090428.D	9.06	3.55
EME-TS14-01MS	Q3179-02MS	09/29/2025	18:59	PD090429.D	9.06	3.55
EME-TS14-01MSD	Q3179-03MSD	09/29/2025	19:13	PD090430.D	9.06	3.55
LBLK	LBLK	09/29/2025	19:27	PD090431.D	9.06	3.55
PEM	PEM	09/29/2025	19:40	PD090432.D	9.06	3.55
PSTDCCC050	PSTDCCC050	09/29/2025	19:54	PD090433.D	9.06	3.55

Analytical Sequence

Client: Weston Solutions, Inc.

SDG No.: Q3179

Project: RFP 916

Instrument ID: ECD_D

GC Column: ZB-MR2

ID: 0.32 (mm)

Inst. Calib. Date(s): 09/18/2025 09/18/2025

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES,
AND STANDARDS IS GIVEN BELOW:

CLIENT ID	LAB SAMPLE ID	DATE ANALYZED	TIME ANALYZED	DATAFILE	DCB RT #	TCX RT #
IBLK	IBLK	09/18/2025	09:49	PD090327.D	8.06	2.88
PEM	PEM	09/18/2025	10:03	PD090328.D	8.06	2.88
RESCHK	RESCHK	09/18/2025	10:16	PD090329.D	8.06	2.88
PSTDICCC100	PSTDICCC100	09/18/2025	10:30	PD090330.D	8.06	2.88
PSTDICCC075	PSTDICCC075	09/18/2025	10:43	PD090331.D	8.06	2.88
PSTDICCC050	PSTDICCC050	09/18/2025	10:57	PD090332.D	8.06	2.88
PSTDICCC025	PSTDICCC025	09/18/2025	11:11	PD090333.D	8.06	2.88
PSTDICCC005	PSTDICCC005	09/18/2025	11:24	PD090334.D	8.06	2.88
PCHLORICC500	PCHLORICC500	09/18/2025	12:05	PD090337.D	8.06	2.88
PTOXICC500	PTOXICC500	09/18/2025	13:12	PD090342.D	8.06	2.88
IBLK	IBLK	09/29/2025	11:15	PD090416.D	8.06	2.87
PEM	PEM	09/29/2025	11:29	PD090417.D	8.06	2.88
PSTDCCC050	PSTDCCC050	09/29/2025	14:24	PD090418.D	8.06	2.87
PB169882BL	PB169882BL	09/29/2025	17:24	PD090422.D	8.06	2.87
PB169882BS	PB169882BS	09/29/2025	17:37	PD090423.D	8.06	2.88
PB169882TB	PB169882TB	09/29/2025	17:51	PD090424.D	8.06	2.88
EME-TS14-01	Q3179-01	09/29/2025	18:46	PD090428.D	8.06	2.88
EME-TS14-01MS	Q3179-02MS	09/29/2025	18:59	PD090429.D	8.06	2.88
EME-TS14-01MSD	Q3179-03MSD	09/29/2025	19:13	PD090430.D	8.06	2.88
IBLK	IBLK	09/29/2025	19:27	PD090431.D	8.06	2.88
PEM	PEM	09/29/2025	19:40	PD090432.D	8.06	2.88
PSTDCCC050	PSTDCCC050	09/29/2025	19:54	PD090433.D	8.06	2.88