

6C

SEMIVOLATILE ORGANICS INITIAL CALIBRATION DATA

Lab Name: Alliance

Contract: ROYF02

Lab Code: ACE

SDG No.: Q3179

Instrument ID: BNA_F

Calibration Date(s): 09/23/2025 09/23/2025

Calibration Time(s): 10:28 15:27

LAB FILE ID:		RRF2.5 = BF143791.D		RRF005 = BF143792.D		RRF010 = BF143793.D		
		RRF020 = BF143794.D		RRF040 = BF143795.D		RRF050 = BF143796.D		
COMPOUND	RRF2.5	RRF005	RRF010	RRF020	RRF040	RRF050	RRF	% RSD
n-Nitrosodimethylamine			0.744	0.812	0.851	0.775	0.797	4.7
Pyridine		1.585	1.522	1.624	1.724	1.535	1.590	4.4
2-Fluorophenol			1.258	1.326	1.329	1.156	1.231	7.1
Benzaldehyde			1.066	0.952	1.467	1.327	1.246	18.8
Aniline		2.283	2.120	2.158	2.145	1.940	2.064	7.6
Phenol-d6			1.507	1.530	1.523	1.336	1.422	7.9
Phenol		1.762	1.708	1.737	1.748	1.534	1.653	7.1
bis(2-Chloroethyl)ether		1.387	1.321	1.347	1.367	1.223	1.296	6.5
2-Chlorophenol		1.304	1.254	1.329	1.335	1.209	1.260	5.5
1,2-Dichlorobenzene		1.558	1.407	1.465	1.449	1.277	1.383	8.7
1,3-Dichlorobenzene		1.622	1.493	1.556	1.544	1.345	1.463	8.3
1,4-Dichlorobenzene		1.634	1.496	1.549	1.537	1.339	1.460	8.7
Benzyl Alcohol			1.022	1.074	1.088	1.004	1.028	5.3
2-Methylphenol		1.033	0.992	1.009	1.021	0.938	0.976	5.5
2,2-oxybis(1-Chloropropane)		3.320	3.136	3.224	3.231	2.896	3.073	6.9
Acetophenone		0.500	0.466	0.468	0.463	0.401	0.439	10.5
3+4-Methylphenols			1.278	1.256	1.271	1.137	1.185	8.6
n-Nitroso-di-n-propylamine	1.078	0.991	0.932	0.926	0.914	0.842	0.915	10.3
Nitrobenzene-d5			0.309	0.339	0.353	0.322	0.327	5.4
Hexachloroethane		0.555	0.512	0.543	0.543	0.482	0.514	6.6
Nitrobenzene		0.362	0.354	0.369	0.389	0.357	0.362	4.0
Isophorone		0.667	0.636	0.649	0.673	0.624	0.637	5.1
2-Nitrophenol		0.089	0.104	0.125	0.148	0.150	0.132	20.1
2,4-Dimethylphenol		0.292	0.280	0.291	0.303	0.280	0.285	4.6
bis(2-Chloroethoxy)methane		0.455	0.430	0.430	0.437	0.393	0.414	8.0
2,4-Dichlorophenol		0.277	0.286	0.288	0.298	0.273	0.280	4.4
1,2,4-Trichlorobenzene		0.314	0.288	0.304	0.309	0.275	0.291	6.5
Benzoic acid			0.124	0.091	0.140	0.148	0.137	19.3
Naphthalene		1.058	1.021	1.020	1.003	0.887	0.957	9.3
4-Chloroaniline		0.360	0.347	0.353	0.355	0.323	0.336	7.0
Hexachlorobutadiene		0.227	0.219	0.223	0.233	0.206	0.217	5.6
Caprolactam			0.066	0.069	0.075	0.074	0.072	5.5
4-Chloro-3-methylphenol		0.271	0.260	0.271	0.276	0.261	0.263	4.8
2-Methylnaphthalene		0.685	0.650	0.643	0.635	0.568	0.611	9.5

All other compounds must meet a minimum RRF of 0.010.

Form VI SV-1

6C

SEMIVOLATILE ORGANICS INITIAL CALIBRATION DATA

Lab Name: Alliance

Contract: ROYF02

Lab Code: ACE

SDG No.: Q3179

Instrument ID: BNA_F

Calibration Date(s): 09/23/2025 09/23/2025

Calibration Time(s): 10:28 15:27

LAB FILE ID:		RRF2.5 = BF143791.D			RRF005 = BF143792.D		RRF010 = BF143793.D	
		RRF020 = BF143794.D			RRF040 = BF143795.D		RRF050 = BF143796.D	
COMPOUND	RRF2.5	RRF005	RRF010	RRF020	RRF040	RRF050	RRF	% RSD
Hexachlorocyclopentadiene			0.336	0.371	0.418	0.382	0.383	7.3
2,4,6-Trichlorophenol		0.344	0.358	0.386	0.422	0.379	0.378	6.7
2-Fluorobiphenyl			1.476	1.460	1.351	1.154	1.282	13.1
2,4,5-Trichlorophenol		0.371	0.391	0.419	0.423	0.380	0.395	5.1
1,1-Biphenyl		1.608	1.541	1.564	1.495	1.331	1.448	9.4
2-Chloronaphthalene		1.283	1.223	1.243	1.215	1.077	1.165	8.4
2-Nitroaniline		0.241	0.305	0.355	0.400	0.380	0.352	16.8
Dimethylphthalate		1.275	1.233	1.252	1.286	1.173	1.219	4.9
Acenaphthylene		1.729	1.659	1.700	1.691	1.499	1.604	7.3
2,6-Dinitrotoluene		0.138	0.161	0.198	0.228	0.224	0.200	18.4
3-Nitroaniline		0.171	0.210	0.245	0.283	0.259	0.243	16.1
Acenaphthene		1.134	1.121	1.123	1.109	0.974	1.056	7.9
2,4-Dinitrophenol			0.052	0.040	0.063	0.066	0.064	25.2
4-Nitrophenol			0.197	0.169	0.208	0.193	0.196	7.4
Dibenzofuran		1.649	1.551	1.590	1.561	1.377	1.493	8.3
2,4-Dinitrotoluene		0.151	0.210	0.254	0.307	0.295	0.261	23.2
Diethylphthalate		1.158	1.170	1.174	1.211	1.100	1.141	4.4
4-Chlorophenyl-phenylether		0.621	0.592	0.601	0.590	0.528	0.566	8.1
Fluorene		1.275	1.210	1.190	1.147	1.005	1.110	11.3
4-Nitroaniline		0.162	0.204	0.228	0.264	0.242	0.228	15.3
4,6-Dinitro-2-methylphenol			0.045	0.047	0.070	0.074	0.067	26.0
n-Nitrosodiphenylamine		0.707	0.675	0.688	0.682	0.621	0.658	6.3
Azobenzene		1.260	1.221	1.246	1.279	1.148	1.203	5.5
2,4,6-Tribromophenol			0.303	0.324	0.328	0.281	0.296	8.8
4-Bromophenyl-phenylether		0.344	0.333	0.349	0.361	0.334	0.341	3.5
Hexachlorobenzene		0.492	0.470	0.488	0.492	0.447	0.470	4.8
Atrazine		0.178	0.191	0.198	0.211	0.186	0.190	5.6
Pentachlorophenol			0.180	0.216	0.256	0.239	0.234	13.2
Phenanthrene		1.145	1.066	1.071	1.082	0.948	1.027	8.3
Anthracene		1.096	1.069	1.088	1.083	0.965	1.030	6.7
Carbazole		0.916	0.931	0.949	0.976	0.839	0.901	6.2
Di-n-butylphthalate		0.940	1.008	1.075	1.157	1.019	1.036	6.5
Fluoranthene		1.019	1.046	1.099	1.144	0.953	1.033	6.8
Benzidine			0.438	0.444	0.511	0.571	0.487	13.8
Pyrene		1.038	0.982	0.991	1.005	0.990	0.983	5.5

All other compounds must meet a minimum RRF of 0.010.

Form VI SV-1

6C

SEMIVOLATILE ORGANICS INITIAL CALIBRATION DATA

Lab Name: Alliance

Contract: ROYF02

Lab Code: ACE

SDG No.: Q3179

Instrument ID: BNA_F

Calibration Date(s): 09/23/2025 09/23/2025

Calibration Time(s): 10:28 15:27

LAB FILE ID:		RRF2.5 = BF143791.D		RRF005 = BF143792.D		RRF010 = BF143793.D		
		RRF020 = BF143794.D		RRF040 = BF143795.D		RRF050 = BF143796.D		
COMPOUND	RRF2.5	RRF005	RRF010	RRF020	RRF040	RRF050	RRF	% RSD
Terphenyl-d14			1.044	1.013	1.022	0.981	0.983	7.0
Butylbenzylphthalate		0.251	0.298	0.335	0.391	0.367	0.340	14.7
3,3-Dichlorobenzidine			0.426	0.465	0.497	0.459	0.465	5.1
Benzo (a) anthracene		1.109	1.081	1.083	1.148	1.040	1.074	4.6
Chrysene		1.041	0.985	0.996	1.018	0.909	0.972	5.2
Bis (2-ethylhexyl) phthalate		0.428	0.477	0.514	0.558	0.505	0.499	8.0
Di-n-octyl phthalate			0.767	0.877	1.013	0.902	0.905	9.0
Benzo (b) fluoranthene		0.987	1.004	1.029	1.104	1.002	1.019	3.9
Benzo (k) fluoranthene		1.061	1.004	1.080	1.089	0.996	1.023	6.2
Benzo (a) pyrene		0.928	0.920	0.989	1.027	0.949	0.957	4.2
Indeno (1,2,3-cd) pyrene		1.483	1.426	1.580	1.608	1.509	1.517	4.3
Dibenzo (a,h) anthracene		1.207	1.187	1.302	1.332	1.237	1.241	4.9
Benzo (g,h,i) perylene		1.134	1.116	1.234	1.279	1.200	1.196	5.0
1,2,4,5-Tetrachlorobenzene		0.657	0.634	0.636	0.628	0.559	0.604	7.4
1,4-Dioxane		0.594	0.575	0.598	0.640	0.558	0.589	4.4
2,3,4,6-Tetrachlorophenol		0.272	0.309	0.349	0.373	0.355	0.339	10.5
1-Methylnaphthalene		0.656	0.618	0.610	0.612	0.550	0.584	9.4

All other compounds must meet a minimum RRF of 0.010.

Form VI SV-1