

LAB CHRONICLE

OrderID:	Q3181	OrderDate:	9/24/2025 12:57:00 PM
Client:	ENTACT	Project:	540 Degraw St, Brooklyn, NY - E9309
Contact:	Austin Farmerie	Location:	J33

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q3181-02	WC-A3-01-C	SOIL			09/24/25 12:00			09/24/25
			Oil and Grease	9071B			09/29/25 12:30	
			Paint Filter	9095B			09/26/25 09:20	
			pH	9045D			09/26/25 08:40	
			TS	SM2540 B			09/25/25 11:00	
			TVS	160.4			09/25/25 15:30	
Q3181-03	WC-A3-01-C	SOIL			09/24/25 12:00			09/24/25
			Corrosivity	9045D			09/26/25 08:40	
			Ignitability	1030			09/25/25 11:54	
			Reactive Cyanide	9012B		09/25/25	09/26/25 11:11	
			Reactive Sulfide	9034		09/26/25	09/26/25 12:45	
Q3181-04	WC-A3-01-C	WATER			09/24/25 12:00			09/24/25
			ASTM Ammonia	SM4500-NH3		09/29/25	09/29/25 13:36	
			ASTM COD	SM5220 D			09/29/25 12:47	
			ASTM Oil and Grease	1664A			09/26/25 15:00	

LAB CHRONICLE

			ASTM TS	SM2540 B		09/26/25 10:30	
Q3181-06	WC-A3-02-C	SOIL			09/24/25 12:00		09/24/25
			Oil and Grease	9071B		09/29/25 12:30	
			Paint Filter	9095B		09/26/25 09:35	
			pH	9045D		09/26/25 08:55	
			TS	SM2540 B		09/25/25 11:00	
			TVS	160.4		09/25/25 15:30	
Q3181-07	WC-A3-02-C	SOIL			09/24/25 12:00		09/24/25
			Corrosivity	9045D		09/26/25 08:55	
			Ignitability	1030		09/25/25 12:02	
			Reactive Cyanide	9012B	09/25/25	09/26/25 11:11	
			Reactive Sulfide	9034	09/26/25	09/26/25 12:48	
Q3181-08	WC-A3-02-C	WATER			09/24/25 12:00		09/24/25
			ASTM Ammonia	SM4500-NH3	09/29/25	09/29/25 13:36	
			ASTM COD	SM5220 D		09/29/25 12:49	
			ASTM Oil and Grease	1664A		09/26/25 15:00	
			ASTM TS	SM2540 B		09/26/25 10:30	
Q3181-10	WC-A3-03-C	SOIL			09/24/25 12:00		09/24/25
			Oil and Grease	9071B		09/29/25 12:30	

LAB CHRONICLE

			Paint Filter	9095B		09/26/25 09:42	
			pH	9045D		09/26/25 09:00	
			TS	SM2540 B		09/25/25 11:00	
			TVS	160.4		09/25/25 15:30	
Q3181-11	WC-A3-03-C	SOIL			09/24/25 12:00		09/24/25
			Corrosivity	9045D		09/26/25 09:00	
			Ignitability	1030		09/25/25 12:10	
			Reactive Cyanide	9012B	09/25/25	09/26/25 11:11	
			Reactive Sulfide	9034	09/26/25	09/26/25 12:51	
Q3181-12	WC-A3-03-C	WATER			09/24/25 12:00		09/24/25
			ASTM Ammonia	SM4500-NH3	09/29/25	09/29/25 13:36	
			ASTM COD	SM5220 D		09/29/25 12:50	
			ASTM Oil and Grease	1664A		09/26/25 15:00	
			ASTM TS	SM2540 B		09/26/25 10:30	