

Report of Analysis

Client:	PSEG	Date Collected:	09/24/25
Project:	Irvington Sub HQ	Date Received:	09/24/25
Client Sample ID:	459	SDG No.:	Q3191
Lab Sample ID:	Q3191-01	Matrix:	TCLP
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-38-2	Arsenic	1.00	UD	5	0.26	1.00	mg/L	09/26/25 12:30	09/29/25 18:55	6010D	SW3050
7440-39-3	Barium	5.00	UD	5	0.73	5.00	mg/L	09/26/25 12:30	09/29/25 18:55	6010D	SW3050
7440-43-9	Cadmium	0.30	UD	5	0.025	0.30	mg/L	09/26/25 12:30	09/29/25 18:55	6010D	SW3050
7440-47-3	Chromium	0.50	UD	5	0.11	0.50	mg/L	09/26/25 12:30	09/29/25 18:55	6010D	SW3050
7439-92-1	Lead	0.56	JD	5	0.12	0.60	mg/L	09/26/25 12:30	09/29/25 18:55	6010D	SW3050
7439-97-6	Mercury	0.0020	U	1	0.00076	0.0020	mg/L	09/26/25 14:40	09/29/25 11:31	7470A	
7782-49-2	Selenium	1.00	UD	5	0.48	1.00	mg/L	09/26/25 12:30	09/29/25 18:55	6010D	SW3050
7440-22-4	Silver	0.50	UD	5	0.081	0.50	mg/L	09/26/25 12:30	09/29/25 18:55	6010D	SW3050

Color Before:	Black	Clarity Before:	Clear	Texture:
Color After:	Cloudy	Clarity After:	Clear	Artifacts:
Comments:	TCLP ICP Metals			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N = Spiked sample recovery not within control limits