

Hit Summary Sheet
SW-846

SDG No.: Q3193
Client: AECOM Technical Services, Inc.

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	LOD	RDL	Units
Client ID:	RW10-MW01D-20250923								
Q3193-01	RW10-MW01D-20250923	Water	Acetone	1.80	J	1.50	3.80	5.00	ug/L
			Total Voc :	1.80					
			Total Concentration:	1.80					
Client ID:	TT149S1-20250922								
Q3193-04	TT149S1-20250922	Water	Acetone	2.00	J	1.50	3.80	5.00	ug/L
Q3193-04	TT149S1-20250922	Water	Methyl tert-butyl Ether	6.90		0.16	0.50	1.00	ug/L
Q3193-04	TT149S1-20250922	Water	Trichloroethene	3.40		0.090	0.75	1.00	ug/L
Q3193-04	TT149S1-20250922	Water	Tetrachloroethene	0.82	J	0.23	0.50	1.00	ug/L
			Total Voc :	13.1					
			Total Concentration:	13.1					
Client ID:	RE137-20250922								
Q3193-05	RE137-20250922	Water	1,1,2-Trichlorotrifluoroethane	14.9		0.25	0.50	1.00	ug/L
Q3193-05	RE137-20250922	Water	1,1-Dichloroethene	2.50		0.23	0.75	1.00	ug/L
Q3193-05	RE137-20250922	Water	Acetone	7.20		1.50	3.80	5.00	ug/L
Q3193-05	RE137-20250922	Water	Carbon Tetrachloride	1.10		0.25	0.50	1.00	ug/L
Q3193-05	RE137-20250922	Water	cis-1,2-Dichloroethene	1.90		0.19	0.75	1.00	ug/L
Q3193-05	RE137-20250922	Water	Chloroform	0.65	J	0.25	0.50	1.00	ug/L
Q3193-05	RE137-20250922	Water	Trichloroethene	620	E	0.090	0.75	1.00	ug/L
Q3193-05	RE137-20250922	Water	Tetrachloroethene	4.60		0.23	0.50	1.00	ug/L
			Total Voc :	653					
			Total Concentration:	653					
Client ID:	RE137-20250922DL								
Q3193-05DL	RE137-20250922DL	Water	1,1,2-Trichlorotrifluoroethane	14.1	D	2.50	5.00	10.0	ug/L
Q3193-05DL	RE137-20250922DL	Water	Trichloroethene	620	D	0.93	7.50	10.0	ug/L
			Total Voc :	634					
			Total Concentration:	634					
Client ID:	RW4-20250922								
Q3193-06	RW4-20250922	Water	1,1,2-Trichlorotrifluoroethane	7.70		0.25	0.50	1.00	ug/L
Q3193-06	RW4-20250922	Water	1,1-Dichloroethene	0.81	J	0.23	0.75	1.00	ug/L
Q3193-06	RW4-20250922	Water	Acetone	2.30	J	1.50	3.80	5.00	ug/L
Q3193-06	RW4-20250922	Water	cis-1,2-Dichloroethene	0.89	J	0.19	0.75	1.00	ug/L
Q3193-06	RW4-20250922	Water	Chloroform	0.25	J	0.25	0.50	1.00	ug/L
Q3193-06	RW4-20250922	Water	Trichloroethene	340	E	0.090	0.75	1.00	ug/L
Q3193-06	RW4-20250922	Water	Tetrachloroethene	5.20		0.23	0.50	1.00	ug/L
			Total Voc :	357					
			Total Concentration:	357					
Client ID:	RW4-20250922DL								
Q3193-06DL	RW4-20250922DL	Water	Trichloroethene	70.1	D	0.47	3.80	5.00	ug/L



SDG No.: Q3193

Client: AECOM Technical Services, Inc.

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	LOD	RDL	Units
			Total Voc :	70.1					
			Total Concentration:	70.1					
Client ID:	GM38-RW3-MW1-20250922								
Q3193-07	GM38-RW3-MW1- Water	Acetone		1.70	J	1.50	3.80	5.00	ug/L
Q3193-07	GM38-RW3-MW1- Water	Chloroform		0.43	J	0.25	0.50	1.00	ug/L
Q3193-07	GM38-RW3-MW1- Water	Trichloroethene		17.8		0.090	0.75	1.00	ug/L
Q3193-07	GM38-RW3-MW1- Water	Tetrachloroethene		1.50		0.23	0.50	1.00	ug/L
			Total Voc :	21.4					
			Total Concentration:	21.4					
Client ID:	TT20551-20250923								
Q3193-08	TT20551-20250923 Water	Acetone		2.10	J	1.50	3.80	5.00	ug/L
Q3193-08	TT20551-20250923 Water	Methyl tert-butyl Ether		0.29	J	0.16	0.50	1.00	ug/L
Q3193-08	TT20551-20250923 Water	1,1-Dichloroethane		0.52	J	0.23	0.50	1.00	ug/L
Q3193-08	TT20551-20250923 Water	Chloroform		0.41	J	0.25	0.50	1.00	ug/L
Q3193-08	TT20551-20250923 Water	Trichloroethene		6.60		0.090	0.75	1.00	ug/L
Q3193-08	TT20551-20250923 Water	Toluene		1.20		0.14	0.50	1.00	ug/L
Q3193-08	TT20551-20250923 Water	Tetrachloroethene		0.31	J	0.23	0.50	1.00	ug/L
			Total Voc :	11.4					
			Total Concentration:	11.4					
Client ID:	RW10A-MW01I-20250923								
Q3193-09	RW10A-MW01I-20 Water	Acetone		2.20	J	1.50	3.80	5.00	ug/L
Q3193-09	RW10A-MW01I-20 Water	Trichloroethene		0.36	J	0.090	0.75	1.00	ug/L
			Total Voc :	2.56					
			Total Concentration:	2.56					
Client ID:	RW8-MW01S-20250923								
Q3193-10	RW8-MW01S-2025 Water	Acetone		1.50	J	1.50	3.80	5.00	ug/L
Q3193-10	RW8-MW01S-2025 Water	Methylene Chloride		0.28	J	0.28	0.50	1.00	ug/L
			Total Voc :	1.78					
			Total Concentration:	1.78					
Client ID:	TT172S1-20250923								
Q3193-11	TT172S1-20250923 Water	1,1,2-Trichlorotrifluoroethane		0.99	J	0.25	0.50	1.00	ug/L
Q3193-11	TT172S1-20250923 Water	Acetone		2.40	J	1.50	3.80	5.00	ug/L
Q3193-11	TT172S1-20250923 Water	Chloroform		0.53	J	0.25	0.50	1.00	ug/L
Q3193-11	TT172S1-20250923 Water	Trichloroethene		33.0		0.090	0.75	1.00	ug/L
Q3193-11	TT172S1-20250923 Water	Toluene		0.33	J	0.14	0.50	1.00	ug/L
Q3193-11	TT172S1-20250923 Water	Tetrachloroethene		1.50		0.23	0.50	1.00	ug/L
			Total Voc :	38.8					
			Total Concentration:	38.8					
Client ID:	DUP12-20250923								

Hit Summary Sheet SW-846

SDG No.: Q3193

Client: AECOM Technical Services, Inc.

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	LOD	RDL	Units
Q3193-12	DUP12-20250923	Water	Acetone	1.70	J	1.50	3.80	5.00	ug/L
Q3193-12	DUP12-20250923	Water	Methyl tert-butyl Ether	0.32	J	0.16	0.50	1.00	ug/L
Q3193-12	DUP12-20250923	Water	1,1-Dichloroethane	1.30		0.23	0.50	1.00	ug/L
Q3193-12	DUP12-20250923	Water	cis-1,2-Dichloroethene	2.20		0.19	0.75	1.00	ug/L
Q3193-12	DUP12-20250923	Water	Chloroform	0.44	J	0.25	0.50	1.00	ug/L
Q3193-12	DUP12-20250923	Water	Trichloroethene	14.0		0.090	0.75	1.00	ug/L
Q3193-12	DUP12-20250923	Water	Tetrachloroethene	0.96	J	0.23	0.50	1.00	ug/L
			Total Voc :	20.9					
			Total Concentration:	20.9					
Client ID:	RW10A-MW01S-20250923								
Q3193-13	RW10A-MW01S-20250923	Water	Acetone	2.40	J	1.50	3.80	5.00	ug/L
			Total Voc :	2.40					
			Total Concentration:	2.40					
Client ID:	RW8-MW01D1-20250923								
Q3193-14	RW8-MW01D1-20250923	Water	Acetone	1.60	J	1.50	3.80	5.00	ug/L
			Total Voc :	1.60					
			Total Concentration:	1.60					
Client ID:	DUP11-20250923								
Q3193-15	DUP11-20250923	Water	Acetone	1.70	J	1.50	3.80	5.00	ug/L
			Total Voc :	1.70					
			Total Concentration:	1.70					
Client ID:	TT161S1-20250923								
Q3193-16	TT161S1-20250923	Water	Acetone	3.60	J	1.50	3.80	5.00	ug/L
Q3193-16	TT161S1-20250923	Water	Methyl tert-butyl Ether	0.38	J	0.16	0.50	1.00	ug/L
Q3193-16	TT161S1-20250923	Water	1,1-Dichloroethane	2.20		0.23	0.50	1.00	ug/L
Q3193-16	TT161S1-20250923	Water	Chloroform	0.57	J	0.25	0.50	1.00	ug/L
Q3193-16	TT161S1-20250923	Water	Trichloroethene	0.84	J	0.090	0.75	1.00	ug/L
Q3193-16	TT161S1-20250923	Water	Toluene	0.30	J	0.14	0.50	1.00	ug/L
Q3193-16	TT161S1-20250923	Water	Tetrachloroethene	0.38	J	0.23	0.50	1.00	ug/L
			Total Voc :	8.27					
			Total Concentration:	8.27					
Client ID:	RE103D1-20250923								
Q3193-17	RE103D1-20250923	Water	1,1,2-Trichlorotrifluoroethane	8.50		0.25	0.50	1.00	ug/L
Q3193-17	RE103D1-20250923	Water	1,1-Dichloroethene	1.40		0.23	0.75	1.00	ug/L
Q3193-17	RE103D1-20250923	Water	Acetone	1.80	J	1.50	3.80	5.00	ug/L
Q3193-17	RE103D1-20250923	Water	cis-1,2-Dichloroethene	1.40		0.19	0.75	1.00	ug/L
Q3193-17	RE103D1-20250923	Water	Chloroform	0.39	J	0.25	0.50	1.00	ug/L
Q3193-17	RE103D1-20250923	Water	Trichloroethene	510	E	0.090	0.75	1.00	ug/L
Q3193-17	RE103D1-20250923	Water	Tetrachloroethene	6.10		0.23	0.50	1.00	ug/L

Hit Summary Sheet
SW-846

SDG No.: Q3193

Client: AECOM Technical Services, Inc.

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	LOD	RDL	Units
Total Voc :				530					
Total Concentration:				530					
Client ID:	RE103D1-20250923DL								
Q3193-17DL	RE103D1-20250923	Water	1,1,2-Trichlorotrifluoroethane	8.30	JD	2.50	5.00	10.0	ug/L
Q3193-17DL	RE103D1-20250923	Water	Trichloroethene	460	D	0.93	7.50	10.0	ug/L
Q3193-17DL	RE103D1-20250923	Water	Tetrachloroethene	5.80	JD	2.30	5.00	10.0	ug/L
Total Voc :				474					
Total Concentration:				474					
Client ID:	MW203D-20250923								
Q3193-18	MW203D-20250923	Water	1,1-Dichloroethene	0.53	J	0.23	0.75	1.00	ug/L
Q3193-18	MW203D-20250923	Water	Acetone	1.90	J	1.50	3.80	5.00	ug/L
Q3193-18	MW203D-20250923	Water	Methyl tert-butyl Ether	0.32	J	0.16	0.50	1.00	ug/L
Q3193-18	MW203D-20250923	Water	1,1-Dichloroethane	1.20		0.23	0.50	1.00	ug/L
Q3193-18	MW203D-20250923	Water	cis-1,2-Dichloroethene	2.20		0.19	0.75	1.00	ug/L
Q3193-18	MW203D-20250923	Water	Chloroform	0.32	J	0.25	0.50	1.00	ug/L
Q3193-18	MW203D-20250923	Water	Trichloroethene	12.3		0.090	0.75	1.00	ug/L
Q3193-18	MW203D-20250923	Water	Tetrachloroethene	0.87	J	0.23	0.50	1.00	ug/L
Total Voc :				19.6					
Total Concentration:				19.6					
Client ID:	TT174I1-20250924								
Q3193-20	TT174I1-20250924	Water	1,1-Dichloroethene	1.10		0.23	0.75	1.00	ug/L
Q3193-20	TT174I1-20250924	Water	Acetone	2.10	J	1.50	3.80	5.00	ug/L
Q3193-20	TT174I1-20250924	Water	Methyl tert-butyl Ether	0.38	J	0.16	0.50	1.00	ug/L
Q3193-20	TT174I1-20250924	Water	1,1-Dichloroethane	3.50		0.23	0.50	1.00	ug/L
Q3193-20	TT174I1-20250924	Water	Chloroform	0.45	J	0.25	0.50	1.00	ug/L
Q3193-20	TT174I1-20250924	Water	Trichloroethene	1.50		0.090	0.75	1.00	ug/L
Q3193-20	TT174I1-20250924	Water	Tetrachloroethene	0.55	J	0.23	0.50	1.00	ug/L
Total Voc :				9.58					
Total Concentration:				9.58					
Client ID:	TT162S1-20250924								
Q3193-21	TT162S1-20250924	Water	Acetone	2.30	J	1.50	3.80	5.00	ug/L
Q3193-21	TT162S1-20250924	Water	1,1-Dichloroethane	1.40		0.23	0.50	1.00	ug/L
Q3193-21	TT162S1-20250924	Water	Trichloroethene	10.5		0.090	0.75	1.00	ug/L
Total Voc :				14.2					
Total Concentration:				14.2					
Client ID:	RE120D3-20250924								
Q3193-22	RE120D3-20250924	Water	1,1,2-Trichlorotrifluoroethane	1.30		0.25	0.50	1.00	ug/L
Q3193-22	RE120D3-20250924	Water	Acetone	1.90	J	1.50	3.80	5.00	ug/L
Q3193-22	RE120D3-20250924	Water	Trichloroethene	11.7		0.090	0.75	1.00	ug/L

Hit Summary Sheet
SW-846

SDG No.: Q3193

Client: AECOM Technical Services, Inc.

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	LOD	RDL	Units
Q3193-22	RE120D3-20250924	Water	Toluene	0.26	J	0.14	0.50	1.00	ug/L
			Total Voc :	15.2					
			Total Concentration:	15.2					