

ANALYTICAL RESULTS SUMMARY

VOLATILE ORGANICS

PROJECT NAME : REAC COMMODORE

TECHLAW CONSULTANTS, INC

14840 Conference Center Dr.

Suite #200

Chantilly, VA - 20151

Phone No: 703-818-3205

ORDER ID : Q3195

ATTENTION : Jonathan Dziekan



Laboratory Certification ID # 20012



1) Signature Page	3
2) Case Narrative	4
2.1) VOC-TCLVOA-10- Case Narrative	4
3) Qualifier Page	6
4) QA Checklist	7
5) VOC-TCLVOA-10 Data	8
6) Shipping Document	101
6.1) CHAIN OF CUSTODY	102
6.2) ROC	105
6.3) Lab Certificate	106
6.4) Internal COC	107

1
2
3
4
5
6

Cover Page

Order ID : Q3195

Project ID : REAC Commodore

Client : TechLaw Consultants, Inc

Lab Sample Number

Q3195-01
Q3195-02
Q3195-03
Q3195-04
Q3195-05
Q3195-06
Q3195-07
Q3195-08
Q3195-09
Q3195-10
Q3195-11
Q3195-12
Q3195-13
Q3195-14
Q3195-15
Q3195-16
Q3195-17
Q3195-18
Q3195-19
Q3195-20
Q3195-21
Q3195-22
Q3195-23
Q3195-24
Q3195-25
Q3195-26
Q3195-27

Client Sample Number

MOS-18-092225
MW-1-091725
MW-3-091525
MW-4-091625
MW-6-091625
MW-19D-092225
MW-19M-092325
MW-21M-091925
MW-22-091825
MW-23-092325
MW-24-091925
MW-26-091925
MW-26-091925-FD
MW-29-092325
MW-31S-091825
MW-31D-091825
MW-31D-091825-FD
MW-32S-091725
MW-33D-091725
Q3195-19MS
Q3195-19MSD
RW-1-092425
EB-01-091925
EB-02-092225
FB-01-091925
FB-02-092225
TB-01-091525

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

Signature :

APPROVED

By Nimisha Pandya, QA/QC Supervisor at 12:57 pm, Oct 30, 2025

Date: 10/30/2025

NYDOH CERTIFICATION NO - 11376

NJDEP CERTIFICATION NO - 20012

CASE NARRATIVE

TechLaw Consultants, Inc
Project Name: REAC Commodore
Project # N/A
Order ID # Q3195
Test Name: VOC-TCLVOA-10

A. Number of Samples and Date of Receipt:

27 Water samples were received on 09/25/2025.

B. Parameters

According to the Chain of Custody document, the following analyses were requested:
VOC-TCLVOA-10. This data package contains results for VOC-TCLVOA-10.

C. Analytical Techniques:

The analysis performed on instrument MSVOA_V were done using GC column DB-624UI 20m 0.18mm 1.0 um. Cat#121-1324UI. The analysis of VOC-TCLVOA-10 was based on method 8260D.

D. QA/ QC Samples:

The Holding Times were met for all analysis.

The Surrogate recoveries were met for all analysis.

The Internal Standards Areas were met for all analysis.

The Retention Times were met for all analysis.

The MS {Q3195-20MS} with File ID: VV039237.D recoveries met the requirements for all compounds except for Toluene[117%] due to matrix interference.

The MSD recoveries met the requirements for all compounds.

The RPD were met for all analysis.

The Blank Spike for {VV0929WBS01} with File ID: VV039224.D met requirements for all compounds except for 1,2-Dibromoethane[111%], 4-Methyl-2-Pentanone[120%], Bromoform[118%], m/p-Xylenes[111%] and Toluene[111%] are failing high but no positive hit in associate sample therefore no corrective action taken.

The Blank analysis did not indicate the presence of lab contamination.

The %RSD is greater than 20% in the Initial Calibration method (82V092225W.M) for 2-Hexanone passing on Linear regression and Chloroethane, Acetone, Methylene Chloride, Styrene, 1,2-Dibromo-3-Chloropropane are passing on Quadratic Regression.

The Continuous Calibration File ID VV039168.D met the requirements except for Bromomethane is failing marginally low therefore no corrective action taken.

The Continuous Calibration File ID VV039198.D met the requirements except for Acetone is failing high but no positive hit in associate sample therefore no corrective action taken.

The Continuous Calibration File ID VV039221.D met the requirements except for Carbon Disulfide is failing marginally low therefore no corrective action taken.
The Tuning criteria met requirements.

The Tuning criteria met requirements.

Samples MW-4-091625 was diluted due to previous history for high contamination of analytes, so lab has analyzed sample at straight high dilution as a precaution.

Samples MW-31S-091825, MW-31D-091825 and MW-31D-091825-FD were diluted due to high concentrations.

E. Additional Comments:

This Data Package has been revised due to Data Package type changed.

F. Manual Integration Comments:

Please refer to the Manual integration Report included with the Run Logs for information on the manual integrations performed.

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

APPROVED

By Nimisha Pandya, QA/QC Supervisor at 12:57 pm, Oct 30, 2025

Signature_____

DATA REPORTING QUALIFIERS- ORGANIC

For reporting results, the following “Results Qualifiers” are used:

Value	If the result is a value greater than or equal to the detection limit, report the value
U	Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. “10 U”. This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
ND	Indicates the analyte was analyzed for, but not detected
J	Indicates an estimated value. This flag is used: (1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.) (2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3 ug/L was calculated report as 3 J. This flag is used when similar situation arise on any organic parameter i.e. Pest, PCB and others.
B	Indicates the analyte was found in the blank as well as the sample report as “12 B”.
E	Indicates the analyte ‘s concentration exceeds the calibrated range of the instrument for that specific analysis.
D	This flag identifies all compounds identified in an analysis at a secondary dilution factor.
P	This flag is used for Pesticide/PCB target analyte when there is >25% difference for detected concentrations between the two GC columns. The lower of the two values is reported on Form 1 and flagged with a “P”.
N	This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.
A	This flag indicates that a Tentatively Identified Compound is a suspected aldol-condensation product.
Q	Indicates the LCS did not meet the control limits requirements

APPENDIX A

QA REVIEW GENERAL DOCUMENTATION

Project #: Q3195

Completed

For thorough review, the report must have the following:

GENERAL:

Are all original paperwork present (chain of custody, record of communication,airbill, sample management lab chronicle, login page)

✓

Check chain-of-custody for proper relinquish/return of samples

✓

Is the chain of custody signed and complete

✓

Check internal chain-of-custody for proper relinquish/return of samples /sample extracts

✓

Collect information for each project id from server. Were all requirements followed

✓

COVER PAGE:

Do numbers of samples correspond to the number of samples in the Chain of Custody on login page

✓

Do lab numbers and client Ids on cover page agree with the Chain of Custody

✓

CHAIN OF CUSTODY:

Do requested analyses on Chain of Custody agree with form I results

✓

Do requested analyses on Chain of Custody agree with the log-in page

✓

Were the correct method log-in for analysis according to the Analytical Request and Chain of Custody

✓

Were the samples received within hold time

✓

Were any problems found with the samples at arrival recorded in the Sample Management Laboratory Chronicle

✓

ANALYTICAL:

Was method requirement followed?

✓

Was client requirement followed?

✓

Does the case narrative summarize all QC failure?

✓

All runlogs and manual integration are reviewed for requirements

✓

All manual calculations and /or hand notations verified

✓

QA Review Signature: SOHIL JODHANI

Date: 10/30/2025

Hit Summary Sheet
SW-846

SDG No.: Q3195
Client: TechLaw Consultants, Inc

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID:	MOS-18-092225							
Q3195-01	MOS-18-092225	Water	Dichlorodifluoromethane	9.70		0.22	1.00	ug/L
Q3195-01	MOS-18-092225	Water	Trichlorofluoromethane	0.49	J	0.33	1.00	ug/L
Q3195-01	MOS-18-092225	Water	1,1,2-Trichlorotrifluoroethane	2.50		0.25	1.00	ug/L
Q3195-01	MOS-18-092225	Water	cis-1,2-Dichloroethene	2.80		0.19	1.00	ug/L
Q3195-01	MOS-18-092225	Water	Trichloroethene	2.20		0.090	1.00	ug/L
Q3195-01	MOS-18-092225	Water	Tetrachloroethene	32.7		0.23	1.00	ug/L
			Total Voc :	50.4				
			Total Concentration:	50.4				
Client ID:	MW-1-091725							
Q3195-02	MW-1-091725	Water	Vinyl Chloride	0.26	J	0.26	1.00	ug/L
Q3195-02	MW-1-091725	Water	1,1,2-Trichlorotrifluoroethane	0.76	J	0.25	1.00	ug/L
Q3195-02	MW-1-091725	Water	1,1-Dichloroethene	5.50		0.23	1.00	ug/L
Q3195-02	MW-1-091725	Water	1,1-Dichloroethane	0.40	J	0.23	1.00	ug/L
Q3195-02	MW-1-091725	Water	cis-1,2-Dichloroethene	16.2		0.19	1.00	ug/L
Q3195-02	MW-1-091725	Water	1,1,1-Trichloroethane	2.10		0.20	1.00	ug/L
Q3195-02	MW-1-091725	Water	Trichloroethene	41.4		0.090	1.00	ug/L
			Total Voc :	66.6				
			Total Concentration:	66.6				
Client ID:	MW-3-091525							
Q3195-03	MW-3-091525	Water	Vinyl Chloride	0.69	J	0.26	1.00	ug/L
Q3195-03	MW-3-091525	Water	1,1-Dichloroethene	2.00		0.23	1.00	ug/L
Q3195-03	MW-3-091525	Water	trans-1,2-Dichloroethene	0.60	J	0.23	1.00	ug/L
Q3195-03	MW-3-091525	Water	1,1-Dichloroethane	0.68	J	0.23	1.00	ug/L
Q3195-03	MW-3-091525	Water	cis-1,2-Dichloroethene	70.5		0.19	1.00	ug/L
Q3195-03	MW-3-091525	Water	Trichloroethene	48.6		0.090	1.00	ug/L
			Total Voc :	123				
			Total Concentration:	123				
Client ID:	MW-4-091625							
Q3195-04	MW-4-091625	Water	1,1-Dichloroethene	150		23.0	100	ug/L
Q3195-04	MW-4-091625	Water	cis-1,2-Dichloroethene	1600		19.0	100	ug/L
Q3195-04	MW-4-091625	Water	Trichloroethene	9500		9.30	100	ug/L
			Total Voc :	11300				
			Total Concentration:	11300				
Client ID:	MW-6-091625							
Q3195-05	MW-6-091625	Water	1,1,2-Trichlorotrifluoroethane	0.43	J	0.25	1.00	ug/L
Q3195-05	MW-6-091625	Water	1,1-Dichloroethene	0.62	J	0.23	1.00	ug/L
Q3195-05	MW-6-091625	Water	cis-1,2-Dichloroethene	12.0		0.19	1.00	ug/L

Hit Summary Sheet SW-846

SDG No.: Q3195

Client: TechLaw Consultants, Inc

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Q3195-05	MW-6-091625	Water	Trichloroethene	6.00		0.090	1.00	ug/L
			Total Voc :	19.1				
			Total Concentration:	19.1				
Client ID:	MW-19D-092225							
Q3195-06	MW-19D-092225	Water	Dichlorodifluoromethane	6.00		0.22	1.00	ug/L
Q3195-06	MW-19D-092225	Water	1,1,2-Trichlorotrifluoroethane	7.70		0.25	1.00	ug/L
Q3195-06	MW-19D-092225	Water	cis-1,2-Dichloroethene	0.50	J	0.19	1.00	ug/L
Q3195-06	MW-19D-092225	Water	Chloroform	0.65	J	0.25	1.00	ug/L
Q3195-06	MW-19D-092225	Water	Trichloroethene	3.20		0.090	1.00	ug/L
Q3195-06	MW-19D-092225	Water	Tetrachloroethene	0.30	J	0.23	1.00	ug/L
			Total Voc :	18.4				
			Total Concentration:	18.4				
Client ID:	MW-21M-091925							
Q3195-08	MW-21M-091925	Water	cis-1,2-Dichloroethene	1.80		0.19	1.00	ug/L
Q3195-08	MW-21M-091925	Water	Trichloroethene	2.10		0.090	1.00	ug/L
			Total Voc :	3.90				
			Total Concentration:	3.90				
Client ID:	MW-22-091825							
Q3195-09	MW-22-091825	Water	Carbon Tetrachloride	1.80		0.25	1.00	ug/L
Q3195-09	MW-22-091825	Water	Chloroform	0.98	J	0.25	1.00	ug/L
			Total Voc :	2.78				
			Total Concentration:	2.78				
Client ID:	MW-23-092325							
Q3195-10	MW-23-092325	Water	1,1,2-Trichlorotrifluoroethane	14.3		0.25	1.00	ug/L
Q3195-10	MW-23-092325	Water	1,1-Dichloroethene	0.63	J	0.23	1.00	ug/L
Q3195-10	MW-23-092325	Water	Trichloroethene	2.60		0.090	1.00	ug/L
			Total Voc :	17.5				
Q3195-10	MW-23-092325	Water	Ethane, 1,2-dichloro-1,1,2-trifluoro *	5.50	J	0	0	ug/L
			Total Tics :	5.50				
			Total Concentration:	23.0				
Client ID:	MW-24-091925							
Q3195-11	MW-24-091925	Water	Dichlorodifluoromethane	1.10		0.22	1.00	ug/L
Q3195-11	MW-24-091925	Water	1,1,2-Trichlorotrifluoroethane	1.10		0.25	1.00	ug/L
Q3195-11	MW-24-091925	Water	Chloroform	0.35	J	0.25	1.00	ug/L
Q3195-11	MW-24-091925	Water	Trichloroethene	1.00		0.090	1.00	ug/L
Q3195-11	MW-24-091925	Water	Tetrachloroethene	0.34	J	0.23	1.00	ug/L
			Total Voc :	3.89				
			Total Concentration:	3.89				
Client ID:	MW-26-091925							
Q3195-12	MW-26-091925	Water	Chloroform	1.20		0.25	1.00	ug/L

Hit Summary Sheet

SW-846

SDG No.: Q3195

Client: TechLaw Consultants, Inc

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Total Voc :				1.20				
Total Concentration:				1.20				
Client ID: Q3195-13	MW-26-091925-FD	MW-26-091925-FD Water	Chloroform	1.10		0.25	1.00	ug/L
Total Voc :				1.10				
Total Concentration:				1.10				
Client ID: Q3195-14	MW-29-092325	MW-29-092325 Water	1,1,2-Trichlorotrifluoroethane	0.31	J	0.25	1.00	ug/L
Q3195-14	MW-29-092325	Water	1,1-Dichloroethene	0.36	J	0.23	1.00	ug/L
Q3195-14	MW-29-092325	Water	cis-1,2-Dichloroethene	1.80		0.19	1.00	ug/L
Q3195-14	MW-29-092325	Water	Trichloroethene	2.90		0.090	1.00	ug/L
Total Voc :				5.37				
Total Concentration:				5.37				
Client ID: Q3195-15	MW-31S-091825	MW-31S-091825 Water	Dichlorodifluoromethane	2.00		0.22	1.00	ug/L
Q3195-15	MW-31S-091825	Water	1,1,2-Trichlorotrifluoroethane	280	E	0.25	1.00	ug/L
Q3195-15	MW-31S-091825	Water	1,1-Dichloroethene	2.40		0.23	1.00	ug/L
Q3195-15	MW-31S-091825	Water	1,1-Dichloroethane	2.70		0.23	1.00	ug/L
Q3195-15	MW-31S-091825	Water	1,1,1-Trichloroethane	2.20		0.20	1.00	ug/L
Q3195-15	MW-31S-091825	Water	Trichloroethene	28.3		0.090	1.00	ug/L
Total Voc :				318				
Q3195-15	MW-31S-091825	Water	Ethane, 1,2-dichloro-1,1,2-trifluoroethane *	8.70	J	0	0	ug/L
Q3195-15	MW-31S-091825	Water	1,4-Dioxane *	40.1	J	6.90	100	ug/L
Total Tics :				48.8				
Total Concentration:				366				
Client ID: Q3195-15DL	MW-31S-091825DL	MW-31S-091825DI Water	1,1,2-Trichlorotrifluoroethane	220	D	1.30	5.00	ug/L
Q3195-15DL	MW-31S-091825DI	Water	Trichloroethene	25.1	D	0.47	5.00	ug/L
Total Voc :				245				
Total Concentration:				245				
Client ID: Q3195-16	MW-31D-091825	MW-31D-091825 Water	Dichlorodifluoromethane	20.3		0.22	1.00	ug/L
Q3195-16	MW-31D-091825	Water	1,1,2-Trichlorotrifluoroethane	2300	E	0.25	1.00	ug/L
Q3195-16	MW-31D-091825	Water	1,1-Dichloroethene	17.2		0.23	1.00	ug/L
Q3195-16	MW-31D-091825	Water	1,1-Dichloroethane	8.90		0.23	1.00	ug/L
Q3195-16	MW-31D-091825	Water	cis-1,2-Dichloroethene	0.79	J	0.19	1.00	ug/L
Q3195-16	MW-31D-091825	Water	1,1,1-Trichloroethane	8.20		0.20	1.00	ug/L
Q3195-16	MW-31D-091825	Water	Trichloroethene	270	E	0.090	1.00	ug/L
Q3195-16	MW-31D-091825	Water	Tetrachloroethene	0.25	J	0.23	1.00	ug/L

Hit Summary Sheet SW-846

SDG No.: Q3195

Client: TechLaw Consultants, Inc

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Total Voc :				2630				
Q3195-16	MW-31D-091825	Water	Ethane, 1,2-dichloro-1,1,2-trifluoroethane *	190	J	0	0	ug/L
Total Tics :				190				
Total Concentration:				2820				
Client ID:	MW-31D-091825DL							
Q3195-16DL	MW-31D-091825D	Water	Dichlorodifluoromethane	19.9	JD	8.80	40.0	ug/L
Q3195-16DL	MW-31D-091825D	Water	1,1,2-Trichlorotrifluoroethane	2400	D	10.0	40.0	ug/L
Q3195-16DL	MW-31D-091825D	Water	1,1-Dichloroethene	20.7	JD	9.20	40.0	ug/L
Q3195-16DL	MW-31D-091825D	Water	1,1-Dichloroethane	9.80	JD	9.20	40.0	ug/L
Q3195-16DL	MW-31D-091825D	Water	Trichloroethene	250	D	3.70	40.0	ug/L
Total Voc :				2700				
Total Concentration:				2700				
Client ID:	MW-31D-091825-FD							
Q3195-17	MW-31D-091825-F	Water	Dichlorodifluoromethane	31.6		0.22	1.00	ug/L
Q3195-17	MW-31D-091825-F	Water	1,1,2-Trichlorotrifluoroethane	3500	E	0.25	1.00	ug/L
Q3195-17	MW-31D-091825-F	Water	1,1-Dichloroethene	26.8		0.23	1.00	ug/L
Q3195-17	MW-31D-091825-F	Water	1,1-Dichloroethane	13.7		0.23	1.00	ug/L
Q3195-17	MW-31D-091825-F	Water	cis-1,2-Dichloroethene	1.30		0.19	1.00	ug/L
Q3195-17	MW-31D-091825-F	Water	1,1,1-Trichloroethane	12.8		0.20	1.00	ug/L
Q3195-17	MW-31D-091825-F	Water	Trichloroethene	420	E	0.090	1.00	ug/L
Q3195-17	MW-31D-091825-F	Water	Tetrachloroethene	0.41	J	0.23	1.00	ug/L
Total Voc :				4010				
Q3195-17	MW-31D-091825-F	Water	Ethane, 1,2-dichloro-1,1,2-trifluoroethane *	310	J	0	0	ug/L
Total Tics :				310				
Total Concentration:				4320				
Client ID:	MW-31D-091825-FDDL							
Q3195-17DL	MW-31D-091825-F	Water	Dichlorodifluoromethane	22.6	JD	11.0	50.0	ug/L
Q3195-17DL	MW-31D-091825-F	Water	1,1,2-Trichlorotrifluoroethane	2400	D	12.5	50.0	ug/L
Q3195-17DL	MW-31D-091825-F	Water	Trichloroethene	250	D	4.70	50.0	ug/L
Total Voc :				2670				
Total Concentration:				2670				
Client ID:	MW-32S-091725							
Q3195-18	MW-32S-091725	Water	Trichloroethene	0.52	J	0.090	1.00	ug/L
Q3195-18	MW-32S-091725	Water	Tetrachloroethene	0.80	J	0.23	1.00	ug/L
Total Voc :				1.32				
Total Concentration:				1.32				
Client ID:	MW-33D-091725							
Q3195-19	MW-33D-091725	Water	Dichlorodifluoromethane	7.90		0.22	1.00	ug/L
Q3195-19	MW-33D-091725	Water	1,1,2-Trichlorotrifluoroethane	2.10		0.25	1.00	ug/L

Hit Summary Sheet
SW-846

SDG No.: Q3195

Client: TechLaw Consultants, Inc

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Q3195-19	MW-33D-091725	Water	cis-1,2-Dichloroethene	1.30		0.19	1.00	ug/L
Q3195-19	MW-33D-091725	Water	Trichloroethene	5.50		0.090	1.00	ug/L
Q3195-19	MW-33D-091725	Water	Tetrachloroethene	1.40		0.23	1.00	ug/L
			Total Voc :	18.2				
			Total Concentration:	18.2				
Client ID:	RW-1-092425							
Q3195-22	RW-1-092425	Water	Trichloroethene	0.64	J	0.090	1.00	ug/L
			Total Voc :	0.64				
			Total Concentration:	0.64				

A

B

C

D



SAMPLE DATA

Report of Analysis

Client:	TechLaw Consultants, Inc		Date Collected:	09/22/25	
Project:	REAC Commodore		Date Received:	09/25/25	
Client Sample ID:	MOS-18-092225		SDG No.:	Q3195	
Lab Sample ID:	Q3195-01		Matrix:	Water	
Analytical Method:	8260D		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VV039206.D	1	09/26/25 12:43	VV092625

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	9.70		0.22	1.00	ug/L
74-87-3	Chloromethane	0.32	U	0.32	1.00	ug/L
75-01-4	Vinyl Chloride	0.26	U	0.26	1.00	ug/L
74-83-9	Bromomethane	1.40	U	1.40	5.00	ug/L
75-00-3	Chloroethane	0.47	U	0.47	1.00	ug/L
75-69-4	Trichlorofluoromethane	0.49	J	0.33	1.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	2.50		0.25	1.00	ug/L
75-35-4	1,1-Dichloroethene	0.23	U	0.23	1.00	ug/L
67-64-1	Acetone	1.50	U	1.50	5.00	ug/L
75-15-0	Carbon Disulfide	0.21	U	0.21	1.00	ug/L
1634-04-4	Methyl tert-butyl Ether	0.16	U	0.16	1.00	ug/L
79-20-9	Methyl Acetate	0.27	U	0.27	1.00	ug/L
75-09-2	Methylene Chloride	0.28	U	0.28	1.00	ug/L
156-60-5	trans-1,2-Dichloroethene	0.23	U	0.23	1.00	ug/L
75-34-3	1,1-Dichloroethane	0.23	U	0.23	1.00	ug/L
110-82-7	Cyclohexane	1.50	U	1.50	5.00	ug/L
78-93-3	2-Butanone	0.98	U	0.98	5.00	ug/L
56-23-5	Carbon Tetrachloride	0.25	U	0.25	1.00	ug/L
156-59-2	cis-1,2-Dichloroethene	2.80		0.19	1.00	ug/L
74-97-5	Bromochloromethane	0.22	U	0.22	1.00	ug/L
67-66-3	Chloroform	0.25	U	0.25	1.00	ug/L
71-55-6	1,1,1-Trichloroethane	0.20	U	0.20	1.00	ug/L
108-87-2	Methylcyclohexane	0.16	U	0.16	1.00	ug/L
71-43-2	Benzene	0.15	U	0.15	1.00	ug/L
107-06-2	1,2-Dichloroethane	0.22	U	0.22	1.00	ug/L
79-01-6	Trichloroethene	2.20		0.090	1.00	ug/L
78-87-5	1,2-Dichloropropane	0.20	U	0.20	1.00	ug/L
75-27-4	Bromodichloromethane	0.22	U	0.22	1.00	ug/L
108-10-1	4-Methyl-2-Pentanone	0.68	U	0.68	5.00	ug/L
108-88-3	Toluene	0.14	U	0.14	1.00	ug/L

Report of Analysis

Client:	TechLaw Consultants, Inc		Date Collected:	09/22/25	
Project:	REAC Commodore		Date Received:	09/25/25	
Client Sample ID:	MOS-18-092225		SDG No.:	Q3195	
Lab Sample ID:	Q3195-01		Matrix:	Water	
Analytical Method:	8260D		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VV039206.D	1	09/26/25 12:43	VV092625

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	0.17	U	0.17	1.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.16	U	0.16	1.00	ug/L
79-00-5	1,1,2-Trichloroethane	0.21	U	0.21	1.00	ug/L
591-78-6	2-Hexanone	0.89	U	0.89	5.00	ug/L
124-48-1	Dibromochloromethane	0.18	U	0.18	1.00	ug/L
106-93-4	1,2-Dibromoethane	0.15	U	0.15	1.00	ug/L
127-18-4	Tetrachloroethene	32.7		0.23	1.00	ug/L
108-90-7	Chlorobenzene	0.12	U	0.12	1.00	ug/L
100-41-4	Ethyl Benzene	0.13	U	0.13	1.00	ug/L
179601-23-1	m/p-Xylenes	0.24	U	0.24	2.00	ug/L
95-47-6	o-Xylene	0.12	U	0.12	1.00	ug/L
100-42-5	Styrene	0.15	U	0.15	1.00	ug/L
75-25-2	Bromoform	0.19	U	0.19	1.00	ug/L
98-82-8	Isopropylbenzene	0.12	U	0.12	1.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.26	U	0.26	1.00	ug/L
541-73-1	1,3-Dichlorobenzene	0.16	U	0.16	1.00	ug/L
106-46-7	1,4-Dichlorobenzene	0.19	U	0.19	1.00	ug/L
95-50-1	1,2-Dichlorobenzene	0.16	U	0.16	1.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	0.53	U	0.53	1.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.20	U	0.20	1.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.20	U	0.20	1.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	59.6		74 - 125	119%	SPK: 50
1868-53-7	Dibromofluoromethane	58.1		75 - 124	116%	SPK: 50
2037-26-5	Toluene-d8	47.1		86 - 113	94%	SPK: 50
460-00-4	4-Bromofluorobenzene	43.9		77 - 121	88%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	335000	4.6			
540-36-3	1,4-Difluorobenzene	585000	5.535			
3114-55-4	Chlorobenzene-d5	610000	8.777			
3855-82-1	1,4-Dichlorobenzene-d4	284000	11.175			

Report of Analysis

Client:	TechLaw Consultants, Inc		Date Collected:	09/22/25	
Project:	REAC Commodore		Date Received:	09/25/25	
Client Sample ID:	MOS-18-092225		SDG No.:	Q3195	
Lab Sample ID:	Q3195-01		Matrix:	Water	
Analytical Method:	8260D		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VV039206.D	1	09/26/25 12:43	VV092625

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 () = Laboratory InHouse Limit
 A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	TechLaw Consultants, Inc		Date Collected:	09/17/25	
Project:	REAC Commodore		Date Received:	09/25/25	
Client Sample ID:	MW-1-091725		SDG No.:	Q3195	
Lab Sample ID:	Q3195-02		Matrix:	Water	
Analytical Method:	8260D		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VV039192.D	1	09/25/25 19:17	VV092525

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	0.22	U	0.22	1.00	ug/L
74-87-3	Chloromethane	0.32	U	0.32	1.00	ug/L
75-01-4	Vinyl Chloride	0.26	J	0.26	1.00	ug/L
74-83-9	Bromomethane	1.40	U	1.40	5.00	ug/L
75-00-3	Chloroethane	0.47	U	0.47	1.00	ug/L
75-69-4	Trichlorofluoromethane	0.33	U	0.33	1.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	0.76	J	0.25	1.00	ug/L
75-35-4	1,1-Dichloroethene	5.50		0.23	1.00	ug/L
67-64-1	Acetone	1.50	U	1.50	5.00	ug/L
75-15-0	Carbon Disulfide	0.21	U	0.21	1.00	ug/L
1634-04-4	Methyl tert-butyl Ether	0.16	U	0.16	1.00	ug/L
79-20-9	Methyl Acetate	0.27	U	0.27	1.00	ug/L
75-09-2	Methylene Chloride	0.28	U	0.28	1.00	ug/L
156-60-5	trans-1,2-Dichloroethene	0.23	U	0.23	1.00	ug/L
75-34-3	1,1-Dichloroethane	0.40	J	0.23	1.00	ug/L
110-82-7	Cyclohexane	1.50	U	1.50	5.00	ug/L
78-93-3	2-Butanone	0.98	U	0.98	5.00	ug/L
56-23-5	Carbon Tetrachloride	0.25	U	0.25	1.00	ug/L
156-59-2	cis-1,2-Dichloroethene	16.2		0.19	1.00	ug/L
74-97-5	Bromochloromethane	0.22	U	0.22	1.00	ug/L
67-66-3	Chloroform	0.25	U	0.25	1.00	ug/L
71-55-6	1,1,1-Trichloroethane	2.10		0.20	1.00	ug/L
108-87-2	Methylcyclohexane	0.16	U	0.16	1.00	ug/L
71-43-2	Benzene	0.15	U	0.15	1.00	ug/L
107-06-2	1,2-Dichloroethane	0.22	U	0.22	1.00	ug/L
79-01-6	Trichloroethene	41.4		0.090	1.00	ug/L
78-87-5	1,2-Dichloropropane	0.20	U	0.20	1.00	ug/L
75-27-4	Bromodichloromethane	0.22	U	0.22	1.00	ug/L
108-10-1	4-Methyl-2-Pentanone	0.68	U	0.68	5.00	ug/L
108-88-3	Toluene	0.14	U	0.14	1.00	ug/L

Report of Analysis

Client:	TechLaw Consultants, Inc		Date Collected:	09/17/25	
Project:	REAC Commodore		Date Received:	09/25/25	
Client Sample ID:	MW-1-091725		SDG No.:	Q3195	
Lab Sample ID:	Q3195-02		Matrix:	Water	
Analytical Method:	8260D		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VV039192.D	1	09/25/25 19:17	VV092525

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	0.17	U	0.17	1.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.16	U	0.16	1.00	ug/L
79-00-5	1,1,2-Trichloroethane	0.21	U	0.21	1.00	ug/L
591-78-6	2-Hexanone	0.89	U	0.89	5.00	ug/L
124-48-1	Dibromochloromethane	0.18	U	0.18	1.00	ug/L
106-93-4	1,2-Dibromoethane	0.15	U	0.15	1.00	ug/L
127-18-4	Tetrachloroethene	0.23	U	0.23	1.00	ug/L
108-90-7	Chlorobenzene	0.12	U	0.12	1.00	ug/L
100-41-4	Ethyl Benzene	0.13	U	0.13	1.00	ug/L
179601-23-1	m/p-Xylenes	0.24	U	0.24	2.00	ug/L
95-47-6	o-Xylene	0.12	U	0.12	1.00	ug/L
100-42-5	Styrene	0.15	U	0.15	1.00	ug/L
75-25-2	Bromoform	0.19	U	0.19	1.00	ug/L
98-82-8	Isopropylbenzene	0.12	U	0.12	1.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.26	U	0.26	1.00	ug/L
541-73-1	1,3-Dichlorobenzene	0.16	U	0.16	1.00	ug/L
106-46-7	1,4-Dichlorobenzene	0.19	U	0.19	1.00	ug/L
95-50-1	1,2-Dichlorobenzene	0.16	U	0.16	1.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	0.53	U	0.53	1.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.20	U	0.20	1.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.20	U	0.20	1.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	55.2		74 - 125	110%	SPK: 50
1868-53-7	Dibromofluoromethane	51.0		75 - 124	102%	SPK: 50
2037-26-5	Toluene-d8	46.4		86 - 113	93%	SPK: 50
460-00-4	4-Bromofluorobenzene	44.1		77 - 121	88%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	536000	4.6			
540-36-3	1,4-Difluorobenzene	971000	5.532			
3114-55-4	Chlorobenzene-d5	956000	8.776			
3855-82-1	1,4-Dichlorobenzene-d4	458000	11.172			

Report of Analysis

Client:	TechLaw Consultants, Inc		Date Collected:	09/17/25	
Project:	REAC Commodore		Date Received:	09/25/25	
Client Sample ID:	MW-1-091725		SDG No.:	Q3195	
Lab Sample ID:	Q3195-02		Matrix:	Water	
Analytical Method:	8260D		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VV039192.D	1	09/25/25 19:17	VV092525

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 () = Laboratory InHouse Limit
 A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	TechLaw Consultants, Inc		Date Collected:	09/15/25	
Project:	REAC Commodore		Date Received:	09/25/25	
Client Sample ID:	MW-3-091525		SDG No.:	Q3195	
Lab Sample ID:	Q3195-03		Matrix:	Water	
Analytical Method:	8260D		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VV039207.D	1	09/26/25 13:06	VV092625

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	0.22	U	0.22	1.00	ug/L
74-87-3	Chloromethane	0.32	U	0.32	1.00	ug/L
75-01-4	Vinyl Chloride	0.69	J	0.26	1.00	ug/L
74-83-9	Bromomethane	1.40	U	1.40	5.00	ug/L
75-00-3	Chloroethane	0.47	U	0.47	1.00	ug/L
75-69-4	Trichlorofluoromethane	0.33	U	0.33	1.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	0.25	U	0.25	1.00	ug/L
75-35-4	1,1-Dichloroethene	2.00		0.23	1.00	ug/L
67-64-1	Acetone	1.50	U	1.50	5.00	ug/L
75-15-0	Carbon Disulfide	0.21	U	0.21	1.00	ug/L
1634-04-4	Methyl tert-butyl Ether	0.16	U	0.16	1.00	ug/L
79-20-9	Methyl Acetate	0.27	U	0.27	1.00	ug/L
75-09-2	Methylene Chloride	0.28	U	0.28	1.00	ug/L
156-60-5	trans-1,2-Dichloroethene	0.60	J	0.23	1.00	ug/L
75-34-3	1,1-Dichloroethane	0.68	J	0.23	1.00	ug/L
110-82-7	Cyclohexane	1.50	U	1.50	5.00	ug/L
78-93-3	2-Butanone	0.98	U	0.98	5.00	ug/L
56-23-5	Carbon Tetrachloride	0.25	U	0.25	1.00	ug/L
156-59-2	cis-1,2-Dichloroethene	70.5		0.19	1.00	ug/L
74-97-5	Bromochloromethane	0.22	U	0.22	1.00	ug/L
67-66-3	Chloroform	0.25	U	0.25	1.00	ug/L
71-55-6	1,1,1-Trichloroethane	0.20	U	0.20	1.00	ug/L
108-87-2	Methylcyclohexane	0.16	U	0.16	1.00	ug/L
71-43-2	Benzene	0.15	U	0.15	1.00	ug/L
107-06-2	1,2-Dichloroethane	0.22	U	0.22	1.00	ug/L
79-01-6	Trichloroethene	48.6		0.090	1.00	ug/L
78-87-5	1,2-Dichloropropane	0.20	U	0.20	1.00	ug/L
75-27-4	Bromodichloromethane	0.22	U	0.22	1.00	ug/L
108-10-1	4-Methyl-2-Pentanone	0.68	U	0.68	5.00	ug/L
108-88-3	Toluene	0.14	U	0.14	1.00	ug/L

Report of Analysis

Client:	TechLaw Consultants, Inc		Date Collected:	09/15/25	
Project:	REAC Commodore		Date Received:	09/25/25	
Client Sample ID:	MW-3-091525		SDG No.:	Q3195	
Lab Sample ID:	Q3195-03		Matrix:	Water	
Analytical Method:	8260D		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VV039207.D	1	09/26/25 13:06	VV092625

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	0.17	U	0.17	1.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.16	U	0.16	1.00	ug/L
79-00-5	1,1,2-Trichloroethane	0.21	U	0.21	1.00	ug/L
591-78-6	2-Hexanone	0.89	U	0.89	5.00	ug/L
124-48-1	Dibromochloromethane	0.18	U	0.18	1.00	ug/L
106-93-4	1,2-Dibromoethane	0.15	U	0.15	1.00	ug/L
127-18-4	Tetrachloroethene	0.23	U	0.23	1.00	ug/L
108-90-7	Chlorobenzene	0.12	U	0.12	1.00	ug/L
100-41-4	Ethyl Benzene	0.13	U	0.13	1.00	ug/L
179601-23-1	m/p-Xylenes	0.24	U	0.24	2.00	ug/L
95-47-6	o-Xylene	0.12	U	0.12	1.00	ug/L
100-42-5	Styrene	0.15	U	0.15	1.00	ug/L
75-25-2	Bromoform	0.19	U	0.19	1.00	ug/L
98-82-8	Isopropylbenzene	0.12	U	0.12	1.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.26	U	0.26	1.00	ug/L
541-73-1	1,3-Dichlorobenzene	0.16	U	0.16	1.00	ug/L
106-46-7	1,4-Dichlorobenzene	0.19	U	0.19	1.00	ug/L
95-50-1	1,2-Dichlorobenzene	0.16	U	0.16	1.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	0.53	U	0.53	1.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.20	U	0.20	1.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.20	U	0.20	1.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	56.4		74 - 125	113%	SPK: 50
1868-53-7	Dibromofluoromethane	53.0		75 - 124	106%	SPK: 50
2037-26-5	Toluene-d8	46.8		86 - 113	94%	SPK: 50
460-00-4	4-Bromofluorobenzene	44.5		77 - 121	89%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	600000	4.6			
540-36-3	1,4-Difluorobenzene	1060000	5.532			
3114-55-4	Chlorobenzene-d5	1060000	8.776			
3855-82-1	1,4-Dichlorobenzene-d4	513000	11.175			

Report of Analysis

Client:	TechLaw Consultants, Inc		Date Collected:	09/15/25	
Project:	REAC Commodore		Date Received:	09/25/25	
Client Sample ID:	MW-3-091525		SDG No.:	Q3195	
Lab Sample ID:	Q3195-03		Matrix:	Water	
Analytical Method:	8260D		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VV039207.D	1	09/26/25 13:06	VV092625

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 () = Laboratory InHouse Limit
 A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	TechLaw Consultants, Inc		Date Collected:	09/16/25	
Project:	REAC Commodore		Date Received:	09/25/25	
Client Sample ID:	MW-4-091625		SDG No.:	Q3195	
Lab Sample ID:	Q3195-04		Matrix:	Water	
Analytical Method:	8260D		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VV039205.D	100	09/26/25 12:21	VV092625

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	22.0	U	22.0	100	ug/L
74-87-3	Chloromethane	32.0	U	32.0	100	ug/L
75-01-4	Vinyl Chloride	26.0	U	26.0	100	ug/L
74-83-9	Bromomethane	140	U	140	500	ug/L
75-00-3	Chloroethane	47.0	U	47.0	100	ug/L
75-69-4	Trichlorofluoromethane	33.0	U	33.0	100	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	25.0	U	25.0	100	ug/L
75-35-4	1,1-Dichloroethene	150		23.0	100	ug/L
67-64-1	Acetone	150	U	150	500	ug/L
75-15-0	Carbon Disulfide	21.0	U	21.0	100	ug/L
1634-04-4	Methyl tert-butyl Ether	16.0	U	16.0	100	ug/L
79-20-9	Methyl Acetate	27.0	U	27.0	100	ug/L
75-09-2	Methylene Chloride	28.0	U	28.0	100	ug/L
156-60-5	trans-1,2-Dichloroethene	23.0	U	23.0	100	ug/L
75-34-3	1,1-Dichloroethane	23.0	U	23.0	100	ug/L
110-82-7	Cyclohexane	150	U	150	500	ug/L
78-93-3	2-Butanone	98.0	U	98.0	500	ug/L
56-23-5	Carbon Tetrachloride	25.0	U	25.0	100	ug/L
156-59-2	cis-1,2-Dichloroethene	1600		19.0	100	ug/L
74-97-5	Bromochloromethane	22.0	U	22.0	100	ug/L
67-66-3	Chloroform	25.0	U	25.0	100	ug/L
71-55-6	1,1,1-Trichloroethane	20.0	U	20.0	100	ug/L
108-87-2	Methylcyclohexane	16.0	U	16.0	100	ug/L
71-43-2	Benzene	15.0	U	15.0	100	ug/L
107-06-2	1,2-Dichloroethane	22.0	U	22.0	100	ug/L
79-01-6	Trichloroethene	9500		9.30	100	ug/L
78-87-5	1,2-Dichloropropane	20.0	U	20.0	100	ug/L
75-27-4	Bromodichloromethane	22.0	U	22.0	100	ug/L
108-10-1	4-Methyl-2-Pentanone	68.0	U	68.0	500	ug/L
108-88-3	Toluene	14.0	U	14.0	100	ug/L

Report of Analysis

Client:	TechLaw Consultants, Inc		Date Collected:	09/16/25	
Project:	REAC Commodore		Date Received:	09/25/25	
Client Sample ID:	MW-4-091625		SDG No.:	Q3195	
Lab Sample ID:	Q3195-04		Matrix:	Water	
Analytical Method:	8260D		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VV039205.D	100	09/26/25 12:21	VV092625

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	17.0	U	17.0	100	ug/L
10061-01-5	cis-1,3-Dichloropropene	16.0	U	16.0	100	ug/L
79-00-5	1,1,2-Trichloroethane	21.0	U	21.0	100	ug/L
591-78-6	2-Hexanone	89.0	U	89.0	500	ug/L
124-48-1	Dibromochloromethane	18.0	U	18.0	100	ug/L
106-93-4	1,2-Dibromoethane	15.0	U	15.0	100	ug/L
127-18-4	Tetrachloroethene	23.0	U	23.0	100	ug/L
108-90-7	Chlorobenzene	12.0	U	12.0	100	ug/L
100-41-4	Ethyl Benzene	13.0	U	13.0	100	ug/L
179601-23-1	m/p-Xylenes	24.0	U	24.0	200	ug/L
95-47-6	o-Xylene	12.0	U	12.0	100	ug/L
100-42-5	Styrene	15.0	U	15.0	100	ug/L
75-25-2	Bromoform	19.0	U	19.0	100	ug/L
98-82-8	Isopropylbenzene	12.0	U	12.0	100	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	26.0	U	26.0	100	ug/L
541-73-1	1,3-Dichlorobenzene	16.0	U	16.0	100	ug/L
106-46-7	1,4-Dichlorobenzene	19.0	U	19.0	100	ug/L
95-50-1	1,2-Dichlorobenzene	16.0	U	16.0	100	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	53.0	U	53.0	100	ug/L
120-82-1	1,2,4-Trichlorobenzene	20.0	U	20.0	100	ug/L
87-61-6	1,2,3-Trichlorobenzene	20.0	U	20.0	100	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	56.0		74 - 125	112%	SPK: 50
1868-53-7	Dibromofluoromethane	52.9		75 - 124	106%	SPK: 50
2037-26-5	Toluene-d8	46.2		86 - 113	92%	SPK: 50
460-00-4	4-Bromofluorobenzene	44.1		77 - 121	88%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	514000	4.6			
540-36-3	1,4-Difluorobenzene	924000	5.535			
3114-55-4	Chlorobenzene-d5	912000	8.776			
3855-82-1	1,4-Dichlorobenzene-d4	438000	11.172			

Report of Analysis

Client:	TechLaw Consultants, Inc		Date Collected:	09/16/25	
Project:	REAC Commodore		Date Received:	09/25/25	
Client Sample ID:	MW-4-091625		SDG No.:	Q3195	
Lab Sample ID:	Q3195-04		Matrix:	Water	
Analytical Method:	8260D		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VV039205.D	100	09/26/25 12:21	VV092625

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 () = Laboratory InHouse Limit
 A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	TechLaw Consultants, Inc		Date Collected:	09/16/25	
Project:	REAC Commodore		Date Received:	09/25/25	
Client Sample ID:	MW-6-091625		SDG No.:	Q3195	
Lab Sample ID:	Q3195-05		Matrix:	Water	
Analytical Method:	8260D		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VV039208.D	1	09/26/25 13:28	VV092625

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	0.22	U	0.22	1.00	ug/L
74-87-3	Chloromethane	0.32	U	0.32	1.00	ug/L
75-01-4	Vinyl Chloride	0.26	U	0.26	1.00	ug/L
74-83-9	Bromomethane	1.40	U	1.40	5.00	ug/L
75-00-3	Chloroethane	0.47	U	0.47	1.00	ug/L
75-69-4	Trichlorofluoromethane	0.33	U	0.33	1.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	0.43	J	0.25	1.00	ug/L
75-35-4	1,1-Dichloroethene	0.23	U	0.23	1.00	ug/L
67-64-1	Acetone	1.50	U	1.50	5.00	ug/L
75-15-0	Carbon Disulfide	0.21	U	0.21	1.00	ug/L
1634-04-4	Methyl tert-butyl Ether	0.16	U	0.16	1.00	ug/L
79-20-9	Methyl Acetate	0.27	U	0.27	1.00	ug/L
75-09-2	Methylene Chloride	0.28	U	0.28	1.00	ug/L
156-60-5	trans-1,2-Dichloroethene	0.23	U	0.23	1.00	ug/L
75-34-3	1,1-Dichloroethane	0.62	J	0.23	1.00	ug/L
110-82-7	Cyclohexane	1.50	U	1.50	5.00	ug/L
78-93-3	2-Butanone	0.98	U	0.98	5.00	ug/L
56-23-5	Carbon Tetrachloride	0.25	U	0.25	1.00	ug/L
156-59-2	cis-1,2-Dichloroethene	12.0		0.19	1.00	ug/L
74-97-5	Bromochloromethane	0.22	U	0.22	1.00	ug/L
67-66-3	Chloroform	0.25	U	0.25	1.00	ug/L
71-55-6	1,1,1-Trichloroethane	0.20	U	0.20	1.00	ug/L
108-87-2	Methylcyclohexane	0.16	U	0.16	1.00	ug/L
71-43-2	Benzene	0.15	U	0.15	1.00	ug/L
107-06-2	1,2-Dichloroethane	0.22	U	0.22	1.00	ug/L
79-01-6	Trichloroethene	6.00		0.090	1.00	ug/L
78-87-5	1,2-Dichloropropane	0.20	U	0.20	1.00	ug/L
75-27-4	Bromodichloromethane	0.22	U	0.22	1.00	ug/L
108-10-1	4-Methyl-2-Pentanone	0.68	U	0.68	5.00	ug/L
108-88-3	Toluene	0.14	U	0.14	1.00	ug/L

Report of Analysis

Client:	TechLaw Consultants, Inc		Date Collected:	09/16/25	
Project:	REAC Commodore		Date Received:	09/25/25	
Client Sample ID:	MW-6-091625		SDG No.:	Q3195	
Lab Sample ID:	Q3195-05		Matrix:	Water	
Analytical Method:	8260D		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VV039208.D	1	09/26/25 13:28	VV092625

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	0.17	U	0.17	1.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.16	U	0.16	1.00	ug/L
79-00-5	1,1,2-Trichloroethane	0.21	U	0.21	1.00	ug/L
591-78-6	2-Hexanone	0.89	U	0.89	5.00	ug/L
124-48-1	Dibromochloromethane	0.18	U	0.18	1.00	ug/L
106-93-4	1,2-Dibromoethane	0.15	U	0.15	1.00	ug/L
127-18-4	Tetrachloroethene	0.23	U	0.23	1.00	ug/L
108-90-7	Chlorobenzene	0.12	U	0.12	1.00	ug/L
100-41-4	Ethyl Benzene	0.13	U	0.13	1.00	ug/L
179601-23-1	m/p-Xylenes	0.24	U	0.24	2.00	ug/L
95-47-6	o-Xylene	0.12	U	0.12	1.00	ug/L
100-42-5	Styrene	0.15	U	0.15	1.00	ug/L
75-25-2	Bromoform	0.19	U	0.19	1.00	ug/L
98-82-8	Isopropylbenzene	0.12	U	0.12	1.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.26	U	0.26	1.00	ug/L
541-73-1	1,3-Dichlorobenzene	0.16	U	0.16	1.00	ug/L
106-46-7	1,4-Dichlorobenzene	0.19	U	0.19	1.00	ug/L
95-50-1	1,2-Dichlorobenzene	0.16	U	0.16	1.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	0.53	U	0.53	1.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.20	U	0.20	1.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.20	U	0.20	1.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	60.5		74 - 125	121%	SPK: 50
1868-53-7	Dibromofluoromethane	56.6		75 - 124	113%	SPK: 50
2037-26-5	Toluene-d8	46.3		86 - 113	93%	SPK: 50
460-00-4	4-Bromofluorobenzene	43.5		77 - 121	87%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	375000	4.6			
540-36-3	1,4-Difluorobenzene	660000	5.535			
3114-55-4	Chlorobenzene-d5	676000	8.776			
3855-82-1	1,4-Dichlorobenzene-d4	313000	11.175			

Report of Analysis

Client:	TechLaw Consultants, Inc		Date Collected:	09/16/25	
Project:	REAC Commodore		Date Received:	09/25/25	
Client Sample ID:	MW-6-091625		SDG No.:	Q3195	
Lab Sample ID:	Q3195-05		Matrix:	Water	
Analytical Method:	8260D		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VV039208.D	1	09/26/25 13:28	VV092625

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 () = Laboratory InHouse Limit
 A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	TechLaw Consultants, Inc		Date Collected:	09/22/25	
Project:	REAC Commodore		Date Received:	09/25/25	
Client Sample ID:	MW-19D-092225		SDG No.:	Q3195	
Lab Sample ID:	Q3195-06		Matrix:	Water	
Analytical Method:	8260D		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VV039209.D	1	09/26/25 13:51	VV092625

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	6.00		0.22	1.00	ug/L
74-87-3	Chloromethane	0.32	U	0.32	1.00	ug/L
75-01-4	Vinyl Chloride	0.26	U	0.26	1.00	ug/L
74-83-9	Bromomethane	1.40	U	1.40	5.00	ug/L
75-00-3	Chloroethane	0.47	U	0.47	1.00	ug/L
75-69-4	Trichlorofluoromethane	0.33	U	0.33	1.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	7.70		0.25	1.00	ug/L
75-35-4	1,1-Dichloroethene	0.23	U	0.23	1.00	ug/L
67-64-1	Acetone	1.50	U	1.50	5.00	ug/L
75-15-0	Carbon Disulfide	0.21	U	0.21	1.00	ug/L
1634-04-4	Methyl tert-butyl Ether	0.16	U	0.16	1.00	ug/L
79-20-9	Methyl Acetate	0.27	U	0.27	1.00	ug/L
75-09-2	Methylene Chloride	0.28	U	0.28	1.00	ug/L
156-60-5	trans-1,2-Dichloroethene	0.23	U	0.23	1.00	ug/L
75-34-3	1,1-Dichloroethane	0.23	U	0.23	1.00	ug/L
110-82-7	Cyclohexane	1.50	U	1.50	5.00	ug/L
78-93-3	2-Butanone	0.98	U	0.98	5.00	ug/L
56-23-5	Carbon Tetrachloride	0.25	U	0.25	1.00	ug/L
156-59-2	cis-1,2-Dichloroethene	0.50	J	0.19	1.00	ug/L
74-97-5	Bromochloromethane	0.22	U	0.22	1.00	ug/L
67-66-3	Chloroform	0.65	J	0.25	1.00	ug/L
71-55-6	1,1,1-Trichloroethane	0.20	U	0.20	1.00	ug/L
108-87-2	Methylcyclohexane	0.16	U	0.16	1.00	ug/L
71-43-2	Benzene	0.15	U	0.15	1.00	ug/L
107-06-2	1,2-Dichloroethane	0.22	U	0.22	1.00	ug/L
79-01-6	Trichloroethene	3.20		0.090	1.00	ug/L
78-87-5	1,2-Dichloropropane	0.20	U	0.20	1.00	ug/L
75-27-4	Bromodichloromethane	0.22	U	0.22	1.00	ug/L
108-10-1	4-Methyl-2-Pentanone	0.68	U	0.68	5.00	ug/L
108-88-3	Toluene	0.14	U	0.14	1.00	ug/L

Report of Analysis

Client:	TechLaw Consultants, Inc		Date Collected:	09/22/25	
Project:	REAC Commodore		Date Received:	09/25/25	
Client Sample ID:	MW-19D-092225		SDG No.:	Q3195	
Lab Sample ID:	Q3195-06		Matrix:	Water	
Analytical Method:	8260D		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VV039209.D	1	09/26/25 13:51	VV092625

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	0.17	U	0.17	1.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.16	U	0.16	1.00	ug/L
79-00-5	1,1,2-Trichloroethane	0.21	U	0.21	1.00	ug/L
591-78-6	2-Hexanone	0.89	U	0.89	5.00	ug/L
124-48-1	Dibromochloromethane	0.18	U	0.18	1.00	ug/L
106-93-4	1,2-Dibromoethane	0.15	U	0.15	1.00	ug/L
127-18-4	Tetrachloroethene	0.30	J	0.23	1.00	ug/L
108-90-7	Chlorobenzene	0.12	U	0.12	1.00	ug/L
100-41-4	Ethyl Benzene	0.13	U	0.13	1.00	ug/L
179601-23-1	m/p-Xylenes	0.24	U	0.24	2.00	ug/L
95-47-6	o-Xylene	0.12	U	0.12	1.00	ug/L
100-42-5	Styrene	0.15	U	0.15	1.00	ug/L
75-25-2	Bromoform	0.19	U	0.19	1.00	ug/L
98-82-8	Isopropylbenzene	0.12	U	0.12	1.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.26	U	0.26	1.00	ug/L
541-73-1	1,3-Dichlorobenzene	0.16	U	0.16	1.00	ug/L
106-46-7	1,4-Dichlorobenzene	0.19	U	0.19	1.00	ug/L
95-50-1	1,2-Dichlorobenzene	0.16	U	0.16	1.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	0.53	U	0.53	1.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.20	U	0.20	1.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.20	U	0.20	1.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	61.9		74 - 125	124%	SPK: 50
1868-53-7	Dibromofluoromethane	57.6		75 - 124	115%	SPK: 50
2037-26-5	Toluene-d8	47.3		86 - 113	95%	SPK: 50
460-00-4	4-Bromofluorobenzene	43.8		77 - 121	88%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	345000	4.603			
540-36-3	1,4-Difluorobenzene	615000	5.535			
3114-55-4	Chlorobenzene-d5	628000	8.776			
3855-82-1	1,4-Dichlorobenzene-d4	292000	11.175			

Report of Analysis

Client:	TechLaw Consultants, Inc		Date Collected:	09/22/25	
Project:	REAC Commodore		Date Received:	09/25/25	
Client Sample ID:	MW-19D-092225		SDG No.:	Q3195	
Lab Sample ID:	Q3195-06		Matrix:	Water	
Analytical Method:	8260D		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VV039209.D	1	09/26/25 13:51	VV092625

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 () = Laboratory InHouse Limit
 A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	TechLaw Consultants, Inc		Date Collected:	09/23/25	
Project:	REAC Commodore		Date Received:	09/25/25	
Client Sample ID:	MW-19M-092325		SDG No.:	Q3195	
Lab Sample ID:	Q3195-07		Matrix:	Water	
Analytical Method:	8260D		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VV039229.D	1	09/29/25 14:16	VV092925

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	0.22	U	0.22	1.00	ug/L
74-87-3	Chloromethane	0.32	U	0.32	1.00	ug/L
75-01-4	Vinyl Chloride	0.26	U	0.26	1.00	ug/L
74-83-9	Bromomethane	1.40	U	1.40	5.00	ug/L
75-00-3	Chloroethane	0.47	U	0.47	1.00	ug/L
75-69-4	Trichlorofluoromethane	0.33	U	0.33	1.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	0.25	U	0.25	1.00	ug/L
75-35-4	1,1-Dichloroethene	0.23	U	0.23	1.00	ug/L
67-64-1	Acetone	1.50	U	1.50	5.00	ug/L
75-15-0	Carbon Disulfide	0.21	U	0.21	1.00	ug/L
1634-04-4	Methyl tert-butyl Ether	0.16	U	0.16	1.00	ug/L
79-20-9	Methyl Acetate	0.27	U	0.27	1.00	ug/L
75-09-2	Methylene Chloride	0.28	U	0.28	1.00	ug/L
156-60-5	trans-1,2-Dichloroethene	0.23	U	0.23	1.00	ug/L
75-34-3	1,1-Dichloroethane	0.23	U	0.23	1.00	ug/L
110-82-7	Cyclohexane	1.50	U	1.50	5.00	ug/L
78-93-3	2-Butanone	0.98	U	0.98	5.00	ug/L
56-23-5	Carbon Tetrachloride	0.25	U	0.25	1.00	ug/L
156-59-2	cis-1,2-Dichloroethene	0.19	U	0.19	1.00	ug/L
74-97-5	Bromochloromethane	0.22	U	0.22	1.00	ug/L
67-66-3	Chloroform	0.25	U	0.25	1.00	ug/L
71-55-6	1,1,1-Trichloroethane	0.20	U	0.20	1.00	ug/L
108-87-2	Methylcyclohexane	0.16	U	0.16	1.00	ug/L
71-43-2	Benzene	0.15	U	0.15	1.00	ug/L
107-06-2	1,2-Dichloroethane	0.22	U	0.22	1.00	ug/L
79-01-6	Trichloroethene	0.090	U	0.090	1.00	ug/L
78-87-5	1,2-Dichloropropane	0.20	U	0.20	1.00	ug/L
75-27-4	Bromodichloromethane	0.22	U	0.22	1.00	ug/L
108-10-1	4-Methyl-2-Pentanone	0.68	UQ	0.68	5.00	ug/L
108-88-3	Toluene	0.14	UQ	0.14	1.00	ug/L

Report of Analysis

Client:	TechLaw Consultants, Inc		Date Collected:	09/23/25	
Project:	REAC Commodore		Date Received:	09/25/25	
Client Sample ID:	MW-19M-092325		SDG No.:	Q3195	
Lab Sample ID:	Q3195-07		Matrix:	Water	
Analytical Method:	8260D		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VV039229.D	1	09/29/25 14:16	VV092925

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	0.17	U	0.17	1.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.16	U	0.16	1.00	ug/L
79-00-5	1,1,2-Trichloroethane	0.21	U	0.21	1.00	ug/L
591-78-6	2-Hexanone	0.89	U	0.89	5.00	ug/L
124-48-1	Dibromochloromethane	0.18	U	0.18	1.00	ug/L
106-93-4	1,2-Dibromoethane	0.15	UQ	0.15	1.00	ug/L
127-18-4	Tetrachloroethene	0.23	U	0.23	1.00	ug/L
108-90-7	Chlorobenzene	0.12	U	0.12	1.00	ug/L
100-41-4	Ethyl Benzene	0.13	U	0.13	1.00	ug/L
179601-23-1	m/p-Xylenes	0.24	UQ	0.24	2.00	ug/L
95-47-6	o-Xylene	0.12	U	0.12	1.00	ug/L
100-42-5	Styrene	0.15	U	0.15	1.00	ug/L
75-25-2	Bromoform	0.19	UQ	0.19	1.00	ug/L
98-82-8	Isopropylbenzene	0.12	U	0.12	1.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.26	U	0.26	1.00	ug/L
541-73-1	1,3-Dichlorobenzene	0.16	U	0.16	1.00	ug/L
106-46-7	1,4-Dichlorobenzene	0.19	U	0.19	1.00	ug/L
95-50-1	1,2-Dichlorobenzene	0.16	U	0.16	1.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	0.53	U	0.53	1.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.20	U	0.20	1.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.20	U	0.20	1.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	55.6		74 - 125	111%	SPK: 50
1868-53-7	Dibromofluoromethane	56.2		75 - 124	112%	SPK: 50
2037-26-5	Toluene-d8	46.0		86 - 113	92%	SPK: 50
460-00-4	4-Bromofluorobenzene	45.0		77 - 121	90%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	436000	4.6			
540-36-3	1,4-Difluorobenzene	744000	5.535			
3114-55-4	Chlorobenzene-d5	763000	8.776			
3855-82-1	1,4-Dichlorobenzene-d4	379000	11.175			

Report of Analysis

Client:	TechLaw Consultants, Inc		Date Collected:	09/23/25	
Project:	REAC Commodore		Date Received:	09/25/25	
Client Sample ID:	MW-19M-092325		SDG No.:	Q3195	
Lab Sample ID:	Q3195-07		Matrix:	Water	
Analytical Method:	8260D		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VV039229.D	1	09/29/25 14:16	VV092925

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 () = Laboratory InHouse Limit
 A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	TechLaw Consultants, Inc		Date Collected:	09/19/25	
Project:	REAC Commodore		Date Received:	09/25/25	
Client Sample ID:	MW-21M-091925		SDG No.:	Q3195	
Lab Sample ID:	Q3195-08		Matrix:	Water	
Analytical Method:	8260D		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VV039211.D	1	09/26/25 14:36	VV092625

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	0.22	U	0.22	1.00	ug/L
74-87-3	Chloromethane	0.32	U	0.32	1.00	ug/L
75-01-4	Vinyl Chloride	0.26	U	0.26	1.00	ug/L
74-83-9	Bromomethane	1.40	U	1.40	5.00	ug/L
75-00-3	Chloroethane	0.47	U	0.47	1.00	ug/L
75-69-4	Trichlorofluoromethane	0.33	U	0.33	1.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	0.25	U	0.25	1.00	ug/L
75-35-4	1,1-Dichloroethene	0.23	U	0.23	1.00	ug/L
67-64-1	Acetone	1.50	U	1.50	5.00	ug/L
75-15-0	Carbon Disulfide	0.21	U	0.21	1.00	ug/L
1634-04-4	Methyl tert-butyl Ether	0.16	U	0.16	1.00	ug/L
79-20-9	Methyl Acetate	0.27	U	0.27	1.00	ug/L
75-09-2	Methylene Chloride	0.28	U	0.28	1.00	ug/L
156-60-5	trans-1,2-Dichloroethene	0.23	U	0.23	1.00	ug/L
75-34-3	1,1-Dichloroethane	0.23	U	0.23	1.00	ug/L
110-82-7	Cyclohexane	1.50	U	1.50	5.00	ug/L
78-93-3	2-Butanone	0.98	U	0.98	5.00	ug/L
56-23-5	Carbon Tetrachloride	0.25	U	0.25	1.00	ug/L
156-59-2	cis-1,2-Dichloroethene	1.80		0.19	1.00	ug/L
74-97-5	Bromochloromethane	0.22	U	0.22	1.00	ug/L
67-66-3	Chloroform	0.25	U	0.25	1.00	ug/L
71-55-6	1,1,1-Trichloroethane	0.20	U	0.20	1.00	ug/L
108-87-2	Methylcyclohexane	0.16	U	0.16	1.00	ug/L
71-43-2	Benzene	0.15	U	0.15	1.00	ug/L
107-06-2	1,2-Dichloroethane	0.22	U	0.22	1.00	ug/L
79-01-6	Trichloroethene	2.10		0.090	1.00	ug/L
78-87-5	1,2-Dichloropropane	0.20	U	0.20	1.00	ug/L
75-27-4	Bromodichloromethane	0.22	U	0.22	1.00	ug/L
108-10-1	4-Methyl-2-Pentanone	0.68	U	0.68	5.00	ug/L
108-88-3	Toluene	0.14	U	0.14	1.00	ug/L

Report of Analysis

Client:	TechLaw Consultants, Inc		Date Collected:	09/19/25	
Project:	REAC Commodore		Date Received:	09/25/25	
Client Sample ID:	MW-21M-091925		SDG No.:	Q3195	
Lab Sample ID:	Q3195-08		Matrix:	Water	
Analytical Method:	8260D		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VV039211.D	1	09/26/25 14:36	VV092625

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	0.17	U	0.17	1.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.16	U	0.16	1.00	ug/L
79-00-5	1,1,2-Trichloroethane	0.21	U	0.21	1.00	ug/L
591-78-6	2-Hexanone	0.89	U	0.89	5.00	ug/L
124-48-1	Dibromochloromethane	0.18	U	0.18	1.00	ug/L
106-93-4	1,2-Dibromoethane	0.15	U	0.15	1.00	ug/L
127-18-4	Tetrachloroethene	0.23	U	0.23	1.00	ug/L
108-90-7	Chlorobenzene	0.12	U	0.12	1.00	ug/L
100-41-4	Ethyl Benzene	0.13	U	0.13	1.00	ug/L
179601-23-1	m/p-Xylenes	0.24	U	0.24	2.00	ug/L
95-47-6	o-Xylene	0.12	U	0.12	1.00	ug/L
100-42-5	Styrene	0.15	U	0.15	1.00	ug/L
75-25-2	Bromoform	0.19	U	0.19	1.00	ug/L
98-82-8	Isopropylbenzene	0.12	U	0.12	1.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.26	U	0.26	1.00	ug/L
541-73-1	1,3-Dichlorobenzene	0.16	U	0.16	1.00	ug/L
106-46-7	1,4-Dichlorobenzene	0.19	U	0.19	1.00	ug/L
95-50-1	1,2-Dichlorobenzene	0.16	U	0.16	1.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	0.53	U	0.53	1.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.20	U	0.20	1.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.20	U	0.20	1.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	60.8		74 - 125	122%	SPK: 50
1868-53-7	Dibromofluoromethane	55.1		75 - 124	110%	SPK: 50
2037-26-5	Toluene-d8	47.3		86 - 113	95%	SPK: 50
460-00-4	4-Bromofluorobenzene	43.8		77 - 121	88%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	513000	4.6			
540-36-3	1,4-Difluorobenzene	945000	5.535			
3114-55-4	Chlorobenzene-d5	957000	8.776			
3855-82-1	1,4-Dichlorobenzene-d4	451000	11.175			

Report of Analysis

Client:	TechLaw Consultants, Inc		Date Collected:	09/19/25	
Project:	REAC Commodore		Date Received:	09/25/25	
Client Sample ID:	MW-21M-091925		SDG No.:	Q3195	
Lab Sample ID:	Q3195-08		Matrix:	Water	
Analytical Method:	8260D		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VV039211.D	1	09/26/25 14:36	VV092625

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 () = Laboratory InHouse Limit
 A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	TechLaw Consultants, Inc		Date Collected:	09/18/25	
Project:	REAC Commodore		Date Received:	09/25/25	
Client Sample ID:	MW-22-091825		SDG No.:	Q3195	
Lab Sample ID:	Q3195-09		Matrix:	Water	
Analytical Method:	8260D		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VV039193.D	1	09/25/25 19:40	VV092525

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	0.22	U	0.22	1.00	ug/L
74-87-3	Chloromethane	0.32	U	0.32	1.00	ug/L
75-01-4	Vinyl Chloride	0.26	U	0.26	1.00	ug/L
74-83-9	Bromomethane	1.40	U	1.40	5.00	ug/L
75-00-3	Chloroethane	0.47	U	0.47	1.00	ug/L
75-69-4	Trichlorofluoromethane	0.33	U	0.33	1.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	0.25	U	0.25	1.00	ug/L
75-35-4	1,1-Dichloroethene	0.23	U	0.23	1.00	ug/L
67-64-1	Acetone	1.50	U	1.50	5.00	ug/L
75-15-0	Carbon Disulfide	0.21	U	0.21	1.00	ug/L
1634-04-4	Methyl tert-butyl Ether	0.16	U	0.16	1.00	ug/L
79-20-9	Methyl Acetate	0.27	U	0.27	1.00	ug/L
75-09-2	Methylene Chloride	0.28	U	0.28	1.00	ug/L
156-60-5	trans-1,2-Dichloroethene	0.23	U	0.23	1.00	ug/L
75-34-3	1,1-Dichloroethane	0.23	U	0.23	1.00	ug/L
110-82-7	Cyclohexane	1.50	U	1.50	5.00	ug/L
78-93-3	2-Butanone	0.98	U	0.98	5.00	ug/L
56-23-5	Carbon Tetrachloride	1.80		0.25	1.00	ug/L
156-59-2	cis-1,2-Dichloroethene	0.19	U	0.19	1.00	ug/L
74-97-5	Bromochloromethane	0.22	U	0.22	1.00	ug/L
67-66-3	Chloroform	0.98	J	0.25	1.00	ug/L
71-55-6	1,1,1-Trichloroethane	0.20	U	0.20	1.00	ug/L
108-87-2	Methylcyclohexane	0.16	U	0.16	1.00	ug/L
71-43-2	Benzene	0.15	U	0.15	1.00	ug/L
107-06-2	1,2-Dichloroethane	0.22	U	0.22	1.00	ug/L
79-01-6	Trichloroethene	0.090	U	0.090	1.00	ug/L
78-87-5	1,2-Dichloropropane	0.20	U	0.20	1.00	ug/L
75-27-4	Bromodichloromethane	0.22	U	0.22	1.00	ug/L
108-10-1	4-Methyl-2-Pentanone	0.68	U	0.68	5.00	ug/L
108-88-3	Toluene	0.14	U	0.14	1.00	ug/L

Report of Analysis

Client:	TechLaw Consultants, Inc		Date Collected:	09/18/25	
Project:	REAC Commodore		Date Received:	09/25/25	
Client Sample ID:	MW-22-091825		SDG No.:	Q3195	
Lab Sample ID:	Q3195-09		Matrix:	Water	
Analytical Method:	8260D		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VV039193.D	1	09/25/25 19:40	VV092525

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	0.17	U	0.17	1.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.16	U	0.16	1.00	ug/L
79-00-5	1,1,2-Trichloroethane	0.21	U	0.21	1.00	ug/L
591-78-6	2-Hexanone	0.89	U	0.89	5.00	ug/L
124-48-1	Dibromochloromethane	0.18	U	0.18	1.00	ug/L
106-93-4	1,2-Dibromoethane	0.15	U	0.15	1.00	ug/L
127-18-4	Tetrachloroethene	0.23	U	0.23	1.00	ug/L
108-90-7	Chlorobenzene	0.12	U	0.12	1.00	ug/L
100-41-4	Ethyl Benzene	0.13	U	0.13	1.00	ug/L
179601-23-1	m/p-Xylenes	0.24	U	0.24	2.00	ug/L
95-47-6	o-Xylene	0.12	U	0.12	1.00	ug/L
100-42-5	Styrene	0.15	U	0.15	1.00	ug/L
75-25-2	Bromoform	0.19	U	0.19	1.00	ug/L
98-82-8	Isopropylbenzene	0.12	U	0.12	1.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.26	U	0.26	1.00	ug/L
541-73-1	1,3-Dichlorobenzene	0.16	U	0.16	1.00	ug/L
106-46-7	1,4-Dichlorobenzene	0.19	U	0.19	1.00	ug/L
95-50-1	1,2-Dichlorobenzene	0.16	U	0.16	1.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	0.53	U	0.53	1.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.20	U	0.20	1.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.20	U	0.20	1.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	56.4		74 - 125	113%	SPK: 50
1868-53-7	Dibromofluoromethane	51.0		75 - 124	102%	SPK: 50
2037-26-5	Toluene-d8	46.5		86 - 113	93%	SPK: 50
460-00-4	4-Bromofluorobenzene	44.3		77 - 121	89%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	525000	4.603			
540-36-3	1,4-Difluorobenzene	957000	5.535			
3114-55-4	Chlorobenzene-d5	943000	8.776			
3855-82-1	1,4-Dichlorobenzene-d4	451000	11.175			

Report of Analysis

Client:	TechLaw Consultants, Inc		Date Collected:	09/18/25	
Project:	REAC Commodore		Date Received:	09/25/25	
Client Sample ID:	MW-22-091825		SDG No.:	Q3195	
Lab Sample ID:	Q3195-09		Matrix:	Water	
Analytical Method:	8260D		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VV039193.D	1	09/25/25 19:40	VV092525

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 () = Laboratory InHouse Limit
 A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	TechLaw Consultants, Inc		Date Collected:	09/23/25	
Project:	REAC Commodore		Date Received:	09/25/25	
Client Sample ID:	MW-23-092325		SDG No.:	Q3195	
Lab Sample ID:	Q3195-10		Matrix:	Water	
Analytical Method:	8260D		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VV039194.D	1	09/25/25 20:02	VV092525

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	0.22	U	0.22	1.00	ug/L
74-87-3	Chloromethane	0.32	U	0.32	1.00	ug/L
75-01-4	Vinyl Chloride	0.26	U	0.26	1.00	ug/L
74-83-9	Bromomethane	1.40	U	1.40	5.00	ug/L
75-00-3	Chloroethane	0.47	U	0.47	1.00	ug/L
75-69-4	Trichlorofluoromethane	0.33	U	0.33	1.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	14.3		0.25	1.00	ug/L
75-35-4	1,1-Dichloroethene	0.63	J	0.23	1.00	ug/L
67-64-1	Acetone	1.50	U	1.50	5.00	ug/L
75-15-0	Carbon Disulfide	0.21	U	0.21	1.00	ug/L
1634-04-4	Methyl tert-butyl Ether	0.16	U	0.16	1.00	ug/L
79-20-9	Methyl Acetate	0.27	U	0.27	1.00	ug/L
75-09-2	Methylene Chloride	0.28	U	0.28	1.00	ug/L
156-60-5	trans-1,2-Dichloroethene	0.23	U	0.23	1.00	ug/L
75-34-3	1,1-Dichloroethane	0.23	U	0.23	1.00	ug/L
110-82-7	Cyclohexane	1.50	U	1.50	5.00	ug/L
78-93-3	2-Butanone	0.98	U	0.98	5.00	ug/L
56-23-5	Carbon Tetrachloride	0.25	U	0.25	1.00	ug/L
156-59-2	cis-1,2-Dichloroethene	0.19	U	0.19	1.00	ug/L
74-97-5	Bromochloromethane	0.22	U	0.22	1.00	ug/L
67-66-3	Chloroform	0.25	U	0.25	1.00	ug/L
71-55-6	1,1,1-Trichloroethane	0.20	U	0.20	1.00	ug/L
108-87-2	Methylcyclohexane	0.16	U	0.16	1.00	ug/L
71-43-2	Benzene	0.15	U	0.15	1.00	ug/L
107-06-2	1,2-Dichloroethane	0.22	U	0.22	1.00	ug/L
79-01-6	Trichloroethene	2.60		0.090	1.00	ug/L
78-87-5	1,2-Dichloropropane	0.20	U	0.20	1.00	ug/L
75-27-4	Bromodichloromethane	0.22	U	0.22	1.00	ug/L
108-10-1	4-Methyl-2-Pentanone	0.68	U	0.68	5.00	ug/L
108-88-3	Toluene	0.14	U	0.14	1.00	ug/L

Report of Analysis

Client:	TechLaw Consultants, Inc		Date Collected:	09/23/25	
Project:	REAC Commodore		Date Received:	09/25/25	
Client Sample ID:	MW-23-092325		SDG No.:	Q3195	
Lab Sample ID:	Q3195-10		Matrix:	Water	
Analytical Method:	8260D		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VV039194.D	1	09/25/25 20:02	VV092525

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	0.17	U	0.17	1.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.16	U	0.16	1.00	ug/L
79-00-5	1,1,2-Trichloroethane	0.21	U	0.21	1.00	ug/L
591-78-6	2-Hexanone	0.89	U	0.89	5.00	ug/L
124-48-1	Dibromochloromethane	0.18	U	0.18	1.00	ug/L
106-93-4	1,2-Dibromoethane	0.15	U	0.15	1.00	ug/L
127-18-4	Tetrachloroethene	0.23	U	0.23	1.00	ug/L
108-90-7	Chlorobenzene	0.12	U	0.12	1.00	ug/L
100-41-4	Ethyl Benzene	0.13	U	0.13	1.00	ug/L
179601-23-1	m/p-Xylenes	0.24	U	0.24	2.00	ug/L
95-47-6	o-Xylene	0.12	U	0.12	1.00	ug/L
100-42-5	Styrene	0.15	U	0.15	1.00	ug/L
75-25-2	Bromoform	0.19	U	0.19	1.00	ug/L
98-82-8	Isopropylbenzene	0.12	U	0.12	1.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.26	U	0.26	1.00	ug/L
541-73-1	1,3-Dichlorobenzene	0.16	U	0.16	1.00	ug/L
106-46-7	1,4-Dichlorobenzene	0.19	U	0.19	1.00	ug/L
95-50-1	1,2-Dichlorobenzene	0.16	U	0.16	1.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	0.53	U	0.53	1.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.20	U	0.20	1.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.20	U	0.20	1.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	55.5		74 - 125	111%	SPK: 50
1868-53-7	Dibromofluoromethane	50.1		75 - 124	100%	SPK: 50
2037-26-5	Toluene-d8	46.5		86 - 113	93%	SPK: 50
460-00-4	4-Bromofluorobenzene	43.6		77 - 121	87%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	519000	4.603			
540-36-3	1,4-Difluorobenzene	935000	5.535			
3114-55-4	Chlorobenzene-d5	918000	8.776			
3855-82-1	1,4-Dichlorobenzene-d4	440000	11.172			
TENTATIVE IDENTIFIED COMPOUNDS						

Report of Analysis

Client:	TechLaw Consultants, Inc		Date Collected:	09/23/25	
Project:	REAC Commodore		Date Received:	09/25/25	
Client Sample ID:	MW-23-092325		SDG No.:	Q3195	
Lab Sample ID:	Q3195-10		Matrix:	Water	
Analytical Method:	8260D		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VV039194.D	1	09/25/25 20:02	VV092525

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
000354-23-4	Ethane, 1,2-dichloro-1,1,2-trifluo	5.50	J		1.92	ug/L

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 () = Laboratory InHouse Limit
 A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	TechLaw Consultants, Inc		Date Collected:	09/19/25	
Project:	REAC Commodore		Date Received:	09/25/25	
Client Sample ID:	MW-24-091925		SDG No.:	Q3195	
Lab Sample ID:	Q3195-11		Matrix:	Water	
Analytical Method:	8260D		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VV039195.D	1	09/25/25 20:25	VV092525

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	1.10		0.22	1.00	ug/L
74-87-3	Chloromethane	0.32	U	0.32	1.00	ug/L
75-01-4	Vinyl Chloride	0.26	U	0.26	1.00	ug/L
74-83-9	Bromomethane	1.40	U	1.40	5.00	ug/L
75-00-3	Chloroethane	0.47	U	0.47	1.00	ug/L
75-69-4	Trichlorofluoromethane	0.33	U	0.33	1.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	1.10		0.25	1.00	ug/L
75-35-4	1,1-Dichloroethene	0.23	U	0.23	1.00	ug/L
67-64-1	Acetone	1.50	U	1.50	5.00	ug/L
75-15-0	Carbon Disulfide	0.21	U	0.21	1.00	ug/L
1634-04-4	Methyl tert-butyl Ether	0.16	U	0.16	1.00	ug/L
79-20-9	Methyl Acetate	0.27	U	0.27	1.00	ug/L
75-09-2	Methylene Chloride	0.28	U	0.28	1.00	ug/L
156-60-5	trans-1,2-Dichloroethene	0.23	U	0.23	1.00	ug/L
75-34-3	1,1-Dichloroethane	0.23	U	0.23	1.00	ug/L
110-82-7	Cyclohexane	1.50	U	1.50	5.00	ug/L
78-93-3	2-Butanone	0.98	U	0.98	5.00	ug/L
56-23-5	Carbon Tetrachloride	0.25	U	0.25	1.00	ug/L
156-59-2	cis-1,2-Dichloroethene	0.19	U	0.19	1.00	ug/L
74-97-5	Bromochloromethane	0.22	U	0.22	1.00	ug/L
67-66-3	Chloroform	0.35	J	0.25	1.00	ug/L
71-55-6	1,1,1-Trichloroethane	0.20	U	0.20	1.00	ug/L
108-87-2	Methylcyclohexane	0.16	U	0.16	1.00	ug/L
71-43-2	Benzene	0.15	U	0.15	1.00	ug/L
107-06-2	1,2-Dichloroethane	0.22	U	0.22	1.00	ug/L
79-01-6	Trichloroethene	1.00		0.090	1.00	ug/L
78-87-5	1,2-Dichloropropane	0.20	U	0.20	1.00	ug/L
75-27-4	Bromodichloromethane	0.22	U	0.22	1.00	ug/L
108-10-1	4-Methyl-2-Pentanone	0.68	U	0.68	5.00	ug/L
108-88-3	Toluene	0.14	U	0.14	1.00	ug/L

Report of Analysis

Client:	TechLaw Consultants, Inc		Date Collected:	09/19/25	
Project:	REAC Commodore		Date Received:	09/25/25	
Client Sample ID:	MW-24-091925		SDG No.:	Q3195	
Lab Sample ID:	Q3195-11		Matrix:	Water	
Analytical Method:	8260D		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VV039195.D	1	09/25/25 20:25	VV092525

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	0.17	U	0.17	1.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.16	U	0.16	1.00	ug/L
79-00-5	1,1,2-Trichloroethane	0.21	U	0.21	1.00	ug/L
591-78-6	2-Hexanone	0.89	U	0.89	5.00	ug/L
124-48-1	Dibromochloromethane	0.18	U	0.18	1.00	ug/L
106-93-4	1,2-Dibromoethane	0.15	U	0.15	1.00	ug/L
127-18-4	Tetrachloroethene	0.34	J	0.23	1.00	ug/L
108-90-7	Chlorobenzene	0.12	U	0.12	1.00	ug/L
100-41-4	Ethyl Benzene	0.13	U	0.13	1.00	ug/L
179601-23-1	m/p-Xylenes	0.24	U	0.24	2.00	ug/L
95-47-6	o-Xylene	0.12	U	0.12	1.00	ug/L
100-42-5	Styrene	0.15	U	0.15	1.00	ug/L
75-25-2	Bromoform	0.19	U	0.19	1.00	ug/L
98-82-8	Isopropylbenzene	0.12	U	0.12	1.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.26	U	0.26	1.00	ug/L
541-73-1	1,3-Dichlorobenzene	0.16	U	0.16	1.00	ug/L
106-46-7	1,4-Dichlorobenzene	0.19	U	0.19	1.00	ug/L
95-50-1	1,2-Dichlorobenzene	0.16	U	0.16	1.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	0.53	U	0.53	1.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.20	U	0.20	1.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.20	U	0.20	1.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	55.6		74 - 125	111%	SPK: 50
1868-53-7	Dibromofluoromethane	51.5		75 - 124	103%	SPK: 50
2037-26-5	Toluene-d8	46.2		86 - 113	92%	SPK: 50
460-00-4	4-Bromofluorobenzene	44.4		77 - 121	89%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	515000	4.6			
540-36-3	1,4-Difluorobenzene	929000	5.535			
3114-55-4	Chlorobenzene-d5	926000	8.776			
3855-82-1	1,4-Dichlorobenzene-d4	443000	11.172			

Report of Analysis

Client:	TechLaw Consultants, Inc		Date Collected:	09/19/25	
Project:	REAC Commodore		Date Received:	09/25/25	
Client Sample ID:	MW-24-091925		SDG No.:	Q3195	
Lab Sample ID:	Q3195-11		Matrix:	Water	
Analytical Method:	8260D		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VV039195.D	1	09/25/25 20:25	VV092525

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 () = Laboratory InHouse Limit
 A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	TechLaw Consultants, Inc		Date Collected:	09/19/25	
Project:	REAC Commodore		Date Received:	09/25/25	
Client Sample ID:	MW-26-091925		SDG No.:	Q3195	
Lab Sample ID:	Q3195-12		Matrix:	Water	
Analytical Method:	8260D		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VV039204.D	1	09/26/25 11:58	VV092625

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	0.22	U	0.22	1.00	ug/L
74-87-3	Chloromethane	0.32	U	0.32	1.00	ug/L
75-01-4	Vinyl Chloride	0.26	U	0.26	1.00	ug/L
74-83-9	Bromomethane	1.40	U	1.40	5.00	ug/L
75-00-3	Chloroethane	0.47	U	0.47	1.00	ug/L
75-69-4	Trichlorofluoromethane	0.33	U	0.33	1.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	0.25	U	0.25	1.00	ug/L
75-35-4	1,1-Dichloroethene	0.23	U	0.23	1.00	ug/L
67-64-1	Acetone	1.50	U	1.50	5.00	ug/L
75-15-0	Carbon Disulfide	0.21	U	0.21	1.00	ug/L
1634-04-4	Methyl tert-butyl Ether	0.16	U	0.16	1.00	ug/L
79-20-9	Methyl Acetate	0.27	U	0.27	1.00	ug/L
75-09-2	Methylene Chloride	0.28	U	0.28	1.00	ug/L
156-60-5	trans-1,2-Dichloroethene	0.23	U	0.23	1.00	ug/L
75-34-3	1,1-Dichloroethane	0.23	U	0.23	1.00	ug/L
110-82-7	Cyclohexane	1.50	U	1.50	5.00	ug/L
78-93-3	2-Butanone	0.98	U	0.98	5.00	ug/L
56-23-5	Carbon Tetrachloride	0.25	U	0.25	1.00	ug/L
156-59-2	cis-1,2-Dichloroethene	0.19	U	0.19	1.00	ug/L
74-97-5	Bromochloromethane	0.22	U	0.22	1.00	ug/L
67-66-3	Chloroform	1.20		0.25	1.00	ug/L
71-55-6	1,1,1-Trichloroethane	0.20	U	0.20	1.00	ug/L
108-87-2	Methylcyclohexane	0.16	U	0.16	1.00	ug/L
71-43-2	Benzene	0.15	U	0.15	1.00	ug/L
107-06-2	1,2-Dichloroethane	0.22	U	0.22	1.00	ug/L
79-01-6	Trichloroethene	0.090	U	0.090	1.00	ug/L
78-87-5	1,2-Dichloropropane	0.20	U	0.20	1.00	ug/L
75-27-4	Bromodichloromethane	0.22	U	0.22	1.00	ug/L
108-10-1	4-Methyl-2-Pentanone	0.68	U	0.68	5.00	ug/L
108-88-3	Toluene	0.14	U	0.14	1.00	ug/L

Report of Analysis

Client:	TechLaw Consultants, Inc		Date Collected:	09/19/25	
Project:	REAC Commodore		Date Received:	09/25/25	
Client Sample ID:	MW-26-091925		SDG No.:	Q3195	
Lab Sample ID:	Q3195-12		Matrix:	Water	
Analytical Method:	8260D		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VV039204.D	1	09/26/25 11:58	VV092625

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	0.17	U	0.17	1.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.16	U	0.16	1.00	ug/L
79-00-5	1,1,2-Trichloroethane	0.21	U	0.21	1.00	ug/L
591-78-6	2-Hexanone	0.89	U	0.89	5.00	ug/L
124-48-1	Dibromochloromethane	0.18	U	0.18	1.00	ug/L
106-93-4	1,2-Dibromoethane	0.15	U	0.15	1.00	ug/L
127-18-4	Tetrachloroethene	0.23	U	0.23	1.00	ug/L
108-90-7	Chlorobenzene	0.12	U	0.12	1.00	ug/L
100-41-4	Ethyl Benzene	0.13	U	0.13	1.00	ug/L
179601-23-1	m/p-Xylenes	0.24	U	0.24	2.00	ug/L
95-47-6	o-Xylene	0.12	U	0.12	1.00	ug/L
100-42-5	Styrene	0.15	U	0.15	1.00	ug/L
75-25-2	Bromoform	0.19	U	0.19	1.00	ug/L
98-82-8	Isopropylbenzene	0.12	U	0.12	1.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.26	U	0.26	1.00	ug/L
541-73-1	1,3-Dichlorobenzene	0.16	U	0.16	1.00	ug/L
106-46-7	1,4-Dichlorobenzene	0.19	U	0.19	1.00	ug/L
95-50-1	1,2-Dichlorobenzene	0.16	U	0.16	1.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	0.53	U	0.53	1.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.20	U	0.20	1.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.20	U	0.20	1.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	56.0		74 - 125	112%	SPK: 50
1868-53-7	Dibromofluoromethane	52.7		75 - 124	105%	SPK: 50
2037-26-5	Toluene-d8	47.0		86 - 113	94%	SPK: 50
460-00-4	4-Bromofluorobenzene	44.9		77 - 121	90%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	487000	4.603			
540-36-3	1,4-Difluorobenzene	867000	5.535			
3114-55-4	Chlorobenzene-d5	873000	8.777			
3855-82-1	1,4-Dichlorobenzene-d4	421000	11.175			

Report of Analysis

Client:	TechLaw Consultants, Inc		Date Collected:	09/19/25	
Project:	REAC Commodore		Date Received:	09/25/25	
Client Sample ID:	MW-26-091925		SDG No.:	Q3195	
Lab Sample ID:	Q3195-12		Matrix:	Water	
Analytical Method:	8260D		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VV039204.D	1	09/26/25 11:58	VV092625

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 () = Laboratory InHouse Limit
 A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	TechLaw Consultants, Inc		Date Collected:	09/19/25	
Project:	REAC Commodore		Date Received:	09/25/25	
Client Sample ID:	MW-26-091925-FD		SDG No.:	Q3195	
Lab Sample ID:	Q3195-13		Matrix:	Water	
Analytical Method:	8260D		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VV039212.D	1	09/26/25 14:58	VV092625

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	0.22	U	0.22	1.00	ug/L
74-87-3	Chloromethane	0.32	U	0.32	1.00	ug/L
75-01-4	Vinyl Chloride	0.26	U	0.26	1.00	ug/L
74-83-9	Bromomethane	1.40	U	1.40	5.00	ug/L
75-00-3	Chloroethane	0.47	U	0.47	1.00	ug/L
75-69-4	Trichlorofluoromethane	0.33	U	0.33	1.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	0.25	U	0.25	1.00	ug/L
75-35-4	1,1-Dichloroethene	0.23	U	0.23	1.00	ug/L
67-64-1	Acetone	1.50	U	1.50	5.00	ug/L
75-15-0	Carbon Disulfide	0.21	U	0.21	1.00	ug/L
1634-04-4	Methyl tert-butyl Ether	0.16	U	0.16	1.00	ug/L
79-20-9	Methyl Acetate	0.27	U	0.27	1.00	ug/L
75-09-2	Methylene Chloride	0.28	U	0.28	1.00	ug/L
156-60-5	trans-1,2-Dichloroethene	0.23	U	0.23	1.00	ug/L
75-34-3	1,1-Dichloroethane	0.23	U	0.23	1.00	ug/L
110-82-7	Cyclohexane	1.50	U	1.50	5.00	ug/L
78-93-3	2-Butanone	0.98	U	0.98	5.00	ug/L
56-23-5	Carbon Tetrachloride	0.25	U	0.25	1.00	ug/L
156-59-2	cis-1,2-Dichloroethene	0.19	U	0.19	1.00	ug/L
74-97-5	Bromochloromethane	0.22	U	0.22	1.00	ug/L
67-66-3	Chloroform	1.10		0.25	1.00	ug/L
71-55-6	1,1,1-Trichloroethane	0.20	U	0.20	1.00	ug/L
108-87-2	Methylcyclohexane	0.16	U	0.16	1.00	ug/L
71-43-2	Benzene	0.15	U	0.15	1.00	ug/L
107-06-2	1,2-Dichloroethane	0.22	U	0.22	1.00	ug/L
79-01-6	Trichloroethene	0.090	U	0.090	1.00	ug/L
78-87-5	1,2-Dichloropropane	0.20	U	0.20	1.00	ug/L
75-27-4	Bromodichloromethane	0.22	U	0.22	1.00	ug/L
108-10-1	4-Methyl-2-Pentanone	0.68	U	0.68	5.00	ug/L
108-88-3	Toluene	0.14	U	0.14	1.00	ug/L

Report of Analysis

Client:	TechLaw Consultants, Inc		Date Collected:	09/19/25	
Project:	REAC Commodore		Date Received:	09/25/25	
Client Sample ID:	MW-26-091925-FD		SDG No.:	Q3195	
Lab Sample ID:	Q3195-13		Matrix:	Water	
Analytical Method:	8260D		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VV039212.D	1	09/26/25 14:58	VV092625

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	0.17	U	0.17	1.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.16	U	0.16	1.00	ug/L
79-00-5	1,1,2-Trichloroethane	0.21	U	0.21	1.00	ug/L
591-78-6	2-Hexanone	0.89	U	0.89	5.00	ug/L
124-48-1	Dibromochloromethane	0.18	U	0.18	1.00	ug/L
106-93-4	1,2-Dibromoethane	0.15	U	0.15	1.00	ug/L
127-18-4	Tetrachloroethene	0.23	U	0.23	1.00	ug/L
108-90-7	Chlorobenzene	0.12	U	0.12	1.00	ug/L
100-41-4	Ethyl Benzene	0.13	U	0.13	1.00	ug/L
179601-23-1	m/p-Xylenes	0.24	U	0.24	2.00	ug/L
95-47-6	o-Xylene	0.12	U	0.12	1.00	ug/L
100-42-5	Styrene	0.15	U	0.15	1.00	ug/L
75-25-2	Bromoform	0.19	U	0.19	1.00	ug/L
98-82-8	Isopropylbenzene	0.12	U	0.12	1.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.26	U	0.26	1.00	ug/L
541-73-1	1,3-Dichlorobenzene	0.16	U	0.16	1.00	ug/L
106-46-7	1,4-Dichlorobenzene	0.19	U	0.19	1.00	ug/L
95-50-1	1,2-Dichlorobenzene	0.16	U	0.16	1.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	0.53	U	0.53	1.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.20	U	0.20	1.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.20	U	0.20	1.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	60.7		74 - 125	121%	SPK: 50
1868-53-7	Dibromofluoromethane	56.1		75 - 124	112%	SPK: 50
2037-26-5	Toluene-d8	47.7		86 - 113	95%	SPK: 50
460-00-4	4-Bromofluorobenzene	44.3		77 - 121	89%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	454000	4.6			
540-36-3	1,4-Difluorobenzene	813000	5.535			
3114-55-4	Chlorobenzene-d5	842000	8.776			
3855-82-1	1,4-Dichlorobenzene-d4	399000	11.172			

Report of Analysis

Client:	TechLaw Consultants, Inc		Date Collected:	09/19/25	
Project:	REAC Commodore		Date Received:	09/25/25	
Client Sample ID:	MW-26-091925-FD		SDG No.:	Q3195	
Lab Sample ID:	Q3195-13		Matrix:	Water	
Analytical Method:	8260D		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VV039212.D	1	09/26/25 14:58	VV092625

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 () = Laboratory InHouse Limit
 A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	TechLaw Consultants, Inc		Date Collected:	09/23/25	
Project:	REAC Commodore		Date Received:	09/25/25	
Client Sample ID:	MW-29-092325		SDG No.:	Q3195	
Lab Sample ID:	Q3195-14		Matrix:	Water	
Analytical Method:	8260D		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VV039213.D	1	09/26/25 15:20	VV092625

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	0.22	U	0.22	1.00	ug/L
74-87-3	Chloromethane	0.32	U	0.32	1.00	ug/L
75-01-4	Vinyl Chloride	0.26	U	0.26	1.00	ug/L
74-83-9	Bromomethane	1.40	U	1.40	5.00	ug/L
75-00-3	Chloroethane	0.47	U	0.47	1.00	ug/L
75-69-4	Trichlorofluoromethane	0.33	U	0.33	1.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	0.31	J	0.25	1.00	ug/L
75-35-4	1,1-Dichloroethene	0.36	J	0.23	1.00	ug/L
67-64-1	Acetone	1.50	U	1.50	5.00	ug/L
75-15-0	Carbon Disulfide	0.21	U	0.21	1.00	ug/L
1634-04-4	Methyl tert-butyl Ether	0.16	U	0.16	1.00	ug/L
79-20-9	Methyl Acetate	0.27	U	0.27	1.00	ug/L
75-09-2	Methylene Chloride	0.28	U	0.28	1.00	ug/L
156-60-5	trans-1,2-Dichloroethene	0.23	U	0.23	1.00	ug/L
75-34-3	1,1-Dichloroethane	0.23	U	0.23	1.00	ug/L
110-82-7	Cyclohexane	1.50	U	1.50	5.00	ug/L
78-93-3	2-Butanone	0.98	U	0.98	5.00	ug/L
56-23-5	Carbon Tetrachloride	0.25	U	0.25	1.00	ug/L
156-59-2	cis-1,2-Dichloroethene	1.80		0.19	1.00	ug/L
74-97-5	Bromochloromethane	0.22	U	0.22	1.00	ug/L
67-66-3	Chloroform	0.25	U	0.25	1.00	ug/L
71-55-6	1,1,1-Trichloroethane	0.20	U	0.20	1.00	ug/L
108-87-2	Methylcyclohexane	0.16	U	0.16	1.00	ug/L
71-43-2	Benzene	0.15	U	0.15	1.00	ug/L
107-06-2	1,2-Dichloroethane	0.22	U	0.22	1.00	ug/L
79-01-6	Trichloroethene	2.90		0.090	1.00	ug/L
78-87-5	1,2-Dichloropropane	0.20	U	0.20	1.00	ug/L
75-27-4	Bromodichloromethane	0.22	U	0.22	1.00	ug/L
108-10-1	4-Methyl-2-Pentanone	0.68	U	0.68	5.00	ug/L
108-88-3	Toluene	0.14	U	0.14	1.00	ug/L

Report of Analysis

Client:	TechLaw Consultants, Inc		Date Collected:	09/23/25	
Project:	REAC Commodore		Date Received:	09/25/25	
Client Sample ID:	MW-29-092325		SDG No.:	Q3195	
Lab Sample ID:	Q3195-14		Matrix:	Water	
Analytical Method:	8260D		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VV039213.D	1	09/26/25 15:20	VV092625

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	0.17	U	0.17	1.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.16	U	0.16	1.00	ug/L
79-00-5	1,1,2-Trichloroethane	0.21	U	0.21	1.00	ug/L
591-78-6	2-Hexanone	0.89	U	0.89	5.00	ug/L
124-48-1	Dibromochloromethane	0.18	U	0.18	1.00	ug/L
106-93-4	1,2-Dibromoethane	0.15	U	0.15	1.00	ug/L
127-18-4	Tetrachloroethene	0.23	U	0.23	1.00	ug/L
108-90-7	Chlorobenzene	0.12	U	0.12	1.00	ug/L
100-41-4	Ethyl Benzene	0.13	U	0.13	1.00	ug/L
179601-23-1	m/p-Xylenes	0.24	U	0.24	2.00	ug/L
95-47-6	o-Xylene	0.12	U	0.12	1.00	ug/L
100-42-5	Styrene	0.15	U	0.15	1.00	ug/L
75-25-2	Bromoform	0.19	U	0.19	1.00	ug/L
98-82-8	Isopropylbenzene	0.12	U	0.12	1.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.26	U	0.26	1.00	ug/L
541-73-1	1,3-Dichlorobenzene	0.16	U	0.16	1.00	ug/L
106-46-7	1,4-Dichlorobenzene	0.19	U	0.19	1.00	ug/L
95-50-1	1,2-Dichlorobenzene	0.16	U	0.16	1.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	0.53	U	0.53	1.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.20	U	0.20	1.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.20	U	0.20	1.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	61.8		74 - 125	124%	SPK: 50
1868-53-7	Dibromofluoromethane	56.0		75 - 124	112%	SPK: 50
2037-26-5	Toluene-d8	46.3		86 - 113	93%	SPK: 50
460-00-4	4-Bromofluorobenzene	43.7		77 - 121	87%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	451000	4.6			
540-36-3	1,4-Difluorobenzene	820000	5.535			
3114-55-4	Chlorobenzene-d5	842000	8.776			
3855-82-1	1,4-Dichlorobenzene-d4	392000	11.175			

Report of Analysis

Client:	TechLaw Consultants, Inc		Date Collected:	09/23/25	
Project:	REAC Commodore		Date Received:	09/25/25	
Client Sample ID:	MW-29-092325		SDG No.:	Q3195	
Lab Sample ID:	Q3195-14		Matrix:	Water	
Analytical Method:	8260D		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VV039213.D	1	09/26/25 15:20	VV092625

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 () = Laboratory InHouse Limit
 A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	TechLaw Consultants, Inc		Date Collected:	09/18/25	
Project:	REAC Commodore		Date Received:	09/25/25	
Client Sample ID:	MW-31S-091825		SDG No.:	Q3195	
Lab Sample ID:	Q3195-15		Matrix:	Water	
Analytical Method:	8260D		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VV039214.D	1	09/26/25 15:43	VV092625

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	2.00		0.22	1.00	ug/L
74-87-3	Chloromethane	0.32	U	0.32	1.00	ug/L
75-01-4	Vinyl Chloride	0.26	U	0.26	1.00	ug/L
74-83-9	Bromomethane	1.40	U	1.40	5.00	ug/L
75-00-3	Chloroethane	0.47	U	0.47	1.00	ug/L
75-69-4	Trichlorofluoromethane	0.33	U	0.33	1.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	280	E	0.25	1.00	ug/L
75-35-4	1,1-Dichloroethene	2.40		0.23	1.00	ug/L
67-64-1	Acetone	1.50	U	1.50	5.00	ug/L
75-15-0	Carbon Disulfide	0.21	U	0.21	1.00	ug/L
1634-04-4	Methyl tert-butyl Ether	0.16	U	0.16	1.00	ug/L
79-20-9	Methyl Acetate	0.27	U	0.27	1.00	ug/L
75-09-2	Methylene Chloride	0.28	U	0.28	1.00	ug/L
156-60-5	trans-1,2-Dichloroethene	0.23	U	0.23	1.00	ug/L
75-34-3	1,1-Dichloroethane	2.70		0.23	1.00	ug/L
110-82-7	Cyclohexane	1.50	U	1.50	5.00	ug/L
78-93-3	2-Butanone	0.98	U	0.98	5.00	ug/L
56-23-5	Carbon Tetrachloride	0.25	U	0.25	1.00	ug/L
156-59-2	cis-1,2-Dichloroethene	0.19	U	0.19	1.00	ug/L
74-97-5	Bromochloromethane	0.22	U	0.22	1.00	ug/L
67-66-3	Chloroform	0.25	U	0.25	1.00	ug/L
71-55-6	1,1,1-Trichloroethane	2.20		0.20	1.00	ug/L
108-87-2	Methylcyclohexane	0.16	U	0.16	1.00	ug/L
71-43-2	Benzene	0.15	U	0.15	1.00	ug/L
107-06-2	1,2-Dichloroethane	0.22	U	0.22	1.00	ug/L
79-01-6	Trichloroethene	28.3		0.090	1.00	ug/L
78-87-5	1,2-Dichloropropane	0.20	U	0.20	1.00	ug/L
75-27-4	Bromodichloromethane	0.22	U	0.22	1.00	ug/L
108-10-1	4-Methyl-2-Pentanone	0.68	U	0.68	5.00	ug/L
108-88-3	Toluene	0.14	U	0.14	1.00	ug/L

Report of Analysis

Client:	TechLaw Consultants, Inc		Date Collected:	09/18/25	
Project:	REAC Commodore		Date Received:	09/25/25	
Client Sample ID:	MW-31S-091825		SDG No.:	Q3195	
Lab Sample ID:	Q3195-15		Matrix:	Water	
Analytical Method:	8260D		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VV039214.D	1	09/26/25 15:43	VV092625

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	0.17	U	0.17	1.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.16	U	0.16	1.00	ug/L
79-00-5	1,1,2-Trichloroethane	0.21	U	0.21	1.00	ug/L
591-78-6	2-Hexanone	0.89	U	0.89	5.00	ug/L
124-48-1	Dibromochloromethane	0.18	U	0.18	1.00	ug/L
106-93-4	1,2-Dibromoethane	0.15	U	0.15	1.00	ug/L
127-18-4	Tetrachloroethene	0.23	U	0.23	1.00	ug/L
108-90-7	Chlorobenzene	0.12	U	0.12	1.00	ug/L
100-41-4	Ethyl Benzene	0.13	U	0.13	1.00	ug/L
179601-23-1	m/p-Xylenes	0.24	U	0.24	2.00	ug/L
95-47-6	o-Xylene	0.12	U	0.12	1.00	ug/L
100-42-5	Styrene	0.15	U	0.15	1.00	ug/L
75-25-2	Bromoform	0.19	U	0.19	1.00	ug/L
98-82-8	Isopropylbenzene	0.12	U	0.12	1.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.26	U	0.26	1.00	ug/L
541-73-1	1,3-Dichlorobenzene	0.16	U	0.16	1.00	ug/L
106-46-7	1,4-Dichlorobenzene	0.19	U	0.19	1.00	ug/L
95-50-1	1,2-Dichlorobenzene	0.16	U	0.16	1.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	0.53	U	0.53	1.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.20	U	0.20	1.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.20	U	0.20	1.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	62.3		74 - 125	125%	SPK: 50
1868-53-7	Dibromofluoromethane	57.3		75 - 124	115%	SPK: 50
2037-26-5	Toluene-d8	48.4		86 - 113	97%	SPK: 50
460-00-4	4-Bromofluorobenzene	44.4		77 - 121	89%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	445000	4.603			
540-36-3	1,4-Difluorobenzene	811000	5.535			
3114-55-4	Chlorobenzene-d5	838000	8.776			
3855-82-1	1,4-Dichlorobenzene-d4	400000	11.172			
TENTATIVE IDENTIFIED COMPOUNDS						

Report of Analysis

Client:	TechLaw Consultants, Inc		Date Collected:	09/18/25
Project:	REAC Commodore		Date Received:	09/25/25
Client Sample ID:	MW-31S-091825		SDG No.:	Q3195
Lab Sample ID:	Q3195-15		Matrix:	Water
Analytical Method:	8260D		% Solid:	0
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10
GC Column:	DB-624UI	ID : 0.18	Level :	LOW
Prep Method :				

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VV039214.D	1	09/26/25 15:43	VV092625

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
000354-23-4	Ethane, 1,2-dichloro-1,1,2-trifluo	8.70	J		1.92	ug/L
123-91-1	1,4-Dioxane	40.1	J		6.32	ug/L

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 () = Laboratory InHouse Limit
 A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	TechLaw Consultants, Inc		Date Collected:	09/18/25	
Project:	REAC Commodore		Date Received:	09/25/25	
Client Sample ID:	MW-31S-091825DL		SDG No.:	Q3195	
Lab Sample ID:	Q3195-15DL		Matrix:	Water	
Analytical Method:	8260D		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VV039226.D	5	09/29/25 13:08	VV092925

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	1.10	UD	1.10	5.00	ug/L
74-87-3	Chloromethane	1.60	UD	1.60	5.00	ug/L
75-01-4	Vinyl Chloride	1.30	UD	1.30	5.00	ug/L
74-83-9	Bromomethane	7.20	UD	7.20	25.0	ug/L
75-00-3	Chloroethane	2.40	UD	2.40	5.00	ug/L
75-69-4	Trichlorofluoromethane	1.70	UD	1.70	5.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	220	D	1.30	5.00	ug/L
75-35-4	1,1-Dichloroethene	1.20	UD	1.20	5.00	ug/L
67-64-1	Acetone	7.60	UD	7.60	25.0	ug/L
75-15-0	Carbon Disulfide	1.10	UD	1.10	5.00	ug/L
1634-04-4	Methyl tert-butyl Ether	0.80	UD	0.80	5.00	ug/L
79-20-9	Methyl Acetate	1.40	UD	1.40	5.00	ug/L
75-09-2	Methylene Chloride	1.40	UD	1.40	5.00	ug/L
156-60-5	trans-1,2-Dichloroethene	1.20	UD	1.20	5.00	ug/L
75-34-3	1,1-Dichloroethane	1.20	UD	1.20	5.00	ug/L
110-82-7	Cyclohexane	7.30	UD	7.30	25.0	ug/L
78-93-3	2-Butanone	4.90	UD	4.90	25.0	ug/L
56-23-5	Carbon Tetrachloride	1.30	UD	1.30	5.00	ug/L
156-59-2	cis-1,2-Dichloroethene	0.95	UD	0.95	5.00	ug/L
74-97-5	Bromochloromethane	1.10	UD	1.10	5.00	ug/L
67-66-3	Chloroform	1.30	UD	1.30	5.00	ug/L
71-55-6	1,1,1-Trichloroethane	1.00	UD	1.00	5.00	ug/L
108-87-2	Methylcyclohexane	0.80	UD	0.80	5.00	ug/L
71-43-2	Benzene	0.75	UD	0.75	5.00	ug/L
107-06-2	1,2-Dichloroethane	1.10	UD	1.10	5.00	ug/L
79-01-6	Trichloroethene	25.1	D	0.47	5.00	ug/L
78-87-5	1,2-Dichloropropane	1.00	UD	1.00	5.00	ug/L
75-27-4	Bromodichloromethane	1.10	UD	1.10	5.00	ug/L
108-10-1	4-Methyl-2-Pentanone	3.40	UDQ	3.40	25.0	ug/L
108-88-3	Toluene	0.70	UDQ	0.70	5.00	ug/L

Report of Analysis

Client:	TechLaw Consultants, Inc		Date Collected:	09/18/25	
Project:	REAC Commodore		Date Received:	09/25/25	
Client Sample ID:	MW-31S-091825DL		SDG No.:	Q3195	
Lab Sample ID:	Q3195-15DL		Matrix:	Water	
Analytical Method:	8260D		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VV039226.D	5	09/29/25 13:08	VV092925

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	0.85	UD	0.85	5.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.80	UD	0.80	5.00	ug/L
79-00-5	1,1,2-Trichloroethane	1.10	UD	1.10	5.00	ug/L
591-78-6	2-Hexanone	4.50	UD	4.50	25.0	ug/L
124-48-1	Dibromochloromethane	0.90	UD	0.90	5.00	ug/L
106-93-4	1,2-Dibromoethane	0.75	UDQ	0.75	5.00	ug/L
127-18-4	Tetrachloroethene	1.20	UD	1.20	5.00	ug/L
108-90-7	Chlorobenzene	0.60	UD	0.60	5.00	ug/L
100-41-4	Ethyl Benzene	0.65	UD	0.65	5.00	ug/L
179601-23-1	m/p-Xylenes	1.20	UDQ	1.20	10.0	ug/L
95-47-6	o-Xylene	0.60	UD	0.60	5.00	ug/L
100-42-5	Styrene	0.75	UD	0.75	5.00	ug/L
75-25-2	Bromoform	0.95	UDQ	0.95	5.00	ug/L
98-82-8	Isopropylbenzene	0.60	UD	0.60	5.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	1.30	UD	1.30	5.00	ug/L
541-73-1	1,3-Dichlorobenzene	0.80	UD	0.80	5.00	ug/L
106-46-7	1,4-Dichlorobenzene	0.95	UD	0.95	5.00	ug/L
95-50-1	1,2-Dichlorobenzene	0.80	UD	0.80	5.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	2.70	UD	2.70	5.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	1.00	UD	1.00	5.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	1.00	UD	1.00	5.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	51.6		74 - 125	103%	SPK: 50
1868-53-7	Dibromofluoromethane	52.3		75 - 124	105%	SPK: 50
2037-26-5	Toluene-d8	45.0		86 - 113	90%	SPK: 50
460-00-4	4-Bromofluorobenzene	44.7		77 - 121	89%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	520000	4.6			
540-36-3	1,4-Difluorobenzene	886000	5.535			
3114-55-4	Chlorobenzene-d5	868000	8.776			
3855-82-1	1,4-Dichlorobenzene-d4	445000	11.175			

Report of Analysis

Client:	TechLaw Consultants, Inc		Date Collected:	09/18/25	
Project:	REAC Commodore		Date Received:	09/25/25	
Client Sample ID:	MW-31S-091825DL		SDG No.:	Q3195	
Lab Sample ID:	Q3195-15DL		Matrix:	Water	
Analytical Method:	8260D		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VV039226.D	5	09/29/25 13:08	VV092925

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 () = Laboratory InHouse Limit
 A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	TechLaw Consultants, Inc		Date Collected:	09/18/25	
Project:	REAC Commodore		Date Received:	09/25/25	
Client Sample ID:	MW-31D-091825		SDG No.:	Q3195	
Lab Sample ID:	Q3195-16		Matrix:	Water	
Analytical Method:	8260D		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VV039215.D	1	09/26/25 16:05	VV092625

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	20.3		0.22	1.00	ug/L
74-87-3	Chloromethane	0.32	U	0.32	1.00	ug/L
75-01-4	Vinyl Chloride	0.26	U	0.26	1.00	ug/L
74-83-9	Bromomethane	1.40	U	1.40	5.00	ug/L
75-00-3	Chloroethane	0.47	U	0.47	1.00	ug/L
75-69-4	Trichlorofluoromethane	0.33	U	0.33	1.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	2300	E	0.25	1.00	ug/L
75-35-4	1,1-Dichloroethene	17.2		0.23	1.00	ug/L
67-64-1	Acetone	1.50	U	1.50	5.00	ug/L
75-15-0	Carbon Disulfide	0.21	U	0.21	1.00	ug/L
1634-04-4	Methyl tert-butyl Ether	0.16	U	0.16	1.00	ug/L
79-20-9	Methyl Acetate	0.27	U	0.27	1.00	ug/L
75-09-2	Methylene Chloride	0.28	U	0.28	1.00	ug/L
156-60-5	trans-1,2-Dichloroethene	0.23	U	0.23	1.00	ug/L
75-34-3	1,1-Dichloroethane	8.90		0.23	1.00	ug/L
110-82-7	Cyclohexane	1.50	U	1.50	5.00	ug/L
78-93-3	2-Butanone	0.98	U	0.98	5.00	ug/L
56-23-5	Carbon Tetrachloride	0.25	U	0.25	1.00	ug/L
156-59-2	cis-1,2-Dichloroethene	0.79	J	0.19	1.00	ug/L
74-97-5	Bromochloromethane	0.22	U	0.22	1.00	ug/L
67-66-3	Chloroform	0.25	U	0.25	1.00	ug/L
71-55-6	1,1,1-Trichloroethane	8.20		0.20	1.00	ug/L
108-87-2	Methylcyclohexane	0.16	U	0.16	1.00	ug/L
71-43-2	Benzene	0.15	U	0.15	1.00	ug/L
107-06-2	1,2-Dichloroethane	0.22	U	0.22	1.00	ug/L
79-01-6	Trichloroethene	270	E	0.090	1.00	ug/L
78-87-5	1,2-Dichloropropane	0.20	U	0.20	1.00	ug/L
75-27-4	Bromodichloromethane	0.22	U	0.22	1.00	ug/L
108-10-1	4-Methyl-2-Pentanone	0.68	U	0.68	5.00	ug/L
108-88-3	Toluene	0.14	U	0.14	1.00	ug/L

Report of Analysis

Client:	TechLaw Consultants, Inc		Date Collected:	09/18/25	
Project:	REAC Commodore		Date Received:	09/25/25	
Client Sample ID:	MW-31D-091825		SDG No.:	Q3195	
Lab Sample ID:	Q3195-16		Matrix:	Water	
Analytical Method:	8260D		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VV039215.D	1	09/26/25 16:05	VV092625

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	0.17	U	0.17	1.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.16	U	0.16	1.00	ug/L
79-00-5	1,1,2-Trichloroethane	0.21	U	0.21	1.00	ug/L
591-78-6	2-Hexanone	0.89	U	0.89	5.00	ug/L
124-48-1	Dibromochloromethane	0.18	U	0.18	1.00	ug/L
106-93-4	1,2-Dibromoethane	0.15	U	0.15	1.00	ug/L
127-18-4	Tetrachloroethene	0.25	J	0.23	1.00	ug/L
108-90-7	Chlorobenzene	0.12	U	0.12	1.00	ug/L
100-41-4	Ethyl Benzene	0.13	U	0.13	1.00	ug/L
179601-23-1	m/p-Xylenes	0.24	U	0.24	2.00	ug/L
95-47-6	o-Xylene	0.12	U	0.12	1.00	ug/L
100-42-5	Styrene	0.15	U	0.15	1.00	ug/L
75-25-2	Bromoform	0.19	U	0.19	1.00	ug/L
98-82-8	Isopropylbenzene	0.12	U	0.12	1.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.26	U	0.26	1.00	ug/L
541-73-1	1,3-Dichlorobenzene	0.16	U	0.16	1.00	ug/L
106-46-7	1,4-Dichlorobenzene	0.19	U	0.19	1.00	ug/L
95-50-1	1,2-Dichlorobenzene	0.16	U	0.16	1.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	0.53	U	0.53	1.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.20	U	0.20	1.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.20	U	0.20	1.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	59.0		74 - 125	118%	SPK: 50
1868-53-7	Dibromofluoromethane	54.7		75 - 124	109%	SPK: 50
2037-26-5	Toluene-d8	48.2		86 - 113	96%	SPK: 50
460-00-4	4-Bromofluorobenzene	43.9		77 - 121	88%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	523000	4.6			
540-36-3	1,4-Difluorobenzene	967000	5.535			
3114-55-4	Chlorobenzene-d5	981000	8.776			
3855-82-1	1,4-Dichlorobenzene-d4	470000	11.175			
TENTATIVE IDENTIFIED COMPOUNDS						

Report of Analysis

Client:	TechLaw Consultants, Inc		Date Collected:	09/18/25	
Project:	REAC Commodore		Date Received:	09/25/25	
Client Sample ID:	MW-31D-091825		SDG No.:	Q3195	
Lab Sample ID:	Q3195-16		Matrix:	Water	
Analytical Method:	8260D		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VV039215.D	1	09/26/25 16:05	VV092625

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
000354-23-4	Ethane, 1,2-dichloro-1,1,2-trifluo	190	J		1.92	ug/L

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 () = Laboratory InHouse Limit
 A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	TechLaw Consultants, Inc		Date Collected:	09/18/25	
Project:	REAC Commodore		Date Received:	09/25/25	
Client Sample ID:	MW-31D-091825DL		SDG No.:	Q3195	
Lab Sample ID:	Q3195-16DL		Matrix:	Water	
Analytical Method:	8260D		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VV039230.D	40	09/29/25 14:38	VV092925

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	19.9	JD	8.80	40.0	ug/L
74-87-3	Chloromethane	12.8	UD	12.8	40.0	ug/L
75-01-4	Vinyl Chloride	10.4	UD	10.4	40.0	ug/L
74-83-9	Bromomethane	57.6	UD	57.6	200	ug/L
75-00-3	Chloroethane	18.8	UD	18.8	40.0	ug/L
75-69-4	Trichlorofluoromethane	13.2	UD	13.2	40.0	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	2400	D	10.0	40.0	ug/L
75-35-4	1,1-Dichloroethene	20.7	JD	9.20	40.0	ug/L
67-64-1	Acetone	60.4	UD	60.4	200	ug/L
75-15-0	Carbon Disulfide	8.40	UD	8.40	40.0	ug/L
1634-04-4	Methyl tert-butyl Ether	6.40	UD	6.40	40.0	ug/L
79-20-9	Methyl Acetate	10.8	UD	10.8	40.0	ug/L
75-09-2	Methylene Chloride	11.2	UD	11.2	40.0	ug/L
156-60-5	trans-1,2-Dichloroethene	9.20	UD	9.20	40.0	ug/L
75-34-3	1,1-Dichloroethane	9.80	JD	9.20	40.0	ug/L
110-82-7	Cyclohexane	58.0	UD	58.0	200	ug/L
78-93-3	2-Butanone	39.2	UD	39.2	200	ug/L
56-23-5	Carbon Tetrachloride	10.0	UD	10.0	40.0	ug/L
156-59-2	cis-1,2-Dichloroethene	7.60	UD	7.60	40.0	ug/L
74-97-5	Bromochloromethane	8.80	UD	8.80	40.0	ug/L
67-66-3	Chloroform	10.0	UD	10.0	40.0	ug/L
71-55-6	1,1,1-Trichloroethane	8.00	UD	8.00	40.0	ug/L
108-87-2	Methylcyclohexane	6.40	UD	6.40	40.0	ug/L
71-43-2	Benzene	6.00	UD	6.00	40.0	ug/L
107-06-2	1,2-Dichloroethane	8.80	UD	8.80	40.0	ug/L
79-01-6	Trichloroethene	250	D	3.70	40.0	ug/L
78-87-5	1,2-Dichloropropane	8.00	UD	8.00	40.0	ug/L
75-27-4	Bromodichloromethane	8.80	UD	8.80	40.0	ug/L
108-10-1	4-Methyl-2-Pentanone	27.2	UDQ	27.2	200	ug/L
108-88-3	Toluene	5.60	UDQ	5.60	40.0	ug/L

Report of Analysis

Client:	TechLaw Consultants, Inc	Date Collected:	09/18/25
Project:	REAC Commodore	Date Received:	09/25/25
Client Sample ID:	MW-31D-091825DL	SDG No.:	Q3195
Lab Sample ID:	Q3195-16DL	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC-TCLVOA-10
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VV039230.D	40	09/29/25 14:38	VV092925

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	6.80	UD	6.80	40.0	ug/L
10061-01-5	cis-1,3-Dichloropropene	6.40	UD	6.40	40.0	ug/L
79-00-5	1,1,2-Trichloroethane	8.40	UD	8.40	40.0	ug/L
591-78-6	2-Hexanone	35.6	UD	35.6	200	ug/L
124-48-1	Dibromochloromethane	7.20	UD	7.20	40.0	ug/L
106-93-4	1,2-Dibromoethane	6.00	UDQ	6.00	40.0	ug/L
127-18-4	Tetrachloroethene	9.20	UD	9.20	40.0	ug/L
108-90-7	Chlorobenzene	4.80	UD	4.80	40.0	ug/L
100-41-4	Ethyl Benzene	5.20	UD	5.20	40.0	ug/L
179601-23-1	m/p-Xylenes	9.60	UDQ	9.60	80.0	ug/L
95-47-6	o-Xylene	4.80	UD	4.80	40.0	ug/L
100-42-5	Styrene	6.00	UD	6.00	40.0	ug/L
75-25-2	Bromoform	7.60	UDQ	7.60	40.0	ug/L
98-82-8	Isopropylbenzene	4.80	UD	4.80	40.0	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	10.4	UD	10.4	40.0	ug/L
541-73-1	1,3-Dichlorobenzene	6.40	UD	6.40	40.0	ug/L
106-46-7	1,4-Dichlorobenzene	7.60	UD	7.60	40.0	ug/L
95-50-1	1,2-Dichlorobenzene	6.40	UD	6.40	40.0	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	21.2	UD	21.2	40.0	ug/L
120-82-1	1,2,4-Trichlorobenzene	8.00	UD	8.00	40.0	ug/L
87-61-6	1,2,3-Trichlorobenzene	8.00	UD	8.00	40.0	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	56.9		74 - 125	114%	SPK: 50
1868-53-7	Dibromofluoromethane	55.8		75 - 124	112%	SPK: 50
2037-26-5	Toluene-d8	45.2		86 - 113	90%	SPK: 50
460-00-4	4-Bromofluorobenzene	44.8		77 - 121	90%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	458000	4.6			
540-36-3	1,4-Difluorobenzene	805000	5.535			
3114-55-4	Chlorobenzene-d5	812000	8.776			
3855-82-1	1,4-Dichlorobenzene-d4	405000	11.172			

Report of Analysis

Client:	TechLaw Consultants, Inc		Date Collected:	09/18/25	
Project:	REAC Commodore		Date Received:	09/25/25	
Client Sample ID:	MW-31D-091825DL		SDG No.:	Q3195	
Lab Sample ID:	Q3195-16DL		Matrix:	Water	
Analytical Method:	8260D		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VV039230.D	40	09/29/25 14:38	VV092925

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 () = Laboratory InHouse Limit
 A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	TechLaw Consultants, Inc		Date Collected:	09/18/25	
Project:	REAC Commodore		Date Received:	09/25/25	
Client Sample ID:	MW-31D-091825-FD		SDG No.:	Q3195	
Lab Sample ID:	Q3195-17		Matrix:	Water	
Analytical Method:	8260D		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VV039216.D	1	09/26/25 16:28	VV092625

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	31.6		0.22	1.00	ug/L
74-87-3	Chloromethane	0.32	U	0.32	1.00	ug/L
75-01-4	Vinyl Chloride	0.26	U	0.26	1.00	ug/L
74-83-9	Bromomethane	1.40	U	1.40	5.00	ug/L
75-00-3	Chloroethane	0.47	U	0.47	1.00	ug/L
75-69-4	Trichlorofluoromethane	0.33	U	0.33	1.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	3500	E	0.25	1.00	ug/L
75-35-4	1,1-Dichloroethene	26.8		0.23	1.00	ug/L
67-64-1	Acetone	1.50	U	1.50	5.00	ug/L
75-15-0	Carbon Disulfide	0.21	U	0.21	1.00	ug/L
1634-04-4	Methyl tert-butyl Ether	0.16	U	0.16	1.00	ug/L
79-20-9	Methyl Acetate	0.27	U	0.27	1.00	ug/L
75-09-2	Methylene Chloride	0.28	U	0.28	1.00	ug/L
156-60-5	trans-1,2-Dichloroethene	0.23	U	0.23	1.00	ug/L
75-34-3	1,1-Dichloroethane	13.7		0.23	1.00	ug/L
110-82-7	Cyclohexane	1.50	U	1.50	5.00	ug/L
78-93-3	2-Butanone	0.98	U	0.98	5.00	ug/L
56-23-5	Carbon Tetrachloride	0.25	U	0.25	1.00	ug/L
156-59-2	cis-1,2-Dichloroethene	1.30		0.19	1.00	ug/L
74-97-5	Bromochloromethane	0.22	U	0.22	1.00	ug/L
67-66-3	Chloroform	0.25	U	0.25	1.00	ug/L
71-55-6	1,1,1-Trichloroethane	12.8		0.20	1.00	ug/L
108-87-2	Methylcyclohexane	0.16	U	0.16	1.00	ug/L
71-43-2	Benzene	0.15	U	0.15	1.00	ug/L
107-06-2	1,2-Dichloroethane	0.22	U	0.22	1.00	ug/L
79-01-6	Trichloroethene	420	E	0.090	1.00	ug/L
78-87-5	1,2-Dichloropropane	0.20	U	0.20	1.00	ug/L
75-27-4	Bromodichloromethane	0.22	U	0.22	1.00	ug/L
108-10-1	4-Methyl-2-Pentanone	0.68	U	0.68	5.00	ug/L
108-88-3	Toluene	0.14	U	0.14	1.00	ug/L

Report of Analysis

Client:	TechLaw Consultants, Inc		Date Collected:	09/18/25	
Project:	REAC Commodore		Date Received:	09/25/25	
Client Sample ID:	MW-31D-091825-FD		SDG No.:	Q3195	
Lab Sample ID:	Q3195-17		Matrix:	Water	
Analytical Method:	8260D		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VV039216.D	1	09/26/25 16:28	VV092625

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	0.17	U	0.17	1.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.16	U	0.16	1.00	ug/L
79-00-5	1,1,2-Trichloroethane	0.21	U	0.21	1.00	ug/L
591-78-6	2-Hexanone	0.89	U	0.89	5.00	ug/L
124-48-1	Dibromochloromethane	0.18	U	0.18	1.00	ug/L
106-93-4	1,2-Dibromoethane	0.15	U	0.15	1.00	ug/L
127-18-4	Tetrachloroethene	0.41	J	0.23	1.00	ug/L
108-90-7	Chlorobenzene	0.12	U	0.12	1.00	ug/L
100-41-4	Ethyl Benzene	0.13	U	0.13	1.00	ug/L
179601-23-1	m/p-Xylenes	0.24	U	0.24	2.00	ug/L
95-47-6	o-Xylene	0.12	U	0.12	1.00	ug/L
100-42-5	Styrene	0.15	U	0.15	1.00	ug/L
75-25-2	Bromoform	0.19	U	0.19	1.00	ug/L
98-82-8	Isopropylbenzene	0.12	U	0.12	1.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.26	U	0.26	1.00	ug/L
541-73-1	1,3-Dichlorobenzene	0.16	U	0.16	1.00	ug/L
106-46-7	1,4-Dichlorobenzene	0.19	U	0.19	1.00	ug/L
95-50-1	1,2-Dichlorobenzene	0.16	U	0.16	1.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	0.53	U	0.53	1.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.20	U	0.20	1.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.20	U	0.20	1.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	61.6		74 - 125	123%	SPK: 50
1868-53-7	Dibromofluoromethane	58.4		75 - 124	117%	SPK: 50
2037-26-5	Toluene-d8	49.2		86 - 113	98%	SPK: 50
460-00-4	4-Bromofluorobenzene	43.3		77 - 121	87%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	333000	4.6			
540-36-3	1,4-Difluorobenzene	592000	5.535			
3114-55-4	Chlorobenzene-d5	613000	8.776			
3855-82-1	1,4-Dichlorobenzene-d4	283000	11.172			
TENTATIVE IDENTIFIED COMPOUNDS						

Report of Analysis

Client:	TechLaw Consultants, Inc		Date Collected:	09/18/25	
Project:	REAC Commodore		Date Received:	09/25/25	
Client Sample ID:	MW-31D-091825-FD		SDG No.:	Q3195	
Lab Sample ID:	Q3195-17		Matrix:	Water	
Analytical Method:	8260D		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VV039216.D	1	09/26/25 16:28	VV092625

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
000354-23-4	Ethane, 1,2-dichloro-1,1,2-trifluo	310	J		1.92	ug/L

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 () = Laboratory InHouse Limit
 A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	TechLaw Consultants, Inc		Date Collected:	09/18/25	
Project:	REAC Commodore		Date Received:	09/25/25	
Client Sample ID:	MW-31D-091825-FDDL		SDG No.:	Q3195	
Lab Sample ID:	Q3195-17DL		Matrix:	Water	
Analytical Method:	8260D		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VV039231.D	50	09/29/25 15:01	VV092925

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	22.6	JD	11.0	50.0	ug/L
74-87-3	Chloromethane	16.0	UD	16.0	50.0	ug/L
75-01-4	Vinyl Chloride	13.0	UD	13.0	50.0	ug/L
74-83-9	Bromomethane	72.0	UD	72.0	250	ug/L
75-00-3	Chloroethane	23.5	UD	23.5	50.0	ug/L
75-69-4	Trichlorofluoromethane	16.5	UD	16.5	50.0	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	2400	D	12.5	50.0	ug/L
75-35-4	1,1-Dichloroethene	11.5	UD	11.5	50.0	ug/L
67-64-1	Acetone	75.5	UD	75.5	250	ug/L
75-15-0	Carbon Disulfide	10.5	UD	10.5	50.0	ug/L
1634-04-4	Methyl tert-butyl Ether	8.00	UD	8.00	50.0	ug/L
79-20-9	Methyl Acetate	13.5	UD	13.5	50.0	ug/L
75-09-2	Methylene Chloride	14.0	UD	14.0	50.0	ug/L
156-60-5	trans-1,2-Dichloroethene	11.5	UD	11.5	50.0	ug/L
75-34-3	1,1-Dichloroethane	11.5	UD	11.5	50.0	ug/L
110-82-7	Cyclohexane	72.5	UD	72.5	250	ug/L
78-93-3	2-Butanone	49.0	UD	49.0	250	ug/L
56-23-5	Carbon Tetrachloride	12.5	UD	12.5	50.0	ug/L
156-59-2	cis-1,2-Dichloroethene	9.50	UD	9.50	50.0	ug/L
74-97-5	Bromochloromethane	11.0	UD	11.0	50.0	ug/L
67-66-3	Chloroform	12.5	UD	12.5	50.0	ug/L
71-55-6	1,1,1-Trichloroethane	10.0	UD	10.0	50.0	ug/L
108-87-2	Methylcyclohexane	8.00	UD	8.00	50.0	ug/L
71-43-2	Benzene	7.50	UD	7.50	50.0	ug/L
107-06-2	1,2-Dichloroethane	11.0	UD	11.0	50.0	ug/L
79-01-6	Trichloroethene	250	D	4.70	50.0	ug/L
78-87-5	1,2-Dichloropropane	10.0	UD	10.0	50.0	ug/L
75-27-4	Bromodichloromethane	11.0	UD	11.0	50.0	ug/L
108-10-1	4-Methyl-2-Pentanone	34.0	UDQ	34.0	250	ug/L
108-88-3	Toluene	7.00	UDQ	7.00	50.0	ug/L

Report of Analysis

Client:	TechLaw Consultants, Inc	Date Collected:	09/18/25
Project:	REAC Commodore	Date Received:	09/25/25
Client Sample ID:	MW-31D-091825-FDDL	SDG No.:	Q3195
Lab Sample ID:	Q3195-17DL	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC-TCLVOA-10
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VV039231.D	50	09/29/25 15:01	VV092925

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	8.50	UD	8.50	50.0	ug/L
10061-01-5	cis-1,3-Dichloropropene	8.00	UD	8.00	50.0	ug/L
79-00-5	1,1,2-Trichloroethane	10.5	UD	10.5	50.0	ug/L
591-78-6	2-Hexanone	44.5	UD	44.5	250	ug/L
124-48-1	Dibromochloromethane	9.00	UD	9.00	50.0	ug/L
106-93-4	1,2-Dibromoethane	7.50	UDQ	7.50	50.0	ug/L
127-18-4	Tetrachloroethene	11.5	UD	11.5	50.0	ug/L
108-90-7	Chlorobenzene	6.00	UD	6.00	50.0	ug/L
100-41-4	Ethyl Benzene	6.50	UD	6.50	50.0	ug/L
179601-23-1	m/p-Xylenes	12.0	UDQ	12.0	100	ug/L
95-47-6	o-Xylene	6.00	UD	6.00	50.0	ug/L
100-42-5	Styrene	7.50	UD	7.50	50.0	ug/L
75-25-2	Bromoform	9.50	UDQ	9.50	50.0	ug/L
98-82-8	Isopropylbenzene	6.00	UD	6.00	50.0	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	13.0	UD	13.0	50.0	ug/L
541-73-1	1,3-Dichlorobenzene	8.00	UD	8.00	50.0	ug/L
106-46-7	1,4-Dichlorobenzene	9.50	UD	9.50	50.0	ug/L
95-50-1	1,2-Dichlorobenzene	8.00	UD	8.00	50.0	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	26.5	UD	26.5	50.0	ug/L
120-82-1	1,2,4-Trichlorobenzene	10.0	UD	10.0	50.0	ug/L
87-61-6	1,2,3-Trichlorobenzene	10.0	UD	10.0	50.0	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	56.7		74 - 125	113%	SPK: 50
1868-53-7	Dibromofluoromethane	56.6		75 - 124	113%	SPK: 50
2037-26-5	Toluene-d8	45.8		86 - 113	92%	SPK: 50
460-00-4	4-Bromofluorobenzene	45.2		77 - 121	90%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	456000	4.6			
540-36-3	1,4-Difluorobenzene	804000	5.535			
3114-55-4	Chlorobenzene-d5	820000	8.776			
3855-82-1	1,4-Dichlorobenzene-d4	405000	11.175			

Report of Analysis

Client:	TechLaw Consultants, Inc		Date Collected:	09/18/25
Project:	REAC Commodore		Date Received:	09/25/25
Client Sample ID:	MW-31D-091825-FDDL		SDG No.:	Q3195
Lab Sample ID:	Q3195-17DL		Matrix:	Water
Analytical Method:	8260D		% Solid:	0
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10
GC Column:	DB-624UI	ID : 0.18	Level :	LOW
Prep Method :				

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VV039231.D	50	09/29/25 15:01	VV092925

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 () = Laboratory InHouse Limit
 A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	TechLaw Consultants, Inc		Date Collected:	09/17/25	
Project:	REAC Commodore		Date Received:	09/25/25	
Client Sample ID:	MW-32S-091725		SDG No.:	Q3195	
Lab Sample ID:	Q3195-18		Matrix:	Water	
Analytical Method:	8260D		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VV039227.D	1	09/29/25 13:31	VV092925

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	0.22	U	0.22	1.00	ug/L
74-87-3	Chloromethane	0.32	U	0.32	1.00	ug/L
75-01-4	Vinyl Chloride	0.26	U	0.26	1.00	ug/L
74-83-9	Bromomethane	1.40	U	1.40	5.00	ug/L
75-00-3	Chloroethane	0.47	U	0.47	1.00	ug/L
75-69-4	Trichlorofluoromethane	0.33	U	0.33	1.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	0.25	U	0.25	1.00	ug/L
75-35-4	1,1-Dichloroethene	0.23	U	0.23	1.00	ug/L
67-64-1	Acetone	1.50	U	1.50	5.00	ug/L
75-15-0	Carbon Disulfide	0.21	U	0.21	1.00	ug/L
1634-04-4	Methyl tert-butyl Ether	0.16	U	0.16	1.00	ug/L
79-20-9	Methyl Acetate	0.27	U	0.27	1.00	ug/L
75-09-2	Methylene Chloride	0.28	U	0.28	1.00	ug/L
156-60-5	trans-1,2-Dichloroethene	0.23	U	0.23	1.00	ug/L
75-34-3	1,1-Dichloroethane	0.23	U	0.23	1.00	ug/L
110-82-7	Cyclohexane	1.50	U	1.50	5.00	ug/L
78-93-3	2-Butanone	0.98	U	0.98	5.00	ug/L
56-23-5	Carbon Tetrachloride	0.25	U	0.25	1.00	ug/L
156-59-2	cis-1,2-Dichloroethene	0.19	U	0.19	1.00	ug/L
74-97-5	Bromochloromethane	0.22	U	0.22	1.00	ug/L
67-66-3	Chloroform	0.25	U	0.25	1.00	ug/L
71-55-6	1,1,1-Trichloroethane	0.20	U	0.20	1.00	ug/L
108-87-2	Methylcyclohexane	0.16	U	0.16	1.00	ug/L
71-43-2	Benzene	0.15	U	0.15	1.00	ug/L
107-06-2	1,2-Dichloroethane	0.22	U	0.22	1.00	ug/L
79-01-6	Trichloroethene	0.52	J	0.090	1.00	ug/L
78-87-5	1,2-Dichloropropane	0.20	U	0.20	1.00	ug/L
75-27-4	Bromodichloromethane	0.22	U	0.22	1.00	ug/L
108-10-1	4-Methyl-2-Pentanone	0.68	UQ	0.68	5.00	ug/L
108-88-3	Toluene	0.14	UQ	0.14	1.00	ug/L

Report of Analysis

Client:	TechLaw Consultants, Inc		Date Collected:	09/17/25	
Project:	REAC Commodore		Date Received:	09/25/25	
Client Sample ID:	MW-32S-091725		SDG No.:	Q3195	
Lab Sample ID:	Q3195-18		Matrix:	Water	
Analytical Method:	8260D		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VV039227.D	1	09/29/25 13:31	VV092925

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	0.17	U	0.17	1.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.16	U	0.16	1.00	ug/L
79-00-5	1,1,2-Trichloroethane	0.21	U	0.21	1.00	ug/L
591-78-6	2-Hexanone	0.89	U	0.89	5.00	ug/L
124-48-1	Dibromochloromethane	0.18	U	0.18	1.00	ug/L
106-93-4	1,2-Dibromoethane	0.15	UQ	0.15	1.00	ug/L
127-18-4	Tetrachloroethene	0.80	J	0.23	1.00	ug/L
108-90-7	Chlorobenzene	0.12	U	0.12	1.00	ug/L
100-41-4	Ethyl Benzene	0.13	U	0.13	1.00	ug/L
179601-23-1	m/p-Xylenes	0.24	UQ	0.24	2.00	ug/L
95-47-6	o-Xylene	0.12	U	0.12	1.00	ug/L
100-42-5	Styrene	0.15	U	0.15	1.00	ug/L
75-25-2	Bromoform	0.19	UQ	0.19	1.00	ug/L
98-82-8	Isopropylbenzene	0.12	U	0.12	1.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.26	U	0.26	1.00	ug/L
541-73-1	1,3-Dichlorobenzene	0.16	U	0.16	1.00	ug/L
106-46-7	1,4-Dichlorobenzene	0.19	U	0.19	1.00	ug/L
95-50-1	1,2-Dichlorobenzene	0.16	U	0.16	1.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	0.53	U	0.53	1.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.20	U	0.20	1.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.20	U	0.20	1.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	54.0		74 - 125	108%	SPK: 50
1868-53-7	Dibromofluoromethane	54.6		75 - 124	109%	SPK: 50
2037-26-5	Toluene-d8	45.7		86 - 113	91%	SPK: 50
460-00-4	4-Bromofluorobenzene	45.8		77 - 121	92%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	475000	4.6			
540-36-3	1,4-Difluorobenzene	811000	5.535			
3114-55-4	Chlorobenzene-d5	825000	8.776			
3855-82-1	1,4-Dichlorobenzene-d4	413000	11.175			

Report of Analysis

Client:	TechLaw Consultants, Inc		Date Collected:	09/17/25	
Project:	REAC Commodore		Date Received:	09/25/25	
Client Sample ID:	MW-32S-091725		SDG No.:	Q3195	
Lab Sample ID:	Q3195-18		Matrix:	Water	
Analytical Method:	8260D		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VV039227.D	1	09/29/25 13:31	VV092925

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 () = Laboratory InHouse Limit
 A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	TechLaw Consultants, Inc		Date Collected:	09/17/25	
Project:	REAC Commodore		Date Received:	09/25/25	
Client Sample ID:	MW-33D-091725		SDG No.:	Q3195	
Lab Sample ID:	Q3195-19		Matrix:	Water	
Analytical Method:	8260D		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VV039228.D	1	09/29/25 13:53	VV092925

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	7.90		0.22	1.00	ug/L
74-87-3	Chloromethane	0.32	U	0.32	1.00	ug/L
75-01-4	Vinyl Chloride	0.26	U	0.26	1.00	ug/L
74-83-9	Bromomethane	1.40	U	1.40	5.00	ug/L
75-00-3	Chloroethane	0.47	U	0.47	1.00	ug/L
75-69-4	Trichlorofluoromethane	0.33	U	0.33	1.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	2.10		0.25	1.00	ug/L
75-35-4	1,1-Dichloroethene	0.23	U	0.23	1.00	ug/L
67-64-1	Acetone	1.50	U	1.50	5.00	ug/L
75-15-0	Carbon Disulfide	0.21	U	0.21	1.00	ug/L
1634-04-4	Methyl tert-butyl Ether	0.16	U	0.16	1.00	ug/L
79-20-9	Methyl Acetate	0.27	U	0.27	1.00	ug/L
75-09-2	Methylene Chloride	0.28	U	0.28	1.00	ug/L
156-60-5	trans-1,2-Dichloroethene	0.23	U	0.23	1.00	ug/L
75-34-3	1,1-Dichloroethane	0.23	U	0.23	1.00	ug/L
110-82-7	Cyclohexane	1.50	U	1.50	5.00	ug/L
78-93-3	2-Butanone	0.98	U	0.98	5.00	ug/L
56-23-5	Carbon Tetrachloride	0.25	U	0.25	1.00	ug/L
156-59-2	cis-1,2-Dichloroethene	1.30		0.19	1.00	ug/L
74-97-5	Bromochloromethane	0.22	U	0.22	1.00	ug/L
67-66-3	Chloroform	0.25	U	0.25	1.00	ug/L
71-55-6	1,1,1-Trichloroethane	0.20	U	0.20	1.00	ug/L
108-87-2	Methylcyclohexane	0.16	U	0.16	1.00	ug/L
71-43-2	Benzene	0.15	U	0.15	1.00	ug/L
107-06-2	1,2-Dichloroethane	0.22	U	0.22	1.00	ug/L
79-01-6	Trichloroethene	5.50		0.090	1.00	ug/L
78-87-5	1,2-Dichloropropane	0.20	U	0.20	1.00	ug/L
75-27-4	Bromodichloromethane	0.22	U	0.22	1.00	ug/L
108-10-1	4-Methyl-2-Pentanone	0.68	UQ	0.68	5.00	ug/L
108-88-3	Toluene	0.14	UQ	0.14	1.00	ug/L

Report of Analysis

Client:	TechLaw Consultants, Inc			Date Collected:	09/17/25	
Project:	REAC Commodore			Date Received:	09/25/25	
Client Sample ID:	MW-33D-091725			SDG No.:	Q3195	
Lab Sample ID:	Q3195-19			Matrix:	Water	
Analytical Method:	8260D			% Solid:	0	
Sample Wt/Vol:	5	Units:	mL	Final Vol:	5000	uL
Soil Aliquot Vol:			uL	Test:	VOC-TCLVOA-10	
GC Column:	DB-624UI	ID :	0.18	Level :	LOW	
Prep Method :						

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VV039228.D	1	09/29/25 13:53	VV092925

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	0.17	U	0.17	1.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.16	U	0.16	1.00	ug/L
79-00-5	1,1,2-Trichloroethane	0.21	U	0.21	1.00	ug/L
591-78-6	2-Hexanone	0.89	U	0.89	5.00	ug/L
124-48-1	Dibromochloromethane	0.18	U	0.18	1.00	ug/L
106-93-4	1,2-Dibromoethane	0.15	UQ	0.15	1.00	ug/L
127-18-4	Tetrachloroethene	1.40		0.23	1.00	ug/L
108-90-7	Chlorobenzene	0.12	U	0.12	1.00	ug/L
100-41-4	Ethyl Benzene	0.13	U	0.13	1.00	ug/L
179601-23-1	m/p-Xylenes	0.24	UQ	0.24	2.00	ug/L
95-47-6	o-Xylene	0.12	U	0.12	1.00	ug/L
100-42-5	Styrene	0.15	U	0.15	1.00	ug/L
75-25-2	Bromoform	0.19	UQ	0.19	1.00	ug/L
98-82-8	Isopropylbenzene	0.12	U	0.12	1.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.26	U	0.26	1.00	ug/L
541-73-1	1,3-Dichlorobenzene	0.16	U	0.16	1.00	ug/L
106-46-7	1,4-Dichlorobenzene	0.19	U	0.19	1.00	ug/L
95-50-1	1,2-Dichlorobenzene	0.16	U	0.16	1.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	0.53	U	0.53	1.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.20	U	0.20	1.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.20	U	0.20	1.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	55.5		74 - 125	111%	SPK: 50
1868-53-7	Dibromofluoromethane	54.2		75 - 124	108%	SPK: 50
2037-26-5	Toluene-d8	45.4		86 - 113	91%	SPK: 50
460-00-4	4-Bromofluorobenzene	44.9		77 - 121	90%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	463000	4.6			
540-36-3	1,4-Difluorobenzene	797000	5.535			
3114-55-4	Chlorobenzene-d5	801000	8.776			
3855-82-1	1,4-Dichlorobenzene-d4	399000	11.175			

Report of Analysis

Client:	TechLaw Consultants, Inc		Date Collected:	09/17/25	
Project:	REAC Commodore		Date Received:	09/25/25	
Client Sample ID:	MW-33D-091725		SDG No.:	Q3195	
Lab Sample ID:	Q3195-19		Matrix:	Water	
Analytical Method:	8260D		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VV039228.D	1	09/29/25 13:53	VV092925

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 () = Laboratory InHouse Limit
 A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	TechLaw Consultants, Inc		Date Collected:	09/24/25	
Project:	REAC Commodore		Date Received:	09/25/25	
Client Sample ID:	RW-1-092425		SDG No.:	Q3195	
Lab Sample ID:	Q3195-22		Matrix:	Water	
Analytical Method:	8260D		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VV039186.D	1	09/25/25 17:03	VV092525

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	0.22	U	0.22	1.00	ug/L
74-87-3	Chloromethane	0.32	U	0.32	1.00	ug/L
75-01-4	Vinyl Chloride	0.26	U	0.26	1.00	ug/L
74-83-9	Bromomethane	1.40	U	1.40	5.00	ug/L
75-00-3	Chloroethane	0.47	U	0.47	1.00	ug/L
75-69-4	Trichlorofluoromethane	0.33	U	0.33	1.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	0.25	U	0.25	1.00	ug/L
75-35-4	1,1-Dichloroethene	0.23	U	0.23	1.00	ug/L
67-64-1	Acetone	1.50	U	1.50	5.00	ug/L
75-15-0	Carbon Disulfide	0.21	U	0.21	1.00	ug/L
1634-04-4	Methyl tert-butyl Ether	0.16	U	0.16	1.00	ug/L
79-20-9	Methyl Acetate	0.27	U	0.27	1.00	ug/L
75-09-2	Methylene Chloride	0.28	U	0.28	1.00	ug/L
156-60-5	trans-1,2-Dichloroethene	0.23	U	0.23	1.00	ug/L
75-34-3	1,1-Dichloroethane	0.23	U	0.23	1.00	ug/L
110-82-7	Cyclohexane	1.50	U	1.50	5.00	ug/L
78-93-3	2-Butanone	0.98	U	0.98	5.00	ug/L
56-23-5	Carbon Tetrachloride	0.25	U	0.25	1.00	ug/L
156-59-2	cis-1,2-Dichloroethene	0.19	U	0.19	1.00	ug/L
74-97-5	Bromochloromethane	0.22	U	0.22	1.00	ug/L
67-66-3	Chloroform	0.25	U	0.25	1.00	ug/L
71-55-6	1,1,1-Trichloroethane	0.20	U	0.20	1.00	ug/L
108-87-2	Methylcyclohexane	0.16	U	0.16	1.00	ug/L
71-43-2	Benzene	0.15	U	0.15	1.00	ug/L
107-06-2	1,2-Dichloroethane	0.22	U	0.22	1.00	ug/L
79-01-6	Trichloroethene	0.64	J	0.090	1.00	ug/L
78-87-5	1,2-Dichloropropane	0.20	U	0.20	1.00	ug/L
75-27-4	Bromodichloromethane	0.22	U	0.22	1.00	ug/L
108-10-1	4-Methyl-2-Pentanone	0.68	U	0.68	5.00	ug/L
108-88-3	Toluene	0.14	U	0.14	1.00	ug/L

Report of Analysis

Client:	TechLaw Consultants, Inc		Date Collected:	09/24/25	
Project:	REAC Commodore		Date Received:	09/25/25	
Client Sample ID:	RW-1-092425		SDG No.:	Q3195	
Lab Sample ID:	Q3195-22		Matrix:	Water	
Analytical Method:	8260D		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VV039186.D	1	09/25/25 17:03	VV092525

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	0.17	U	0.17	1.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.16	U	0.16	1.00	ug/L
79-00-5	1,1,2-Trichloroethane	0.21	U	0.21	1.00	ug/L
591-78-6	2-Hexanone	0.89	U	0.89	5.00	ug/L
124-48-1	Dibromochloromethane	0.18	U	0.18	1.00	ug/L
106-93-4	1,2-Dibromoethane	0.15	U	0.15	1.00	ug/L
127-18-4	Tetrachloroethene	0.23	U	0.23	1.00	ug/L
108-90-7	Chlorobenzene	0.12	U	0.12	1.00	ug/L
100-41-4	Ethyl Benzene	0.13	U	0.13	1.00	ug/L
179601-23-1	m/p-Xylenes	0.24	U	0.24	2.00	ug/L
95-47-6	o-Xylene	0.12	U	0.12	1.00	ug/L
100-42-5	Styrene	0.15	U	0.15	1.00	ug/L
75-25-2	Bromoform	0.19	U	0.19	1.00	ug/L
98-82-8	Isopropylbenzene	0.12	U	0.12	1.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.26	U	0.26	1.00	ug/L
541-73-1	1,3-Dichlorobenzene	0.16	U	0.16	1.00	ug/L
106-46-7	1,4-Dichlorobenzene	0.19	U	0.19	1.00	ug/L
95-50-1	1,2-Dichlorobenzene	0.16	U	0.16	1.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	0.53	U	0.53	1.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.20	U	0.20	1.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.20	U	0.20	1.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	55.5		74 - 125	111%	SPK: 50
1868-53-7	Dibromofluoromethane	49.4		75 - 124	99%	SPK: 50
2037-26-5	Toluene-d8	45.5		86 - 113	91%	SPK: 50
460-00-4	4-Bromofluorobenzene	42.8		77 - 121	86%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	349000	4.603			
540-36-3	1,4-Difluorobenzene	629000	5.535			
3114-55-4	Chlorobenzene-d5	612000	8.776			
3855-82-1	1,4-Dichlorobenzene-d4	288000	11.175			

Report of Analysis

Client:	TechLaw Consultants, Inc		Date Collected:	09/24/25	
Project:	REAC Commodore		Date Received:	09/25/25	
Client Sample ID:	RW-1-092425		SDG No.:	Q3195	
Lab Sample ID:	Q3195-22		Matrix:	Water	
Analytical Method:	8260D		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VV039186.D	1	09/25/25 17:03	VV092525

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 () = Laboratory InHouse Limit
 A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	TechLaw Consultants, Inc		Date Collected:	09/19/25	
Project:	REAC Commodore		Date Received:	09/25/25	
Client Sample ID:	EB-01-091925		SDG No.:	Q3195	
Lab Sample ID:	Q3195-23		Matrix:	Water	
Analytical Method:	8260D		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VV039187.D	1	09/25/25 17:25	VV092525

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	0.22	U	0.22	1.00	ug/L
74-87-3	Chloromethane	0.32	U	0.32	1.00	ug/L
75-01-4	Vinyl Chloride	0.26	U	0.26	1.00	ug/L
74-83-9	Bromomethane	1.40	U	1.40	5.00	ug/L
75-00-3	Chloroethane	0.47	U	0.47	1.00	ug/L
75-69-4	Trichlorofluoromethane	0.33	U	0.33	1.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	0.25	U	0.25	1.00	ug/L
75-35-4	1,1-Dichloroethene	0.23	U	0.23	1.00	ug/L
67-64-1	Acetone	1.50	U	1.50	5.00	ug/L
75-15-0	Carbon Disulfide	0.21	U	0.21	1.00	ug/L
1634-04-4	Methyl tert-butyl Ether	0.16	U	0.16	1.00	ug/L
79-20-9	Methyl Acetate	0.27	U	0.27	1.00	ug/L
75-09-2	Methylene Chloride	0.28	U	0.28	1.00	ug/L
156-60-5	trans-1,2-Dichloroethene	0.23	U	0.23	1.00	ug/L
75-34-3	1,1-Dichloroethane	0.23	U	0.23	1.00	ug/L
110-82-7	Cyclohexane	1.50	U	1.50	5.00	ug/L
78-93-3	2-Butanone	0.98	U	0.98	5.00	ug/L
56-23-5	Carbon Tetrachloride	0.25	U	0.25	1.00	ug/L
156-59-2	cis-1,2-Dichloroethene	0.19	U	0.19	1.00	ug/L
74-97-5	Bromochloromethane	0.22	U	0.22	1.00	ug/L
67-66-3	Chloroform	0.25	U	0.25	1.00	ug/L
71-55-6	1,1,1-Trichloroethane	0.20	U	0.20	1.00	ug/L
108-87-2	Methylcyclohexane	0.16	U	0.16	1.00	ug/L
71-43-2	Benzene	0.15	U	0.15	1.00	ug/L
107-06-2	1,2-Dichloroethane	0.22	U	0.22	1.00	ug/L
79-01-6	Trichloroethene	0.090	U	0.090	1.00	ug/L
78-87-5	1,2-Dichloropropane	0.20	U	0.20	1.00	ug/L
75-27-4	Bromodichloromethane	0.22	U	0.22	1.00	ug/L
108-10-1	4-Methyl-2-Pentanone	0.68	U	0.68	5.00	ug/L
108-88-3	Toluene	0.14	U	0.14	1.00	ug/L

Report of Analysis

Client:	TechLaw Consultants, Inc		Date Collected:	09/19/25	
Project:	REAC Commodore		Date Received:	09/25/25	
Client Sample ID:	EB-01-091925		SDG No.:	Q3195	
Lab Sample ID:	Q3195-23		Matrix:	Water	
Analytical Method:	8260D		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VV039187.D	1	09/25/25 17:25	VV092525

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	0.17	U	0.17	1.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.16	U	0.16	1.00	ug/L
79-00-5	1,1,2-Trichloroethane	0.21	U	0.21	1.00	ug/L
591-78-6	2-Hexanone	0.89	U	0.89	5.00	ug/L
124-48-1	Dibromochloromethane	0.18	U	0.18	1.00	ug/L
106-93-4	1,2-Dibromoethane	0.15	U	0.15	1.00	ug/L
127-18-4	Tetrachloroethene	0.23	U	0.23	1.00	ug/L
108-90-7	Chlorobenzene	0.12	U	0.12	1.00	ug/L
100-41-4	Ethyl Benzene	0.13	U	0.13	1.00	ug/L
179601-23-1	m/p-Xylenes	0.24	U	0.24	2.00	ug/L
95-47-6	o-Xylene	0.12	U	0.12	1.00	ug/L
100-42-5	Styrene	0.15	U	0.15	1.00	ug/L
75-25-2	Bromoform	0.19	U	0.19	1.00	ug/L
98-82-8	Isopropylbenzene	0.12	U	0.12	1.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.26	U	0.26	1.00	ug/L
541-73-1	1,3-Dichlorobenzene	0.16	U	0.16	1.00	ug/L
106-46-7	1,4-Dichlorobenzene	0.19	U	0.19	1.00	ug/L
95-50-1	1,2-Dichlorobenzene	0.16	U	0.16	1.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	0.53	U	0.53	1.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.20	U	0.20	1.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.20	U	0.20	1.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	53.5		74 - 125	107%	SPK: 50
1868-53-7	Dibromofluoromethane	50.7		75 - 124	101%	SPK: 50
2037-26-5	Toluene-d8	45.3		86 - 113	91%	SPK: 50
460-00-4	4-Bromofluorobenzene	43.7		77 - 121	87%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	361000	4.603			
540-36-3	1,4-Difluorobenzene	632000	5.535			
3114-55-4	Chlorobenzene-d5	624000	8.776			
3855-82-1	1,4-Dichlorobenzene-d4	293000	11.175			

Report of Analysis

Client:	TechLaw Consultants, Inc		Date Collected:	09/19/25
Project:	REAC Commodore		Date Received:	09/25/25
Client Sample ID:	EB-01-091925		SDG No.:	Q3195
Lab Sample ID:	Q3195-23		Matrix:	Water
Analytical Method:	8260D		% Solid:	0
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10
GC Column:	DB-624UI	ID : 0.18	Level :	LOW
Prep Method :				

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VV039187.D	1	09/25/25 17:25	VV092525

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 () = Laboratory InHouse Limit
 A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	TechLaw Consultants, Inc		Date Collected:	09/22/25	
Project:	REAC Commodore		Date Received:	09/25/25	
Client Sample ID:	EB-02-092225		SDG No.:	Q3195	
Lab Sample ID:	Q3195-24		Matrix:	Water	
Analytical Method:	8260D		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VV039203.D	1	09/26/25 11:36	VV092625

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	0.22	U	0.22	1.00	ug/L
74-87-3	Chloromethane	0.32	U	0.32	1.00	ug/L
75-01-4	Vinyl Chloride	0.26	U	0.26	1.00	ug/L
74-83-9	Bromomethane	1.40	U	1.40	5.00	ug/L
75-00-3	Chloroethane	0.47	U	0.47	1.00	ug/L
75-69-4	Trichlorofluoromethane	0.33	U	0.33	1.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	0.25	U	0.25	1.00	ug/L
75-35-4	1,1-Dichloroethene	0.23	U	0.23	1.00	ug/L
67-64-1	Acetone	1.50	U	1.50	5.00	ug/L
75-15-0	Carbon Disulfide	0.21	U	0.21	1.00	ug/L
1634-04-4	Methyl tert-butyl Ether	0.16	U	0.16	1.00	ug/L
79-20-9	Methyl Acetate	0.27	U	0.27	1.00	ug/L
75-09-2	Methylene Chloride	0.28	U	0.28	1.00	ug/L
156-60-5	trans-1,2-Dichloroethene	0.23	U	0.23	1.00	ug/L
75-34-3	1,1-Dichloroethane	0.23	U	0.23	1.00	ug/L
110-82-7	Cyclohexane	1.50	U	1.50	5.00	ug/L
78-93-3	2-Butanone	0.98	U	0.98	5.00	ug/L
56-23-5	Carbon Tetrachloride	0.25	U	0.25	1.00	ug/L
156-59-2	cis-1,2-Dichloroethene	0.19	U	0.19	1.00	ug/L
74-97-5	Bromochloromethane	0.22	U	0.22	1.00	ug/L
67-66-3	Chloroform	0.25	U	0.25	1.00	ug/L
71-55-6	1,1,1-Trichloroethane	0.20	U	0.20	1.00	ug/L
108-87-2	Methylcyclohexane	0.16	U	0.16	1.00	ug/L
71-43-2	Benzene	0.15	U	0.15	1.00	ug/L
107-06-2	1,2-Dichloroethane	0.22	U	0.22	1.00	ug/L
79-01-6	Trichloroethene	0.090	U	0.090	1.00	ug/L
78-87-5	1,2-Dichloropropane	0.20	U	0.20	1.00	ug/L
75-27-4	Bromodichloromethane	0.22	U	0.22	1.00	ug/L
108-10-1	4-Methyl-2-Pentanone	0.68	U	0.68	5.00	ug/L
108-88-3	Toluene	0.14	U	0.14	1.00	ug/L

Report of Analysis

Client:	TechLaw Consultants, Inc		Date Collected:	09/22/25	
Project:	REAC Commodore		Date Received:	09/25/25	
Client Sample ID:	EB-02-092225		SDG No.:	Q3195	
Lab Sample ID:	Q3195-24		Matrix:	Water	
Analytical Method:	8260D		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VV039203.D	1	09/26/25 11:36	VV092625

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	0.17	U	0.17	1.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.16	U	0.16	1.00	ug/L
79-00-5	1,1,2-Trichloroethane	0.21	U	0.21	1.00	ug/L
591-78-6	2-Hexanone	0.89	U	0.89	5.00	ug/L
124-48-1	Dibromochloromethane	0.18	U	0.18	1.00	ug/L
106-93-4	1,2-Dibromoethane	0.15	U	0.15	1.00	ug/L
127-18-4	Tetrachloroethene	0.23	U	0.23	1.00	ug/L
108-90-7	Chlorobenzene	0.12	U	0.12	1.00	ug/L
100-41-4	Ethyl Benzene	0.13	U	0.13	1.00	ug/L
179601-23-1	m/p-Xylenes	0.24	U	0.24	2.00	ug/L
95-47-6	o-Xylene	0.12	U	0.12	1.00	ug/L
100-42-5	Styrene	0.15	U	0.15	1.00	ug/L
75-25-2	Bromoform	0.19	U	0.19	1.00	ug/L
98-82-8	Isopropylbenzene	0.12	U	0.12	1.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.26	U	0.26	1.00	ug/L
541-73-1	1,3-Dichlorobenzene	0.16	U	0.16	1.00	ug/L
106-46-7	1,4-Dichlorobenzene	0.19	U	0.19	1.00	ug/L
95-50-1	1,2-Dichlorobenzene	0.16	U	0.16	1.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	0.53	U	0.53	1.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.20	U	0.20	1.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.20	U	0.20	1.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	54.6		74 - 125	109%	SPK: 50
1868-53-7	Dibromofluoromethane	50.9		75 - 124	102%	SPK: 50
2037-26-5	Toluene-d8	45.7		86 - 113	91%	SPK: 50
460-00-4	4-Bromofluorobenzene	44.5		77 - 121	89%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	509000	4.6			
540-36-3	1,4-Difluorobenzene	912000	5.535			
3114-55-4	Chlorobenzene-d5	889000	8.776			
3855-82-1	1,4-Dichlorobenzene-d4	433000	11.172			

Report of Analysis

Client:	TechLaw Consultants, Inc		Date Collected:	09/22/25	
Project:	REAC Commodore		Date Received:	09/25/25	
Client Sample ID:	EB-02-092225		SDG No.:	Q3195	
Lab Sample ID:	Q3195-24		Matrix:	Water	
Analytical Method:	8260D		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VV039203.D	1	09/26/25 11:36	VV092625

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 () = Laboratory InHouse Limit
 A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	TechLaw Consultants, Inc		Date Collected:	09/19/25	
Project:	REAC Commodore		Date Received:	09/25/25	
Client Sample ID:	FB-01-091925		SDG No.:	Q3195	
Lab Sample ID:	Q3195-25		Matrix:	Water	
Analytical Method:	8260D		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VV039189.D	1	09/25/25 18:10	VV092525

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	0.22	U	0.22	1.00	ug/L
74-87-3	Chloromethane	0.32	U	0.32	1.00	ug/L
75-01-4	Vinyl Chloride	0.26	U	0.26	1.00	ug/L
74-83-9	Bromomethane	1.40	U	1.40	5.00	ug/L
75-00-3	Chloroethane	0.47	U	0.47	1.00	ug/L
75-69-4	Trichlorofluoromethane	0.33	U	0.33	1.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	0.25	U	0.25	1.00	ug/L
75-35-4	1,1-Dichloroethene	0.23	U	0.23	1.00	ug/L
67-64-1	Acetone	1.50	U	1.50	5.00	ug/L
75-15-0	Carbon Disulfide	0.21	U	0.21	1.00	ug/L
1634-04-4	Methyl tert-butyl Ether	0.16	U	0.16	1.00	ug/L
79-20-9	Methyl Acetate	0.27	U	0.27	1.00	ug/L
75-09-2	Methylene Chloride	0.28	U	0.28	1.00	ug/L
156-60-5	trans-1,2-Dichloroethene	0.23	U	0.23	1.00	ug/L
75-34-3	1,1-Dichloroethane	0.23	U	0.23	1.00	ug/L
110-82-7	Cyclohexane	1.50	U	1.50	5.00	ug/L
78-93-3	2-Butanone	0.98	U	0.98	5.00	ug/L
56-23-5	Carbon Tetrachloride	0.25	U	0.25	1.00	ug/L
156-59-2	cis-1,2-Dichloroethene	0.19	U	0.19	1.00	ug/L
74-97-5	Bromochloromethane	0.22	U	0.22	1.00	ug/L
67-66-3	Chloroform	0.25	U	0.25	1.00	ug/L
71-55-6	1,1,1-Trichloroethane	0.20	U	0.20	1.00	ug/L
108-87-2	Methylcyclohexane	0.16	U	0.16	1.00	ug/L
71-43-2	Benzene	0.15	U	0.15	1.00	ug/L
107-06-2	1,2-Dichloroethane	0.22	U	0.22	1.00	ug/L
79-01-6	Trichloroethene	0.090	U	0.090	1.00	ug/L
78-87-5	1,2-Dichloropropane	0.20	U	0.20	1.00	ug/L
75-27-4	Bromodichloromethane	0.22	U	0.22	1.00	ug/L
108-10-1	4-Methyl-2-Pentanone	0.68	U	0.68	5.00	ug/L
108-88-3	Toluene	0.14	U	0.14	1.00	ug/L

Report of Analysis

Client:	TechLaw Consultants, Inc		Date Collected:	09/19/25	
Project:	REAC Commodore		Date Received:	09/25/25	
Client Sample ID:	FB-01-091925		SDG No.:	Q3195	
Lab Sample ID:	Q3195-25		Matrix:	Water	
Analytical Method:	8260D		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VV039189.D	1	09/25/25 18:10	VV092525

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	0.17	U	0.17	1.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.16	U	0.16	1.00	ug/L
79-00-5	1,1,2-Trichloroethane	0.21	U	0.21	1.00	ug/L
591-78-6	2-Hexanone	0.89	U	0.89	5.00	ug/L
124-48-1	Dibromochloromethane	0.18	U	0.18	1.00	ug/L
106-93-4	1,2-Dibromoethane	0.15	U	0.15	1.00	ug/L
127-18-4	Tetrachloroethene	0.23	U	0.23	1.00	ug/L
108-90-7	Chlorobenzene	0.12	U	0.12	1.00	ug/L
100-41-4	Ethyl Benzene	0.13	U	0.13	1.00	ug/L
179601-23-1	m/p-Xylenes	0.24	U	0.24	2.00	ug/L
95-47-6	o-Xylene	0.12	U	0.12	1.00	ug/L
100-42-5	Styrene	0.15	U	0.15	1.00	ug/L
75-25-2	Bromoform	0.19	U	0.19	1.00	ug/L
98-82-8	Isopropylbenzene	0.12	U	0.12	1.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.26	U	0.26	1.00	ug/L
541-73-1	1,3-Dichlorobenzene	0.16	U	0.16	1.00	ug/L
106-46-7	1,4-Dichlorobenzene	0.19	U	0.19	1.00	ug/L
95-50-1	1,2-Dichlorobenzene	0.16	U	0.16	1.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	0.53	U	0.53	1.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.20	U	0.20	1.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.20	U	0.20	1.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	54.0		74 - 125	108%	SPK: 50
1868-53-7	Dibromofluoromethane	50.0		75 - 124	100%	SPK: 50
2037-26-5	Toluene-d8	46.1		86 - 113	92%	SPK: 50
460-00-4	4-Bromofluorobenzene	45.0		77 - 121	90%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	562000	4.603			
540-36-3	1,4-Difluorobenzene	1000000	5.535			
3114-55-4	Chlorobenzene-d5	978000	8.776			
3855-82-1	1,4-Dichlorobenzene-d4	479000	11.175			

Report of Analysis

Client:	TechLaw Consultants, Inc		Date Collected:	09/19/25	
Project:	REAC Commodore		Date Received:	09/25/25	
Client Sample ID:	FB-01-091925		SDG No.:	Q3195	
Lab Sample ID:	Q3195-25		Matrix:	Water	
Analytical Method:	8260D		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VV039189.D	1	09/25/25 18:10	VV092525

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 () = Laboratory InHouse Limit
 A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	TechLaw Consultants, Inc		Date Collected:	09/22/25	
Project:	REAC Commodore		Date Received:	09/25/25	
Client Sample ID:	FB-02-092225		SDG No.:	Q3195	
Lab Sample ID:	Q3195-26		Matrix:	Water	
Analytical Method:	8260D		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VV039190.D	1	09/25/25 18:32	VV092525

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	0.22	U	0.22	1.00	ug/L
74-87-3	Chloromethane	0.32	U	0.32	1.00	ug/L
75-01-4	Vinyl Chloride	0.26	U	0.26	1.00	ug/L
74-83-9	Bromomethane	1.40	U	1.40	5.00	ug/L
75-00-3	Chloroethane	0.47	U	0.47	1.00	ug/L
75-69-4	Trichlorofluoromethane	0.33	U	0.33	1.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	0.25	U	0.25	1.00	ug/L
75-35-4	1,1-Dichloroethene	0.23	U	0.23	1.00	ug/L
67-64-1	Acetone	1.50	U	1.50	5.00	ug/L
75-15-0	Carbon Disulfide	0.21	U	0.21	1.00	ug/L
1634-04-4	Methyl tert-butyl Ether	0.16	U	0.16	1.00	ug/L
79-20-9	Methyl Acetate	0.27	U	0.27	1.00	ug/L
75-09-2	Methylene Chloride	0.28	U	0.28	1.00	ug/L
156-60-5	trans-1,2-Dichloroethene	0.23	U	0.23	1.00	ug/L
75-34-3	1,1-Dichloroethane	0.23	U	0.23	1.00	ug/L
110-82-7	Cyclohexane	1.50	U	1.50	5.00	ug/L
78-93-3	2-Butanone	0.98	U	0.98	5.00	ug/L
56-23-5	Carbon Tetrachloride	0.25	U	0.25	1.00	ug/L
156-59-2	cis-1,2-Dichloroethene	0.19	U	0.19	1.00	ug/L
74-97-5	Bromochloromethane	0.22	U	0.22	1.00	ug/L
67-66-3	Chloroform	0.25	U	0.25	1.00	ug/L
71-55-6	1,1,1-Trichloroethane	0.20	U	0.20	1.00	ug/L
108-87-2	Methylcyclohexane	0.16	U	0.16	1.00	ug/L
71-43-2	Benzene	0.15	U	0.15	1.00	ug/L
107-06-2	1,2-Dichloroethane	0.22	U	0.22	1.00	ug/L
79-01-6	Trichloroethene	0.090	U	0.090	1.00	ug/L
78-87-5	1,2-Dichloropropane	0.20	U	0.20	1.00	ug/L
75-27-4	Bromodichloromethane	0.22	U	0.22	1.00	ug/L
108-10-1	4-Methyl-2-Pentanone	0.68	U	0.68	5.00	ug/L
108-88-3	Toluene	0.14	U	0.14	1.00	ug/L

Report of Analysis

Client:	TechLaw Consultants, Inc		Date Collected:	09/22/25	
Project:	REAC Commodore		Date Received:	09/25/25	
Client Sample ID:	FB-02-092225		SDG No.:	Q3195	
Lab Sample ID:	Q3195-26		Matrix:	Water	
Analytical Method:	8260D		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VV039190.D	1	09/25/25 18:32	VV092525

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	0.17	U	0.17	1.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.16	U	0.16	1.00	ug/L
79-00-5	1,1,2-Trichloroethane	0.21	U	0.21	1.00	ug/L
591-78-6	2-Hexanone	0.89	U	0.89	5.00	ug/L
124-48-1	Dibromochloromethane	0.18	U	0.18	1.00	ug/L
106-93-4	1,2-Dibromoethane	0.15	U	0.15	1.00	ug/L
127-18-4	Tetrachloroethene	0.23	U	0.23	1.00	ug/L
108-90-7	Chlorobenzene	0.12	U	0.12	1.00	ug/L
100-41-4	Ethyl Benzene	0.13	U	0.13	1.00	ug/L
179601-23-1	m/p-Xylenes	0.24	U	0.24	2.00	ug/L
95-47-6	o-Xylene	0.12	U	0.12	1.00	ug/L
100-42-5	Styrene	0.15	U	0.15	1.00	ug/L
75-25-2	Bromoform	0.19	U	0.19	1.00	ug/L
98-82-8	Isopropylbenzene	0.12	U	0.12	1.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.26	U	0.26	1.00	ug/L
541-73-1	1,3-Dichlorobenzene	0.16	U	0.16	1.00	ug/L
106-46-7	1,4-Dichlorobenzene	0.19	U	0.19	1.00	ug/L
95-50-1	1,2-Dichlorobenzene	0.16	U	0.16	1.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	0.53	U	0.53	1.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.20	U	0.20	1.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.20	U	0.20	1.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	54.1		74 - 125	108%	SPK: 50
1868-53-7	Dibromofluoromethane	49.9		75 - 124	100%	SPK: 50
2037-26-5	Toluene-d8	46.0		86 - 113	92%	SPK: 50
460-00-4	4-Bromofluorobenzene	43.9		77 - 121	88%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	558000	4.603			
540-36-3	1,4-Difluorobenzene	1000000	5.532			
3114-55-4	Chlorobenzene-d5	984000	8.776			
3855-82-1	1,4-Dichlorobenzene-d4	478000	11.175			

Report of Analysis

Client:	TechLaw Consultants, Inc		Date Collected:	09/22/25	
Project:	REAC Commodore		Date Received:	09/25/25	
Client Sample ID:	FB-02-092225		SDG No.:	Q3195	
Lab Sample ID:	Q3195-26		Matrix:	Water	
Analytical Method:	8260D		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VV039190.D	1	09/25/25 18:32	VV092525

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 () = Laboratory InHouse Limit
 A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	TechLaw Consultants, Inc		Date Collected:	09/15/25	
Project:	REAC Commodore		Date Received:	09/25/25	
Client Sample ID:	TB-01-091525		SDG No.:	Q3195	
Lab Sample ID:	Q3195-27		Matrix:	Water	
Analytical Method:	8260D		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VV039191.D	1	09/25/25 18:55	VV092525

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	0.22	U	0.22	1.00	ug/L
74-87-3	Chloromethane	0.32	U	0.32	1.00	ug/L
75-01-4	Vinyl Chloride	0.26	U	0.26	1.00	ug/L
74-83-9	Bromomethane	1.40	U	1.40	5.00	ug/L
75-00-3	Chloroethane	0.47	U	0.47	1.00	ug/L
75-69-4	Trichlorofluoromethane	0.33	U	0.33	1.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	0.25	U	0.25	1.00	ug/L
75-35-4	1,1-Dichloroethene	0.23	U	0.23	1.00	ug/L
67-64-1	Acetone	1.50	U	1.50	5.00	ug/L
75-15-0	Carbon Disulfide	0.21	U	0.21	1.00	ug/L
1634-04-4	Methyl tert-butyl Ether	0.16	U	0.16	1.00	ug/L
79-20-9	Methyl Acetate	0.27	U	0.27	1.00	ug/L
75-09-2	Methylene Chloride	0.28	U	0.28	1.00	ug/L
156-60-5	trans-1,2-Dichloroethene	0.23	U	0.23	1.00	ug/L
75-34-3	1,1-Dichloroethane	0.23	U	0.23	1.00	ug/L
110-82-7	Cyclohexane	1.50	U	1.50	5.00	ug/L
78-93-3	2-Butanone	0.98	U	0.98	5.00	ug/L
56-23-5	Carbon Tetrachloride	0.25	U	0.25	1.00	ug/L
156-59-2	cis-1,2-Dichloroethene	0.19	U	0.19	1.00	ug/L
74-97-5	Bromochloromethane	0.22	U	0.22	1.00	ug/L
67-66-3	Chloroform	0.25	U	0.25	1.00	ug/L
71-55-6	1,1,1-Trichloroethane	0.20	U	0.20	1.00	ug/L
108-87-2	Methylcyclohexane	0.16	U	0.16	1.00	ug/L
71-43-2	Benzene	0.15	U	0.15	1.00	ug/L
107-06-2	1,2-Dichloroethane	0.22	U	0.22	1.00	ug/L
79-01-6	Trichloroethene	0.090	U	0.090	1.00	ug/L
78-87-5	1,2-Dichloropropane	0.20	U	0.20	1.00	ug/L
75-27-4	Bromodichloromethane	0.22	U	0.22	1.00	ug/L
108-10-1	4-Methyl-2-Pentanone	0.68	U	0.68	5.00	ug/L
108-88-3	Toluene	0.14	U	0.14	1.00	ug/L

Report of Analysis

Client:	TechLaw Consultants, Inc		Date Collected:	09/15/25	
Project:	REAC Commodore		Date Received:	09/25/25	
Client Sample ID:	TB-01-091525		SDG No.:	Q3195	
Lab Sample ID:	Q3195-27		Matrix:	Water	
Analytical Method:	8260D		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VV039191.D	1	09/25/25 18:55	VV092525

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	0.17	U	0.17	1.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.16	U	0.16	1.00	ug/L
79-00-5	1,1,2-Trichloroethane	0.21	U	0.21	1.00	ug/L
591-78-6	2-Hexanone	0.89	U	0.89	5.00	ug/L
124-48-1	Dibromochloromethane	0.18	U	0.18	1.00	ug/L
106-93-4	1,2-Dibromoethane	0.15	U	0.15	1.00	ug/L
127-18-4	Tetrachloroethene	0.23	U	0.23	1.00	ug/L
108-90-7	Chlorobenzene	0.12	U	0.12	1.00	ug/L
100-41-4	Ethyl Benzene	0.13	U	0.13	1.00	ug/L
179601-23-1	m/p-Xylenes	0.24	U	0.24	2.00	ug/L
95-47-6	o-Xylene	0.12	U	0.12	1.00	ug/L
100-42-5	Styrene	0.15	U	0.15	1.00	ug/L
75-25-2	Bromoform	0.19	U	0.19	1.00	ug/L
98-82-8	Isopropylbenzene	0.12	U	0.12	1.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.26	U	0.26	1.00	ug/L
541-73-1	1,3-Dichlorobenzene	0.16	U	0.16	1.00	ug/L
106-46-7	1,4-Dichlorobenzene	0.19	U	0.19	1.00	ug/L
95-50-1	1,2-Dichlorobenzene	0.16	U	0.16	1.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	0.53	U	0.53	1.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.20	U	0.20	1.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.20	U	0.20	1.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	54.5		74 - 125	109%	SPK: 50
1868-53-7	Dibromofluoromethane	50.8		75 - 124	102%	SPK: 50
2037-26-5	Toluene-d8	45.8		86 - 113	92%	SPK: 50
460-00-4	4-Bromofluorobenzene	44.0		77 - 121	88%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	467000	4.603			
540-36-3	1,4-Difluorobenzene	829000	5.535			
3114-55-4	Chlorobenzene-d5	809000	8.776			
3855-82-1	1,4-Dichlorobenzene-d4	385000	11.175			

Report of Analysis

Client:	TechLaw Consultants, Inc		Date Collected:	09/15/25	
Project:	REAC Commodore		Date Received:	09/25/25	
Client Sample ID:	TB-01-091525		SDG No.:	Q3195	
Lab Sample ID:	Q3195-27		Matrix:	Water	
Analytical Method:	8260D		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VV039191.D	1	09/25/25 18:55	VV092525

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 () = Laboratory InHouse Limit
 A = Aldol-Condensation Reaction Products

LAB CHRONICLE

OrderID:	Q3195	OrderDate:	9/25/2025 10:11:00 AM
Client:	TechLaw Consultants, Inc	Project:	REAC Commodore
Contact:	Jonathan Dziekan	Location:	VOA Lab

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q3195-01	MOS-18-092225	Water	VOC-TCLVOA-10	8260-Low	09/22/25		09/26/25	09/25/25
Q3195-02	MW-1-091725	Water	VOC-TCLVOA-10	8260-Low	09/17/25		09/25/25	09/25/25
Q3195-03	MW-3-091525	Water	VOC-TCLVOA-10	8260-Low	09/15/25		09/26/25	09/25/25
Q3195-04	MW-4-091625	Water	VOC-TCLVOA-10	8260-Low	09/16/25		09/26/25	09/25/25
Q3195-05	MW-6-091625	Water	VOC-TCLVOA-10	8260-Low	09/16/25		09/26/25	09/25/25
Q3195-06	MW-19D-092225	Water	VOC-TCLVOA-10	8260-Low	09/22/25		09/26/25	09/25/25
Q3195-07	MW-19M-092325	Water	VOC-TCLVOA-10	8260-Low	09/23/25		09/29/25	09/25/25
Q3195-08	MW-21M-091925	Water	VOC-TCLVOA-10	8260-Low	09/19/25		09/26/25	09/25/25
Q3195-09	MW-22-091825	Water	VOC-TCLVOA-10	8260-Low	09/18/25		09/25/25	09/25/25
Q3195-10	MW-23-092325	Water	VOC-TCLVOA-10	8260-Low	09/23/25		09/25/25	09/25/25
Q3195-11	MW-24-091925	Water	VOC-TCLVOA-10	8260-Low	09/19/25		09/25/25	09/25/25
Q3195-12	MW-26-091925	Water			09/19/25			09/25/25

LAB CHRONICLE

			VOC-TCLVOA-10	8260-Low		09/26/25	
Q3195-13	MW-26-091925-FD	Water			09/19/25		09/25/25
			VOC-TCLVOA-10	8260-Low		09/26/25	
Q3195-14	MW-29-092325	Water			09/23/25		09/25/25
			VOC-TCLVOA-10	8260-Low		09/26/25	
Q3195-15	MW-31S-091825	Water			09/18/25		09/25/25
			VOC-TCLVOA-10	8260-Low		09/26/25	
Q3195-15DL	MW-31S-091825DL	Water			09/18/25		09/25/25
			VOC-TCLVOA-10	8260-Low		09/29/25	
Q3195-16	MW-31D-091825	Water			09/18/25		09/25/25
			VOC-TCLVOA-10	8260-Low		09/26/25	
Q3195-16DL	MW-31D-091825DL	Water			09/18/25		09/25/25
			VOC-TCLVOA-10	8260-Low		09/29/25	
Q3195-17	MW-31D-091825-FD	Water			09/18/25		09/25/25
			VOC-TCLVOA-10	8260-Low		09/26/25	
Q3195-17DL	MW-31D-091825-FDDL	Water			09/18/25		09/25/25
			VOC-TCLVOA-10	8260-Low		09/29/25	
Q3195-18	MW-32S-091725	Water			09/17/25		09/25/25
			VOC-TCLVOA-10	8260-Low		09/29/25	
Q3195-19	MW-33D-091725	Water			09/17/25		09/25/25
			VOC-TCLVOA-10	8260-Low		09/29/25	
Q3195-22	RW-1-092425	Water			09/24/25		09/25/25
			VOC-TCLVOA-10	8260-Low		09/25/25	
Q3195-23	EB-01-091925	Water			09/19/25		09/25/25
			VOC-TCLVOA-10	8260-Low		09/25/25	
Q3195-24	EB-02-092225	Water			09/22/25		09/25/25
			VOC-TCLVOA-10	8260-Low		09/26/25	
Q3195-25	FB-01-091925	Water			09/19/25		09/25/25

LAB CHRONICLE

Q3195-26	FB-02-092225	Water	VOC-TCLVOA-10	8260-Low		09/25/25	
					09/22/25		09/25/25
Q3195-27	TB-01-091525	Water	VOC-TCLVOA-10	8260-Low		09/25/25	
					09/15/25		09/25/25
			VOC-TCLVOA-10	8260-Low		09/25/25	



SHIPPING DOCUMENTS



284 Sheffield Street, Mountainside, NJ 07092

(908) 789-8900 Fax: (908) 788-9222

www.chemtech.net

CHAIN OF CUSTODY RECORD

Alliance Project Number:

Q3195

COC Number: 0\

CLIENT INFORMATION

COMPANY: TechLaw Consultants, Inc.

ADDRESS: 14840 Conference Center Drive

CITY: Chantilly STATE: VA ZIP: 20151

ATTENTION: Jon Dziekan / Alex Kantner

PHONE: 571-538-2270

FAX:

PROJECT INFORMATION

PROJECT NAME: REAC Commodore

PROJECT #: 83150-F0068 LOCATION: Audubon, PA

PROJECT MANAGER: Jon Dziekan / Alex Kantner

E-MAIL: jonathan.dzekan@techlawconsultants.com

PHONE: 571-538-2270

FAX:

BILLING INFORMATION

BILL TO: See Contract for Billing Information

ADDRESS:

CITY:

STATE: ZIP:

ATTENTION:

PHONE:

DATA TURNAROUND INFORMATION

FAX: _____ DAYS*
HARD COPY: _____ DAYS*
EDD _____ DAYS*

* TO BE APPROVED BY ALLIANCE

STANDARD TURNAROUND TIME IS 10 BUSINESS DAYS

DATA DELIVERABLE INFORMATION

- ☒ RESULTS ONLY ☒ USEPA CLP
☐ RESULTS + QC ☐ New York State ASP "B"
☐ New Jersey REDUCED ☐ New York State ASP "A"
☐ New Jersey CLP ☐ Other _____
☐ EDD Format _____

ANALYSIS

8260D									
1	2	3	4	5	6	7	8	9	

PRESERVATIVES

COMMENTS

← Specify Preservatives
A-HCl B-HNO3
C-H2SO4 D-NaOH
E-ICE F-Other

CHEMTECH SAMPLE ID	PROJECT SAMPLE IDENTIFICATION	SAMPLE MATRIX	SAMPLE TYPE		SAMPLE COLLECTION		# of Bottles	PRESERVATIVES									COMMENTS
			COMP	GRAB	DATE	TIME		A									
1.	MOS-18-092225	GW		X	9/22/2025	12:08	2	2									
2.	MW-1-091725	GW		X	9/17/2025	16:00	2	2									
3.	MW-3-091525	GW		X	9/15/2025	17:40	2	2									
4.	MW-4-091625	GW		X	9/16/2025	12:20	2	2									
5.	MW-6-091625	GW		X	9/16/2025	13:35	2	2									
6.	MW-19D-092225	GW		X	9/22/2025	17:05	2	2									
7.	MW-19M-092325	GW		X	9/23/2025	9:32	2	2									
8.	MW-21M-091925	GW		X	9/19/2025	16:25	2	2									
9.	MW-22-091825	GW		X	9/18/2025	18:30	2	2									
10.	MW-23-092325	GW		X	9/23/2025	13:25	2	2									
11.	MW-24-091925	GW		X	9/19/2025	16:10	2	2									
12.	MW-26-091925	GW		X	9/19/2025	11:18	2	2									

SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION INCLUDING COURIER DELIVERY

RELINQUISHED BY: SAMPLER	DATE/TIME	RECEIVED BY	Conditions of bottles or coolers at receipt: ☐ Compliant ☐ Non Compliant ☐ Cooler Temp. 2-1.5
	9/24/25 17:00	1.	☐ MeOH extraction requires an additional 4oz. Jar for percent solid
RELINQUISHED BY	DATE/TIME	RECEIVED BY	Comments:
2.	9/25/25	2.	
RELINQUISHED BY	DATE/TIME	RECEIVED FOR LAB BY	
3.		3.	

Page 1 of 3

SHIPPED VIA: CLIENT: ☐ Hand Delivered ☒ Overnight
ALLIANCE: ☐ Picked Up ☐ Overnight

Shipment Complete
☐ YES ☐ NO

If Gun #1

WHITE - ALLIANCE COPY FOR RETURN TO CLIENT

YELLOW - ALLIANCE COPY

PINK - SAMPLER COPY



284 Sheffield Street, Mountainside, NJ 07092
(908) 789-8900 Fax: (908) 788-9222
www.chemtech.net

Alliance Project Number:

23195

CHAIN OF CUSTODY RECORD

COC Number: 08

CLIENT INFORMATION

COMPANY: TechLaw Consultants, Inc.
ADDRESS: 14840 Conference Center Drive
CITY: Chantilly STATE: VA ZIP: 20151
ATTENTION: Jon Dziekan / Alex Kantner
PHONE: 571-538-2270 FAX:

PROJECT INFORMATION

PROJECT NAME: REAC Commodore
PROJECT #: 83150-F0086 LOCATION: Audubon, PA
PROJECT MANAGER: Jon Dziekan / Alex Kantner
E-MAIL: jonathan.dziekan@techlawconsultants.com
PHONE: 571-538-2270 FAX:

BILLING INFORMATION

BILL TO: See Contract for Billing Information
ADDRESS:
CITY: STATE: ZIP:
ATTENTION: PHONE:

DATA TURNAROUND INFORMATION

FAX: _____ DAYS*
HARD COPY: _____ DAYS*
EDD _____ DAYS*
* TO BE APPROVED BY ALLIANCE
STANDARD TURNAROUND TIME IS 10 BUSINESS DAYS

DATA DELIVERABLE INFORMATION

☒ RESULTS ONLY ☒ USEPA CLP
☐ RESULTS + QC ☐ New York State ASP "B"
☐ New Jersey REDUCED ☐ New York State ASP "A"
☐ New Jersey CLP ☐ Other _____
☐ EDD Format _____

ANALYSIS

8260D									
1	2	3	4	5	6	7	8	9	

PRESERVATIVES

COMMENTS

CHEMTECH SAMPLE ID	PROJECT SAMPLE IDENTIFICATION	SAMPLE MATRIX	SAMPLE TYPE		SAMPLE COLLECTION		# of Bottles										<- Specify Preservatives A-HCl B-HNO3 C-H2SO4 D-NaOH E-ICE F-Other
			COMP	GRAB	DATE	TIME		A									
1.	MW-26-091925-FD	GW		X	9/19/2025	11:18	2	2									
2.	MW-29-092325	GW		X	9/23/2025	16:45	2	2									
3.	MW-31S-091825	GW		X	9/18/2025	14:20	2	2									
4.	MW-31D-091825	GW		X	9/18/2025	13:50	2	2									
5.	MW-31D-091825-FD	GW		X	9/18/2025	13:50	2	2									
6.	MW-32S-091725	GW		X	9/17/2025	11:30	2	2									
7.	MW-33D-091725	GW		X	9/17/2025	9:30	2	2									
8.	MW-33D-091725-MS	GW		X	9/17/2025	9:30	2	2									
9.	MW-33D-091725-MSD	GW		X	9/17/2025	9:30	2	2									
10.	RW-1-092425	GW		X	9/24/2025	8:15	2	2									
11.	EB-01-091925	Equip Blank		X	9/19/2025	16:30	2	2									
12.	EB-02-092225	Equip Blank		X	9/22/2025	17:20	2	2									

SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE PROSESSION INCLUDING COURIER DELIVERY

RELINQUISHED BY SAMPLER 1.	DATE/TIME 9/19/25 17:00	RECEIVED BY 1.	Conditions of bottles or coolers at receipt: ☐ Compliant ☐ Non Compliant ☐ Cooler Temp 2.1°C MeOH extraction requires an additional 4oz. Jar for percent solid ☐ Ice in Cooler? ☒ Yes
RELINQUISHED BY 2.	DATE/TIME 9/25/25 9:45	RECEIVED BY 2.	Comments: If Gen # 1
RELINQUISHED BY 3.	DATE/TIME	RECEIVED FOR LAB BY 3.	SHIPPED VIA: CLIENT: ☐ Hand Delivered ☒ Overnight ALLIANCE: ☐ Picked Up ☐ Overnight Shipment Complete ☐ YES ☐ NO

Page 2 of 3

WHITE - ALLIANCE COPY FOR RETURN TO CLIENT YELLOW - ALLIANCE COPY PINK - SAMPLER COPY



284 Sheffield Street, Mountainside, NJ 07092

(908) 789-8900 Fax: (908) 788-9222

www.chemtech.net

Alliance Project Number:

23195

CHAIN OF CUSTODY RECORD

COC Number: 03

CLIENT INFORMATION

COMPANY: TechLaw Consultants, Inc.

ADDRESS: 14840 Conference Center Drive

CITY: Chantilly STATE: VA ZIP: 20151

ATTENTION: Jon Dziekan / Alex Kantner

PHONE: 571-538-2270

FAX:

PROJECT INFORMATION

PROJECT NAME: REAC Commodore

PROJECT #: 83150-F0066 LOCATION: Audubon, PA

PROJECT MANAGER: Jon Dziekan / Alex Kantner

E-MAIL: jonathan.dziekan@techlawconsultants.com

PHONE: 571-538-2270

FAX:

BILLING INFORMATION

BILL TO: See Contract for Billing Information

ADDRESS:

CITY:

STATE: ZIP:

ATTENTION:

PHONE:

DATA TURNAROUND INFORMATION

FAX: _____ DAYS*

HARD COPY: _____ DAYS*

EDD _____ DAYS*

* TO BE APPROVED BY ALLIANCE

STANDARD TURNAROUND TIME IS 10 BUSINESS DAYS

DATA DELIVERABLE INFORMATION

☒ RESULTS ONLY☐ RESULTS + QC☐ New Jersey REDUCED☐ New Jersey CLP☐ EDD Format☒ USEPA CLP☐ New York State ASP "B"☐ New York State ASP "A"☐ Other _____

ANALYSIS

8260D

1

2

3

4

5

6

7

8

9

PRESERVATIVES

COMMENTS

<-- Specify Preservatives

A-HCl B-HNO3

C-H2SO4 D-NaOH

E-ICE F-Other

CHEMTECH
SAMPLE
IDPROJECT
SAMPLE IDENTIFICATIONSAMPLE
MATRIXSAMPLE
TYPECOMP
GRABSAMPLE
COLLECTION

DATE

TIME

of Bottles

A

1

2

3

4

5

6

7

8

9

1.

FB-01-091925

Field Blank

X

9/19/2025

16:45

2

2

2.

FB-02-092225

Field Blank

X

9/22/2025

17:10

2

2

3.

TB-01-091525

Trip Blank

X

9/15/2025

14:50

2

2

4.

5.

6.

7.

8.

9.

10.

11.

12.

SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION INCLUDING COURIER DELIVERY

RELINQUISHED BY SAMPLER

DATE/TIME

RECEIVED BY

1.

9/18/25
1700

1.

RELINQUISHED BY

DATE/TIME

RECEIVED BY

2.

9/25/25
945

2.

RELINQUISHED BY

DATE/TIME

RECEIVED FOR LAB BY

3.

3.

Conditions of bottles or coolers at receipt: ☐ Compliant ☐ Non Compliant ☐ Cooler Temp

MeOH extraction requires an additional 4oz. Jar for percent solid

2.1°C

☐ Ice in Cooler? yes

Comments:

Jon Dziekan

SHIPPED VIA: CLIENT: ☐ Hand Delivered ☒ OvernightALLIANCE: ☐ Picked Up ☐ Overnight

Shipment Complete

☐ YES ☐ NO

Page 3 of 3

WHITE - ALLIANCE COPY FOR RETURN TO CLIENT

YELLOW - ALLIANCE COPY

PINK - SAMPLER COPY

From: Burden, Jim <Jim.Burden@TechLawInc.com>
Sent: Thursday, October 30, 2025 11:33 AM
To: Jordan Hedvat <jordan.hedvat@alliancetg.com>
Cc: Dziekan, Jonathan <jonathan.dziekan@techlawconsultants.com>; Mazzuca, Carolyn <Carolyn.Mazzuca@TechLawInc.com>
Subject: Commodore - Level 4 package needed

EXTERNAL EMAIL - This email was sent by a person from outside your organization. Exercise caution opening attachments or taking further action, before validating its authenticity.

Secured by Check Point

Jordan

Per our conversation, TechLaw needs the Level 4 report to complete validation fore this project and complete our client dleiverables. Thank you for checking on it for me and please let me know if you need any further information.

Thanks,

Jim Burden

TechLaw Consultants, Inc.

571-202-1422 (work cell)

Laboratory Certification

Certified By	License No.
Connecticut	PH-0830
DOD ELAP (ANAB)	L2219
Maine	2024021
Maryland	296
New Hampshire	255425
New Jersey	20012
New York	11376
Pennsylvania	68-00548
Soil Permit	525-24-234-08441
Texas	TX-C25-00189
Virginia	460312



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

LOGIN REPORT/SAMPLE TRANSFER

Order ID : Q3195	TECH05	Order Date : 9/25/2025 10:11:00 AM	Project Mgr : Deepak
Client Name : TechLaw Consultants, Inc		Project Name : REAC Commodore	Report Type : Level 2
Client Contact : Jonathan Dziekan		Receive DateTime : 9/25/2025 9:45:00 AM	EDD Type : Equis Region2(MEDD)
Invoice Name : TechLaw Consultants, Inc		Purchase Order :	Hard Copy Date :
Invoice Contact : Jonathan Dziekan			Date Signoff : 9/25/2025 11:57:46 AM

LAB ID	CLIENT ID	MATRIX	SAMPLE DATE	SAMPLE TIME	TEST	TEST GROUP	METHOD	FAX DATE	DUE DATES
Q3195-01	MOS-18-092225	Water	09/22/2025	12:08	VOC-TCLVOA-10		8260-Low	10 Bus. Days	
Q3195-02	MW-1-091725	Water	09/17/2025	16:00	VOC-TCLVOA-10		8260-Low	10 Bus. Days	
Q3195-03	MW-3-091525	Water	09/15/2025	17:40	VOC-TCLVOA-10		8260-Low	10 Bus. Days	
Q3195-04	MW-4-091625	Water	09/16/2025	12:20	VOC-TCLVOA-10		8260-Low	10 Bus. Days	
Q3195-05	MW-6-091625	Water	09/16/2025	13:35	VOC-TCLVOA-10		8260-Low	10 Bus. Days	
Q3195-06	MW-19D-092225	Water	09/22/2025	17:05	VOC-TCLVOA-10		8260-Low	10 Bus. Days	
Q3195-07	MW-19M-092325	Water	09/23/2025	09:32	VOC-TCLVOA-10		8260-Low	10 Bus. Days	
Q3195-08	MW-21M-091925	Water	09/19/2025	16:25	VOC-TCLVOA-10		8260-Low	10 Bus. Days	



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

LOGIN REPORT/SAMPLE TRANSFER

Order ID : Q3195	TECH05	Order Date : 9/25/2025 10:11:00 AM	Project Mgr : Deepak
Client Name : TechLaw Consultants, Inc		Project Name : REAC Commodore	Report Type : Level 2
Client Contact : Jonathan Dziekan		Receive DateTime : 9/25/2025 9:45:00 AM	EDD Type : Equis Region2(MEDD)
Invoice Name : TechLaw Consultants, Inc		Purchase Order :	Hard Copy Date :
Invoice Contact : Jonathan Dziekan			Date Signoff : 9/25/2025 11:57:46 AM

LAB ID	CLIENT ID	MATRIX	SAMPLE DATE	SAMPLE TIME	TEST	TEST GROUP	METHOD	FAX DATE	DUE DATES
					VOC-TCLVOA-10		8260-Low	10 Bus. Days	
Q3195-09	MW-22-091825	Water	09/18/2025	18:30					
					VOC-TCLVOA-10		8260-Low	10 Bus. Days	
Q3195-10	MW-23-092325	Water	09/23/2025	13:25					
					VOC-TCLVOA-10		8260-Low	10 Bus. Days	
Q3195-11	MW-24-091925	Water	09/19/2025	16:10					
					VOC-TCLVOA-10		8260-Low	10 Bus. Days	
Q3195-12	MW-26-091925	Water	09/19/2025	11:18					
					VOC-TCLVOA-10		8260-Low	10 Bus. Days	
Q3195-13	MW-26-091925-FD	Water	09/19/2025	11:18					
					VOC-TCLVOA-10		8260-Low	10 Bus. Days	
Q3195-14	MW-29-092325	Water	09/23/2025	16:45					
					VOC-TCLVOA-10		8260-Low	10 Bus. Days	
Q3195-15	MW-31S-091825	Water	09/18/2025	14:20					
					VOC-TCLVOA-10		8260-Low	10 Bus. Days	



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

LOGIN REPORT/SAMPLE TRANSFER

Order ID : Q3195	TECH05	Order Date : 9/25/2025 10:11:00 AM	Project Mgr : Deepak
Client Name : TechLaw Consultants, Inc		Project Name : REAC Commodore	Report Type : Level 2
Client Contact : Jonathan Dziekan		Receive DateTime : 9/25/2025 9:45:00 AM	EDD Type : Equis Region2(MEDD)
Invoice Name : TechLaw Consultants, Inc		Purchase Order :	Hard Copy Date :
Invoice Contact : Jonathan Dziekan			Date Signoff : 9/25/2025 11:57:46 AM

LAB ID	CLIENT ID	MATRIX	SAMPLE DATE	SAMPLE TIME	TEST	TEST GROUP	METHOD	FAX DATE	DUE DATES
Q3195-16	MW-31D-091825	Water	09/18/2025	13:50	VOC-TCLVOA-10		8260-Low	10 Bus. Days	
Q3195-17	MW-31D-091825-FD	Water	09/18/2025	13:50	VOC-TCLVOA-10		8260-Low	10 Bus. Days	
Q3195-18	MW-32S-091725	Water	09/17/2025	11:30	VOC-TCLVOA-10		8260-Low	10 Bus. Days	
Q3195-19	MW-33D-091725	Water	09/17/2025	09:30	VOC-TCLVOA-10		8260-Low	10 Bus. Days	
Q3195-20	Q3195-19MS	Water	09/17/2025	09:30	VOC-TCLVOA-10		8260-Low	10 Bus. Days	
Q3195-21	Q3195-19MSD	Water	09/17/2025	09:30	VOC-TCLVOA-10		8260-Low	10 Bus. Days	
Q3195-22	RW-1-092425	Water	09/24/2025	08:15	VOC-TCLVOA-10		8260-Low	10 Bus. Days	
Q3195-23	EB-01-091925	Water	09/19/2025	16:30	VOC-TCLVOA-10		8260-Low	10 Bus. Days	

LOGIN REPORT/SAMPLE TRANSFER

Order ID : Q3195 TECH05

Order Date : 9/25/2025 10:11:00 AM

Project Mgr :

Client Name : TechLaw Consultants, Inc

Project Name : REAC Commodore

Report Type : Level 2

Client Contact : Jonathan Dziekan

Receive DateTime : 9/25/2025 9:45:00 AM

EDD Type : Equis Region2(MEDD)

Invoice Name : TechLaw Consultants, Inc

Purchase Order :

Hard Copy Date :

Invoice Contact : Jonathan Dziekan

Date Signoff :

LAB ID	CLIENT ID	MATRIX	SAMPLE DATE	SAMPLE TIME	TEST	TEST GROUP	METHOD	FAX DATE	DUE DATES
Q3195-24	EB-02-09225 EB-02-092225	Water	09/22/2025	17:20	VOC-TCLVOA-10		8260-Low	10 Bus. Days	
Q3195-25	FB-01-091925	Water	09/19/2025	16:45	VOC-TCLVOA-10		8260-Low	10 Bus. Days	
Q3195-26	FB-02-092225	Water	09/22/2025	17:10	VOC-TCLVOA-10		8260-Low	10 Bus. Days	
Q3195-27	TB-01-091525	Water	09/15/2025	14:50	VOC-TCLVOA-10		8260-Low	10 Bus. Days	
					VOC-TCLVOA-10		8260-Low	10 Bus. Days	


Relinquished By :

Date / Time :


9/25/25 1135

Received By :

Date / Time :


09/25/25 11:25 

Storage Area : VOA Refridgerator Room