

## Report of Analysis

|                    |                                     |                 |              |
|--------------------|-------------------------------------|-----------------|--------------|
| Client:            | M2 Associates                       | Date Collected: | 09/24/25     |
| Project:           | 143 Red Lion Rd Southampton Twp, NJ | Date Received:  | 09/25/25     |
| Client Sample ID:  | MW15                                | SDG No.:        | Q3201        |
| Lab Sample ID:     | Q3201-03                            | Matrix:         | Water        |
| Analytical Method: | 8260D                               | % Solid:        | 0            |
| Sample Wt/Vol:     | 5 Units: mL                         | Final Vol:      | 5000 uL      |
| Soil Aliquot Vol:  | uL                                  | Test:           | VOCMS Group2 |
| GC Column:         | DB-624UI ID : 0.18                  | Level :         | LOW          |
| Prep Method :      |                                     |                 |              |

|                   |           |                |               |
|-------------------|-----------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Date Analyzed  | Prep Batch ID |
| VX048021.D        | 1         | 10/06/25 14:07 | VX100625      |

| CAS Number     | Parameter                      | Conc. | Qualifier | MDL   | LOQ / CRQL | Units |
|----------------|--------------------------------|-------|-----------|-------|------------|-------|
| <b>TARGETS</b> |                                |       |           |       |            |       |
| 75-71-8        | Dichlorodifluoromethane        | 0.22  | U         | 0.22  | 1.00       | ug/L  |
| 74-87-3        | Chloromethane                  | 0.32  | U         | 0.32  | 1.00       | ug/L  |
| 75-01-4        | Vinyl Chloride                 | 0.26  | U         | 0.26  | 1.00       | ug/L  |
| 74-83-9        | Bromomethane                   | 1.40  | U         | 1.40  | 5.00       | ug/L  |
| 75-00-3        | Chloroethane                   | 0.47  | U         | 0.47  | 1.00       | ug/L  |
| 75-69-4        | Trichlorofluoromethane         | 0.33  | U         | 0.33  | 1.00       | ug/L  |
| 76-13-1        | 1,1,2-Trichlorotrifluoroethane | 0.25  | U         | 0.25  | 1.00       | ug/L  |
| 75-65-0        | Tert butyl alcohol             | 5.50  | U         | 5.50  | 25.0       | ug/L  |
| 75-35-4        | 1,1-Dichloroethene             | 0.23  | U         | 0.23  | 1.00       | ug/L  |
| 67-64-1        | Acetone                        | 2.80  | J         | 1.50  | 5.00       | ug/L  |
| 75-15-0        | Carbon Disulfide               | 0.21  | U         | 0.21  | 1.00       | ug/L  |
| 1634-04-4      | Methyl tert-butyl Ether        | 0.16  | U         | 0.16  | 1.00       | ug/L  |
| 79-20-9        | Methyl Acetate                 | 0.27  | U         | 0.27  | 1.00       | ug/L  |
| 75-09-2        | Methylene Chloride             | 0.28  | U         | 0.28  | 1.00       | ug/L  |
| 156-60-5       | trans-1,2-Dichloroethene       | 0.23  | U         | 0.23  | 1.00       | ug/L  |
| 75-34-3        | 1,1-Dichloroethane             | 0.23  | U         | 0.23  | 1.00       | ug/L  |
| 110-82-7       | Cyclohexane                    | 1.50  | U         | 1.50  | 5.00       | ug/L  |
| 78-93-3        | 2-Butanone                     | 0.98  | U         | 0.98  | 5.00       | ug/L  |
| 56-23-5        | Carbon Tetrachloride           | 0.25  | U         | 0.25  | 1.00       | ug/L  |
| 156-59-2       | cis-1,2-Dichloroethene         | 0.19  | U         | 0.19  | 1.00       | ug/L  |
| 74-97-5        | Bromochloromethane             | 0.22  | U         | 0.22  | 1.00       | ug/L  |
| 67-66-3        | Chloroform                     | 0.25  | U         | 0.25  | 1.00       | ug/L  |
| 71-55-6        | 1,1,1-Trichloroethane          | 0.20  | U         | 0.20  | 1.00       | ug/L  |
| 108-87-2       | Methylcyclohexane              | 0.16  | U         | 0.16  | 1.00       | ug/L  |
| 71-43-2        | Benzene                        | 0.15  | U         | 0.15  | 1.00       | ug/L  |
| 107-06-2       | 1,2-Dichloroethane             | 0.22  | U         | 0.22  | 1.00       | ug/L  |
| 79-01-6        | Trichloroethene                | 0.090 | U         | 0.090 | 1.00       | ug/L  |
| 78-87-5        | 1,2-Dichloropropane            | 0.20  | U         | 0.20  | 1.00       | ug/L  |
| 75-27-4        | Bromodichloromethane           | 0.22  | U         | 0.22  | 1.00       | ug/L  |
| 108-10-1       | 4-Methyl-2-Pentanone           | 0.68  | U         | 0.68  | 5.00       | ug/L  |

## Report of Analysis

|                    |                                     |                 |              |
|--------------------|-------------------------------------|-----------------|--------------|
| Client:            | M2 Associates                       | Date Collected: | 09/24/25     |
| Project:           | 143 Red Lion Rd Southampton Twp, NJ | Date Received:  | 09/25/25     |
| Client Sample ID:  | MW15                                | SDG No.:        | Q3201        |
| Lab Sample ID:     | Q3201-03                            | Matrix:         | Water        |
| Analytical Method: | 8260D                               | % Solid:        | 0            |
| Sample Wt/Vol:     | 5 Units: mL                         | Final Vol:      | 5000 uL      |
| Soil Aliquot Vol:  | uL                                  | Test:           | VOCMS Group2 |
| GC Column:         | DB-624UI ID : 0.18                  | Level :         | LOW          |
| Prep Method :      |                                     |                 |              |

|                   |           |                |               |
|-------------------|-----------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Date Analyzed  | Prep Batch ID |
| VX048021.D        | 1         | 10/06/25 14:07 | VX100625      |

| CAS Number                | Parameter                   | Conc.  | Qualifier | MDL                 | LOQ / CRQL | Units   |
|---------------------------|-----------------------------|--------|-----------|---------------------|------------|---------|
| 108-88-3                  | Toluene                     | 0.14   | U         | 0.14                | 1.00       | ug/L    |
| 10061-02-6                | t-1,3-Dichloropropene       | 0.17   | U         | 0.17                | 1.00       | ug/L    |
| 10061-01-5                | cis-1,3-Dichloropropene     | 0.16   | U         | 0.16                | 1.00       | ug/L    |
| 79-00-5                   | 1,1,2-Trichloroethane       | 0.21   | U         | 0.21                | 1.00       | ug/L    |
| 591-78-6                  | 2-Hexanone                  | 0.89   | U         | 0.89                | 5.00       | ug/L    |
| 124-48-1                  | Dibromochloromethane        | 0.18   | U         | 0.18                | 1.00       | ug/L    |
| 106-93-4                  | 1,2-Dibromoethane           | 0.15   | U         | 0.15                | 1.00       | ug/L    |
| 127-18-4                  | Tetrachloroethene           | 0.23   | U         | 0.23                | 1.00       | ug/L    |
| 108-90-7                  | Chlorobenzene               | 0.12   | U         | 0.12                | 1.00       | ug/L    |
| 100-41-4                  | Ethyl Benzene               | 0.13   | U         | 0.13                | 1.00       | ug/L    |
| 179601-23-1               | m/p-Xylenes                 | 0.24   | U         | 0.24                | 2.00       | ug/L    |
| 95-47-6                   | o-Xylene                    | 0.12   | U         | 0.12                | 1.00       | ug/L    |
| 100-42-5                  | Styrene                     | 0.15   | U         | 0.15                | 1.00       | ug/L    |
| 75-25-2                   | Bromoform                   | 0.19   | U         | 0.19                | 1.00       | ug/L    |
| 98-82-8                   | Isopropylbenzene            | 0.12   | U         | 0.12                | 1.00       | ug/L    |
| 79-34-5                   | 1,1,2,2-Tetrachloroethane   | 0.26   | U         | 0.26                | 1.00       | ug/L    |
| 541-73-1                  | 1,3-Dichlorobenzene         | 0.16   | U         | 0.16                | 1.00       | ug/L    |
| 106-46-7                  | 1,4-Dichlorobenzene         | 0.19   | U         | 0.19                | 1.00       | ug/L    |
| 95-50-1                   | 1,2-Dichlorobenzene         | 0.16   | U         | 0.16                | 1.00       | ug/L    |
| 96-12-8                   | 1,2-Dibromo-3-Chloropropane | 0.53   | U         | 0.53                | 1.00       | ug/L    |
| 120-82-1                  | 1,2,4-Trichlorobenzene      | 0.20   | U         | 0.20                | 1.00       | ug/L    |
| 87-61-6                   | 1,2,3-Trichlorobenzene      | 0.20   | U         | 0.20                | 1.00       | ug/L    |
| <b>SURROGATES</b>         |                             |        |           |                     |            |         |
| 17060-07-0                | 1,2-Dichloroethane-d4       | 53.7   |           | 70 (74) - 130 (125) | 107%       | SPK: 50 |
| 1868-53-7                 | Dibromofluoromethane        | 49.9   |           | 70 (75) - 130 (124) | 100%       | SPK: 50 |
| 2037-26-5                 | Toluene-d8                  | 49.4   |           | 70 (86) - 130 (113) | 99%        | SPK: 50 |
| 460-00-4                  | 4-Bromofluorobenzene        | 58.0   |           | 70 (77) - 130 (121) | 116%       | SPK: 50 |
| <b>INTERNAL STANDARDS</b> |                             |        |           |                     |            |         |
| 363-72-4                  | Pentafluorobenzene          | 134000 | 5.538     |                     |            |         |
| 540-36-3                  | 1,4-Difluorobenzene         | 273000 | 6.751     |                     |            |         |
| 3114-55-4                 | Chlorobenzene-d5            | 290000 | 10.037    |                     |            |         |
| 3855-82-1                 | 1,4-Dichlorobenzene-d4      | 150000 | 12.006    |                     |            |         |

## Report of Analysis

|                    |                                            |                 |                              |
|--------------------|--------------------------------------------|-----------------|------------------------------|
| Client:            | M2 Associates                              | Date Collected: | 09/24/25                     |
| Project:           | 143 Red Lion Rd Southampton Twp, NJ        | Date Received:  | 09/25/25                     |
| Client Sample ID:  | MW15                                       | SDG No.:        | Q3201                        |
| Lab Sample ID:     | Q3201-03                                   | Matrix:         | Water                        |
| Analytical Method: | 8260D                                      | % Solid:        | 0                            |
| Sample Wt/Vol:     | 5                      Units:    mL        | Final Vol:      | 5000                      uL |
| Soil Aliquot Vol:  | uL                                         | Test:           | VOCMS Group2                 |
| GC Column:         | DB-624UI                      ID :    0.18 | Level :         | LOW                          |
| Prep Method :      |                                            |                 |                              |

|                   |           |                |               |
|-------------------|-----------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Date Analyzed  | Prep Batch ID |
| VX048021.D        | 1         | 10/06/25 14:07 | VX100625      |

| CAS Number | Parameter | Conc. | Qualifier | MDL | LOQ / CRQL | Units |
|------------|-----------|-------|-----------|-----|------------|-------|
|------------|-----------|-------|-----------|-----|------------|-------|

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products