

Report of Analysis

Client:	PSEG	Date Collected:	09/25/25
Project:	Trenton Gas and Appliance Service MA00006789	Date Received:	09/25/25
Client Sample ID:	TR-06-092525	SDG No.:	Q3206
Lab Sample ID:	Q3206-01	Matrix:	SOIL
Analytical Method:	8260D	% Solid:	89.1
Sample Wt/Vol:	5.02 Units: g	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC-TCLVOA-10
GC Column:	RXI-624 ID : 0.25	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VY023378.D	1	09/25/25 16:53	VY092525

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
75-71-8	Dichlorodifluoromethane	0.0013	U	0.0013	0.0056	mg/Kg
74-87-3	Chloromethane	0.0013	U	0.0013	0.0056	mg/Kg
75-01-4	Vinyl Chloride	0.00088	U	0.00088	0.0056	mg/Kg
74-83-9	Bromomethane	0.0012	U	0.0012	0.0056	mg/Kg
75-00-3	Chloroethane	0.0014	U	0.0014	0.0056	mg/Kg
75-69-4	Trichlorofluoromethane	0.0014	U	0.0014	0.0056	mg/Kg
76-13-1	1,1,2-Trichlorotrifluoroethane	0.0012	U	0.0012	0.0056	mg/Kg
75-35-4	1,1-Dichloroethene	0.0011	U	0.0011	0.0056	mg/Kg
67-64-1	Acetone	0.0053	U	0.0053	0.028	mg/Kg
75-15-0	Carbon Disulfide	0.0012	U	0.0012	0.0056	mg/Kg
1634-04-4	Methyl tert-butyl Ether	0.00082	U	0.00082	0.0056	mg/Kg
79-20-9	Methyl Acetate	0.0017	U	0.0017	0.0056	mg/Kg
75-09-2	Methylene Chloride	0.0039	U	0.0039	0.011	mg/Kg
156-60-5	trans-1,2-Dichloroethene	0.00096	U	0.00096	0.0056	mg/Kg
75-34-3	1,1-Dichloroethane	0.00089	U	0.00089	0.0056	mg/Kg
110-82-7	Cyclohexane	0.00088	U	0.00088	0.0056	mg/Kg
78-93-3	2-Butanone	0.0073	U	0.0073	0.028	mg/Kg
56-23-5	Carbon Tetrachloride	0.0011	U	0.0011	0.0056	mg/Kg
156-59-2	cis-1,2-Dichloroethene	0.00084	U	0.00084	0.0056	mg/Kg
74-97-5	Bromochloromethane	0.0013	U	0.0013	0.0056	mg/Kg
67-66-3	Chloroform	0.00094	U	0.00094	0.0056	mg/Kg
71-55-6	1,1,1-Trichloroethane	0.0010	U	0.0010	0.0056	mg/Kg
108-87-2	Methylcyclohexane	0.0010	U	0.0010	0.0056	mg/Kg
71-43-2	Benzene	0.00088	U	0.00088	0.0056	mg/Kg
107-06-2	1,2-Dichloroethane	0.00088	U	0.00088	0.0056	mg/Kg
79-01-6	Trichloroethene	0.00091	U	0.00091	0.0056	mg/Kg
78-87-5	1,2-Dichloropropane	0.0010	U	0.0010	0.0056	mg/Kg
75-27-4	Bromodichloromethane	0.00087	U	0.00087	0.0056	mg/Kg
108-10-1	4-Methyl-2-Pentanone	0.0040	U	0.0040	0.028	mg/Kg
108-88-3	Toluene	0.00087	U	0.00087	0.0056	mg/Kg

Report of Analysis

Client:	PSEG	Date Collected:	09/25/25
Project:	Trenton Gas and Appliance Service MA00006789	Date Received:	09/25/25
Client Sample ID:	TR-06-092525	SDG No.:	Q3206
Lab Sample ID:	Q3206-01	Matrix:	SOIL
Analytical Method:	8260D	% Solid:	89.1
Sample Wt/Vol:	5.02	Units:	g
Soil Aliquot Vol:			uL
GC Column:	RXI-624	Final Vol:	5000
Prep Method :	ID : 0.25	Test:	VOC-TCLVOA-10
		Level :	LOW

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VY023378.D	1	09/25/25 16:53	VY092525

[illegible]

Report of Analysis

Client:	PSEG	Date Collected:	09/25/25
Project:	Trenton Gas and Appliance Service MA00006789	Date Received:	09/25/25
Client Sample ID:	TR-06-092525	SDG No.:	Q3206
Lab Sample ID:	Q3206-01	Matrix:	SOIL
Analytical Method:	8260D	% Solid:	89.1
Sample Wt/Vol:	5.02 Units: g	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC-TCLVOA-10
GC Column:	RXI-624 ID : 0.25	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VY023378.D	1	09/25/25 16:53	VY092525

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
000493-02-7	Naphthalene, decahydro-, trans-	6.90	J		13.7	ug/Kg
1000152-47-3	trans-Decalin, 2-methyl-	6.50	J		14.2	ug/Kg

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products