

SOP ID : M9012B-Total, Amenable and Reactive Cyanide-21

SDG No : N/A

Start Digest Date: 09/30/2025 Time : 10:10 Temp : N/A

Matrix : SOIL

End Digest Date: 09/30/2025 Time : 11:40 Temp : N/A

Pipette ID : N/A

Balance ID : WC SC-7

Hood ID : HOOD#1

Digestion tube ID : M5595

Block Thermometer ID : N/A

Block ID : MC-1,MC-2

Filter paper ID : N/A

Prep Technician Signature: RM

Weigh By : RM

pH Meter ID : N/A

Supervisor Signature: 12

Standardized Name	MLS USED	STD REF. # FROM LOG
PBS003	50.0ML	W3112
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Chemical Used	ML/SAMPLE USED	Lot Number
0.25N NaOH	50.0ML	WP113836
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

LAB SAMPLE ID	CLIENT SAMPLE ID	Comment

Extraction Conformance/Non-Conformance Comments:

N/A

Date / Time	Prepped Sample Relinquished By/Location	Received By/Location
09/30/2025 11:50	RH CWC	RH CWC
	Preparation Group	Analysis Group

Lab Sample ID	Client Sample ID	Initial Weight (g)	Final Vol (ml)	pH	Sulfide	Oxidizing	Nitrate/ Nitrite	Comment	Prep Pos
PB169885BL	PBS885	5.00	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3215-01DUP	WASTEDUP	5.04	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3215-01	WASTE	5.04	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3231-04	WC-1	5.07	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3231-08	WC-2	5.01	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3231-12	WC-3	5.04	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3231-16	WC-4	5.01	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3233-01	0926-01	5.08	50	N/A	N/A	N/A	N/A	N/A	N/A