



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

CASE NARRATIVE

ATG-GREENVILLE AEC

Project Name: AEC-2025-0013- CSC 7037 White Plains Fisher

Project # N/A

Order ID # Q3218

Test Name: COD,Oil and Grease

A. Number of Samples and Date of Receipt:

3 Water samples were received on 09/26/2025.

B. Parameters:

According to the Chain of Custody document, the following analyses were requested: COD,Oil and Grease. This data package contains results for COD,Oil and Grease.

C. Analytical Techniques:

The analysis of Oil and Grease was based on method 1664A and The analysis of COD was based on method SM5220 D.

D. QA/ QC Samples:

The Holding Times were met for all analysis.

The Blank Spike met requirements for all compounds.

The Duplicate analysis met criteria for all compounds.

The Matrix Spike analysis met criteria for all compounds.

The Matrix Spike Duplicate analysis met criteria for all compounds.

The Blank analysis did not indicate the presence of lab contamination.

The Calibration met the requirements.

E. Additional Comments:

As per method 1664A, MS/MSD is required to be performed with the sample analysis.

However, Lab did not receive sufficient volume to perform the MS/MSD for Q3218 therefore Lab reported MS-MSD from Q3229.

Sample Q3218-01 and Q3218-03 were analyzed straight Dilution for COD because the original samples were reading over range, only 10X and 5X has been reported.

The temperature of the samples at the time of receipt was 20.4°C.

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature_____