

DATA PACKAGE

GENERAL CHEMISTRY

PROJECT NAME : AEC-2025-0013- CSC 4027 WORCESTER

ATG-GREENVILLE AEC

426 Fairforest way

Greenville, SC - 29607

Phone No: 864-704-7984

ORDER ID : Q3219

ATTENTION : Staci Bruce



Laboratory Certification ID # 20012



1) Signature Page	3
2) Case Narrative	4
2.1) Genchem- Case Narrative	4
3) Qualifier Page	5
4) QA Checklist	6
5) Genchem Data	7
6) Shipping Document	12
6.1) CHAIN OF CUSTODY	13
6.2) Lab Certificate	14

Cover Page

Order ID : Q3219

Project ID : AEC-2025-0013- CSC 4027 Worcester

Client : ATG-GREENVILLE AEC

Lab Sample Number

Q3219-01
Q3219-02
Q3219-03

Client Sample Number

Outfall 001
Outfall 002
Outfall 003

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

Signature : _____

Date: 10/6/2025

NYDOH CERTIFICATION NO - 11376

NJDEP CERTIFICATION NO - 20012



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

CASE NARRATIVE

ATG-GREENVILLE AEC

Project Name: AEC-2025-0013- CSC 4027 Worcester

Project # N/A

Order ID # Q3219

Test Name: COD,TSS

A. Number of Samples and Date of Receipt:

3 Water samples were received on 09/26/2025.

B. Parameters:

According to the Chain of Custody document, the following analyses were requested: COD,TSS. This data package contains results for COD,TSS.

C. Analytical Techniques:

The analysis of TSS was based on method SM2540 D and The analysis of COD was based on method SM5220 D.

D. QA/ QC Samples:

The Holding Times were met for all analysis.

The Blank Spike met requirements for all compounds.

The Duplicate analysis met criteria for all compounds.

The Matrix Spike analysis met criteria for all compounds.

The Matrix Spike Duplicate analysis met criteria for all compounds.

The Blank analysis did not indicate the presence of lab contamination.

The Calibration met the requirements.

E. Additional Comments:

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature_____

DATA REPORTING QUALIFIERS- INORGANIC

For reporting results, the following “ Results Qualifiers” are used:

J	Indicates the reported value was obtained from a reading that was less than the Contract Required Detection Limit (CRDL), but greater than or equal to the Instrument Detection Limit (IDL).
U	Indicates the analyte was analyzed for, but not detected.
ND	Indicates the analyte was analyzed for, but not detected
E	Indicates the reported value is estimated because of the presence of interference
M	Indicates Duplicate injection precision not met.
N	Indicates the spiked sample recovery is not within control limits.
S	Indicates the reported value was determined by the Method of Standard Addition (MSA).
*	Indicates that the duplicate analysis is not within control limits.
+	Indicates the correlation coefficient for the MSA is less than 0.995.
D	Indicates the reported value is from a secondary analysis with a dilution factor. The original analysis exceeded the calibration range.
M	Method qualifiers “P” for ICP instrument “PM” for ICP when Microwave Digestion is used “CV” for Manual Cold Vapor AA “AV” for automated Cold Vapor AA “CA” for MIDI-Distillation Spectrophotometric “AS” for Semi -Automated Spectrophotometric “C” for Manual Spectrophotometric “T” for Titrimetric “NR” for analyte not required to be analyzed
OR	Indicates the analyte’s concentration exceeds the calibrated range of the instrument for that specific analysis.
Q	Indicates the LCS did not meet the control limits requirements
H	Sample Analysis Out Of Hold Time

APPENDIX A

QA REVIEW GENERAL DOCUMENTATION

Project #: Q3219

Completed

For thorough review, the report must have the following:

GENERAL:

Are all original paperwork present (chain of custody, record of communication,airbill, sample management lab chronicle, login page)

✓

Check chain-of-custody for proper relinquish/return of samples

✓

Is the chain of custody signed and complete

✓

Check internal chain-of-custody for proper relinquish/return of samples /sample extracts

✓

Collect information for each project id from server. Were all requirements followed

✓

COVER PAGE:

Do numbers of samples correspond to the number of samples in the Chain of Custody on login page

✓

Do lab numbers and client Ids on cover page agree with the Chain of Custody

✓

CHAIN OF CUSTODY:

Do requested analyses on Chain of Custody agree with form I results

✓

Do requested analyses on Chain of Custody agree with the log-in page

✓

Were the correct method log-in for analysis according to the Analytical Request and Chain of Custody

✓

Were the samples received within hold time

✓

Were any problems found with the samples at arrival recorded in the Sample Management Laboratory Chronicle

✓

ANALYTICAL:

Was method requirement followed?

✓

Was client requirement followed?

✓

Does the case narrative summarize all QC failure?

✓

All runlogs and manual integration are reviewed for requirements

✓

All manual calculations and /or hand notations verified

✓

QA Review Signature: SOHIL JODHANI

Date: 10/06/2025



SAMPLE DATA

Report of Analysis

Client:	ATG-GREENVILLE AEC	Date Collected:	09/25/25 17:20
Project:	AEC-2025-0013- CSC 4027 Worcester	Date Received:	09/26/25
Client Sample ID:	Outfall 001	SDG No.:	Q3219
Lab Sample ID:	Q3219-01	Matrix:	Water
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
COD	29.9		1	1.50	10.0	mg/L		10/03/25 14:19	SM 5220 D-11
TSS	13.4		1	1.00	4.00	mg/L		09/30/25 10:00	SM 2540 D-20

Comments: _____

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ATG-GREENVILLE AEC	Date Collected:	09/25/25 17:25
Project:	AEC-2025-0013- CSC 4027 Worcester	Date Received:	09/26/25
Client Sample ID:	Outfall 002	SDG No.:	Q3219
Lab Sample ID:	Q3219-02	Matrix:	Water
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
COD	19.8		1	1.50	10.0	mg/L		10/03/25 14:20	SM 5220 D-11
TSS	6.50		1	1.00	4.00	mg/L		09/30/25 10:00	SM 2540 D-20

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ATG-GREENVILLE AEC	Date Collected:	09/25/25 17:30
Project:	AEC-2025-0013- CSC 4027 Worcester	Date Received:	09/26/25
Client Sample ID:	Outfall 003	SDG No.:	Q3219
Lab Sample ID:	Q3219-03	Matrix:	Water
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
COD	18.8		1	1.50	10.0	mg/L		10/03/25 14:21	SM 5220 D-11
TSS	29.8		1	1.00	4.00	mg/L		09/30/25 10:00	SM 2540 D-20

Comments: _____

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N =Spiked sample recovery not within control limits

LAB CHRONICLE

OrderID:	Q3219	OrderDate:	9/26/2025 10:37:00 AM
Client:	ATG-GREENVILLE AEC	Project:	AEC-2025-0013- CSC 4027 Worcester
Contact:	Staci Bruce	Location:	J32

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q3219-01	Outfall 001	Water			09/25/25 17:20			09/26/25
			COD	SM5220 D				
			TSS	SM2540 D				
Q3219-02	Outfall 002	Water			09/25/25 17:25			09/26/25
			COD	SM5220 D				
			TSS	SM2540 D				
Q3219-03	Outfall 003	Water			09/25/25 17:30			09/26/25
			COD	SM5220 D				
			TSS	SM2540 D				



SHIPPING DOCUMENTS

CLIENT INFORMATION

CLIENT PROJECT INFORMATION

CLIENT BILLING INFORMATION

REPORT TO BE SENT TO:

COMPANY: Durham School Services
ADDRESS: 42 A. Harlow Street
CITY Worcester STATE: MA ZIP: _____
ATTENTION: alluray.stormwater@alliantg.com
PHONE: _____ FAX: _____

PROJECT NAME: CSC 4027 Worcester
PROJECT NO.: AEL-2025-001 LOCATION: Worcester
PROJECT MANAGER: _____
e-mail: _____
PHONE: _____ FAX: _____

BILL TO: _____ PO#: _____
ADDRESS: _____
CITY _____ STATE: _____ ZIP: _____
ATTENTION: _____ PHONE: _____
ANALYSIS

DATA TURNAROUND INFORMATION

DATA DELIVERABLE INFORMATION

FAX (RUSH) _____ DAYS*
HARDCOPY (DATA PACKAGE): _____ DAYS*
EDD: _____ DAYS*
*TO BE APPROVED BY CHEMTECH
STANDARD HARDCOPY TURNAROUND TIME IS 10 BUSINESS

☐ Level 1 (Results Only) ☐ Level 4 (QC + Full Raw Data)
☐ Level 2 (Results + QC) ☐ NJ Reduced ☐ US EPA CLP
☐ Level 3 (Results + QC) ☐ NYS ASP A ☐ NYS ASP B
+ Raw Data ☐ Other _____
☐ EDD FORMAT _____

1	2	3	4	5	6	7	8	9

ALLIANCE SAMPLE ID	PROJECT SAMPLE IDENTIFICATION	SAMPLE MATRIX	SAMPLE TYPE		SAMPLE COLLECTION		# OF BOTTLES	PRESERVATIVES									COMMENTS
			COMP	GRAB	DATE	TIME		1	2	3	4	5	6	7	8	9	
1.	Outfall 001			X	9/25	5:20	2	1	1	1							
2.	Outfall 002			X	9/25	5:25	2	1	1	1							
3.	Outfall 003			X	9/25	5:30pm	2	1	1	1							
4.																	
5.																	
6.																	
7.																	
8.																	
9.																	
10.																	

SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION INCLUDING COURIER DELIVERY

RELINQUISHED BY SAMPLER:	DATE/TIME:	RECEIVED BY:	Conditions of bottles or coolers at receipt: ☐ COMPLIANT ☐ NON COMPLIANT ☐ COOLER TEMP <u>23.5</u> °C
1.	<u>9/26/25</u>	<u>CD</u>	Comments: <u>Outfall 1 - pH level - 7.16 pH @ 24.3°C</u>
RELINQUISHED BY SAMPLER:	DATE/TIME:	RECEIVED BY:	<u>Outfall 2 - pH level - 6.94 pH @ 24.5°C</u>
2.			<u>Outfall 3 - pH level - 7.52 pH @ 23.5°C</u>
RELINQUISHED BY SAMPLER:	DATE/TIME:	RECEIVED BY:	Page ____ of ____ CLIENT: ☐ Hand Delivered ☐ Other
3.			Shipment Complete ☐ YES ☐ NO

Laboratory Certification

Certified By	License No.
Connecticut	PH-0830
DOD ELAP (ANAB)	L2219
Maine	2024021
Maryland	296
New Hampshire	255425
New Jersey	20012
New York	11376
Pennsylvania	68-00548
Soil Permit	525-24-234-08441
Texas	TX-C25-00189
Virginia	460312