

Analytical Sequence

Client: Yannuzzi Group, Inc.

SDG No.: Q3238

Project: Edison Yard

Instrument ID: ECD_L

GC Column: ZB-MR1

ID: 0.32 (mm)

Inst. Calib. Date(s): 09/18/2025 09/18/2025

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES,
AND STANDARDS IS GIVEN BELOW:

CLIENT ID	LAB SAMPLE ID	DATE ANALYZED	TIME ANALYZED	DATAFILE	DCB RT #	TCX RT #
LBLK	LBLK	09/18/2025	16:25	PL097268.D	9.00	3.53
PEM	PEM	09/18/2025	16:39	PL097269.D	9.00	3.53
RESCHK	RESCHK	09/18/2025	16:52	PL097270.D	9.00	3.53
PSTDICCC100	PSTDICCC100	09/18/2025	17:06	PL097271.D	9.00	3.53
PSTDICCC075	PSTDICCC075	09/18/2025	17:19	PL097272.D	9.00	3.53
PSTDICCC050	PSTDICCC050	09/18/2025	17:33	PL097273.D	9.00	3.53
PSTDICCC025	PSTDICCC025	09/18/2025	17:47	PL097274.D	9.00	3.53
PSTDICCC005	PSTDICCC005	09/18/2025	18:00	PL097275.D	9.00	3.53
PCHLORICC500	PCHLORICC500	09/18/2025	18:41	PL097278.D	9.00	3.53
PTOXICC500	PTOXICC500	09/18/2025	19:49	PL097283.D	9.00	3.53
LBLK	LBLK	10/01/2025	09:31	PL097467.D	9.00	3.53
PEM	PEM	10/01/2025	09:45	PL097468.D	9.00	3.53
PSTDCCC050	PSTDCCC050	10/01/2025	10:02	PL097469.D	9.00	3.53
PB169908BL	PB169908BL	10/01/2025	11:14	PL097470.D	9.00	3.52
PB169908BS	PB169908BS	10/01/2025	11:28	PL097471.D	9.00	3.53
RCA	Q3238-01	10/01/2025	11:42	PL097472.D	9.00	3.52
13-IMS	Q3245-01MS	10/01/2025	12:22	PL097475.D	9.00	3.53
13-IMSD	Q3245-01MSD	10/01/2025	12:35	PL097476.D	9.00	3.53
LBLK	LBLK	10/01/2025	14:02	PL097482.D	9.00	3.53
PSTDCCC050	PSTDCCC050	10/01/2025	14:15	PL097483.D	9.00	3.53

Analytical Sequence

Client: Yannuzzi Group, Inc.

SDG No.: Q3238

Project: Edison Yard

Instrument ID: ECD_L

GC Column: ZB-MR2

ID: 0.32 (mm)

Inst. Calib. Date(s): 09/18/2025 09/18/2025

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES,
AND STANDARDS IS GIVEN BELOW:

CLIENT ID	LAB SAMPLE ID	DATE ANALYZED	TIME ANALYZED	DATAFILE	DCB RT #	TCX RT #
IBLK	IBLK	09/18/2025	16:25	PL097268.D	7.98	2.82
PEM	PEM	09/18/2025	16:39	PL097269.D	7.98	2.82
RESCHK	RESCHK	09/18/2025	16:52	PL097270.D	7.98	2.82
PSTDICCC100	PSTDICCC100	09/18/2025	17:06	PL097271.D	7.98	2.82
PSTDICCC075	PSTDICCC075	09/18/2025	17:19	PL097272.D	7.99	2.82
PSTDICCC050	PSTDICCC050	09/18/2025	17:33	PL097273.D	7.98	2.82
PSTDICCC025	PSTDICCC025	09/18/2025	17:47	PL097274.D	7.98	2.82
PSTDICCC005	PSTDICCC005	09/18/2025	18:00	PL097275.D	7.98	2.82
PCHLORICC500	PCHLORICC500	09/18/2025	18:41	PL097278.D	7.98	2.82
PTOXICC500	PTOXICC500	09/18/2025	19:49	PL097283.D	7.99	2.82
IBLK	IBLK	10/01/2025	09:31	PL097467.D	7.98	2.82
PEM	PEM	10/01/2025	09:45	PL097468.D	7.98	2.82
PSTDCCC050	PSTDCCC050	10/01/2025	10:02	PL097469.D	7.98	2.82
PB169908BL	PB169908BL	10/01/2025	11:14	PL097470.D	7.98	2.82
PB169908BS	PB169908BS	10/01/2025	11:28	PL097471.D	7.98	2.82
RCA	Q3238-01	10/01/2025	11:42	PL097472.D	7.98	2.82
13-IMS	Q3245-01MS	10/01/2025	12:22	PL097475.D	7.98	2.82
13-IMSD	Q3245-01MSD	10/01/2025	12:35	PL097476.D	7.98	2.82
IBLK	IBLK	10/01/2025	14:02	PL097482.D	7.98	2.82
PSTDCCC050	PSTDCCC050	10/01/2025	14:15	PL097483.D	7.98	2.82