

Report of Analysis

Client:	PSEG	Date Collected:	09/29/25
Project:	Oakland Gas and Appliance Service MA00006789	Date Received:	09/29/25
Client Sample ID:	OK-02-092925	SDG No.:	Q3240
Lab Sample ID:	Q3240-01	Matrix:	SOIL
Analytical Method:	8270E	% Solid:	95.8
Sample Wt/Vol:	50.03	Units:	g
Soil Aliquot Vol:		Final Vol:	1000 uL
Extraction Type :		Test:	SVOC-TCL BNA -20
	Decanted :	Level :	LOW
Injection Volume :	GPC Factor :	1.0	GPC Cleanup : N PH :
Prep Method :	SW3541		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143851.D	5	09/30/25 09:35	09/30/25 23:59	PB169909

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
100-52-7	Benzaldehyde	0.49	U	0.49	1.00	mg/Kg
108-95-2	Phenol	0.069	U	0.069	0.53	mg/Kg
111-44-4	bis(2-Chloroethyl)ether	0.076	U	0.076	0.53	mg/Kg
95-57-8	2-Chlorophenol	0.076	U	0.076	0.53	mg/Kg
95-48-7	2-Methylphenol	0.094	U	0.094	0.53	mg/Kg
108-60-1	2,2-oxybis(1-Chloropropane)	0.12	U	0.12	0.53	mg/Kg
98-86-2	Acetophenone	0.092	U	0.092	0.53	mg/Kg
65794-96-9	3+4-Methylphenols	0.13	U	0.13	1.00	mg/Kg
621-64-7	n-Nitroso-di-n-propylamine	0.15	U	0.15	0.25	mg/Kg
67-72-1	Hexachloroethane	0.055	U	0.055	0.53	mg/Kg
98-95-3	Nitrobenzene	0.057	U	0.057	0.53	mg/Kg
78-59-1	Isophorone	0.10	U	0.10	0.53	mg/Kg
88-75-5	2-Nitrophenol	0.18	U	0.18	0.53	mg/Kg
105-67-9	2,4-Dimethylphenol	0.20	U	0.20	0.53	mg/Kg
111-91-1	bis(2-Chloroethoxy)methane	0.096	U	0.096	0.53	mg/Kg
120-83-2	2,4-Dichlorophenol	0.089	U	0.089	0.53	mg/Kg
91-20-3	Naphthalene	0.071	U	0.071	0.53	mg/Kg
106-47-8	4-Chloroaniline	0.11	U	0.11	0.53	mg/Kg
87-68-3	Hexachlorobutadiene	0.079	U	0.079	0.53	mg/Kg
105-60-2	Caprolactam	0.16	U	0.16	1.00	mg/Kg
59-50-7	4-Chloro-3-methylphenol	0.090	U	0.090	0.53	mg/Kg
91-57-6	2-Methylnaphthalene	0.080	U	0.080	0.53	mg/Kg
77-47-4	Hexachlorocyclopentadiene	0.36	U	0.36	1.00	mg/Kg
88-06-2	2,4,6-Trichlorophenol	0.062	U	0.062	0.53	mg/Kg
95-95-4	2,4,5-Trichlorophenol	0.091	U	0.091	0.53	mg/Kg
92-52-4	1,1-Biphenyl	0.068	U	0.068	0.53	mg/Kg
91-58-7	2-Chloronaphthalene	0.070	U	0.070	0.53	mg/Kg
88-74-4	2-Nitroaniline	0.15	U	0.15	0.53	mg/Kg
131-11-3	Dimethylphthalate	0.085	U	0.085	0.53	mg/Kg

Report of Analysis

Client:	PSEG	Date Collected:	09/29/25
Project:	Oakland Gas and Appliance Service MA00006789	Date Received:	09/29/25
Client Sample ID:	OK-02-092925	SDG No.:	Q3240
Lab Sample ID:	Q3240-01	Matrix:	SOIL
Analytical Method:	8270E	% Solid:	95.8
Sample Wt/Vol:	50.03 Units: g	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	SW3541		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143851.D	5	09/30/25 09:35	09/30/25 23:59	PB169909

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
208-96-8	Acenaphthylene	0.090	U	0.090	0.53	mg/Kg
606-20-2	2,6-Dinitrotoluene	0.11	U	0.11	0.53	mg/Kg
99-09-2	3-Nitroaniline	0.14	U	0.14	0.53	mg/Kg
83-32-9	Acenaphthene	0.067	U	0.067	0.53	mg/Kg
51-28-5	2,4-Dinitrophenol	0.72	U	0.72	1.00	mg/Kg
100-02-7	4-Nitrophenol	0.33	U	0.33	1.00	mg/Kg
132-64-9	Dibenzofuran	0.071	U	0.071	0.53	mg/Kg
121-14-2	2,4-Dinitrotoluene	0.16	U	0.16	0.53	mg/Kg
84-66-2	Diethylphthalate	0.089	U	0.089	0.53	mg/Kg
7005-72-3	4-Chlorophenyl-phenylether	0.084	U	0.084	0.53	mg/Kg
86-73-7	Fluorene	0.079	U	0.079	0.53	mg/Kg
100-01-6	4-Nitroaniline	0.20	U	0.20	0.53	mg/Kg
534-52-1	4,6-Dinitro-2-methylphenol	0.32	U	0.32	1.00	mg/Kg
86-30-6	n-Nitrosodiphenylamine	0.10	U	0.10	0.53	mg/Kg
101-55-3	4-Bromophenyl-phenylether	0.087	U	0.087	0.53	mg/Kg
118-74-1	Hexachlorobenzene	0.079	U	0.079	0.53	mg/Kg
1912-24-9	Atrazine	0.11	U	0.11	0.53	mg/Kg
87-86-5	Pentachlorophenol	0.16	U	0.16	1.00	mg/Kg
85-01-8	Phenanthrene	0.97		0.065	0.53	mg/Kg
120-12-7	Anthracene	0.10	U	0.10	0.53	mg/Kg
86-74-8	Carbazole	0.098	U	0.098	0.53	mg/Kg
84-74-2	Di-n-butylphthalate	0.15	U	0.15	0.53	mg/Kg
206-44-0	Fluoranthene	1.90		0.094	0.53	mg/Kg
129-00-0	Pyrene	1.40		0.11	0.53	mg/Kg
85-68-7	Butylbenzylphthalate	0.22	U	0.22	0.53	mg/Kg
91-94-1	3,3-Dichlorobenzidine	0.11	U	0.11	1.00	mg/Kg
56-55-3	Benzo(a)anthracene	0.76		0.072	0.53	mg/Kg
218-01-9	Chrysene	0.80		0.062	0.53	mg/Kg
117-81-7	Bis(2-ethylhexyl)phthalate	0.19	U	0.19	0.53	mg/Kg
117-84-0	Di-n-octyl phthalate	0.27	U	0.27	1.00	mg/Kg
205-99-2	Benzo(b)fluoranthene	0.96		0.060	0.53	mg/Kg

Report of Analysis

Client:	PSEG	Date Collected:	09/29/25
Project:	Oakland Gas and Appliance Service MA00006789	Date Received:	09/29/25
Client Sample ID:	OK-02-092925	SDG No.:	Q3240
Lab Sample ID:	Q3240-01	Matrix:	SOIL
Analytical Method:	8270E	% Solid:	95.8
Sample Wt/Vol:	50.03 Units: g	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	SW3541		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143851.D	5	09/30/25 09:35	09/30/25 23:59	PB169909

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
207-08-9	Benzo(k)fluoranthene	0.39	J	0.070	0.53	mg/Kg
50-32-8	Benzo(a)pyrene	0.74		0.092	0.53	mg/Kg
193-39-5	Indeno(1,2,3-cd)pyrene	0.25	J	0.091	0.53	mg/Kg
53-70-3	Dibenzo(a,h)anthracene	0.086	U	0.086	0.53	mg/Kg
191-24-2	Benzo(g,h,i)perylene	0.32	J	0.080	0.53	mg/Kg
95-94-3	1,2,4,5-Tetrachlorobenzene	0.080	U	0.080	0.53	mg/Kg
123-91-1	1,4-Dioxane	0.14	U	0.14	0.53	mg/Kg
58-90-2	2,3,4,6-Tetrachlorophenol	0.086	U	0.086	0.53	mg/Kg

SURROGATES

367-12-4	2-Fluorophenol	97.8		18 - 112	65%	SPK: 150
13127-88-3	Phenol-d6	97.4		15 - 107	65%	SPK: 150
4165-60-0	Nitrobenzene-d5	66.6		18 - 107	67%	SPK: 100
321-60-8	2-Fluorobiphenyl	76.8		20 - 109	77%	SPK: 100
118-79-6	2,4,6-Tribromophenol	123		10 - 116	82%	SPK: 150
1718-51-0	Terphenyl-d14	70.0		10 - 105	70%	SPK: 100

INTERNAL STANDARDS

3855-82-1	1,4-Dichlorobenzene-d4	141000	6.886
1146-65-2	Naphthalene-d8	498000	8.163
15067-26-2	Acenaphthene-d10	243000	9.922
1517-22-2	Phenanthrene-d10	395000	11.41
1719-03-5	Chrysene-d12	596000	14.057
1520-96-3	Perylene-d12	676000	15.539

TENTATIVE IDENTIFIED COMPOUNDS

002531-84-2	Phenanthrene, 2-methyl-	280	J	11.9	ug/Kg
000832-69-9	Phenanthrene, 1-methyl-	410	J	11.9	ug/Kg
003674-66-6	Phenanthrene, 2,5-dimethyl-	340	J	12.5	ug/Kg
000243-17-4	11H-Benzo[b]fluorene	240	J	13.2	ug/Kg
000192-97-2	Benzo[e]pyrene	440	J	15.4	ug/Kg

Report of Analysis

Client:	PSEG	Date Collected:	09/29/25
Project:	Oakland Gas and Appliance Service MA00006789	Date Received:	09/29/25
Client Sample ID:	OK-02-092925	SDG No.:	Q3240
Lab Sample ID:	Q3240-01	Matrix:	SOIL
Analytical Method:	8270E	% Solid:	95.8
Sample Wt/Vol:	50.03 Units: g	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	SW3541		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143851.D	5	09/30/25 09:35	09/30/25 23:59	PB169909

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
------------	-----------	-------	-----------	-----	------------	-------------------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products