

Report of Analysis

Client:	Tetra Tech NUS, Inc.		Date Collected:	10/01/25
Project:	NWIRP Bethpage 112G08005-WE13		Date Received:	10/02/25
Client Sample ID:	BP-VPB-184-GW-620-622		SDG No.:	Q3248
Lab Sample ID:	Q3248-05		Matrix:	Water
Analytical Method:	SW8270ESIM	Level : LOW	% Solid:	0
Sample Wt/Vol:	870 mL	Final Vol: 1000 uL	Test:	SVOC-SIMGroup1
Prep Method :	Prep Date: 10/06/25			

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Date Ana.	Prep BatchID
TARGETS										
123-91-1	1,4-Dioxane	0.23	U	1	0.080	0.23	0.23	ug/L	10/07/25 15:05	PB169992
SURROGATES										
7297-45-2	2-Methylnaphthalene-d10	0.34			30 - 150		84%	SPK: 0.4		
93951-69-0	Fluoranthene-d10	0.38			30 - 150		94%	SPK: 0.4		
4165-60-0	Nitrobenzene-d5	0.36			55 - 111		89%	SPK: 0.4		
321-60-8	2-Fluorobiphenyl	0.35			53 - 106		88%	SPK: 0.4		
1718-51-0	Terphenyl-d14	0.60	*		58 - 132		149%	SPK: 0.4		
INTERNAL STANDARDS										
		Area								
3855-82-1	1,4-Dichlorobenzene-d4	8670								
1146-65-2	Naphthalene-d8	24700								
15067-26-2	Acenaphthene-d10	12200								
1517-22-2	Phenanthrene-d10	21000								
1719-03-5	Chrysene-d12	14000								
1520-96-3	Perylene-d12	12900								

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products