

CLIENT INFORMATION

REPORT TO BE SENT TO:
COMPANY: LKB ENGINEERING, PLLC.
ADDRESS: 1 AERIAL WAY
CITY: SYOSSET STATE: NY ZIP: 11791
ATTENTION: JOHN GERLACH
PHONE: 516-210-8931 FAX:

CLIENT PROJECT INFORMATION

PROJECT NAME: ANSONIA LANDFILL
PROJECT NO.: 0774-08 LOCATION: CT
PROJECT MANAGER: JOHN GERLACH
e-mail: jgerlach@LKB-ENGINEERING.COM
PHONE: SAME FAX:

CLIENT BILLING INFORMATION

BILL TO: LKB ENGINEERING PO#: N/A for lab
ADDRESS: SAME
CITY: STATE: ZIP:
ATTENTION: SHARON F. PHONE:

ANALYSIS

DATA TURNAROUND INFORMATION

FAX (RUSH) DAYS*
HARDCOPY (DATA PACKAGE): STD. DAYS*
EDD: DAYS*
*TO BE APPROVED BY CHEMTECH
STANDARD HARDCOPY TURNAROUND TIME IS 10 BUSINESS

DATA DELIVERABLE INFORMATION

☐ Level 1 (Results Only) ☐ Level 4 (QC + Full Raw Data)
☒ Level 2 (Results + QC) ☐ NJ Reduced ☐ US EPA CLP
☐ Level 3 (Results + QC) ☐ NYS ASP A ☐ NYS ASP B
+ Raw Data ☐ Other
☒ EDD FORMAT NYS DEC

VOCs SEE BOTTLE ORDER # B2509037
1 2 3 4 5 6 7 8 9

PRESERVATIVES

COMMENTS

ALLIANCE SAMPLE ID	PROJECT SAMPLE IDENTIFICATION	SAMPLE MATRIX	SAMPLE TYPE		SAMPLE COLLECTION		# OF BOTTLES	PRESERVATIVES									COMMENTS	
			COMP	GRAB	DATE	TIME		A/E	1	2	3	4	5	6	7	8		9
1.	MW-1	GW	X		9/29/25	9:45	10		X									SAMPLES FOR DISS. Fe+Mn FILTERED IN FIELD
2.	MW-2	GW		X		11:15	10		X									
3.	MW-3	GW		X		12:30	10		X									
4.	MW-4	GW		X		11:45	10		X									
5.	TRIPBLANK	DI	X		↓		2	X										
6.																		
7.																		
8.																		
9.																		
10.																		

SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION INCLUDING COURIER DELIVERY

RELINQUISHED BY SAMPLER: 1. [Signature]	DATE/TIME: 1050 9/30/25	RECEIVED BY: 1. [Signature] 1058 9-30-25	Conditions of bottles or coolers at receipt: ☐ COMPLIANT ☐ NON COMPLIANT ☐ COOLER TEMP 2.1 °C
RELINQUISHED BY SAMPLER: 2. [Signature]	DATE/TIME:	RECEIVED BY: 2. [Signature]	Comments:
RELINQUISHED BY SAMPLER: 3. [Signature]	DATE/TIME: 1245 9-30-25	RECEIVED BY: 3. [Signature]	Page ____ of CLIENT: ☐ Hand Delivered ☐ Other Shipment Complete ☐ YES ☐ NO