

Report of Analysis

Client:	Lockwood, Kessler & Bartlett, Inc.		Date Collected:	
Project:	Ansonia Landfill 2025		Date Received:	
Client Sample ID:	VV1003WBS01		SDG No.:	Q3254
Lab Sample ID:	VV1003WBS01		Matrix:	Water
Analytical Method:	8260D		% Solid:	0
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:		uL	Test:	VOCMS Group1
GC Column:	DB-624UI	ID : 0.18	Level :	LOW
Prep Method :				

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VV039245.D	1	10/03/25 13:07	VV100325

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-01-4	Vinyl Chloride	17.5		0.26	1.00	ug/L
75-00-3	Chloroethane	18.1		0.47	1.00	ug/L
75-69-4	Trichlorofluoromethane	19.1		0.33	1.00	ug/L
75-35-4	1,1-Dichloroethene	18.8		0.23	1.00	ug/L
107-13-1	Acrylonitrile	88.9		0.83	5.00	ug/L
67-64-1	Acetone	91.0		1.50	5.00	ug/L
75-15-0	Carbon Disulfide	16.0		0.21	1.00	ug/L
75-09-2	Methylene Chloride	19.9		0.28	1.00	ug/L
108-05-4	Vinyl Acetate	88.0		0.66	5.00	ug/L
78-93-3	2-Butanone	89.1		0.98	5.00	ug/L
56-23-5	Carbon Tetrachloride	19.2		0.25	1.00	ug/L
156-59-2	cis-1,2-Dichloroethene	19.2		0.19	1.00	ug/L
74-97-5	Bromochloromethane	19.3		0.22	1.00	ug/L
67-66-3	Chloroform	18.1		0.25	1.00	ug/L
71-55-6	1,1,1-Trichloroethane	18.2		0.20	1.00	ug/L
71-43-2	Benzene	19.4		0.15	1.00	ug/L
78-87-5	1,2-Dichloropropane	19.9		0.20	1.00	ug/L
74-95-3	Dibromomethane	19.8		0.25	1.00	ug/L
75-27-4	Bromodichloromethane	19.3		0.22	1.00	ug/L
108-10-1	4-Methyl-2-Pentanone	100		0.68	5.00	ug/L
108-88-3	Toluene	20.9		0.14	1.00	ug/L
10061-02-6	t-1,3-Dichloropropene	21.1		0.17	1.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	20.9		0.16	1.00	ug/L
591-78-6	2-Hexanone	91.8		0.89	5.00	ug/L
124-48-1	Dibromochloromethane	20.7		0.18	1.00	ug/L
106-93-4	1,2-Dibromoethane	20.6		0.15	1.00	ug/L
127-18-4	Tetrachloroethene	20.3		0.23	1.00	ug/L
108-90-7	Chlorobenzene	20.2		0.12	1.00	ug/L
630-20-6	1,1,1,2-Tetrachloroethane	20.3		0.19	1.00	ug/L
100-41-4	Ethyl Benzene	20.2		0.13	1.00	ug/L

Report of Analysis

Client:	Lockwood, Kessler & Bartlett, Inc.		Date Collected:	
Project:	Ansonia Landfill 2025		Date Received:	
Client Sample ID:	VV1003WBS01		SDG No.:	Q3254
Lab Sample ID:	VV1003WBS01		Matrix:	Water
Analytical Method:	8260D		% Solid:	0
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:		uL	Test:	VOCMS Group1
GC Column:	DB-624UI	ID : 0.18	Level :	LOW
Prep Method :				

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VV039245.D	1	10/03/25 13:07	VV100325

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
1330-20-7	Total Xylenes	64.6		0.36	3.00	ug/L
100-42-5	Styrene	19.7		0.15	1.00	ug/L
75-25-2	Bromoform	21.5		0.19	1.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	18.2		0.26	1.00	ug/L
96-18-4	1,2,3-Trichloropropane	18.1		0.35	1.00	ug/L
106-46-7	1,4-Dichlorobenzene	19.3		0.19	1.00	ug/L
95-50-1	1,2-Dichlorobenzene	19.7		0.16	1.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	20.5		0.53	1.00	ug/L
74-88-4	Methyl Iodide	22.0		0.83	5.00	ug/L
110-57-6	trans-1,4-Dichloro-2-butene	19.0		0.84	5.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	41.7		74 - 125	83%	SPK: 50
1868-53-7	Dibromofluoromethane	49.6		75 - 124	99%	SPK: 50
2037-26-5	Toluene-d8	45.8		86 - 113	92%	SPK: 50
460-00-4	4-Bromofluorobenzene	53.4		77 - 121	107%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	559000	4.596			
540-36-3	1,4-Difluorobenzene	866000	5.532			
3114-55-4	Chlorobenzene-d5	845000	8.773			
3855-82-1	1,4-Dichlorobenzene-d4	506000	11.172			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products