

DATA PACKAGE

GENERAL CHEMISTRY

PROJECT NAME : PO 25061955

ATG - AKRON LAB

3310 Win Street

Cuyahoga Falls, OH - 44223

Phone No: 614-582-4966

ORDER ID : Q3259

ATTENTION : Jennifer Woolf



Laboratory Certification ID # 20012



1) Signature Page	3
2) Case Narrative	5
2.1) Genchem- Case Narrative	5
3) Qualifier Page	6
4) QA Checklist	7
5) Genchem Data	8
6) Shipping Document	97
6.1) CHAIN OF CUSTODY	98
6.2) Lab Certificate	104

Cover Page

Order ID : Q3259

Project ID : PO 25061955

Client : ATG - AKRON LAB

Lab Sample Number

Client Sample Number

Q3259-01	25092166-001
Q3259-02	25092166-002
Q3259-03	25092166-003
Q3259-04	25092166-004
Q3259-05	25092166-005
Q3259-06	25092166-006
Q3259-07	25092166-007
Q3259-08	25092166-008
Q3259-09	25092166-009
Q3259-10	25092166-010
Q3259-11	25092166-012
Q3259-12	25092166-013
Q3259-13	25092166-014
Q3259-14	25092166-015
Q3259-15	25092166-016
Q3259-16	25092166-017
Q3259-17	25092166-018
Q3259-18	25092166-019
Q3259-19	25092166-021
Q3259-20	25092166-022
Q3259-21	25092166-023
Q3259-22	25092166-024
Q3259-23	25092166-025
Q3259-24	25092166-026
Q3259-25	25092166-027
Q3259-26	25092166-028
Q3259-27	25092166-031
Q3259-28	25092166-032
Q3259-29	25092166-035

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

Signature : _____

Date: 10/8/2025

NYDOH CERTIFICATION NO - 11376

NJDEP CERTIFICATION NO - 20012

Cover Page

Order ID : Q3259**Project ID :** PO 25061955**Client :** ATG - AKRON LAB**Lab Sample Number****Client Sample Number**

Q3259-30	25092166-036
Q3259-31	25092166-037
Q3259-32	25092166-039
Q3259-33	25092166-040
Q3259-34	25092166-041
Q3259-35	25092166-042
Q3259-36	25092166-043
Q3259-37	25092166-044
Q3259-38	25092166-045
Q3259-39	25092166-046
Q3259-40	25092166-047
Q3259-41	25092166-049
Q3259-42	25092166-050
Q3259-43	25092166-051
Q3259-44	25092166-052
Q3259-45	25092166-053
Q3259-46	25092166-054
Q3259-47	25092166-057
Q3259-48	25092166-058
Q3259-49	25092166-059
Q3259-50	25092166-060
Q3259-51	25092166-061
Q3259-52	25092166-062
Q3259-53	25092166-064
Q3259-54	25092166-029
Q3259-55	25092166-030
Q3259-56	25092166-033
Q3259-57	25092166-034

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

Signature : _____

Date: 10/8/2025

NYDOH CERTIFICATION NO - 11376

NJDEP CERTIFICATION NO - 20012



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

CASE NARRATIVE

ATG - AKRON LAB

Project Name: PO 25061955

Project # N/A

Order ID # Q3259

Test Name: Cyanide

A. Number of Samples and Date of Receipt:

57 Solid samples were received on 10/01/2025.

B. Parameters:

According to the Chain of Custody document, the following analyses were requested: Cyanide. This data package contains results for Cyanide.

C. Analytical Techniques:

The analysis of Cyanide was based on method 9012B.

D. QA/ QC Samples:

The Holding Times were met for all analysis.

Sample 25092166-046 was diluted due to high concentrations for Cyanide & Sample

25092166-058 was diluted due to high concentrations for Cyanide.

The Blank Spike met requirements for all compounds.

The Duplicate analysis met criteria for all compounds.

The Matrix Spike analysis met criteria for all compounds.

The Matrix Spike Duplicate analysis met criteria for all compounds.

The Blank analysis did not indicate the presence of lab contamination.

The Calibration met the requirements.

E. Additional Comments:

The Date and time of sampling was not listed in the COC.

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature_____

DATA REPORTING QUALIFIERS- INORGANIC

For reporting results, the following “ Results Qualifiers” are used:

J	Indicates the reported value was obtained from a reading that was less than the Contract Required Detection Limit (CRDL), but greater than or equal to the Instrument Detection Limit (IDL).
U	Indicates the analyte was analyzed for, but not detected.
ND	Indicates the analyte was analyzed for, but not detected
E	Indicates the reported value is estimated because of the presence of interference
M	Indicates Duplicate injection precision not met.
N	Indicates the spiked sample recovery is not within control limits.
S	Indicates the reported value was determined by the Method of Standard Addition (MSA).
*	Indicates that the duplicate analysis is not within control limits.
+	Indicates the correlation coefficient for the MSA is less than 0.995.
D	Indicates the reported value is from a secondary analysis with a dilution factor. The original analysis exceeded the calibration range.
M	Method qualifiers “P” for ICP instrument “PM” for ICP when Microwave Digestion is used “CV” for Manual Cold Vapor AA “AV” for automated Cold Vapor AA “CA” for MIDI-Distillation Spectrophotometric “AS” for Semi -Automated Spectrophotometric “C” for Manual Spectrophotometric “T” for Titrimetric “NR” for analyte not required to be analyzed
OR	Indicates the analyte’s concentration exceeds the calibrated range of the instrument for that specific analysis.
Q	Indicates the LCS did not meet the control limits requirements
H	Sample Analysis Out Of Hold Time

APPENDIX A

QA REVIEW GENERAL DOCUMENTATION

Project #: Q3259

Completed

For thorough review, the report must have the following:

GENERAL:

Are all original paperwork present (chain of custody, record of communication,airbill, sample management lab chronicle, login page)

✓

Check chain-of-custody for proper relinquish/return of samples

✓

Is the chain of custody signed and complete

✓

Check internal chain-of-custody for proper relinquish/return of samples /sample extracts

✓

Collect information for each project id from server. Were all requirements followed

✓

COVER PAGE:

Do numbers of samples correspond to the number of samples in the Chain of Custody on login page

✓

Do lab numbers and client Ids on cover page agree with the Chain of Custody

✓

CHAIN OF CUSTODY:

Do requested analyses on Chain of Custody agree with form I results

✓

Do requested analyses on Chain of Custody agree with the log-in page

✓

Were the correct method log-in for analysis according to the Analytical Request and Chain of Custody

✓

Were the samples received within hold time

✓

Were any problems found with the samples at arrival recorded in the Sample Management Laboratory Chronicle

✓

ANALYTICAL:

Was method requirement followed?

✓

Was client requirement followed?

✓

Does the case narrative summarize all QC failure?

✓

All runlogs and manual integration are reviewed for requirements

✓

All manual calculations and /or hand notations verified

✓

QA Review Signature: SOHIL JODHANI

Date: 10/08/2025

LAB CHRONICLE

OrderID:	Q3259	OrderDate:	10/1/2025 10:59:00 AM
Client:	ATG - AKRON LAB	Project:	PO 25061955
Contact:	Jennifer Woolf	Location:	D31

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q3259-01	25092166-001	SOIL			09/30/25 00:00			10/01/25
			Cyanide	9012B		10/01/25	10/02/25 12:48	
Q3259-02	25092166-002	SOIL			09/30/25 00:00			10/01/25
			Cyanide	9012B		10/01/25	10/02/25 12:56	
Q3259-03	25092166-003	SOIL			09/30/25 00:00			10/01/25
			Cyanide	9012B		10/01/25	10/02/25 12:56	
Q3259-04	25092166-004	SOIL			09/30/25 00:00			10/01/25
			Cyanide	9012B		10/01/25	10/02/25 12:56	
Q3259-05	25092166-005	SOIL			09/30/25 00:00			10/01/25
			Cyanide	9012B		10/01/25	10/02/25 12:56	
Q3259-06	25092166-006	SOIL			09/30/25 00:00			10/01/25
			Cyanide	9012B		10/01/25	10/02/25 12:56	
Q3259-07	25092166-007	SOIL			09/30/25 00:00			10/01/25
			Cyanide	9012B		10/01/25	10/02/25 12:56	

LAB CHRONICLE

Q3259-08	25092166-008	SOIL			09/30/25 00:00			10/01/25
			Cyanide	9012B		10/01/25	10/02/25 12:56	
Q3259-09	25092166-009	SOIL			09/30/25 00:00			10/01/25
			Cyanide	9012B		10/01/25	10/02/25 13:03	
Q3259-10	25092166-010	SOIL			09/30/25 00:00			10/01/25
			Cyanide	9012B		10/01/25	10/02/25 13:03	
Q3259-11	25092166-012	SOIL			09/30/25 00:00			10/01/25
			Cyanide	9012B		10/01/25	10/02/25 13:03	
Q3259-12	25092166-013	SOIL			09/30/25 00:00			10/01/25
			Cyanide	9012B		10/01/25	10/02/25 13:03	
Q3259-13	25092166-014	SOIL			09/30/25 00:00			10/01/25
			Cyanide	9012B		10/01/25	10/02/25 13:03	
Q3259-14	25092166-015	SOIL			09/30/25 00:00			10/01/25
			Cyanide	9012B		10/01/25	10/02/25 13:03	
Q3259-15	25092166-016	SOIL			09/30/25 00:00			10/01/25
			Cyanide	9012B		10/01/25	10/02/25 13:04	
Q3259-16	25092166-017	SOIL			09/30/25 00:00			10/01/25

LAB CHRONICLE

			Cyanide	9012B		10/01/25	10/02/25 13:11	
Q3259-17	25092166-018	SOIL			09/30/25 00:00			10/01/25
			Cyanide	9012B		10/01/25	10/02/25 13:11	
Q3259-18	25092166-019	SOIL			09/30/25 00:00			10/01/25
			Cyanide	9012B		10/01/25	10/02/25 13:11	
Q3259-19	25092166-021	SOIL			09/30/25 00:00			10/01/25
			Cyanide	9012B		10/01/25	10/02/25 13:11	
Q3259-20	25092166-022	SOIL			09/30/25 00:00			10/01/25
			Cyanide	9012B		10/01/25	10/02/25 13:11	
Q3259-21	25092166-023	SOIL			09/30/25 00:00			10/01/25
			Cyanide	9012B		10/01/25	10/02/25 13:11	
Q3259-22	25092166-024	SOIL			09/30/25 00:00			10/01/25
			Cyanide	9012B		10/01/25	10/02/25 13:19	
Q3259-23	25092166-025	SOIL			09/30/25 00:00			10/01/25
			Cyanide	9012B		10/01/25	10/02/25 13:19	
Q3259-24	25092166-026	SOIL			09/30/25 00:00			10/01/25
			Cyanide	9012B		10/01/25	10/02/25 13:19	

LAB CHRONICLE

Q3259-25	25092166-027	SOIL			09/30/25 00:00			10/01/25
			Cyanide	9012B		10/01/25	10/02/25 13:19	
Q3259-26	25092166-028	SOIL			09/30/25 00:00			10/01/25
			Cyanide	9012B		10/01/25	10/02/25 13:19	
Q3259-27	25092166-031	SOIL			09/30/25 00:00			10/01/25
			Cyanide	9012B		10/01/25	10/02/25 13:19	
Q3259-28	25092166-032	SOIL			09/30/25 00:00			10/01/25
			Cyanide	9012B		10/01/25	10/02/25 13:19	
Q3259-29	25092166-035	SOIL			09/30/25 00:00			10/01/25
			Cyanide	9012B		10/01/25	10/02/25 13:26	
Q3259-30	25092166-036	SOIL			09/30/25 00:00			10/01/25
			Cyanide	9012B		10/01/25	10/02/25 13:26	
Q3259-31	25092166-037	SOIL			09/30/25 00:00			10/01/25
			Cyanide	9012B		10/01/25	10/02/25 13:26	
Q3259-32	25092166-039	SOIL			09/30/25 00:00			10/01/25
			Cyanide	9012B		10/01/25	10/02/25 13:26	
Q3259-33	25092166-040	SOIL			09/30/25 00:00			10/01/25

LAB CHRONICLE

Cyanide 9012B 10/01/25 10/02/25
13:26

Q3259-34 25092166-041 SOIL 09/30/25 00:00 10/01/25

Cyanide 9012B 10/01/25 10/02/25
13:26

Q3259-35 25092166-042 SOIL 09/30/25 00:00 10/01/25

Cyanide 9012B 10/01/25 10/02/25
13:26

Q3259-36 25092166-043 SOIL 09/30/25 00:00 10/01/25

Cyanide 9012B 10/01/25 10/02/25
13:34

Q3259-37 25092166-044 SOIL 09/30/25 00:00 10/01/25

Cyanide 9012B 10/01/25 10/02/25
13:34

Q3259-38 25092166-045 SOIL 09/30/25 00:00 10/01/25

Cyanide 9012B 10/01/25 10/02/25
13:34

Q3259-39 25092166-046 SOIL 09/30/25 00:00 10/01/25

Cyanide 9012B 10/01/25 10/02/25
13:55

Q3259-39DL 25092166-046DL SOIL 09/30/25 00:00 10/01/25

Cyanide 9012B 10/01/25 10/02/25
14:23

Q3259-40 25092166-047 SOIL 09/30/25 00:00 10/01/25

Cyanide 9012B 10/01/25 10/02/25
14:02

LAB CHRONICLE

Q3259-41	25092166-049	SOIL			09/30/25 00:00			10/01/25
			Cyanide	9012B		10/02/25	10/02/25 15:10	
Q3259-42	25092166-050	SOIL			09/30/25 00:00			10/01/25
			Cyanide	9012B		10/02/25	10/02/25 15:18	
Q3259-43	25092166-051	SOIL			09/30/25 00:00			10/01/25
			Cyanide	9012B		10/02/25	10/02/25 15:18	
Q3259-44	25092166-052	SOIL			09/30/25 00:00			10/01/25
			Cyanide	9012B		10/02/25	10/02/25 15:18	
Q3259-45	25092166-053	SOIL			09/30/25 00:00			10/01/25
			Cyanide	9012B		10/02/25	10/02/25 15:18	
Q3259-46	25092166-054	SOIL			09/30/25 00:00			10/01/25
			Cyanide	9012B		10/02/25	10/02/25 15:18	
Q3259-47	25092166-057	SOIL			09/30/25 00:00			10/01/25
			Cyanide	9012B		10/02/25	10/02/25 15:18	
Q3259-48	25092166-058	SOIL			09/30/25 00:00			10/01/25
			Cyanide	9012B		10/02/25	10/02/25 15:18	
Q3259-48DL	25092166-058DL	SOIL			09/30/25 00:00			10/01/25

LAB CHRONICLE

			Cyanide	9012B		10/02/25	10/02/25 16:16	
Q3259-49	25092166-059	SOIL			09/30/25 00:00			10/01/25
			Cyanide	9012B		10/02/25	10/02/25 15:25	
Q3259-50	25092166-060	SOIL			09/30/25 00:00			10/01/25
			Cyanide	9012B		10/02/25	10/02/25 15:25	
Q3259-51	25092166-061	SOIL			09/30/25 00:00			10/01/25
			Cyanide	9012B		10/02/25	10/02/25 15:25	
Q3259-52	25092166-062	SOIL			09/30/25 00:00			10/01/25
			Cyanide	9012B		10/02/25	10/02/25 15:25	
Q3259-53	25092166-064	SOIL			09/30/25 00:00			10/01/25
			Cyanide	9012B		10/02/25	10/02/25 15:25	
Q3259-54	25092166-029	SOIL			09/30/25 00:00			10/01/25
			Cyanide	9012B		10/02/25	10/02/25 15:25	
Q3259-55	25092166-030	SOIL			09/30/25 00:00			10/01/25
			Cyanide	9012B		10/02/25	10/02/25 15:31	
Q3259-56	25092166-033	SOIL			09/30/25 00:00			10/01/25
			Cyanide	9012B		10/02/25	10/02/25 15:31	

LAB CHRONICLE

Q3259-57	25092166-034	SOIL			09/30/25 00:00		10/01/25
		Cyanide	9012B			10/02/25	10/02/25 15:31



SAMPLE DATA

Report of Analysis

Client:	ATG - AKRON LAB	Date Collected:	09/30/25 00:00
Project:	PO 25061955	Date Received:	10/01/25
Client Sample ID:	25092166-001	SDG No.:	Q3259
Lab Sample ID:	Q3259-01	Matrix:	SOIL
		% Solid:	82.1

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	0.051	U	1	0.051	0.30	mg/Kg	10/01/25 11:50	10/02/25 12:48	9012B

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ATG - AKRON LAB	Date Collected:	09/30/25 00:00
Project:	PO 25061955	Date Received:	10/01/25
Client Sample ID:	25092166-002	SDG No.:	Q3259
Lab Sample ID:	Q3259-02	Matrix:	SOIL
		% Solid:	81.6

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	0.050	U	1	0.050	0.30	mg/Kg	10/01/25 11:50	10/02/25 12:56	9012B

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ATG - AKRON LAB	Date Collected:	09/30/25 00:00
Project:	PO 25061955	Date Received:	10/01/25
Client Sample ID:	25092166-003	SDG No.:	Q3259
Lab Sample ID:	Q3259-03	Matrix:	SOIL
		% Solid:	80.9

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	1.10		1	0.050	0.30	mg/Kg	10/01/25 11:50	10/02/25 12:56	9012B

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ATG - AKRON LAB	Date Collected:	09/30/25 00:00
Project:	PO 25061955	Date Received:	10/01/25
Client Sample ID:	25092166-004	SDG No.:	Q3259
Lab Sample ID:	Q3259-04	Matrix:	SOIL
		% Solid:	78.4

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	0.29	J	1	0.053	0.31	mg/Kg	10/01/25 11:50	10/02/25 12:56	9012B

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ATG - AKRON LAB	Date Collected:	09/30/25 00:00
Project:	PO 25061955	Date Received:	10/01/25
Client Sample ID:	25092166-005	SDG No.:	Q3259
Lab Sample ID:	Q3259-05	Matrix:	SOIL
		% Solid:	78.9

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	0.50		1	0.052	0.31	mg/Kg	10/01/25 11:50	10/02/25 12:56	9012B

Comments: _____

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements
 H = Sample Analysis Out Of Hold Time

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ATG - AKRON LAB	Date Collected:	09/30/25 00:00
Project:	PO 25061955	Date Received:	10/01/25
Client Sample ID:	25092166-006	SDG No.:	Q3259
Lab Sample ID:	Q3259-06	Matrix:	SOIL
		% Solid:	79.7

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	0.54		1	0.052	0.31	mg/Kg	10/01/25 11:50	10/02/25 12:56	9012B

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ATG - AKRON LAB	Date Collected:	09/30/25 00:00
Project:	PO 25061955	Date Received:	10/01/25
Client Sample ID:	25092166-007	SDG No.:	Q3259
Lab Sample ID:	Q3259-07	Matrix:	SOIL
		% Solid:	80.2

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	2.10		1	0.050	0.30	mg/Kg	10/01/25 11:50	10/02/25 12:56	9012B

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ATG - AKRON LAB	Date Collected:	09/30/25 00:00
Project:	PO 25061955	Date Received:	10/01/25
Client Sample ID:	25092166-008	SDG No.:	Q3259
Lab Sample ID:	Q3259-08	Matrix:	SOIL
		% Solid:	80.3

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	0.050	U	1	0.050	0.30	mg/Kg	10/01/25 11:50	10/02/25 12:56	9012B

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ATG - AKRON LAB	Date Collected:	09/30/25 00:00
Project:	PO 25061955	Date Received:	10/01/25
Client Sample ID:	25092166-009	SDG No.:	Q3259
Lab Sample ID:	Q3259-09	Matrix:	SOIL
		% Solid:	80.8

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	2.80		1	0.051	0.31	mg/Kg	10/01/25 11:50	10/02/25 13:03	9012B

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ATG - AKRON LAB	Date Collected:	09/30/25 00:00
Project:	PO 25061955	Date Received:	10/01/25
Client Sample ID:	25092166-010	SDG No.:	Q3259
Lab Sample ID:	Q3259-10	Matrix:	SOIL
		% Solid:	80

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	0.051	U	1	0.051	0.30	mg/Kg	10/01/25 11:50	10/02/25 13:03	9012B

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N = Spiked sample recovery not within control limits

Report of Analysis

Client:	ATG - AKRON LAB	Date Collected:	09/30/25 00:00
Project:	PO 25061955	Date Received:	10/01/25
Client Sample ID:	25092166-012	SDG No.:	Q3259
Lab Sample ID:	Q3259-11	Matrix:	SOIL
		% Solid:	77.2

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	0.90		1	0.053	0.32	mg/Kg	10/01/25 11:50	10/02/25 13:03	9012B

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ATG - AKRON LAB	Date Collected:	09/30/25 00:00
Project:	PO 25061955	Date Received:	10/01/25
Client Sample ID:	25092166-013	SDG No.:	Q3259
Lab Sample ID:	Q3259-12	Matrix:	SOIL
		% Solid:	79.8

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	0.051	U	1	0.051	0.30	mg/Kg	10/01/25 11:50	10/02/25 13:03	9012B

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ATG - AKRON LAB	Date Collected:	09/30/25 00:00
Project:	PO 25061955	Date Received:	10/01/25
Client Sample ID:	25092166-014	SDG No.:	Q3259
Lab Sample ID:	Q3259-13	Matrix:	SOIL
		% Solid:	80.2

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	0.051	U	1	0.051	0.31	mg/Kg	10/01/25 11:50	10/02/25 13:03	9012B

Comments: _____

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ATG - AKRON LAB	Date Collected:	09/30/25 00:00
Project:	PO 25061955	Date Received:	10/01/25
Client Sample ID:	25092166-015	SDG No.:	Q3259
Lab Sample ID:	Q3259-14	Matrix:	SOIL
		% Solid:	81

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	0.23	J	1	0.051	0.31	mg/Kg	10/01/25 11:50	10/02/25 13:03	9012B

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ATG - AKRON LAB	Date Collected:	09/30/25 00:00
Project:	PO 25061955	Date Received:	10/01/25
Client Sample ID:	25092166-016	SDG No.:	Q3259
Lab Sample ID:	Q3259-15	Matrix:	SOIL
		% Solid:	80.9

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	0.13	J	1	0.050	0.30	mg/Kg	10/01/25 11:50	10/02/25 13:04	9012B

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ATG - AKRON LAB	Date Collected:	09/30/25 00:00
Project:	PO 25061955	Date Received:	10/01/25
Client Sample ID:	25092166-017	SDG No.:	Q3259
Lab Sample ID:	Q3259-16	Matrix:	SOIL
		% Solid:	87.9

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	0.047	U	1	0.047	0.28	mg/Kg	10/01/25 11:50	10/02/25 13:11	9012B

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ATG - AKRON LAB	Date Collected:	09/30/25 00:00
Project:	PO 25061955	Date Received:	10/01/25
Client Sample ID:	25092166-018	SDG No.:	Q3259
Lab Sample ID:	Q3259-17	Matrix:	SOIL
		% Solid:	81.4

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	0.70		1	0.051	0.30	mg/Kg	10/01/25 11:50	10/02/25 13:11	9012B

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ATG - AKRON LAB	Date Collected:	09/30/25 00:00
Project:	PO 25061955	Date Received:	10/01/25
Client Sample ID:	25092166-019	SDG No.:	Q3259
Lab Sample ID:	Q3259-18	Matrix:	SOIL
		% Solid:	81.5

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	0.10	J	1	0.051	0.30	mg/Kg	10/01/25 11:50	10/02/25 13:11	9012B

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ATG - AKRON LAB	Date Collected:	09/30/25 00:00
Project:	PO 25061955	Date Received:	10/01/25
Client Sample ID:	25092166-021	SDG No.:	Q3259
Lab Sample ID:	Q3259-19	Matrix:	SOIL
		% Solid:	79.9

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	0.051	U	1	0.051	0.30	mg/Kg	10/01/25 11:50	10/02/25 13:11	9012B

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ATG - AKRON LAB	Date Collected:	09/30/25 00:00
Project:	PO 25061955	Date Received:	10/01/25
Client Sample ID:	25092166-022	SDG No.:	Q3259
Lab Sample ID:	Q3259-20	Matrix:	SOIL
		% Solid:	80.5

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	0.077	J	1	0.051	0.30	mg/Kg	10/01/25 11:50	10/02/25 13:11	9012B

Comments:

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements
 H = Sample Analysis Out Of Hold Time

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ATG - AKRON LAB	Date Collected:	09/30/25 00:00
Project:	PO 25061955	Date Received:	10/01/25
Client Sample ID:	25092166-023	SDG No.:	Q3259
Lab Sample ID:	Q3259-21	Matrix:	SOIL
		% Solid:	84.3

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	0.11	J	1	0.048	0.29	mg/Kg	10/01/25 13:45	10/02/25 13:11	9012B

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N = Spiked sample recovery not within control limits

Report of Analysis

Client:	ATG - AKRON LAB	Date Collected:	09/30/25 00:00
Project:	PO 25061955	Date Received:	10/01/25
Client Sample ID:	25092166-024	SDG No.:	Q3259
Lab Sample ID:	Q3259-22	Matrix:	SOIL
		% Solid:	80.9

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	0.051	U	1	0.051	0.30	mg/Kg	10/01/25 13:45	10/02/25 13:19	9012B

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ATG - AKRON LAB	Date Collected:	09/30/25 00:00
Project:	PO 25061955	Date Received:	10/01/25
Client Sample ID:	25092166-025	SDG No.:	Q3259
Lab Sample ID:	Q3259-23	Matrix:	SOIL
		% Solid:	80.4

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	0.050	U	1	0.050	0.30	mg/Kg	10/01/25 13:45	10/02/25 13:19	9012B

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ATG - AKRON LAB	Date Collected:	09/30/25 00:00
Project:	PO 25061955	Date Received:	10/01/25
Client Sample ID:	25092166-026	SDG No.:	Q3259
Lab Sample ID:	Q3259-24	Matrix:	SOIL
		% Solid:	84.7

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	0.049	U	1	0.049	0.29	mg/Kg	10/01/25 13:45	10/02/25 13:19	9012B

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ATG - AKRON LAB	Date Collected:	09/30/25 00:00
Project:	PO 25061955	Date Received:	10/01/25
Client Sample ID:	25092166-027	SDG No.:	Q3259
Lab Sample ID:	Q3259-25	Matrix:	SOIL
		% Solid:	81.6

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	0.050	U	1	0.050	0.30	mg/Kg	10/01/25 13:45	10/02/25 13:19	9012B

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N = Spiked sample recovery not within control limits

Report of Analysis

Client:	ATG - AKRON LAB	Date Collected:	09/30/25 00:00
Project:	PO 25061955	Date Received:	10/01/25
Client Sample ID:	25092166-028	SDG No.:	Q3259
Lab Sample ID:	Q3259-26	Matrix:	SOIL
		% Solid:	80.5

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	0.052	U	1	0.052	0.31	mg/Kg	10/01/25 13:45	10/02/25 13:19	9012B

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ATG - AKRON LAB	Date Collected:	09/30/25 00:00
Project:	PO 25061955	Date Received:	10/01/25
Client Sample ID:	25092166-031	SDG No.:	Q3259
Lab Sample ID:	Q3259-27	Matrix:	SOIL
		% Solid:	80

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	0.11	J	1	0.051	0.31	mg/Kg	10/01/25 13:45	10/02/25 13:19	9012B

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ATG - AKRON LAB	Date Collected:	09/30/25 00:00
Project:	PO 25061955	Date Received:	10/01/25
Client Sample ID:	25092166-032	SDG No.:	Q3259
Lab Sample ID:	Q3259-28	Matrix:	SOIL
		% Solid:	81.2

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	0.082	J	1	0.050	0.30	mg/Kg	10/01/25 13:45	10/02/25 13:19	9012B

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ATG - AKRON LAB	Date Collected:	09/30/25 00:00
Project:	PO 25061955	Date Received:	10/01/25
Client Sample ID:	25092166-035	SDG No.:	Q3259
Lab Sample ID:	Q3259-29	Matrix:	SOIL
		% Solid:	87.2

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	0.76		1	0.046	0.28	mg/Kg	10/01/25 13:45	10/02/25 13:26	9012B

Comments:

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements
 H = Sample Analysis Out Of Hold Time

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ATG - AKRON LAB	Date Collected:	09/30/25 00:00
Project:	PO 25061955	Date Received:	10/01/25
Client Sample ID:	25092166-036	SDG No.:	Q3259
Lab Sample ID:	Q3259-30	Matrix:	SOIL
		% Solid:	79.7

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	0.057	J	1	0.051	0.30	mg/Kg	10/01/25 13:45	10/02/25 13:26	9012B

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ATG - AKRON LAB	Date Collected:	09/30/25 00:00
Project:	PO 25061955	Date Received:	10/01/25
Client Sample ID:	25092166-037	SDG No.:	Q3259
Lab Sample ID:	Q3259-31	Matrix:	SOIL
		% Solid:	80.3

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	0.073	J	1	0.051	0.31	mg/Kg	10/01/25 13:45	10/02/25 13:26	9012B

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ATG - AKRON LAB	Date Collected:	09/30/25 00:00
Project:	PO 25061955	Date Received:	10/01/25
Client Sample ID:	25092166-039	SDG No.:	Q3259
Lab Sample ID:	Q3259-32	Matrix:	SOIL
		% Solid:	78.3

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	0.097	J	1	0.052	0.31	mg/Kg	10/01/25 13:45	10/02/25 13:26	9012B

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ATG - AKRON LAB	Date Collected:	09/30/25 00:00
Project:	PO 25061955	Date Received:	10/01/25
Client Sample ID:	25092166-040	SDG No.:	Q3259
Lab Sample ID:	Q3259-33	Matrix:	SOIL
		% Solid:	80.8

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	0.073	J	1	0.051	0.30	mg/Kg	10/01/25 13:45	10/02/25 13:26	9012B

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ATG - AKRON LAB	Date Collected:	09/30/25 00:00
Project:	PO 25061955	Date Received:	10/01/25
Client Sample ID:	25092166-041	SDG No.:	Q3259
Lab Sample ID:	Q3259-34	Matrix:	SOIL
		% Solid:	81.8

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	0.33		1	0.051	0.30	mg/Kg	10/01/25 13:45	10/02/25 13:26	9012B

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N = Spiked sample recovery not within control limits

Report of Analysis

Client:	ATG - AKRON LAB	Date Collected:	09/30/25 00:00
Project:	PO 25061955	Date Received:	10/01/25
Client Sample ID:	25092166-042	SDG No.:	Q3259
Lab Sample ID:	Q3259-35	Matrix:	SOIL
		% Solid:	90.5

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	0.16	J	1	0.045	0.27	mg/Kg	10/01/25 13:45	10/02/25 13:26	9012B

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ATG - AKRON LAB	Date Collected:	09/30/25 00:00
Project:	PO 25061955	Date Received:	10/01/25
Client Sample ID:	25092166-043	SDG No.:	Q3259
Lab Sample ID:	Q3259-36	Matrix:	SOIL
		% Solid:	84.4

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	0.36		1	0.049	0.29	mg/Kg	10/01/25 13:45	10/02/25 13:34	9012B

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N = Spiked sample recovery not within control limits

Report of Analysis

Client:	ATG - AKRON LAB	Date Collected:	09/30/25 00:00
Project:	PO 25061955	Date Received:	10/01/25
Client Sample ID:	25092166-044	SDG No.:	Q3259
Lab Sample ID:	Q3259-37	Matrix:	SOIL
		% Solid:	81.5

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	0.28	J	1	0.050	0.30	mg/Kg	10/01/25 13:45	10/02/25 13:34	9012B

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ATG - AKRON LAB	Date Collected:	09/30/25 00:00
Project:	PO 25061955	Date Received:	10/01/25
Client Sample ID:	25092166-045	SDG No.:	Q3259
Lab Sample ID:	Q3259-38	Matrix:	SOIL
		% Solid:	84.3

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	0.39		1	0.048	0.29	mg/Kg	10/01/25 13:45	10/02/25 13:34	9012B

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ATG - AKRON LAB	Date Collected:	09/30/25 00:00
Project:	PO 25061955	Date Received:	10/01/25
Client Sample ID:	25092166-046	SDG No.:	Q3259
Lab Sample ID:	Q3259-39	Matrix:	SOIL
		% Solid:	80.2

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	148	OR	1	0.050	0.30	mg/Kg	10/01/25 13:45	10/02/25 13:55	9012B

Comments:

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements
 H = Sample Analysis Out Of Hold Time

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ATG - AKRON LAB	Date Collected:	09/30/25 00:00
Project:	PO 25061955	Date Received:	10/01/25
Client Sample ID:	25092166-046DL	SDG No.:	Q3259
Lab Sample ID:	Q3259-39DL	Matrix:	SOIL
		% Solid:	80.2

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	135	D	10	0.50	3.00	mg/Kg	10/01/25 13:45	10/02/25 14:23	9012B

Comments: _____

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ATG - AKRON LAB	Date Collected:	09/30/25 00:00
Project:	PO 25061955	Date Received:	10/01/25
Client Sample ID:	25092166-047	SDG No.:	Q3259
Lab Sample ID:	Q3259-40	Matrix:	SOIL
		% Solid:	80.3

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	0.36		1	0.052	0.31	mg/Kg	10/01/25 13:45	10/02/25 14:02	9012B

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ATG - AKRON LAB	Date Collected:	09/30/25 00:00
Project:	PO 25061955	Date Received:	10/01/25
Client Sample ID:	25092166-049	SDG No.:	Q3259
Lab Sample ID:	Q3259-41	Matrix:	SOIL
		% Solid:	86.1

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	0.091	J	1	0.047	0.28	mg/Kg	10/02/25 08:00	10/02/25 15:10	9012B

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ATG - AKRON LAB	Date Collected:	09/30/25 00:00
Project:	PO 25061955	Date Received:	10/01/25
Client Sample ID:	25092166-050	SDG No.:	Q3259
Lab Sample ID:	Q3259-42	Matrix:	SOIL
		% Solid:	81.7

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	15.1		1	0.049	0.29	mg/Kg	10/02/25 08:00	10/02/25 15:18	9012B

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ATG - AKRON LAB	Date Collected:	09/30/25 00:00
Project:	PO 25061955	Date Received:	10/01/25
Client Sample ID:	25092166-051	SDG No.:	Q3259
Lab Sample ID:	Q3259-43	Matrix:	SOIL
		% Solid:	79.2

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	0.063	J	1	0.053	0.31	mg/Kg	10/02/25 08:00	10/02/25 15:18	9012B

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ATG - AKRON LAB	Date Collected:	09/30/25 00:00
Project:	PO 25061955	Date Received:	10/01/25
Client Sample ID:	25092166-052	SDG No.:	Q3259
Lab Sample ID:	Q3259-44	Matrix:	SOIL
		% Solid:	82.1

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	0.060	J	1	0.049	0.29	mg/Kg	10/02/25 08:00	10/02/25 15:18	9012B

Comments: _____

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N = Spiked sample recovery not within control limits

Report of Analysis

Client:	ATG - AKRON LAB	Date Collected:	09/30/25 00:00
Project:	PO 25061955	Date Received:	10/01/25
Client Sample ID:	25092166-053	SDG No.:	Q3259
Lab Sample ID:	Q3259-45	Matrix:	SOIL
		% Solid:	80.7

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	0.052	U	1	0.052	0.31	mg/Kg	10/02/25 08:00	10/02/25 15:18	9012B

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ATG - AKRON LAB	Date Collected:	09/30/25 00:00
Project:	PO 25061955	Date Received:	10/01/25
Client Sample ID:	25092166-054	SDG No.:	Q3259
Lab Sample ID:	Q3259-46	Matrix:	SOIL
		% Solid:	80.4

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	0.051	U	1	0.051	0.30	mg/Kg	10/02/25 08:00	10/02/25 15:18	9012B

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ATG - AKRON LAB	Date Collected:	09/30/25 00:00
Project:	PO 25061955	Date Received:	10/01/25
Client Sample ID:	25092166-057	SDG No.:	Q3259
Lab Sample ID:	Q3259-47	Matrix:	SOIL
		% Solid:	79.8

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	1.30		1	0.051	0.30	mg/Kg	10/02/25 08:00	10/02/25 15:18	9012B

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ATG - AKRON LAB	Date Collected:	09/30/25 00:00
Project:	PO 25061955	Date Received:	10/01/25
Client Sample ID:	25092166-058	SDG No.:	Q3259
Lab Sample ID:	Q3259-48	Matrix:	SOIL
		% Solid:	78.7

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	38.4	OR	1	0.052	0.31	mg/Kg	10/02/25 08:00	10/02/25 15:18	9012B

Comments: _____

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ATG - AKRON LAB	Date Collected:	09/30/25 00:00
Project:	PO 25061955	Date Received:	10/01/25
Client Sample ID:	25092166-058DL	SDG No.:	Q3259
Lab Sample ID:	Q3259-48DL	Matrix:	SOIL
		% Solid:	78.7

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	36.6	D	2	0.10	0.62	mg/Kg	10/02/25 08:00	10/02/25 16:16	9012B

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N = Spiked sample recovery not within control limits

Report of Analysis

Client:	ATG - AKRON LAB	Date Collected:	09/30/25 00:00
Project:	PO 25061955	Date Received:	10/01/25
Client Sample ID:	25092166-059	SDG No.:	Q3259
Lab Sample ID:	Q3259-49	Matrix:	SOIL
		% Solid:	89.7

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	0.13	J	1	0.045	0.27	mg/Kg	10/02/25 08:00	10/02/25 15:25	9012B

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ATG - AKRON LAB	Date Collected:	09/30/25 00:00
Project:	PO 25061955	Date Received:	10/01/25
Client Sample ID:	25092166-060	SDG No.:	Q3259
Lab Sample ID:	Q3259-50	Matrix:	SOIL
		% Solid:	84.2

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	0.051	J	1	0.049	0.29	mg/Kg	10/02/25 08:00	10/02/25 15:25	9012B

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N = Spiked sample recovery not within control limits

Report of Analysis

Client:	ATG - AKRON LAB	Date Collected:	09/30/25 00:00
Project:	PO 25061955	Date Received:	10/01/25
Client Sample ID:	25092166-061	SDG No.:	Q3259
Lab Sample ID:	Q3259-51	Matrix:	SOIL
		% Solid:	79.5

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	3.90		1	0.052	0.31	mg/Kg	10/02/25 08:00	10/02/25 15:25	9012B

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ATG - AKRON LAB	Date Collected:	09/30/25 00:00
Project:	PO 25061955	Date Received:	10/01/25
Client Sample ID:	25092166-062	SDG No.:	Q3259
Lab Sample ID:	Q3259-52	Matrix:	SOIL
		% Solid:	80.6

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	0.19	J	1	0.052	0.31	mg/Kg	10/02/25 08:00	10/02/25 15:25	9012B

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ATG - AKRON LAB	Date Collected:	09/30/25 00:00
Project:	PO 25061955	Date Received:	10/01/25
Client Sample ID:	25092166-064	SDG No.:	Q3259
Lab Sample ID:	Q3259-53	Matrix:	SOIL
		% Solid:	85.3

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	0.091	J	1	0.047	0.28	mg/Kg	10/02/25 08:00	10/02/25 15:25	9012B

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ATG - AKRON LAB	Date Collected:	09/30/25 00:00
Project:	PO 25061955	Date Received:	10/01/25
Client Sample ID:	25092166-029	SDG No.:	Q3259
Lab Sample ID:	Q3259-54	Matrix:	SOIL
		% Solid:	82.2

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	0.20	J	1	0.050	0.30	mg/Kg	10/02/25 08:00	10/02/25 15:25	9012B

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N = Spiked sample recovery not within control limits

Report of Analysis

Client:	ATG - AKRON LAB	Date Collected:	09/30/25 00:00
Project:	PO 25061955	Date Received:	10/01/25
Client Sample ID:	25092166-030	SDG No.:	Q3259
Lab Sample ID:	Q3259-55	Matrix:	SOIL
		% Solid:	79.4

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	0.052	U	1	0.052	0.31	mg/Kg	10/02/25 08:00	10/02/25 15:31	9012B

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ATG - AKRON LAB	Date Collected:	09/30/25 00:00
Project:	PO 25061955	Date Received:	10/01/25
Client Sample ID:	25092166-033	SDG No.:	Q3259
Lab Sample ID:	Q3259-56	Matrix:	SOIL
		% Solid:	82.3

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	0.049	U	1	0.049	0.29	mg/Kg	10/02/25 08:00	10/02/25 15:31	9012B

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N = Spiked sample recovery not within control limits

Report of Analysis

Client:	ATG - AKRON LAB	Date Collected:	09/30/25 00:00
Project:	PO 25061955	Date Received:	10/01/25
Client Sample ID:	25092166-034	SDG No.:	Q3259
Lab Sample ID:	Q3259-57	Matrix:	SOIL
		% Solid:	79.5

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	0.051	U	1	0.051	0.30	mg/Kg	10/02/25 08:00	10/02/25 15:31	9012B

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N =Spiked sample recovery not within control limits



QC RESULT SUMMARY

Initial and Continuing Calibration Verification

Client: ATG - AKRON LAB

SDG No.: Q3259

Project: PO 25061955

RunNo.: LB137396

Analyte	Units	Result	True Value	% Recovery	Acceptance Window (%R)	Analysis Date
Sample ID: ICV1 Cyanide	mg/L	0.095	0.099	96	90-110	10/02/2025
Sample ID: CCV1 Cyanide	mg/L	0.24	0.25	96	90-110	10/02/2025
Sample ID: CCV2 Cyanide	mg/L	0.24	0.25	96	90-110	10/02/2025
Sample ID: CCV3 Cyanide	mg/L	0.24	0.25	96	90-110	10/02/2025
Sample ID: CCV4 Cyanide	mg/L	0.24	0.25	96	90-110	10/02/2025
Sample ID: CCV5 Cyanide	mg/L	0.24	0.25	96	90-110	10/02/2025
Sample ID: CCV6 Cyanide	mg/L	0.24	0.25	96	90-110	10/02/2025
Sample ID: CCV7 Cyanide	mg/L	0.25	0.25	100	90-110	10/02/2025
Sample ID: CCV8 Cyanide	mg/L	0.24	0.25	96	90-110	10/02/2025

Initial and Continuing Calibration Verification

Client: ATG - AKRON LAB

SDG No.: Q3259

Project: PO 25061955

RunNo.: LB137405

Analyte	Units	Result	True Value	% Recovery	Acceptance Window (%R)	Analysis Date
Sample ID: ICV1 Cyanide	mg/L	0.092	0.099	93	90-110	10/02/2025
Sample ID: CCV1 Cyanide	mg/L	0.24	0.25	96	90-110	10/02/2025
Sample ID: CCV2 Cyanide	mg/L	0.24	0.25	96	90-110	10/02/2025
Sample ID: CCV3 Cyanide	mg/L	0.24	0.25	96	90-110	10/02/2025
Sample ID: CCV4 Cyanide	mg/L	0.24	0.25	96	90-110	10/02/2025
Sample ID: CCV5 Cyanide	mg/L	0.24	0.25	96	90-110	10/02/2025

Initial and Continuing Calibration Blank Summary

Client: ATG - AKRON LAB

SDG No.: Q3259

Project: PO 25061955

RunNo.: LB137396

Analyte	Units	Result	Acceptance Limits	Conc Qual	MDL	RDL	Analysis Date
Sample ID: ICB1 Cyanide	mg/L	< 0.0025	0.0025	U	0.00096	0.005	10/02/2025
Sample ID: CCB1 Cyanide	mg/L	< 0.0025	0.0025	U	0.00096	0.005	10/02/2025
Sample ID: CCB2 Cyanide	mg/L	< 0.0025	0.0025	U	0.00096	0.005	10/02/2025
Sample ID: CCB3 Cyanide	mg/L	< 0.0025	0.0025	U	0.00096	0.005	10/02/2025
Sample ID: CCB4 Cyanide	mg/L	< 0.0025	0.0025	U	0.00096	0.005	10/02/2025
Sample ID: CCB5 Cyanide	mg/L	< 0.0025	0.0025	U	0.00096	0.005	10/02/2025
Sample ID: CCB6 Cyanide	mg/L	< 0.0025	0.0025	U	0.00096	0.005	10/02/2025
Sample ID: CCB7 Cyanide	mg/L	< 0.0025	0.0025	U	0.00096	0.005	10/02/2025
Sample ID: CCB8 Cyanide	mg/L	< 0.0025	0.0025	U	0.00096	0.005	10/02/2025

Initial and Continuing Calibration Blank Summary

Client: ATG - AKRON LAB

SDG No.: Q3259

Project: PO 25061955

RunNo.: LB137405

Analyte	Units	Result	Acceptance Limits	Conc Qual	MDL	RDL	Analysis Date
Sample ID: ICB1 Cyanide	mg/L	< 0.0025	0.0025	U	0.00096	0.005	10/02/2025
Sample ID: CCB1 Cyanide	mg/L	< 0.0025	0.0025	U	0.00096	0.005	10/02/2025
Sample ID: CCB2 Cyanide	mg/L	< 0.0025	0.0025	U	0.00096	0.005	10/02/2025
Sample ID: CCB3 Cyanide	mg/L	< 0.0025	0.0025	U	0.00096	0.005	10/02/2025
Sample ID: CCB4 Cyanide	mg/L	< 0.0025	0.0025	U	0.00096	0.005	10/02/2025
Sample ID: CCB5 Cyanide	mg/L	< 0.0025	0.0025	U	0.00096	0.005	10/02/2025

Preparation Blank Summary

Client: ATG - AKRON LAB

SDG No.: Q3259

Project: PO 25061955

Analyte	Units	Result	Acceptance Limits	Conc Qual	MDL	RDL	Analysis Date
Sample ID: Cyanide	PB169942BL mg/Kg	< 0.1250	0.1250	U	0.042	0.25	10/02/2025
Sample ID: Cyanide	PB169943BL mg/Kg	< 0.1250	0.1250	U	0.042	0.25	10/02/2025
Sample ID: Cyanide	PB169944BL mg/Kg	< 0.1250	0.1250	U	0.042	0.25	10/02/2025

Matrix Spike Summary

Client:	ATG - AKRON LAB	SDG No.:	Q3259
Project:	PO 25061955	Sample ID:	Q3259-01
Client ID:	25092166-001MS	Percent Solids for Spike Sample:	82.1

Analyte	Units	Acceptance Limit %R	Spiked Result	Conc. Qualifier	Sample Result	Conc. Qualifier	Spike Added	Dilution Factor	% Rec	Qual	Analysis Date
Cyanide	mg/Kg	75-125	2.20		0.051	U	2.4	1	92		10/02/2025

Matrix Spike Summary

Client:	ATG - AKRON LAB	SDG No.:	Q3259
Project:	PO 25061955	Sample ID:	Q3259-01
Client ID:	25092166-001MSD	Percent Solids for Spike Sample:	82.1

Analyte	Units	Acceptance Limit %R	Spiked Result	Conc. Qualifier	Sample Result	Conc. Qualifier	Spike Added	Dilution Factor	% Rec	Qual	Analysis Date
Cyanide	mg/Kg	75-125	2.20		0.051	U	2.4	1	92		10/02/2025

Matrix Spike Summary

Client:	ATG - AKRON LAB	SDG No.:	Q3259
Project:	PO 25061955	Sample ID:	Q3259-21
Client ID:	25092166-023MS	Percent Solids for Spike Sample:	84.3

Analyte	Units	Acceptance Limit %R	Spiked Result	Conc. Qualifier	Sample Result	Conc. Qualifier	Spike Added	Dilution Factor	% Rec	Qual	Analysis Date
Cyanide	mg/Kg	75-125	2.20		0.11	J	2.3	1	91		10/02/2025

Matrix Spike Summary

Client:	ATG - AKRON LAB	SDG No.:	Q3259
Project:	PO 25061955	Sample ID:	Q3259-21
Client ID:	25092166-023MSD	Percent Solids for Spike Sample:	84.3

Analyte	Units	Acceptance Limit %R	Spiked Result	Conc. Qualifier	Sample Result	Conc. Qualifier	Spike Added	Dilution Factor	% Rec	Qual	Analysis Date
Cyanide	mg/Kg	75-125	2.20		0.11	J	2.3	1	91		10/02/2025

Matrix Spike Summary

Client:	ATG - AKRON LAB	SDG No.:	Q3259
Project:	PO 25061955	Sample ID:	Q3259-41
Client ID:	25092166-049MS	Percent Solids for Spike Sample:	86.1

Analyte	Units	Acceptance Limit %R	Spiked Result	Conc. Qualifier	Sample Result	Conc. Qualifier	Spike Added	Dilution Factor	% Rec	Qual	Analysis Date
Cyanide	mg/Kg	75-125	2.20		0.091	J	2.2	1	96		10/02/2025

Matrix Spike Summary

Client:	ATG - AKRON LAB	SDG No.:	Q3259
Project:	PO 25061955	Sample ID:	Q3259-41
Client ID:	25092166-049MSD	Percent Solids for Spike Sample:	86.1

Analyte	Units	Acceptance Limit %R	Spiked Result	Conc. Qualifier	Sample Result	Conc. Qualifier	Spike Added	Dilution Factor	% Rec	Qual	Analysis Date
Cyanide	mg/Kg	75-125	2.20		0.091	J	2.3	1	92		10/02/2025

Duplicate Sample Summary

Client: ATG - AKRON LAB Project: PO 25061955 Client ID: 25092166-001DUP	SDG No.: Q3259 Sample ID: Q3259-01 Percent Solids for Spike Sample: 82.1
--	---

Analyte	Units	Acceptance Limit	Sample Result	Conc. Qualifier	Duplicate Result	Conc. Qualifier	Dilution Factor	RPD/AD	Qual	Analysis Date
Cyanide	mg/Kg	+/-20	0.051	U	0.051	U	1	0		10/02/2025

Duplicate Sample Summary

Client:	ATG - AKRON LAB	SDG No.:	Q3259
Project:	PO 25061955	Sample ID:	Q3259-01
Client ID:	25092166-001MSD	Percent Solids for Spike Sample:	82.1

Analyte	Units	Acceptance Limit	Sample Result	Conc. Qualifier	Duplicate Result	Conc. Qualifier	Dilution Factor	RPD/AD	Qual	Analysis Date
Cyanide	mg/Kg	+/-20	2.20		2.20		1	0		10/02/2025

Duplicate Sample Summary

Client: ATG - AKRON LAB Project: PO 25061955 Client ID: 25092166-023DUP	SDG No.: Q3259 Sample ID: Q3259-21 Percent Solids for Spike Sample: 84.3
--	---

Analyte	Units	Acceptance Limit	Sample Result	Conc. Qualifier	Duplicate Result	Conc. Qualifier	Dilution Factor	RPD/AD	Qual	Analysis Date
Cyanide	mg/Kg	+/-20	0.11	J	0.10	J	1	10		10/02/2025

Duplicate Sample Summary

Client:	ATG - AKRON LAB	SDG No.:	Q3259
Project:	PO 25061955	Sample ID:	Q3259-21
Client ID:	25092166-023MSD	Percent Solids for Spike Sample:	84.3

Analyte	Units	Acceptance Limit	Sample Result	Conc. Qualifier	Duplicate Result	Conc. Qualifier	Dilution Factor	RPD/AD	Qual	Analysis Date
Cyanide	mg/Kg	+/-20	2.20		2.20		1	0		10/02/2025

Duplicate Sample Summary

Client:	ATG - AKRON LAB	SDG No.:	Q3259
Project:	PO 25061955	Sample ID:	Q3259-41
Client ID:	25092166-049DUP	Percent Solids for Spike Sample:	86.1

Analyte	Units	Acceptance Limit	Sample Result	Conc. Qualifier	Duplicate Result	Conc. Qualifier	Dilution Factor	RPD/AD	Qual	Analysis Date
Cyanide	mg/Kg	+/-20	0.091	J	0.088	J	1	3		10/02/2025

Duplicate Sample Summary

Client:	ATG - AKRON LAB	SDG No.:	Q3259
Project:	PO 25061955	Sample ID:	Q3259-41
Client ID:	25092166-049MSD	Percent Solids for Spike Sample:	86.1

Analyte	Units	Acceptance Limit	Sample Result	Conc. Qualifier	Duplicate Result	Conc. Qualifier	Dilution Factor	RPD/AD	Qual	Analysis Date
Cyanide	mg/Kg	+/-20	2.20		2.20		1	0		10/02/2025

Laboratory Control Sample Summary

Client: ATG - AKRON LAB

SDG No.: Q3259

Project: PO 25061955

Run No.: LB137396

Analyte	Units	True Value	Result	Conc. Qualifier	% Recovery	Dilution Factor	Acceptance Limit %R	Analysis Date
Sample ID	PB169942BS							
Cyanide	mg/Kg	5	4.80		96	1	85-115	10/02/2025

Laboratory Control Sample Summary

Client: ATG - AKRON LAB

SDG No.: Q3259

Project: PO 25061955

Run No.: LB137396

Analyte	Units	True Value	Result	Conc. Qualifier	% Recovery	Dilution Factor	Acceptance Limit %R	Analysis Date
Sample ID	PB169943BS							
Cyanide	mg/Kg	5	4.80		96	1	85-115	10/02/2025

Laboratory Control Sample Summary

Client: ATG - AKRON LAB

SDG No.: Q3259

Project: PO 25061955

Run No.: LB137405

Analyte	Units	True Value	Result	Conc. Qualifier	% Recovery	Dilution Factor	Acceptance Limit %R	Analysis Date
Sample ID	PB169944BS							
Cyanide	mg/Kg	5	4.80		96	1	85-115	10/02/2025



SHIPPING DOCUMENTS



3310 Win Street
Cuyahoga Falls, Ohio 44223
(330) 253-8211

Analysis Request / Chain of Custody

<https://www.alliancetg.com/services/environmental>
<https://scitek.com/>

LAB	For Alliance Technical Group, LLC-Akron use only
WO	
NO.:	

Client Name		Project Identification		Grab Sample	Composite Sample	Matrix: S = Solid, SL = Sludge, L = Liquid, O = Oil, A = Air, NPW = Non-Potable Water, DW = Drinking Water	Preservation: 1) HNO ₃ ; 2) H ₂ SO ₄ ; 3) HCl; 4) Zinc Acetate; 5) NaOH; 6) EDA; 7) none; 8) other (specify in comments)	Number of Containers per Sample	Analytical Parameters and Methods Requested													
Client Street Address		Project Street Address							<div style="display: flex; justify-content: space-between;"> <div>Total Cyanide</div> <div>For DW Only: Special Compliance or Routine (S/R)</div> </div>													
City	State	Zip	City																		State	Zip
Client Phone		Report To																				
Contact Person		PO #	Quote Number																			
Client Email Address		PHS ID	Facility ID																			
Sampled By (Print Name and Provide Signature)		Reporting/Accreditation Requirements:																				
Print:		Ohio VAP		Ohio EPA Pb, Cu																		
Sign:		Drinking Water Compliance		BUSTR																		
For DW only, results to be reported to state by lab? If yes, lab fee may apply: Y N		Other Compliance (List State/Program):																				
		NECAP																				
#	Sample Point ID	Sample Identification		Date Collected	Time Collected																	
		25092166-001																				
		25092166-002																				
		25092166-003																				
		25092166-004																				
		25092166-005																				
		25092166-006																				
		25092166-007																				
		25092166-008																				
		25092166-009																				
		25092166-010																				
Relinquished by:		Date	Time	Received by:		Date	Time	Notes / Comments:														
		9/30/25	1520					EQUUS EFWEDD format for all samples - dry weight to be supplied by Akron														
								Sufficient volume for analysis? YES NO Cooler? YES NO N/A														
Received at ATG-Akron by:		Date	Time	Carrier		Receipt Temperature:		Cooler Seals?	INTACT	NOT INTACT	N/A											
		10/1/25	10:25	2.1°C		RUSH Requested: 10/3 Day(s) Please provide advanced notice of rush requests whenever possible.		Sample Seals?	INTACT	NOT INTACT	N/A											
						°C		Ice Present?	YES	NO	MELTED N/A											



3310 Win Street
Cuyahoga Falls, Ohio 44223
(330) 253-8211

Analysis Request / Chain of Custody

<https://www.allianceig.com/services/environmental>
<https://settek.com/>

Page 1 of 1

LAB WO NO.:	For Alliance Technical Group, LLC-Akron use only
-------------------	--

Client Name		Project Identification		Grab Sample	Composite Sample	Matrix: S = Solid, SL = Sludge, L = Liquid, O = Oil, A = Air, NPW = Non-Potable Water, DW = Drinking Water	Preservation: 1) HNO ₃ ; 2) H ₂ SO ₄ ; 3) HCl; 4) Zinc Acetate; 5) NaOH; 6) EDA; 7) none; 8) other (specify in comments)	Number of Containers per Sample	Analytical Parameters and Methods Requested											
Client Street Address		Project Street Address							<div style="display: flex; justify-content: space-between;"> <div style="writing-mode: vertical-rl; transform: rotate(180deg);">Total Cyanide</div> <div style="writing-mode: vertical-rl; transform: rotate(180deg);">For DW Only: Special Compliance or Routine (S/R)</div> </div>											
City	State	Zip	City																State	Zip
Client Phone		Report To																		
Contact Person		PO #	Quote Number																	
Client Email Address		PWS ID	Facility ID																	
Printed By (Print Name and Provide Signature)		Reporting/Accreditation Requirements:																		
Print:		Ohio VAP		Ohio EPA Pb, Cu																
Sign:		Drinking Water Compliance		BUSTR																
For DW only, results to be reported to state by lab? If yes, lab fee may apply: Y N		Other Compliance (List State Program):																		
		NECAP																		
#	Sample Point ID	Sample Identification	Date Collected	Time Collected																
		25092166-012								X										
		25092166-013								X										
		25092166-014								X										
		25092166-015								X										
		25092166-016								X										
		25092166-017								X										
		25092166-018								X										
		25092166-019								X										
		25092166-021								X										
		25092166-022								X										
Relinquished by:		Date	Time	Received by:	Date	Time	Notes / Comments:													
CF		9/30/25	1520				EQUIS EFWEDD format													
Received at ATG-Akron by:		Date	Time	Carrier	RUSH Requested: 10/3 Day(s) Please provide advanced notice of rush requests whenever possible.			Receipt Temperature: °C		Cooler Seals?	INTACT	NOT INTACT	N/A							
OR		10/1/25	10:25	2-1°C						Sample Seals?	INTACT	NOT INTACT	N/A							
										Ice Present?	YES	NO	MELTED	N/A						



Q3 259



3310 Win Street
Cuyahoga Falls, Ohio 44223
(330) 253-8211

Analysis Request / Chain of Custody

<https://www.alliancetg.com/services/environmental>
<https://seftek.com/>

LAB WO NO.:	For Alliance Technical Group, LLC-Akron use only
-------------------	--

Client Name		Project Identification		Grab Sample	Composite Sample	Matrix: S = Solid, SL = Sludge, L = Liquid, O = Oil, A = Air, NPW = Non-Potable Water, DW = Drinking Water	Preservation: 1) HNO3; 2) H2SO4; 3) HCl; 4) Zinc Acetate; 5) NaOH; 6) EDA; 7) none; 8) other (specify in comments)	Number of Containers per Sample	Analytical Parameters and Methods Requested										
Client Street Address		Project Street Address							Total Cyanide								For DW Only: Special Compliance or Routine (S/R)		
City State Zip		City State Zip																	
Client Phone		Report To																	
Contact Person		PO #																Quote Number	
Client Email Address		PWS ID																Facility ID	
Printed By (Print Name and Provide Signature)		Reporting/Accreditation Requirements:																	
Sign:		Ohio VAP		Ohio EPA Pb, Cu															
		Drinking Water Compliance		BUSTR															
For DW only, results to be reported to state by lab? If yes, lab fee may apply: Y N		Other Compliance (List State/Program):																	
		NECAP																	
#	Sample Point ID	Sample Identification		Date Collected	Time Collected														
		25092166-037																	
		25092166-039																	
		25092166-040																	
		25092166-041																	
		25092166-042																	
		25092166-043																	
		25092166-044																	
		25092166-045																	
		25092166-046																	
		25092166-047																	
Relinquished by:		Date	Time	Received by:		Date	Time	Notes / Comments:											
		9/30/25	1520					EQUIS EFWEDD format											
Received at ATG-Akron by:		Date	Time	Carrier		RUSH Requested: 10/3 Day(s) Please provide advanced notice of rush requests whenever possible.			Receipt Temperature: °C		Cooler Seals? INTACT NOT INTACT N/A		Sample Seals? INTACT NOT INTACT N/A		Ice Present? YES NO MELTED N/A				
		10/1/25	10:25	2.1°C															



3310 Win Street
Cuyahoga Falls, Ohio 44223
(330) 253-8211

Analysis Request / Chain of Custody

<https://www.allianceetg.com/services/environmental>

<https://gettick.com/>

LAB
WO
NO.:

For Alliance Technical Group, LLC-Akron use only

Client Name		Project Identification		Grab Sample	Composite Sample	Matrix: S = Solid, SL = Sludge, L = Liquid, O = Oil, A = Air, NPW = Non-Potable Water, DW = Drinking Water	Preservation: 1) HNO3; 2) H2SO4; 3) HCl; 4) Zinc Acetate; 5) NaOH; 6) EDA; 7) none; 8) other (specify in comments)	Number of Containers per Sample	Analytical Parameters and Methods Requested											
Client Street Address		Project Street Address							<div style="display: flex; justify-content: space-between;"> <div>Total Cyanide</div> <div>For DW Only: Special Compliance or Routine (S/R)</div> </div>											
City	State	Zip	City																State	Zip
Client Phone		Report To																		
Contact Person		PO #	Quote Number																	
Client Email Address		PWS ID	Facility ID																	
Accepted By (Print Name and Provide Signature)		Reporting/Accreditation Requirements:																		
Print:		Ohio VAP		Ohio EPA Pb, Cu																
Signature:		Drinking Water Compliance		BUSTR																
or DW only, results to be reported to state by lab? If yes, lab fee may apply: Y N		Other Compliance (List State/Program):		NECAP																
#	Sample Point ID	Sample Identification	Date Collected	Time Collected																
		25092166-049																		
		25092166-050																		
		25092166-051																		
		25092166-052																		
		25092166-053																		
		25092166-054																		
		25092166-057																		
		25092166-058																		
		25092166-059																		
		25092166-060																		
Relinquished by:		Date	Time	Received by:	Date	Time	Notes / Comments:													
J. O. Z.		9/30/25	1500				EQUIS EFWEDD format													
Received at ATG-Akron by:		Date	Time	Carrier	RUSH Requested: 10/3 Day(s) Please provide advanced notice of rush requests whenever possible.			Receipt Temperature: °C		Cooler Seals? INTACT NOT INTACT N/A		Sample Seals? INTACT NOT INTACT N/A		Ice Present? YES NO MELTED N/A						
C. E.		10/1/25	10:25	2-1-C																



3310 Win Street
Cuyahoga Falls, Ohio 44223
(330) 253-8211

Analysis Request / Chain of Custody

<https://www.allianceatg.com/services/environmental/>
<https://settek.com/>

LAB WO NO.:	For Alliance Technical Group, LLC-Akron use only
-------------------	--

Client Name		Project Identification		Grab Sample	Composite Sample	Matrix: S = Solid, SL = Sludge, L = Liquid, O = Oil, A = Air, NPW = Non-Potable Water, DW = Drinking Water	Preservation: 1) HNO3; 2) H2SO4; 3) HCl; 4) Zinc Acetate; 5) NaOH; 6) EDA; 7) none; 8) other (specify in comments)	Number of Containers per Sample	Analytical Parameters and Methods Requested												
Client Street Address		Project Street Address							<div>Total Cyanide</div>												
City State Zip		City State Zip																			
Client Phone		Report To																			
Contact Person		PO #																			
Client Email Address		PWS ID																			
Print: Jennifer Woolf		Quote Number		Facility ID		For DW Only: Special Compliance or Routine (S/R)															
Sign:		Reporting/Accreditation Requirements:																			
For DW only, results to be reported to state by lab? If yes, lab fee may apply: Y N		Other Compliance (List State/ Program):																			
Ohio VAP		Ohio EPA Pb, Cu																			
Drinking Water Compliance		BUSTR																			
Sampled By (Print Name and Provide Signature)		NECAP																			
#	Sample Point ID	Sample Identification		Date Collected	Time Collected																
		25092166-061																			
		25092166-062																			
		25092166-064																			
Relinquished by:						Date		Time		Received by:		Date		Time		Notes / Comments:					
C. [Signature]						9/30/25		1520								EQUIS EFWEDD format					
Received at ATG-Akron by:						Date		Time		Carrier		RUSH Requested. 10/3 Day(s) Please provide advanced notice of rush requests whenever possible.		Receipt Temperature:		Cooler Seals? INTACT NOT INTACT N/A		Sample Seals? INTACT NOT INTACT N/A		Ice Present? YES NO MELTED N/A	
[Signature]						10/1/25		10:25		2-1-C				°C							

Laboratory Certification

Certified By	License No.
Connecticut	PH-0830
DOD ELAP (ANAB)	L2219
Maine	2024021
Maryland	296
New Hampshire	255425
New Jersey	20012
New York	11376
Pennsylvania	68-00548
Soil Permit	525-24-234-08441
Texas	TX-C25-00189
Virginia	460312