

Report of Analysis

Client:	PSEG	Date Collected:	
Project:	Pennsauken M&R	Date Received:	
Client Sample ID:	PB169974BS	SDG No.:	Q3263
Lab Sample ID:	PB169974BS	Matrix:	Water
Analytical Method:	NJEPH	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	2000 uL
Soil Aliquot Vol:	uL	Test:	EPH
Prep Method :	SW3510		

Prep Date :	Date Analyzed :	Prep Batch ID
10/03/25 08:38	10/03/25 15:02	PB169974

Datafile

CAS Number	Parameter	Conc.	Qualifier	Dilution	MDL	LOQ / CRQL	Units	
TARGETS								
Aliphatic C9-C12	Aliphatic C9-C12	123		1	8.28	30.0	ug/l	FC069928.D
Aliphatic C12-C16	Aliphatic C12-C16	64.5		1	13.5	20.0	ug/l	FC069928.D
Aliphatic C16-C21	Aliphatic C16-C21	130		1	8.34	30.0	ug/l	FC069928.D
Aliphatic C21-C28	Aliphatic C21-C28	177		1	12.5	40.0	ug/l	FC069928.D
Aliphatic C28-C40	Aliphatic C28-C40	346		1	23.8	60.0	ug/l	FC069928.D
Aromatic C10-C12	Aromatic C10-C12	136		1	2.07	20.0	ug/l	FD049818.D
Aromatic C12-C16	Aromatic C12-C16	223		1	4.26	30.0	ug/l	FD049818.D
Aromatic C16-C21	Aromatic C16-C21	452		1	8.27	50.0	ug/l	FD049818.D
Aromatic C21-C36	Aromatic C21-C36	771		1	23.8	80.0	ug/l	FD049818.D
Total AliphaticEPH	Total AliphaticEPH	841			66.4	180	ug/l	
Total AromaticEPH	Total AromaticEPH	1580			38.4	180	ug/l	
Total EPH	Total EPH	2420			105	360	ug/l	

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

Report of Analysis

Client:	PSEG	Date Collected:	
Project:	Pennsauken M&R	Date Received:	
Client Sample ID:	PB169974BS	SDG No.:	Q3263
Lab Sample ID:	PB169974BS	Matrix:	Water
Analytical Method:	NJEPH	% Solid:	0
Sample Wt/Vol:	1000	Units:	mL
Soil Aliquot Vol:			uL
Prep Method :	SW3510	Final Vol:	2000
		Test:	EPH

File ID :	Dilution:	Prep Date :	Date Analyzed :	Prep Batch ID
FC069928.D	1	10/03/25	10/03/25	PB169974

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
Aliphatic C9-C12	Aliphatic C9-C12	123		8.28	30.0	ug/l
Aliphatic C12-C16	Aliphatic C12-C16	64.5		13.5	20.0	ug/l
Aliphatic C16-C21	Aliphatic C16-C21	130		8.34	30.0	ug/l
Aliphatic C21-C28	Aliphatic C21-C28	177		12.5	40.0	ug/l
Aliphatic C28-C40	Aliphatic C28-C40	346		23.8	60.0	ug/l
SURROGATES						
3383-33-2	1-chlorooctadecane (SURR)	33.5		40 - 140	67%	SPK: 50
84-15-1	ortho-Terphenyl (SURR)	0.00		40 - 140	0%	SPK: 50

Quantitation Report For Aliphatic EPH Range.

Lab Sample ID:	PB169974BS	Acq On:	03 Oct 2025 15:02
Client Sample ID:	PB169974BS	Operator:	YP/AJ
Data file:	FC069928.D	Misc:	
Instrument:	FID_C	ALS Vial:	11
Dilution Factor:	1	Sample Multiplier:	1.00

Compound	R.T.		Response	Conc	highest_standard	Units
Aliphatic C9-C12	3.385	6.479	8213390	61.513	300	ug/ml
Aliphatic C12-C16	8.276	9.879	5050625	32.237	200	ug/ml
Aliphatic C16-C21	11.323	13.246	11684917	65.079	300	ug/ml
Aliphatic C21-C28	13.833	16.910	16030177	88.593	400	ug/ml
Aliphatic C28-C40	17.797	21.861	22265712	173.036	600	ug/ml
Aliphatic EPH	3.385	21.861	63244821	420.457		ug/ml
ortho-Terphenyl (SURR)	0.000	0.000	0	0		ug/ml
1-chlorooctadecane (SURR)	13.082	13.082	5288774	33.49		ug/ml
Aliphatic C9-C28	3.385	16.910	40979109	247.422	1200	ug/ml