

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_S\Data\PS100625\
 Data File : PS031960.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 06 Oct 2025 18:13
 Operator : AR\AJ
 Sample : Q3266-01MSD
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 ECD_S
 ClientSampleId :
 ENV-3-6FTMSD

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Oct 07 03:02:43 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_S\Method\PS090925.M
 Quant Title : 8080.M
 QLast Update : Tue Sep 09 13:56:38 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
4) S	2,4-DCAA	7.280	7.741	1916.3E6	456.7E6	532.091	502.470
Target Compounds							
1) T	Dalapon	2.641f	2.666f	4635.2E6	2212.4E6	801.829	785.198
2) T	3,5-DICHL...	6.450	6.697	1352.3E6	363.5E6	253.561	238.387
3) T	4-Nitroph...	7.080	7.306	95790308	101.7E6	86.829	80.508
5) T	DICAMBA	7.464	7.937	3720.2E6	1665.2E6	238.526	255.918
6) T	MCPD	7.640	8.034	196.4E6	31709244	21.973	16.836
7) T	MCPA	7.788	8.276	265.6E6	65987681	23.908	23.557
8) T	DICHLORPROP	8.173	8.656	949.1E6	364.2E6	266.455	250.311
9) T	2,4-D	8.414	9.001	1024.3E6	511.8E6	299.018	311.115
10) T	Pentachlo...	8.702	9.505	15099.4E6	10557.0E6	284.390	265.983
11) T	2,4,5-TP ...	9.281	9.889	5674.0E6	4406.1E6	270.532	292.680
12) T	2,4,5-T	9.580	10.323	5032.0E6	3324.3E6	275.003	247.034
13) T	2,4-DB	10.156	10.890	1287.0E6	225.8E6	551.708	211.005 #
14) T	DINOSEB	11.346	11.272	997.4E6	225.6E6	69.156	23.207 #
15) T	Picloram	11.186	12.389	3663.1E6	3685.9E6	203.379	155.633
16) T	DCPA	11.642	12.302	5132.2E6	6029.0E6	190.435	250.123 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_S\Data\PS100625\
Data File : PS031960.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 06 Oct 2025 18:13
Operator : AR\AJ
Sample : Q3266-01MSD
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
ECD_S
ClientSampleId :
ENV-3-6FTMSD

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Oct 07 03:02:43 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_S\Method\PS090925.M
Quant Title : 8080.M
QLast Update : Tue Sep 09 13:56:38 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Dalapon


R.T.: 2.641 min
Delta R.T.: -0.030 min
Response: 4635170050
Conc: 801.83 ng/ml

Instrument :
ECD_S
ClientSampleId :
ENV-3-6FTMSD




#1 Dalapon

R.T.: 2.666 min
Delta R.T.: -0.026 min
Response: 2212396116
Conc: 785.20 ng/ml




#2 3,5-DICHLOROBENZOIC ACID

R.T.: 6.450 min
Delta R.T.: -0.002 min
Response: 1352334268
Conc: 253.56 ng/ml



#2 3,5-DICHLOROBENZOIC ACID


R.T.: 6.697 min
Delta R.T.: 0.004 min
Response: 363531536
Conc: 238.39 ng/ml



#3 4-Nitrophenol


R.T.: 7.080 min
Delta R.T.: -0.009 min
Response: 95790308
Conc: 86.83 ng/ml

Instrument :
ECD_S
ClientSampleId :
ENV-3-6FTMSD




#3 4-Nitrophenol

R.T.: 7.306 min
Delta R.T.: 0.023 min
Response: 101664413
Conc: 80.51 ng/ml




#4 2,4-DCAA

R.T.: 7.280 min
Delta R.T.: -0.003 min
Response: 1916339442
Conc: 532.09 ng/ml



#4 2,4-DCAA


R.T.: 7.741 min
Delta R.T.: 0.000 min
Response: 456694490
Conc: 502.47 ng/ml



#5 DICAMBA


R.T.: 7.464 min
Delta R.T.: -0.005 min
Response: 3720226877
Conc: 238.53 ng/ml

Instrument :
ECD_S
ClientSampleId :
ENV-3-6FTMSD




#5 DICAMBA

R.T.: 7.937 min
Delta R.T.: -0.002 min
Response: 1665217187
Conc: 255.92 ng/ml




#6 MCP

R.T.: 7.640 min
Delta R.T.: -0.011 min
Response: 196421147
Conc: 21.97 ug/ml



#6 MCP


R.T.: 8.034 min
Delta R.T.: -0.006 min
Response: 31709244
Conc: 16.84 ug/ml



#7 MCPA


R.T.: 7.788 min
Delta R.T.: -0.014 min
Response: 265623697
Conc: 23.91 ug/ml

Instrument :
ECD_S
ClientSampleId :
ENV-3-6FTMSD




#7 MCPA

R.T.: 8.276 min
Delta R.T.: -0.014 min
Response: 65987681
Conc: 23.56 ug/ml




#8 DICHLORPROP

R.T.: 8.173 min
Delta R.T.: -0.004 min
Response: 949050036
Conc: 266.46 ng/ml



#8 DICHLORPROP


R.T.: 8.656 min
Delta R.T.: 0.000 min
Response: 364217408
Conc: 250.31 ng/ml



#9 2,4-D


R.T.: 8.414 min
Delta R.T.: 0.003 min
Response: 1024326921
Conc: 299.02 ng/ml

Instrument :
ECD_S
ClientSampleId :
ENV-3-6FTMSD




#9 2,4-D

R.T.: 9.001 min
Delta R.T.: 0.006 min
Response: 511819011
Conc: 311.12 ng/ml




#10 Pentachlorophenol

R.T.: 8.702 min
Delta R.T.: -0.017 min
Response: 15099363432
Conc: 284.39 ng/ml



#10 Pentachlorophenol


R.T.: 9.505 min
Delta R.T.: -0.004 min
Response: 10557023400
Conc: 265.98 ng/ml



#11 2,4,5-TP (SILVEX)


R.T.: 9.281 min
Delta R.T.: -0.005 min
Response: 5674043062
Conc: 270.53 ng/ml

Instrument :
ECD_S
ClientSampleId :
ENV-3-6FTMSD




#11 2,4,5-TP (SILVEX)

R.T.: 9.889 min
Delta R.T.: -0.002 min
Response: 4406092124
Conc: 292.68 ng/ml




#12 2,4,5-T

R.T.: 9.580 min
Delta R.T.: 0.000 min
Response: 5032045155
Conc: 275.00 ng/ml



#12 2,4,5-T


R.T.: 10.323 min
Delta R.T.: 0.004 min
Response: 3324345046
Conc: 247.03 ng/ml



#13 2,4-DB


R.T.: 10.156 min
Delta R.T.: 0.001 min
Response: 1287005683
Conc: 551.71 ng/ml

Instrument :
ECD_S
ClientSampleId :
ENV-3-6FTMSD




#13 2,4-DB

R.T.: 10.890 min
Delta R.T.: 0.003 min
Response: 225784711
Conc: 211.00 ng/ml




#14 DINOSEB

R.T.: 11.346 min
Delta R.T.: -0.008 min
Response: 997421848
Conc: 69.16 ng/ml



#14 DINOSEB


R.T.: 11.272 min
Delta R.T.: 0.007 min
Response: 225589546
Conc: 23.21 ng/ml



#15 Picloram


R.T.: 11.186 min
Delta R.T.: 0.009 min
Response: 3663076742
Conc: 203.38 ng/ml

Instrument :
ECD_S
ClientSampleId :
ENV-3-6FTMSD




#15 Picloram

R.T.: 12.389 min
Delta R.T.: 0.009 min
Response: 3685895416
Conc: 155.63 ng/ml



#16 DCPA

R.T.: 11.642 min
Delta R.T.: -0.011 min
Response: 5132201304
Conc: 190.43 ng/ml



#16 DCPA

R.T.: 12.302 min
Delta R.T.: -0.004 min
Response: 6028996031
Conc: 250.12 ng/ml