

COMPOUND DETECTION SUMMARY

CLIENT SAMPLE NO.

ENV-3-6FTMS

Lab Name: Alliance

Contract: CAMP02

Lab Code: ACE

SDG NO.: Q3266

Lab Sample ID: Q3266-01MS

Date(s) Analyzed: 10/02/2025 10/02/2025

Instrument ID (1): ECD_L

Instrument ID (2): ECD_L

GC Column: (1): ZB-MR1

ID: 0.32 (mm)

GC Column:(2): ZB-MR2

ID: 0.32 (mm)

ANALYTE	COL	RT	RT WINDOW		CONCENTRATION	%RPD
			FROM	TO		
4,4'-DDD	1	6.66	6.61	6.71	16.3	18.8
	2	5.85	5.80	5.90	13.5	
4,4'-DDT	1	6.98	6.93	7.03	12.8	13.3
	2	6.10	6.05	6.15	11.2	
4,4'-DDE	1	6.15	6.10	6.20	14.8	12.2
	2	5.29	5.24	5.34	13.1	
Endosulfan II	1	6.74	6.69	6.79	13.9	3.7
	2	5.99	5.94	6.04	13.4	
Endrin aldehyde	1	6.87	6.82	6.92	16.1	23.6
	2	6.17	6.12	6.22	12.7	
Endosulfan sulfate	1	7.10	7.05	7.15	15.3	14.7
	2	6.39	6.34	6.44	13.2	
Methoxychlor	1	7.45	7.40	7.50	12.8	15.1
	2	6.67	6.62	6.72	11.0	
Endrin ketone	1	7.58	7.53	7.63	15.5	16.8
	2	6.90	6.85	6.95	13.1	
alpha-BHC	1	3.97	3.92	4.02	13.9	5.2
	2	3.33	3.28	3.38	13.2	
gamma-BHC (Lindane)	1	4.30	4.25	4.35	13.8	6
	2	3.66	3.61	3.71	13.0	
Heptachlor	1	4.89	4.84	4.94	13.1	5.5
	2	4.01	3.96	4.06	12.4	
Aldrin	1	5.23	5.18	5.28	13.6	3.7
	2	4.29	4.24	4.34	13.1	
beta-BHC	1	4.49	4.44	4.54	14.0	11.3
	2	3.96	3.91	4.01	12.5	
delta-BHC	1	4.73	4.68	4.78	14.3	10.3
	2	4.19	4.14	4.24	12.9	

COMPOUND DETECTION SUMMARY

CLIENT SAMPLE NO.

ENV-3-6FTMS

Lab Name: Alliance

Contract: CAMP02

Lab Code: ACE

SDG NO.: Q3266

Lab Sample ID: Q3266-01MS

Date(s) Analyzed: 10/02/2025 10/02/2025

Instrument ID (1): ECD_L

Instrument ID (2): ECD_L

GC Column: (1): ZB-MR1

ID: 0.32 (mm)

GC Column: (2): ZB-MR2

ID: 0.32 (mm)

ANALYTE	COL	RT	RT WINDOW		CONCENTRATION	%RPD
			FROM	TO		
Heptachlor epoxide	1	5.65	5.60	5.70	14.1	6.6
	2	4.79	4.74	4.84	13.2	
Endosulfan I	1	6.03	5.98	6.08	14.2	10.4
	2	5.16	5.11	5.21	12.8	
gamma-Chlordane	1	5.90	5.85	5.95	14.4	10.2
	2	5.04	4.99	5.09	13.0	
alpha-Chlordane	1	5.98	5.93	6.03	13.9	6.7
	2	5.11	5.06	5.16	13.0	
Dieldrin	1	6.30	6.25	6.35	14.2	8.1
	2	5.43	5.38	5.48	13.1	
Endrin	1	6.53	6.48	6.58	14.1	13.6
	2	5.70	5.65	5.75	12.3	

COMPOUND DETECTION SUMMARY

CLIENT SAMPLE NO.

ENV-3-6FTMSD

Lab Name: Alliance

Contract: CAMP02

Lab Code: ACE

SDG NO.: Q3266

Lab Sample ID: Q3266-01MSD

Date(s) Analyzed: 10/02/2025

10/02/2025

Instrument ID (1): ECD_L

Instrument ID (2): ECD_L

GC Column: (1): ZB-MR1

ID: 0.32 (mm)

GC Column:(2): ZB-MR2

ID: 0.32 (mm)

ANALYTE	COL	RT	RT WINDOW		CONCENTRATION	%RPD
			FROM	TO		
4,4'-DDD	1	6.66	6.61	6.71	16.6	17.7
	2	5.85	5.80	5.90	13.9	
4,4'-DDT	1	6.98	6.93	7.03	13.0	13.1
	2	6.10	6.05	6.15	11.4	
alpha-BHC	1	3.97	3.92	4.02	14.0	4.4
	2	3.33	3.28	3.38	13.4	
Aldrin	1	5.23	5.18	5.28	13.7	3
	2	4.29	4.24	4.34	13.3	
beta-BHC	1	4.49	4.44	4.54	14.1	10.4
	2	3.96	3.91	4.01	12.7	
delta-BHC	1	4.73	4.68	4.78	14.1	7.4
	2	4.19	4.14	4.24	13.1	
Endosulfan I	1	6.03	5.98	6.08	14.4	9.5
	2	5.16	5.11	5.21	13.1	
alpha-Chlordane	1	5.98	5.93	6.03	14.2	5.8
	2	5.11	5.06	5.16	13.4	
4,4'-DDE	1	6.15	6.10	6.20	15.0	11.3
	2	5.29	5.24	5.34	13.4	
Dieldrin	1	6.30	6.25	6.35	14.4	7.2
	2	5.42	5.37	5.47	13.4	
Endosulfan II	1	6.74	6.69	6.79	13.9	2.2
	2	5.99	5.94	6.04	13.6	
Endrin aldehyde	1	6.87	6.82	6.92	16.3	21.8
	2	6.17	6.12	6.22	13.1	
Endosulfan sulfate	1	7.10	7.05	7.15	15.4	13.1
	2	6.39	6.34	6.44	13.5	
Methoxychlor	1	7.45	7.40	7.50	13.3	13.7
	2	6.67	6.62	6.72	11.6	

COMPOUND DETECTION SUMMARY

CLIENT SAMPLE NO.

ENV-3-6FTMSD

Lab Name: Alliance

Contract: CAMP02

Lab Code: ACE

SDG NO.: Q3266

Lab Sample ID: Q3266-01MSD

Date(s) Analyzed: 10/02/2025 10/02/2025

Instrument ID (1): ECD_L

Instrument ID (2): ECD_L

GC Column: (1): ZB-MR1

ID: 0.32 (mm)

GC Column:(2): ZB-MR2

ID: 0.32 (mm)

ANALYTE	COL	RT	RT WINDOW		CONCENTRATION	%RPD
			FROM	TO		
Endrin ketone	1	7.58	7.53	7.63	15.9	16.3
	2	6.90	6.85	6.95	13.5	
gamma-BHC (Lindane)	1	4.30	4.25	4.35	13.9	4.4
	2	3.66	3.61	3.71	13.3	
Heptachlor	1	4.89	4.84	4.94	13.0	3.1
	2	4.01	3.96	4.06	12.6	
Heptachlor epoxide	1	5.65	5.60	5.70	14.3	5.8
	2	4.79	4.74	4.84	13.5	
gamma-Chlordane	1	5.90	5.85	5.95	14.6	9.3
	2	5.04	4.99	5.09	13.3	
Endrin	1	6.53	6.48	6.58	14.0	10.5
	2	5.70	5.65	5.75	12.6	

COMPOUND DETECTION SUMMARY

CLIENT SAMPLE NO.

ENV-4-6FT

Lab Name: Alliance

Contract: CAMP02

Lab Code: ACE

SDG NO.: Q3266

Lab Sample ID: Q3266-02

Date(s) Analyzed: 10/02/2025 10/02/2025

Instrument ID (1): ECD_L

Instrument ID (2): ECD_L

GC Column: (1): ZB-MR1

ID: 0.32 (mm)

GC Column:(2): ZB-MR2

ID: 0.32 (mm)

ANALYTE	COL	RT	RT WINDOW		CONCENTRATION	%RPD
			FROM	TO		
4,4'-DDT	1	6.98	6.93	7.03	0.75	46.1
	2	6.10	6.05	6.15	1.20	
4,4'-DDE	1	6.15	6.10	6.20	0.85	33.1
	2	5.29	5.24	5.34	0.61	
Endrin	1	6.53	6.48	6.58	0.34	38.2
	2	5.71	5.66	5.76	0.50	

COMPOUND DETECTION SUMMARY

CLIENT SAMPLE NO.

PB169952BS

Lab Name: Alliance

Contract: CAMP02

Lab Code: ACE

SDG NO.: Q3266

Lab Sample ID: PB169952BS

Date(s) Analyzed: 10/02/2025 10/02/2025

Instrument ID (1): ECD_L

Instrument ID (2): ECD_L

GC Column: (1): ZB-MR1

ID: 0.32 (mm)

GC Column: (2): ZB-MR2

ID: 0.32 (mm)

ANALYTE	COL	RT	RT WINDOW		CONCENTRATION	%RPD
			FROM	TO		
4,4'-DDD	1	6.66	6.61	6.71	20.1	22.7
	2	5.85	5.80	5.90	16.0	
4,4'-DDE	1	6.15	6.10	6.20	17.4	12.8
	2	5.29	5.24	5.34	15.3	
4,4'-DDT	1	6.98	6.93	7.03	15.8	19.4
	2	6.10	6.05	6.15	13.0	
alpha-BHC	1	3.97	3.92	4.02	16.5	6.9
	2	3.33	3.28	3.38	15.4	
Aldrin	1	5.23	5.18	5.28	17.5	13.4
	2	4.29	4.24	4.34	15.3	
alpha-Chlordane	1	5.98	5.93	6.03	17.0	12.5
	2	5.10	5.05	5.15	15.0	
Endosulfan II	1	6.74	6.69	6.79	16.2	5.7
	2	5.99	5.94	6.04	15.3	
Endosulfan sulfate	1	7.11	7.06	7.16	18.1	14.8
	2	6.39	6.34	6.44	15.6	
beta-BHC	1	4.49	4.44	4.54	16.2	12.5
	2	3.95	3.90	4.00	14.3	
delta-BHC	1	4.73	4.68	4.78	16.9	11.2
	2	4.19	4.14	4.24	15.1	
Endosulfan I	1	6.03	5.98	6.08	17.3	17.6
	2	5.16	5.11	5.21	14.5	
Dieldrin	1	6.30	6.25	6.35	17.0	8
	2	5.42	5.37	5.47	15.7	
Endrin aldehyde	1	6.87	6.82	6.92	19.4	22.3
	2	6.17	6.12	6.22	15.5	
Methoxychlor	1	7.45	7.40	7.50	15.5	16.8
	2	6.67	6.62	6.72	13.1	

COMPOUND DETECTION SUMMARY

CLIENT SAMPLE NO.

PB169952BS

Lab Name: Alliance

Contract: CAMP02

Lab Code: ACE

SDG NO.: Q3266

Lab Sample ID: PB169952BS

Date(s) Analyzed: 10/02/2025 10/02/2025

Instrument ID (1): ECD_L

Instrument ID (2): ECD_L

GC Column: (1): ZB-MR1

ID: 0.32 (mm)

GC Column:(2): ZB-MR2

ID: 0.32 (mm)

ANALYTE	COL	RT	RT WINDOW		CONCENTRATION	%RPD
			FROM	TO		
Endrin ketone	1	7.59	7.54	7.64	19.0	9.4
	2	6.90	6.85	6.95	17.3	
gamma-BHC (Lindane)	1	4.30	4.25	4.35	16.2	6.4
	2	3.66	3.61	3.71	15.2	
Heptachlor	1	4.89	4.84	4.94	15.6	6.6
	2	4.00	3.95	4.05	14.6	
Heptachlor epoxide	1	5.65	5.60	5.70	16.7	8.7
	2	4.79	4.74	4.84	15.3	
gamma-Chlordane	1	5.90	5.85	5.95	16.9	13.9
	2	5.04	4.99	5.09	14.7	
Endrin	1	6.53	6.48	6.58	16.8	3.6
	2	5.70	5.65	5.75	16.2	