

Analytical Sequence

Client: CDM Smith	SDG No.: Q3266
Project: MWCO CJO WTP Edison 295110	Instrument ID: ECD_L
GC Column: ZB-MR1	ID: 0.32 (mm) Inst. Calib. Date(s): 09/18/2025 09/18/2025

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES,
AND STANDARDS IS GIVEN BELOW:

CLIENT ID	LAB SAMPLE ID	DATE ANALYZED	TIME ANALYZED	DATAFILE	DCB RT #	TCX RT #
LBLK	LBLK	09/18/2025	16:25	PL097268.D	9.00	3.53
PEM	PEM	09/18/2025	16:39	PL097269.D	9.00	3.53
RESCHK	RESCHK	09/18/2025	16:52	PL097270.D	9.00	3.53
PSTDICCC100	PSTDICCC100	09/18/2025	17:06	PL097271.D	9.00	3.53
PSTDICCC075	PSTDICCC075	09/18/2025	17:19	PL097272.D	9.00	3.53
PSTDICCC050	PSTDICCC050	09/18/2025	17:33	PL097273.D	9.00	3.53
PSTDICCC025	PSTDICCC025	09/18/2025	17:47	PL097274.D	9.00	3.53
PSTDICCC005	PSTDICCC005	09/18/2025	18:00	PL097275.D	9.00	3.53
PCHLORICC500	PCHLORICC500	09/18/2025	18:41	PL097278.D	9.00	3.53
PTOXICC500	PTOXICC500	09/18/2025	19:49	PL097283.D	9.00	3.53
LBLK	LBLK	10/02/2025	09:27	PL097493.D	9.00	3.52
PEM	PEM	10/02/2025	09:40	PL097494.D	8.99	3.53
PSTDCCC050	PSTDCCC050	10/02/2025	09:54	PL097495.D	8.99	3.53
PB169952BL	PB169952BL	10/02/2025	13:16	PL097496.D	9.00	3.52
PB169952BS	PB169952BS	10/02/2025	13:57	PL097497.D	9.00	3.53
ENV-3-6FT	Q3266-01	10/02/2025	15:09	PL097501.D	8.99	3.52
ENV-4-6FT	Q3266-02	10/02/2025	15:23	PL097502.D	8.99	3.52
ENV-3-6FTMS	Q3266-01MS	10/02/2025	15:36	PL097503.D	8.99	3.52
ENV-3-6FTMSD	Q3266-01MSD	10/02/2025	15:50	PL097504.D	9.00	3.52
LBLK	LBLK	10/02/2025	16:04	PL097505.D	8.99	3.53
PSTDCCC050	PSTDCCC050	10/02/2025	16:17	PL097506.D	9.00	3.53

Analytical Sequence

Client: CDM Smith

SDG No.: Q3266

Project: MWCO CJO WTP Edison 295110

Instrument ID: ECD_L

GC Column: ZB-MR2

ID: 0.32 (mm)

Inst. Calib. Date(s): 09/18/2025 09/18/2025

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES,
AND STANDARDS IS GIVEN BELOW:

CLIENT ID	LAB SAMPLE ID	DATE ANALYZED	TIME ANALYZED	DATAFILE	DCB RT #	TCX RT #
IBLK	IBLK	09/18/2025	16:25	PL097268.D	7.98	2.82
PEM	PEM	09/18/2025	16:39	PL097269.D	7.98	2.82
RESCHK	RESCHK	09/18/2025	16:52	PL097270.D	7.98	2.82
PSTDICC100	PSTDICC100	09/18/2025	17:06	PL097271.D	7.98	2.82
PSTDICC075	PSTDICC075	09/18/2025	17:19	PL097272.D	7.99	2.82
PSTDICC050	PSTDICC050	09/18/2025	17:33	PL097273.D	7.98	2.82
PSTDICC025	PSTDICC025	09/18/2025	17:47	PL097274.D	7.98	2.82
PSTDICC005	PSTDICC005	09/18/2025	18:00	PL097275.D	7.98	2.82
PCHLORICC500	PCHLORICC500	09/18/2025	18:41	PL097278.D	7.98	2.82
PTOXICC500	PTOXICC500	09/18/2025	19:49	PL097283.D	7.99	2.82
IBLK	IBLK	10/02/2025	09:27	PL097493.D	7.98	2.82
PEM	PEM	10/02/2025	09:40	PL097494.D	7.98	2.82
PSTDCCC050	PSTDCCC050	10/02/2025	09:54	PL097495.D	7.98	2.82
PB169952BL	PB169952BL	10/02/2025	13:16	PL097496.D	7.98	2.82
PB169952BS	PB169952BS	10/02/2025	13:57	PL097497.D	7.98	2.82
ENV-3-6FT	Q3266-01	10/02/2025	15:09	PL097501.D	7.98	2.82
ENV-4-6FT	Q3266-02	10/02/2025	15:23	PL097502.D	7.98	2.82
ENV-3-6FTMS	Q3266-01MS	10/02/2025	15:36	PL097503.D	7.98	2.82
ENV-3-6FTMSD	Q3266-01MSD	10/02/2025	15:50	PL097504.D	7.98	2.82
IBLK	IBLK	10/02/2025	16:04	PL097505.D	7.98	2.82
PSTDCCC050	PSTDCCC050	10/02/2025	16:17	PL097506.D	7.98	2.82