

Report of Analysis

Client:	CDM Smith	Date Collected:	10/01/25
Project:	MWCO CJO WTP Edison 295110	Date Received:	10/01/25
Client Sample ID:	ENV-4-6FT	SDG No.:	Q3266
Lab Sample ID:	Q3266-02	Matrix:	SOIL
Analytical Method:	8260D	% Solid:	87
Sample Wt/Vol:	10.12 Units: g	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC-TCLVOA-10
GC Column:	RXI-624 ID : 0.25	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VW032330.D	1	10/02/25 14:19	VW100225

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
75-71-8	Dichlorodifluoromethane	0.65	U	0.65	2.80	ug/Kg
74-87-3	Chloromethane	0.65	U	0.65	2.80	ug/Kg
75-01-4	Vinyl Chloride	0.45	U	0.45	2.80	ug/Kg
74-83-9	Bromomethane	0.61	U	0.61	2.80	ug/Kg
75-00-3	Chloroethane	0.72	U	0.72	2.80	ug/Kg
75-69-4	Trichlorofluoromethane	0.69	U	0.69	2.80	ug/Kg
76-13-1	1,1,2-Trichlorotrifluoroethane	0.60	U	0.60	2.80	ug/Kg
75-35-4	1,1-Dichloroethene	0.57	U	0.57	2.80	ug/Kg
67-64-1	Acetone	2.70	U	2.70	14.2	ug/Kg
75-15-0	Carbon Disulfide	0.60	U	0.60	2.80	ug/Kg
1634-04-4	Methyl tert-butyl Ether	0.41	U	0.41	2.80	ug/Kg
79-20-9	Methyl Acetate	0.87	U	0.87	2.80	ug/Kg
75-09-2	Methylene Chloride	2.00	UQ	2.00	5.70	ug/Kg
156-60-5	trans-1,2-Dichloroethene	0.49	U	0.49	2.80	ug/Kg
75-34-3	1,1-Dichloroethane	0.45	U	0.45	2.80	ug/Kg
110-82-7	Cyclohexane	0.45	U	0.45	2.80	ug/Kg
78-93-3	2-Butanone	3.70	U	3.70	14.2	ug/Kg
56-23-5	Carbon Tetrachloride	0.55	U	0.55	2.80	ug/Kg
156-59-2	cis-1,2-Dichloroethene	0.43	U	0.43	2.80	ug/Kg
74-97-5	Bromochloromethane	0.65	U	0.65	2.80	ug/Kg
67-66-3	Chloroform	0.48	U	0.48	2.80	ug/Kg
71-55-6	1,1,1-Trichloroethane	0.53	U	0.53	2.80	ug/Kg
108-87-2	Methylcyclohexane	0.52	U	0.52	2.80	ug/Kg
71-43-2	Benzene	0.45	U	0.45	2.80	ug/Kg
107-06-2	1,2-Dichloroethane	0.45	U	0.45	2.80	ug/Kg
79-01-6	Trichloroethene	0.46	U	0.46	2.80	ug/Kg
78-87-5	1,2-Dichloropropane	0.52	U	0.52	2.80	ug/Kg
75-27-4	Bromodichloromethane	0.44	U	0.44	2.80	ug/Kg
108-10-1	4-Methyl-2-Pentanone	2.00	U	2.00	14.2	ug/Kg
108-88-3	Toluene	0.44	U	0.44	2.80	ug/Kg

Report of Analysis

Client:	CDM Smith		Date Collected:	10/01/25	
Project:	MWCO CJO WTP Edison 295110		Date Received:	10/01/25	
Client Sample ID:	ENV-4-6FT		SDG No.:	Q3266	
Lab Sample ID:	Q3266-02		Matrix:	SOIL	
Analytical Method:	8260D		% Solid:	87	
Sample Wt/Vol:	10.12	Units: g	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	RXI-624	ID : 0.25	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VW032330.D	1	10/02/25 14:19	VW100225

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
10061-02-6	t-1,3-Dichloropropene	0.37	U	0.37	2.80	ug/Kg
10061-01-5	cis-1,3-Dichloropropene	0.35	U	0.35	2.80	ug/Kg
79-00-5	1,1,2-Trichloroethane	0.52	U	0.52	2.80	ug/Kg
591-78-6	2-Hexanone	2.10	U	2.10	14.2	ug/Kg
124-48-1	Dibromochloromethane	0.49	U	0.49	2.80	ug/Kg
106-93-4	1,2-Dibromoethane	0.50	U	0.50	2.80	ug/Kg
127-18-4	Tetrachloroethene	0.60	U	0.60	2.80	ug/Kg
108-90-7	Chlorobenzene	0.52	U	0.52	2.80	ug/Kg
100-41-4	Ethyl Benzene	0.38	U	0.38	2.80	ug/Kg
179601-23-1	m/p-Xylenes	0.70	U	0.70	5.70	ug/Kg
95-47-6	o-Xylene	0.47	U	0.47	2.80	ug/Kg
100-42-5	Styrene	0.40	U	0.40	2.80	ug/Kg
75-25-2	Bromoform	0.49	U	0.49	2.80	ug/Kg
98-82-8	Isopropylbenzene	0.44	U	0.44	2.80	ug/Kg
79-34-5	1,1,2,2-Tetrachloroethane	0.69	U	0.69	2.80	ug/Kg
541-73-1	1,3-Dichlorobenzene	0.97	U	0.97	2.80	ug/Kg
106-46-7	1,4-Dichlorobenzene	0.89	U	0.89	2.80	ug/Kg
95-50-1	1,2-Dichlorobenzene	0.82	U	0.82	2.80	ug/Kg
96-12-8	1,2-Dibromo-3-Chloropropane	1.00	U	1.00	2.80	ug/Kg
120-82-1	1,2,4-Trichlorobenzene	1.70	U	1.70	2.80	ug/Kg
87-61-6	1,2,3-Trichlorobenzene	1.80	U	1.80	2.80	ug/Kg
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	70.0		63 - 155	140%	SPK: 50
1868-53-7	Dibromofluoromethane	56.6		70 - 134	113%	SPK: 50
2037-26-5	Toluene-d8	56.6		74 - 123	113%	SPK: 50
460-00-4	4-Bromofluorobenzene	56.3		17 - 146	113%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	185000	7.965			
540-36-3	1,4-Difluorobenzene	407000	8.855			
3114-55-4	Chlorobenzene-d5	436000	11.629			
3855-82-1	1,4-Dichlorobenzene-d4	196000	13.556			

Report of Analysis

Client:	CDM Smith	Date Collected:	10/01/25
Project:	MWCO CJO WTP Edison 295110	Date Received:	10/01/25
Client Sample ID:	ENV-4-6FT	SDG No.:	Q3266
Lab Sample ID:	Q3266-02	Matrix:	SOIL
Analytical Method:	8260D	% Solid:	87
Sample Wt/Vol:	10.12 Units: g	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC-TCLVOA-10
GC Column:	RXI-624 ID : 0.25	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VW032330.D	1	10/02/25 14:19	VW100225

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products