

Report of Analysis

Client:	G Environmental	Date Collected:	
Project:	Monroe, NJ	Date Received:	
Client Sample ID:	PB169973BSD	SDG No.:	Q3273
Lab Sample ID:	PB169973BSD	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BG064490.D	1	10/03/25 08:35	10/03/25 16:57	PB169973

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
100-52-7	Benzaldehyde	26.1		3.90	10.0	ug/L
108-95-2	Phenol	55.3		0.91	5.00	ug/L
111-44-4	bis(2-Chloroethyl)ether	49.7		0.81	5.00	ug/L
95-57-8	2-Chlorophenol	55.2		0.58	5.00	ug/L
95-48-7	2-Methylphenol	55.0		1.10	5.00	ug/L
108-60-1	2,2-oxybis(1-Chloropropane)	48.3		1.30	5.00	ug/L
98-86-2	Acetophenone	54.9		0.74	5.00	ug/L
65794-96-9	3+4-Methylphenols	55.3		1.10	10.0	ug/L
621-64-7	n-Nitroso-di-n-propylamine	52.4		1.40	2.50	ug/L
67-72-1	Hexachloroethane	49.3		0.65	5.00	ug/L
98-95-3	Nitrobenzene	47.6		0.76	5.00	ug/L
78-59-1	Isophorone	47.7		0.75	5.00	ug/L
88-75-5	2-Nitrophenol	48.4		1.80	5.00	ug/L
105-67-9	2,4-Dimethylphenol	57.0		1.90	5.00	ug/L
111-91-1	bis(2-Chloroethoxy)methane	49.3		0.68	5.00	ug/L
120-83-2	2,4-Dichlorophenol	52.6		0.52	5.00	ug/L
91-20-3	Naphthalene	48.5		0.50	5.00	ug/L
106-47-8	4-Chloroaniline	15.2		0.84	5.00	ug/L
87-68-3	Hexachlorobutadiene	47.0		0.54	5.00	ug/L
105-60-2	Caprolactam	50.1		1.10	10.0	ug/L
59-50-7	4-Chloro-3-methylphenol	51.6		0.59	5.00	ug/L
91-57-6	2-Methylnaphthalene	44.5		0.56	5.00	ug/L
77-47-4	Hexachlorocyclopentadiene	140	E	3.60	10.0	ug/L
88-06-2	2,4,6-Trichlorophenol	51.9		0.51	5.00	ug/L
95-95-4	2,4,5-Trichlorophenol	49.0		0.62	5.00	ug/L
92-52-4	1,1-Biphenyl	53.2		0.53	5.00	ug/L
91-58-7	2-Chloronaphthalene	47.4		0.61	5.00	ug/L
88-74-4	2-Nitroaniline	50.6		1.30	5.00	ug/L
131-11-3	Dimethylphthalate	48.6		0.61	5.00	ug/L

Report of Analysis

Client:	G Environmental		Date Collected:	
Project:	Monroe, NJ		Date Received:	
Client Sample ID:	PB169973BSD		SDG No.:	Q3273
Lab Sample ID:	PB169973BSD		Matrix:	Water
Analytical Method:	8270E		% Solid:	0
Sample Wt/Vol:	1000	Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:		uL	Test:	SVOC-TCL BNA -20
Extraction Type :		Decanted : N	Level :	LOW
Injection Volume :		GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BG064490.D	1	10/03/25 08:35	10/03/25 16:57	PB169973

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
208-96-8	Acenaphthylene	55.5		0.75	5.00	ug/L
606-20-2	2,6-Dinitrotoluene	50.2		0.92	5.00	ug/L
99-09-2	3-Nitroaniline	26.1		1.10	5.00	ug/L
83-32-9	Acenaphthene	47.3		0.55	5.00	ug/L
51-28-5	2,4-Dinitrophenol	96.1	E	6.00	10.0	ug/L
100-02-7	4-Nitrophenol	110	E	2.40	10.0	ug/L
132-64-9	Dibenzofuran	49.0		0.61	5.00	ug/L
121-14-2	2,4-Dinitrotoluene	53.2		1.20	5.00	ug/L
84-66-2	Diethylphthalate	49.5		0.69	5.00	ug/L
7005-72-3	4-Chlorophenyl-phenylether	48.0		0.68	5.00	ug/L
86-73-7	Fluorene	50.3		0.63	5.00	ug/L
100-01-6	4-Nitroaniline	52.3		1.50	5.00	ug/L
534-52-1	4,6-Dinitro-2-methylphenol	47.9		2.90	10.0	ug/L
86-30-6	n-Nitrosodiphenylamine	49.3		0.58	5.00	ug/L
101-55-3	4-Bromophenyl-phenylether	48.1		0.40	5.00	ug/L
118-74-1	Hexachlorobenzene	48.9		0.52	5.00	ug/L
1912-24-9	Atrazine	52.8		1.00	5.00	ug/L
87-86-5	Pentachlorophenol	100	E	1.60	10.0	ug/L
85-01-8	Phenanthrene	48.6		0.50	5.00	ug/L
120-12-7	Anthracene	49.9		0.61	5.00	ug/L
86-74-8	Carbazole	52.1		0.72	5.00	ug/L
84-74-2	Di-n-butylphthalate	51.7		1.20	5.00	ug/L
206-44-0	Fluoranthene	51.0		0.82	5.00	ug/L
129-00-0	Pyrene	49.5		0.50	5.00	ug/L
85-68-7	Butylbenzylphthalate	50.7		1.90	5.00	ug/L
91-94-1	3,3-Dichlorobenzidine	27.3		0.93	10.0	ug/L
56-55-3	Benzo(a)anthracene	50.0		0.45	5.00	ug/L
218-01-9	Chrysene	49.6		0.44	5.00	ug/L
117-81-7	Bis(2-ethylhexyl)phthalate	51.0		1.60	5.00	ug/L
117-84-0	Di-n-octyl phthalate	50.3		2.30	10.0	ug/L
205-99-2	Benzo(b)fluoranthene	50.4		0.49	5.00	ug/L

Report of Analysis

Client:	G Environmental		Date Collected:	
Project:	Monroe, NJ		Date Received:	
Client Sample ID:	PB169973BSD		SDG No.:	Q3273
Lab Sample ID:	PB169973BSD		Matrix:	Water
Analytical Method:	8270E		% Solid:	0
Sample Wt/Vol:	1000	Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:		uL	Test:	SVOC-TCL BNA -20
Extraction Type :		Decanted : N	Level :	LOW
Injection Volume :		GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BG064490.D	1	10/03/25 08:35	10/03/25 16:57	PB169973

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
207-08-9	Benzo(k)fluoranthene	51.7		0.48	5.00	ug/L
50-32-8	Benzo(a)pyrene	53.3		0.55	5.00	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	51.2		0.59	5.00	ug/L
53-70-3	Dibenzo(a,h)anthracene	52.4		0.67	5.00	ug/L
191-24-2	Benzo(g,h,i)perylene	52.7		0.69	5.00	ug/L
95-94-3	1,2,4,5-Tetrachlorobenzene	53.7		0.52	5.00	ug/L
123-91-1	1,4-Dioxane	40.6		1.00	5.00	ug/L
58-90-2	2,3,4,6-Tetrachlorophenol	54.3		0.72	5.00	ug/L
SURROGATES						
367-12-4	2-Fluorophenol	163		15 (23) - 110 (138)	108%	SPK: 150
13127-88-3	Phenol-d6	155		15 (10) - 110 (134)	103%	SPK: 150
4165-60-0	Nitrobenzene-d5	91.5		30 (67) - 130 (132)	91%	SPK: 100
321-60-8	2-Fluorobiphenyl	90.3		30 (52) - 130 (132)	90%	SPK: 100
118-79-6	2,4,6-Tribromophenol	144		15 (44) - 110 (137)	96%	SPK: 150
1718-51-0	Terphenyl-d14	96.5		30 (42) - 130 (152)	97%	SPK: 100
INTERNAL STANDARDS						
3855-82-1	1,4-Dichlorobenzene-d4	15300	7.825			
1146-65-2	Naphthalene-d8	68900	10.61			
15067-26-2	Acenaphthene-d10	53600	14.453			
1517-22-2	Phenanthrene-d10	139000	17.191			
1719-03-5	Chrysene-d12	142000	21.415			
1520-96-3	Perylene-d12	152000	24.388			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products