

SOP ID : M9030B-Sulfide-13

SDG No : N/A

Start Digest Date: 10/03/2025 Time : 08:50 Temp : N/A

Matrix : SOIL

End Digest Date: 10/03/2025 Time : 10:20 Temp : N/A

Pipette ID : WC

Balance ID : WC SC-7

Hood ID : HOOD#2

Digestion tube ID : M5595

Block Thermometer ID : N/A

Block ID : WC-DIST-BLOCK-1

Filter paper ID : N/A

Prep Technician Signature: RM

Weigh By : RM

pH Meter ID : N/A

Supervisor Signature: 12

Standardized Name	MLS USED	STD REF. # FROM LOG
PBS003	50.0ML	W3112
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Chemical Used	ML/SAMPLE USED	Lot Number
0.5M ZINC ACETATE	5.0ML	WP114311
FORMALDEHYDE	2.0ML	W3220
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Extraction Conformance/Non-Conformance Comments:

N/A

10/03/2025
RM

Date / Time	Prepped Sample Relinquished By/Location	Received By/Location
	Preparation Group	Analysis Group

Lab Sample ID	Client Sample ID	Initial Weight (g)	Final Vol (ml)	pH	Sulfide	Oxidizing	Nitrate/ Nitrite	Comment	Prep Pos
PB169965BL	PBS965	5.00	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3256-04DUP	SOIL-PILE-1-WCDUP	5.06	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3256-04	SOIL-PILE-1-WC	5.06	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3256-08	SOIL-PILE-2-WC	5.08	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3262-03	MOO-25-0280	5.04	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3262-06	MOO-25-0281-82	5.07	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3262-09	279887	5.01	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3269-03	EG1-TP1	5.03	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3269-06	EG1-TP2	5.06	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3277-02	WC1	5.04	50	N/A	N/A	N/A	N/A	N/A	N/A