

Report of Analysis

Client:	PSEG	Date Collected:	10/03/25
Project:	Trenton Switch	Date Received:	10/03/25
Client Sample ID:	TSS-25-0001-0002	SDG No.:	Q3287
Lab Sample ID:	Q3287-02	Matrix:	TCLP
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-38-2	Arsenic	0.20	U	1	0.051	0.20	mg/L	10/06/25 12:30	10/07/25 18:07	6010D	SW3050
7440-39-3	Barium	1.00	U	1	0.15	1.00	mg/L	10/06/25 12:30	10/07/25 18:07	6010D	SW3050
7440-43-9	Cadmium	0.060	U	1	0.0050	0.060	mg/L	10/06/25 12:30	10/07/25 18:07	6010D	SW3050
7440-47-3	Chromium	0.10	U	1	0.021	0.10	mg/L	10/06/25 12:30	10/07/25 18:07	6010D	SW3050
7439-92-1	Lead	0.042	J	1	0.023	0.12	mg/L	10/06/25 12:30	10/07/25 18:07	6010D	SW3050
7439-97-6	Mercury	0.0020	U	1	0.00076	0.0020	mg/L	10/06/25 12:25	10/07/25 10:52	7470A	
7782-49-2	Selenium	0.20	U	1	0.096	0.20	mg/L	10/06/25 12:30	10/07/25 18:07	6010D	SW3050
7440-22-4	Silver	0.028	J	1	0.016	0.10	mg/L	10/06/25 12:30	10/07/25 18:07	6010D	SW3050

Color Before:	Black	Clarity Before:	Cloudy	Texture:
Color After:	Light Black	Clarity After:	Cloudy	Artifacts:
Comments:	TCLP METALS			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N = Spiked sample recovery not within control limits