

Report of Analysis

Client:	PSEG	Date Collected:	10/03/25
Project:	Trenton Gas and Appliance Service MA00006789	Date Received:	10/03/25
Client Sample ID:	TR-01-100325	SDG No.:	Q3288
Lab Sample ID:	Q3288-01	Matrix:	SOIL
Analytical Method:	8270E	% Solid:	92.9
Sample Wt/Vol:	50.08	Units:	g
Soil Aliquot Vol:		Final Vol:	1000 uL
Extraction Type :		Test:	SVOC-TCL BNA -20
	Decanted :	Level :	LOW
Injection Volume :	GPC Factor :	1.0	GPC Cleanup : N PH :
Prep Method :	SW3541		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025937.D	5	10/06/25 09:15	10/07/25 00:32	PB169989

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
100-52-7	Benzaldehyde	0.50	U	0.50	1.10	mg/Kg
108-95-2	Phenol	0.071	U	0.071	0.55	mg/Kg
111-44-4	bis(2-Chloroethyl)ether	0.078	U	0.078	0.55	mg/Kg
95-57-8	2-Chlorophenol	0.079	U	0.079	0.55	mg/Kg
95-48-7	2-Methylphenol	0.096	U	0.096	0.55	mg/Kg
108-60-1	2,2-oxybis(1-Chloropropane)	0.12	U	0.12	0.55	mg/Kg
98-86-2	Acetophenone	0.095	U	0.095	0.55	mg/Kg
65794-96-9	3+4-Methylphenols	0.13	U	0.13	1.10	mg/Kg
621-64-7	n-Nitroso-di-n-propylamine	0.15	U	0.15	0.26	mg/Kg
67-72-1	Hexachloroethane	0.057	U	0.057	0.55	mg/Kg
98-95-3	Nitrobenzene	0.059	U	0.059	0.55	mg/Kg
78-59-1	Isophorone	0.11	U	0.11	0.55	mg/Kg
88-75-5	2-Nitrophenol	0.19	U	0.19	0.55	mg/Kg
105-67-9	2,4-Dimethylphenol	0.21	U	0.21	0.55	mg/Kg
111-91-1	bis(2-Chloroethoxy)methane	0.099	U	0.099	0.55	mg/Kg
120-83-2	2,4-Dichlorophenol	0.091	U	0.091	0.55	mg/Kg
91-20-3	Naphthalene	0.073	U	0.073	0.55	mg/Kg
106-47-8	4-Chloroaniline	0.11	U	0.11	0.55	mg/Kg
87-68-3	Hexachlorobutadiene	0.082	U	0.082	0.55	mg/Kg
105-60-2	Caprolactam	0.17	U	0.17	1.10	mg/Kg
59-50-7	4-Chloro-3-methylphenol	0.093	U	0.093	0.55	mg/Kg
91-57-6	2-Methylnaphthalene	0.083	U	0.083	0.55	mg/Kg
77-47-4	Hexachlorocyclopentadiene	0.37	U	0.37	1.10	mg/Kg
88-06-2	2,4,6-Trichlorophenol	0.064	U	0.064	0.55	mg/Kg
95-95-4	2,4,5-Trichlorophenol	0.094	U	0.094	0.55	mg/Kg
92-52-4	1,1-Biphenyl	0.070	U	0.070	0.55	mg/Kg
91-58-7	2-Chloronaphthalene	0.073	U	0.073	0.55	mg/Kg
88-74-4	2-Nitroaniline	0.16	U	0.16	0.55	mg/Kg
131-11-3	Dimethylphthalate	0.087	U	0.087	0.55	mg/Kg

Report of Analysis

Client:	PSEG	Date Collected:	10/03/25
Project:	Trenton Gas and Appliance Service MA00006789	Date Received:	10/03/25
Client Sample ID:	TR-01-100325	SDG No.:	Q3288
Lab Sample ID:	Q3288-01	Matrix:	SOIL
Analytical Method:	8270E	% Solid:	92.9
Sample Wt/Vol:	50.08	Units:	g
Soil Aliquot Vol:			uL
Extraction Type :		Decanted :	N
Injection Volume :		Level :	LOW
		GPC Factor :	1.0
		GPC Cleanup :	N
		PH :	
Prep Method :	SW3541		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025937.D	5	10/06/25 09:15	10/07/25 00:32	PB169989

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
208-96-8	Acenaphthylene	0.093	U	0.093	0.55	mg/Kg
606-20-2	2,6-Dinitrotoluene	0.11	U	0.11	0.55	mg/Kg
99-09-2	3-Nitroaniline	0.15	U	0.15	0.55	mg/Kg
83-32-9	Acenaphthene	0.069	U	0.069	0.55	mg/Kg
51-28-5	2,4-Dinitrophenol	0.74	U	0.74	1.10	mg/Kg
100-02-7	4-Nitrophenol	0.34	U	0.34	1.10	mg/Kg
132-64-9	Dibenzofuran	0.073	U	0.073	0.55	mg/Kg
121-14-2	2,4-Dinitrotoluene	0.16	U	0.16	0.55	mg/Kg
84-66-2	Diethylphthalate	0.091	U	0.091	0.55	mg/Kg
7005-72-3	4-Chlorophenyl-phenylether	0.086	U	0.086	0.55	mg/Kg
86-73-7	Fluorene	0.082	U	0.082	0.55	mg/Kg
100-01-6	4-Nitroaniline	0.21	U	0.21	0.55	mg/Kg
534-52-1	4,6-Dinitro-2-methylphenol	0.33	U	0.33	1.10	mg/Kg
86-30-6	n-Nitrosodiphenylamine	0.11	U	0.11	0.55	mg/Kg
101-55-3	4-Bromophenyl-phenylether	0.090	U	0.090	0.55	mg/Kg
118-74-1	Hexachlorobenzene	0.082	U	0.082	0.55	mg/Kg
1912-24-9	Atrazine	0.11	U	0.11	0.55	mg/Kg
87-86-5	Pentachlorophenol	0.17	U	0.17	1.10	mg/Kg
85-01-8	Phenanthrene	0.62		0.067	0.55	mg/Kg
120-12-7	Anthracene	0.11	U	0.11	0.55	mg/Kg
86-74-8	Carbazole	0.10	U	0.10	0.55	mg/Kg
84-74-2	Di-n-butylphthalate	0.15	U	0.15	0.55	mg/Kg
206-44-0	Fluoranthene	1.10		0.097	0.55	mg/Kg
129-00-0	Pyrene	1.40		0.12	0.55	mg/Kg
85-68-7	Butylbenzylphthalate	0.23	U	0.23	0.55	mg/Kg
91-94-1	3,3-Dichlorobenzidine	0.12	U	0.12	1.10	mg/Kg
56-55-3	Benzo(a)anthracene	0.58		0.074	0.55	mg/Kg
218-01-9	Chrysene	0.69		0.064	0.55	mg/Kg
117-81-7	Bis(2-ethylhexyl)phthalate	0.19	U	0.19	0.55	mg/Kg
117-84-0	Di-n-octyl phthalate	0.28	U	0.28	1.10	mg/Kg
205-99-2	Benzo(b)fluoranthene	0.88		0.061	0.55	mg/Kg

Report of Analysis

Client:	PSEG	Date Collected:	10/03/25
Project:	Trenton Gas and Appliance Service MA00006789	Date Received:	10/03/25
Client Sample ID:	TR-01-100325	SDG No.:	Q3288
Lab Sample ID:	Q3288-01	Matrix:	SOIL
Analytical Method:	8270E	% Solid:	92.9
Sample Wt/Vol:	50.08 Units: g	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	SW3541		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025937.D	5	10/06/25 09:15	10/07/25 00:32	PB169989

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
207-08-9	Benzo(k)fluoranthene	0.33	J	0.072	0.55	mg/Kg
50-32-8	Benzo(a)pyrene	0.73		0.095	0.55	mg/Kg
193-39-5	Indeno(1,2,3-cd)pyrene	0.44	J	0.094	0.55	mg/Kg
53-70-3	Dibenzo(a,h)anthracene	0.088	U	0.088	0.55	mg/Kg
191-24-2	Benzo(g,h,i)perylene	0.59		0.083	0.55	mg/Kg
95-94-3	1,2,4,5-Tetrachlorobenzene	0.083	U	0.083	0.55	mg/Kg
123-91-1	1,4-Dioxane	0.15	U	0.15	0.55	mg/Kg
58-90-2	2,3,4,6-Tetrachlorophenol	0.088	U	0.088	0.55	mg/Kg

SURROGATES

367-12-4	2-Fluorophenol	65.2		18 - 112	43%	SPK: 150
13127-88-3	Phenol-d6	61.1		15 - 107	41%	SPK: 150
4165-60-0	Nitrobenzene-d5	32.6		18 - 107	33%	SPK: 100
321-60-8	2-Fluorobiphenyl	43.5		20 - 109	44%	SPK: 100
118-79-6	2,4,6-Tribromophenol	62.1		10 - 116	41%	SPK: 150
1718-51-0	Terphenyl-d14	45.0		10 - 105	45%	SPK: 100

INTERNAL STANDARDS

3855-82-1	1,4-Dichlorobenzene-d4	181000	7.743
1146-65-2	Naphthalene-d8	714000	10.501
15067-26-2	Acenaphthene-d10	447000	14.348
1517-22-2	Phenanthrene-d10	868000	17.154
1719-03-5	Chrysene-d12	913000	21.595
1520-96-3	Perylene-d12	1030000	24.936

TENTATIVE IDENTIFIED COMPOUNDS

002809-64-5	Naphthalene, 1,2,3,4-tetrahydro-5-	420	J	11.7	ug/Kg
000629-50-5	Tridecane	750	J	11.9	ug/Kg
000629-59-4	Tetradecane	1200	J	13.2	ug/Kg
020027-77-4	Naphthalene, 1,2,3,4-tetrahydro-5,	550	J	13.3	ug/Kg
007098-21-7	Tritetracontane	850	J	13.8	ug/Kg
000629-92-5	Nonadecane	1600	J	14.2	ug/Kg
000544-76-3	Hexadecane	1800	J	15.2	ug/Kg

Report of Analysis

Client:	PSEG	Date Collected:	10/03/25
Project:	Trenton Gas and Appliance Service MA00006789	Date Received:	10/03/25
Client Sample ID:	TR-01-100325	SDG No.:	Q3288
Lab Sample ID:	Q3288-01	Matrix:	SOIL
Analytical Method:	8270E	% Solid:	92.9
Sample Wt/Vol:	50.08	Units:	g
Soil Aliquot Vol:		Final Vol:	1000 uL
Extraction Type :		Test:	SVOC-TCL BNA -20
	Decanted :	Level :	LOW
Injection Volume :	GPC Factor :	1.0	GPC Cleanup :
		N	PH :
Prep Method :	SW3541		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025937.D	5	10/06/25 09:15	10/07/25 00:32	PB169989

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
013287-21-3	Tridecane, 6-methyl-	1600	J		15.6	ug/Kg
000629-78-7	Heptadecane	3600	J		16.1	ug/Kg
081777-89-1	Dimethazone	490	J		16.7	ug/Kg
000593-45-3	Octadecane	1900	J		16.9	ug/Kg
013187-99-0	2-Bromo dodecane	1400	J		17.0	ug/Kg
000629-62-9	Pentadecane	1700	J		17.7	ug/Kg
055045-09-5	Tridecane, 7-propyl-	1500	J		18.4	ug/Kg
000629-94-7	Heneicosane	1300	J		19.0	ug/Kg
000192-97-2	Benzo[e]pyrene	440	J		24.6	ug/Kg

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products