

Hit Summary Sheet SW-846

SDG No.: Q3291
Client: Tetra Tech, EMI

Order ID: Q3291
Project ID: R37063 - PA

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID : MC0AX0								
Q3291-05	MC0AX0	Water	Aluminum	22.6		1.94	20.0	ug/L
Q3291-05	MC0AX0	Water	Antimony	3.64		0.11	2.00	ug/L
Q3291-05	MC0AX0	Water	Arsenic	40.5		0.089	1.00	ug/L
Q3291-05	MC0AX0	Water	Barium	13.9		0.21	10.0	ug/L
Q3291-05	MC0AX0	Water	Calcium	88400		45.7	500	ug/L
Q3291-05	MC0AX0	Water	Chromium	0.86	J	0.21	2.00	ug/L
Q3291-05	MC0AX0	Water	Cobalt	0.54	J	0.070	1.00	ug/L
Q3291-05	MC0AX0	Water	Copper	2.61		0.30	2.00	ug/L
Q3291-05	MC0AX0	Water	Iron	864		7.81	50.0	ug/L
Q3291-05	MC0AX0	Water	Lead	0.29	J	0.21	1.00	ug/L
Q3291-05	MC0AX0	Water	Magnesium	17700		19.5	500	ug/L
Q3291-05	MC0AX0	Water	Manganese	266		0.43	1.00	ug/L
Q3291-05	MC0AX0	Water	Nickel	2.58		0.27	1.00	ug/L
Q3291-05	MC0AX0	Water	Potassium	15300		36.4	500	ug/L
Q3291-05	MC0AX0	Water	Silver	0.080	J	0.060	1.00	ug/L
Q3291-05	MC0AX0	Water	Sodium	325000		128	500	ug/L
Q3291-05	MC0AX0	Water	Thallium	0.18	J	0.060	1.00	ug/L
Q3291-05	MC0AX0	Water	Vanadium	2.45	J	0.077	5.00	ug/L
Q3291-05	MC0AX0	Water	Zinc	6.44		1.25	5.00	ug/L
Client ID : MC0AX1								
Q3291-06	MC0AX1	Water	Aluminum	15.1	J	1.94	20.0	ug/L
Q3291-06	MC0AX1	Water	Antimony	3.46		0.11	2.00	ug/L
Q3291-06	MC0AX1	Water	Arsenic	41.0		0.089	1.00	ug/L
Q3291-06	MC0AX1	Water	Barium	13.6		0.21	10.0	ug/L
Q3291-06	MC0AX1	Water	Calcium	87400		45.7	500	ug/L
Q3291-06	MC0AX1	Water	Chromium	0.40	J	0.21	2.00	ug/L
Q3291-06	MC0AX1	Water	Cobalt	0.45	J	0.070	1.00	ug/L
Q3291-06	MC0AX1	Water	Copper	1.58	J	0.30	2.00	ug/L
Q3291-06	MC0AX1	Water	Iron	838		7.81	50.0	ug/L
Q3291-06	MC0AX1	Water	Magnesium	17100		19.5	500	ug/L
Q3291-06	MC0AX1	Water	Manganese	262		0.43	1.00	ug/L
Q3291-06	MC0AX1	Water	Nickel	1.89		0.27	1.00	ug/L
Q3291-06	MC0AX1	Water	Potassium	14700		36.4	500	ug/L
Q3291-06	MC0AX1	Water	Sodium	322000		128	500	ug/L
Q3291-06	MC0AX1	Water	Thallium	0.15	J	0.060	1.00	ug/L
Q3291-06	MC0AX1	Water	Vanadium	2.49	J	0.077	5.00	ug/L
Q3291-06	MC0AX1	Water	Zinc	3.03	J	1.25	5.00	ug/L

Hit Summary Sheet
SW-846

SDG No.: Q3291
Client: Tetra Tech, EMI

Order ID: Q3291
Project ID: R37063 - PA

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID : MC0AX2								
Q3291-07	MC0AX2	Water	Aluminum	21.0		1.94	20.0	ug/L
Q3291-07	MC0AX2	Water	Antimony	3.45		0.11	2.00	ug/L
Q3291-07	MC0AX2	Water	Arsenic	43.0	D	0.45	5.00	ug/L
Q3291-07	MC0AX2	Water	Barium	13.9		0.21	10.0	ug/L
Q3291-07	MC0AX2	Water	Calcium	87500		45.7	500	ug/L
Q3291-07	MC0AX2	Water	Chromium	0.83	J	0.21	2.00	ug/L
Q3291-07	MC0AX2	Water	Cobalt	0.51	J	0.070	1.00	ug/L
Q3291-07	MC0AX2	Water	Copper	2.49		0.30	2.00	ug/L
Q3291-07	MC0AX2	Water	Iron	849		7.81	50.0	ug/L
Q3291-07	MC0AX2	Water	Lead	0.43	J	0.21	1.00	ug/L
Q3291-07	MC0AX2	Water	Magnesium	17400		19.5	500	ug/L
Q3291-07	MC0AX2	Water	Manganese	270		0.43	1.00	ug/L
Q3291-07	MC0AX2	Water	Nickel	2.03		0.27	1.00	ug/L
Q3291-07	MC0AX2	Water	Potassium	15300		36.4	500	ug/L
Q3291-07	MC0AX2	Water	Sodium	324000		128	500	ug/L
Q3291-07	MC0AX2	Water	Thallium	0.16	J	0.060	1.00	ug/L
Q3291-07	MC0AX2	Water	Vanadium	2.49	J	0.077	5.00	ug/L
Q3291-07	MC0AX2	Water	Zinc	5.06		1.25	5.00	ug/L
Client ID : MC0AX3								
Q3291-08	MC0AX3	Water	Aluminum	16.8	J	1.94	20.0	ug/L
Q3291-08	MC0AX3	Water	Antimony	3.58		0.11	2.00	ug/L
Q3291-08	MC0AX3	Water	Arsenic	43.3	D	0.45	5.00	ug/L
Q3291-08	MC0AX3	Water	Barium	14.1		0.21	10.0	ug/L
Q3291-08	MC0AX3	Water	Calcium	91100		45.7	500	ug/L
Q3291-08	MC0AX3	Water	Chromium	0.44	J	0.21	2.00	ug/L
Q3291-08	MC0AX3	Water	Cobalt	0.51	J	0.070	1.00	ug/L
Q3291-08	MC0AX3	Water	Copper	1.97	J	0.30	2.00	ug/L
Q3291-08	MC0AX3	Water	Iron	851		7.81	50.0	ug/L
Q3291-08	MC0AX3	Water	Lead	0.38	J	0.21	1.00	ug/L
Q3291-08	MC0AX3	Water	Magnesium	17700		19.5	500	ug/L
Q3291-08	MC0AX3	Water	Manganese	267		0.43	1.00	ug/L
Q3291-08	MC0AX3	Water	Nickel	2.03		0.27	1.00	ug/L
Q3291-08	MC0AX3	Water	Potassium	15100		36.4	500	ug/L
Q3291-08	MC0AX3	Water	Silver	0.070	J	0.060	1.00	ug/L
Q3291-08	MC0AX3	Water	Sodium	332000		128	500	ug/L
Q3291-08	MC0AX3	Water	Thallium	0.22	J	0.060	1.00	ug/L
Q3291-08	MC0AX3	Water	Vanadium	2.46	J	0.077	5.00	ug/L
Q3291-08	MC0AX3	Water	Zinc	3.73	J	1.25	5.00	ug/L



SAMPLE DATA

A

B

C

D

Report of Analysis

Client:	Tetra Tech, EMI	Date Collected:	10/03/25
Project:	R37063 - PA	Date Received:	10/06/25
Client Sample ID:	MC0AX0	SDG No.:	Q3291
Lab Sample ID:	Q3291-05	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7429-90-5	Aluminum	22.6		1	1.94	20.0	ug/L	10/06/25 16:15	10/07/25 17:57	6020B	3010A
7440-36-0	Antimony	3.64		1	0.11	2.00	ug/L	10/06/25 16:15	10/07/25 17:57	6020B	3010A
7440-38-2	Arsenic	40.5		1	0.089	1.00	ug/L	10/06/25 16:15	10/07/25 17:57	6020B	3010A
7440-39-3	Barium	13.9		1	0.21	10.0	ug/L	10/06/25 16:15	10/07/25 17:57	6020B	3010A
7440-41-7	Beryllium	0.32	U	1	0.32	1.00	ug/L	10/06/25 16:15	10/07/25 17:57	6020B	3010A
7440-43-9	Cadmium	0.34	U	1	0.34	1.00	ug/L	10/06/25 16:15	10/07/25 17:57	6020B	3010A
7440-70-2	Calcium	88400		1	45.7	500	ug/L	10/06/25 16:15	10/07/25 17:57	6020B	3010A
7440-47-3	Chromium	0.86	J	1	0.21	2.00	ug/L	10/06/25 16:15	10/07/25 17:57	6020B	3010A
7440-48-4	Cobalt	0.54	J	1	0.070	1.00	ug/L	10/06/25 16:15	10/07/25 17:57	6020B	3010A
7440-50-8	Copper	2.61		1	0.30	2.00	ug/L	10/06/25 16:15	10/07/25 17:57	6020B	3010A
7439-89-6	Iron	864		1	7.81	50.0	ug/L	10/06/25 16:15	10/07/25 17:57	6020B	3010A
7439-92-1	Lead	0.29	J	1	0.21	1.00	ug/L	10/06/25 16:15	10/07/25 17:57	6020B	3010A
7439-95-4	Magnesium	17700		1	19.5	500	ug/L	10/06/25 16:15	10/07/25 17:57	6020B	3010A
7439-96-5	Manganese	266		1	0.43	1.00	ug/L	10/06/25 16:15	10/07/25 17:57	6020B	3010A
7439-97-6	Mercury	0.076	U	1	0.076	0.20	ug/L	10/06/25 14:20	10/07/25 11:18	7470A	
7440-02-0	Nickel	2.58		1	0.27	1.00	ug/L	10/06/25 16:15	10/07/25 17:57	6020B	3010A
7440-09-7	Potassium	15300		1	36.4	500	ug/L	10/06/25 16:15	10/07/25 17:57	6020B	3010A
7782-49-2	Selenium	2.90	U	1	2.90	5.00	ug/L	10/06/25 16:15	10/07/25 17:57	6020B	3010A
7440-22-4	Silver	0.080	JN	1	0.060	1.00	ug/L	10/06/25 16:15	10/07/25 17:57	6020B	3010A
7440-23-5	Sodium	325000		1	128	500	ug/L	10/06/25 16:15	10/07/25 17:57	6020B	3010A
7440-28-0	Thallium	0.18	J	1	0.060	1.00	ug/L	10/06/25 16:15	10/07/25 17:57	6020B	3010A
7440-62-2	Vanadium	2.45	J	1	0.077	5.00	ug/L	10/06/25 16:15	10/07/25 17:57	6020B	3010A
7440-66-6	Zinc	6.44		1	1.25	5.00	ug/L	10/06/25 16:15	10/07/25 17:57	6020B	3010A

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	METALS-TAL			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N = Spiked sample recovery not within control limits

Report of Analysis

Client:	Tetra Tech, EMI	Date Collected:	10/03/25
Project:	R37063 - PA	Date Received:	10/06/25
Client Sample ID:	MC0AX1	SDG No.:	Q3291
Lab Sample ID:	Q3291-06	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7429-90-5	Aluminum	15.1	J	1	1.94	20.0	ug/L	10/06/25 16:15	10/07/25 18:01	6020B	3010A
7440-36-0	Antimony	3.46		1	0.11	2.00	ug/L	10/06/25 16:15	10/07/25 18:01	6020B	3010A
7440-38-2	Arsenic	41.0		1	0.089	1.00	ug/L	10/06/25 16:15	10/07/25 18:01	6020B	3010A
7440-39-3	Barium	13.6		1	0.21	10.0	ug/L	10/06/25 16:15	10/07/25 18:01	6020B	3010A
7440-41-7	Beryllium	0.32	U	1	0.32	1.00	ug/L	10/06/25 16:15	10/07/25 18:01	6020B	3010A
7440-43-9	Cadmium	0.34	U	1	0.34	1.00	ug/L	10/06/25 16:15	10/07/25 18:01	6020B	3010A
7440-70-2	Calcium	87400		1	45.7	500	ug/L	10/06/25 16:15	10/07/25 18:01	6020B	3010A
7440-47-3	Chromium	0.40	J	1	0.21	2.00	ug/L	10/06/25 16:15	10/07/25 18:01	6020B	3010A
7440-48-4	Cobalt	0.45	J	1	0.070	1.00	ug/L	10/06/25 16:15	10/07/25 18:01	6020B	3010A
7440-50-8	Copper	1.58	J	1	0.30	2.00	ug/L	10/06/25 16:15	10/07/25 18:01	6020B	3010A
7439-89-6	Iron	838		1	7.81	50.0	ug/L	10/06/25 16:15	10/07/25 18:01	6020B	3010A
7439-92-1	Lead	0.21	U	1	0.21	1.00	ug/L	10/06/25 16:15	10/07/25 18:01	6020B	3010A
7439-95-4	Magnesium	17100		1	19.5	500	ug/L	10/06/25 16:15	10/07/25 18:01	6020B	3010A
7439-96-5	Manganese	262		1	0.43	1.00	ug/L	10/06/25 16:15	10/07/25 18:01	6020B	3010A
7439-97-6	Mercury	0.076	U	1	0.076	0.20	ug/L	10/06/25 14:20	10/07/25 11:27	7470A	
7440-02-0	Nickel	1.89		1	0.27	1.00	ug/L	10/06/25 16:15	10/07/25 18:01	6020B	3010A
7440-09-7	Potassium	14700		1	36.4	500	ug/L	10/06/25 16:15	10/07/25 18:01	6020B	3010A
7782-49-2	Selenium	2.90	U	1	2.90	5.00	ug/L	10/06/25 16:15	10/07/25 18:01	6020B	3010A
7440-22-4	Silver	0.060	UN	1	0.060	1.00	ug/L	10/06/25 16:15	10/07/25 18:01	6020B	3010A
7440-23-5	Sodium	322000		1	128	500	ug/L	10/06/25 16:15	10/07/25 18:01	6020B	3010A
7440-28-0	Thallium	0.15	J	1	0.060	1.00	ug/L	10/06/25 16:15	10/07/25 18:01	6020B	3010A
7440-62-2	Vanadium	2.49	J	1	0.077	5.00	ug/L	10/06/25 16:15	10/07/25 18:01	6020B	3010A
7440-66-6	Zinc	3.03	J	1	1.25	5.00	ug/L	10/06/25 16:15	10/07/25 18:01	6020B	3010A

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	DISSOLVED METALS-TAL			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N = Spiked sample recovery not within control limits

Report of Analysis

Client:	Tetra Tech, EMI	Date Collected:	10/03/25
Project:	R37063 - PA	Date Received:	10/06/25
Client Sample ID:	MC0AX2	SDG No.:	Q3291
Lab Sample ID:	Q3291-07	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7429-90-5	Aluminum	21.0		1	1.94	20.0	ug/L	10/06/25 16:15	10/07/25 18:04	6020B	3010A
7440-36-0	Antimony	3.45		1	0.11	2.00	ug/L	10/06/25 16:15	10/07/25 18:04	6020B	3010A
7440-38-2	Arsenic	43.0	D	5	0.45	5.00	ug/L	10/06/25 16:15	10/07/25 18:35	6020B	3010A
7440-39-3	Barium	13.9		1	0.21	10.0	ug/L	10/06/25 16:15	10/07/25 18:04	6020B	3010A
7440-41-7	Beryllium	0.32	U	1	0.32	1.00	ug/L	10/06/25 16:15	10/07/25 18:04	6020B	3010A
7440-43-9	Cadmium	0.34	U	1	0.34	1.00	ug/L	10/06/25 16:15	10/07/25 18:04	6020B	3010A
7440-70-2	Calcium	87500		1	45.7	500	ug/L	10/06/25 16:15	10/07/25 18:04	6020B	3010A
7440-47-3	Chromium	0.83	J	1	0.21	2.00	ug/L	10/06/25 16:15	10/07/25 18:04	6020B	3010A
7440-48-4	Cobalt	0.51	J	1	0.070	1.00	ug/L	10/06/25 16:15	10/07/25 18:04	6020B	3010A
7440-50-8	Copper	2.49		1	0.30	2.00	ug/L	10/06/25 16:15	10/07/25 18:04	6020B	3010A
7439-89-6	Iron	849		1	7.81	50.0	ug/L	10/06/25 16:15	10/07/25 18:04	6020B	3010A
7439-92-1	Lead	0.43	J	1	0.21	1.00	ug/L	10/06/25 16:15	10/07/25 18:04	6020B	3010A
7439-95-4	Magnesium	17400		1	19.5	500	ug/L	10/06/25 16:15	10/07/25 18:04	6020B	3010A
7439-96-5	Manganese	270		1	0.43	1.00	ug/L	10/06/25 16:15	10/07/25 18:04	6020B	3010A
7439-97-6	Mercury	0.076	U	1	0.076	0.20	ug/L	10/06/25 14:20	10/07/25 11:29	7470A	
7440-02-0	Nickel	2.03		1	0.27	1.00	ug/L	10/06/25 16:15	10/07/25 18:04	6020B	3010A
7440-09-7	Potassium	15300		1	36.4	500	ug/L	10/06/25 16:15	10/07/25 18:04	6020B	3010A
7782-49-2	Selenium	14.5	UD	5	14.5	25.0	ug/L	10/06/25 16:15	10/07/25 18:35	6020B	3010A
7440-22-4	Silver	0.060	UN	1	0.060	1.00	ug/L	10/06/25 16:15	10/07/25 18:04	6020B	3010A
7440-23-5	Sodium	324000		1	128	500	ug/L	10/06/25 16:15	10/07/25 18:04	6020B	3010A
7440-28-0	Thallium	0.16	J	1	0.060	1.00	ug/L	10/06/25 16:15	10/07/25 18:04	6020B	3010A
7440-62-2	Vanadium	2.49	J	1	0.077	5.00	ug/L	10/06/25 16:15	10/07/25 18:04	6020B	3010A
7440-66-6	Zinc	5.06		1	1.25	5.00	ug/L	10/06/25 16:15	10/07/25 18:04	6020B	3010A

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	METALS-TAL			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N = Spiked sample recovery not within control limits

Report of Analysis

Client:	Tetra Tech, EMI	Date Collected:	10/03/25
Project:	R37063 - PA	Date Received:	10/06/25
Client Sample ID:	MC0AX3	SDG No.:	Q3291
Lab Sample ID:	Q3291-08	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7429-90-5	Aluminum	16.8	J	1	1.94	20.0	ug/L	10/06/25 16:15	10/07/25 18:28	6020B	3010A
7440-36-0	Antimony	3.58		1	0.11	2.00	ug/L	10/06/25 16:15	10/07/25 18:28	6020B	3010A
7440-38-2	Arsenic	43.3	D	5	0.45	5.00	ug/L	10/06/25 16:15	10/07/25 18:54	6020B	3010A
7440-39-3	Barium	14.1		1	0.21	10.0	ug/L	10/06/25 16:15	10/07/25 18:28	6020B	3010A
7440-41-7	Beryllium	0.32	U	1	0.32	1.00	ug/L	10/06/25 16:15	10/07/25 18:28	6020B	3010A
7440-43-9	Cadmium	0.34	U	1	0.34	1.00	ug/L	10/06/25 16:15	10/07/25 18:28	6020B	3010A
7440-70-2	Calcium	91100		1	45.7	500	ug/L	10/06/25 16:15	10/07/25 18:28	6020B	3010A
7440-47-3	Chromium	0.44	J	1	0.21	2.00	ug/L	10/06/25 16:15	10/07/25 18:28	6020B	3010A
7440-48-4	Cobalt	0.51	J	1	0.070	1.00	ug/L	10/06/25 16:15	10/07/25 18:28	6020B	3010A
7440-50-8	Copper	1.97	J	1	0.30	2.00	ug/L	10/06/25 16:15	10/07/25 18:28	6020B	3010A
7439-89-6	Iron	851		1	7.81	50.0	ug/L	10/06/25 16:15	10/07/25 18:28	6020B	3010A
7439-92-1	Lead	0.38	J	1	0.21	1.00	ug/L	10/06/25 16:15	10/07/25 18:28	6020B	3010A
7439-95-4	Magnesium	17700		1	19.5	500	ug/L	10/06/25 16:15	10/07/25 18:28	6020B	3010A
7439-96-5	Manganese	267		1	0.43	1.00	ug/L	10/06/25 16:15	10/07/25 18:28	6020B	3010A
7439-97-6	Mercury	0.076	U	1	0.076	0.20	ug/L	10/06/25 14:20	10/07/25 11:32	7470A	
7440-02-0	Nickel	2.03		1	0.27	1.00	ug/L	10/06/25 16:15	10/07/25 18:28	6020B	3010A
7440-09-7	Potassium	15100		1	36.4	500	ug/L	10/06/25 16:15	10/07/25 18:28	6020B	3010A
7782-49-2	Selenium	14.5	UD	5	14.5	25.0	ug/L	10/06/25 16:15	10/07/25 18:54	6020B	3010A
7440-22-4	Silver	0.070	JN	1	0.060	1.00	ug/L	10/06/25 16:15	10/07/25 18:28	6020B	3010A
7440-23-5	Sodium	332000		1	128	500	ug/L	10/06/25 16:15	10/07/25 18:28	6020B	3010A
7440-28-0	Thallium	0.22	J	1	0.060	1.00	ug/L	10/06/25 16:15	10/07/25 18:28	6020B	3010A
7440-62-2	Vanadium	2.46	J	1	0.077	5.00	ug/L	10/06/25 16:15	10/07/25 18:28	6020B	3010A
7440-66-6	Zinc	3.73	J	1	1.25	5.00	ug/L	10/06/25 16:15	10/07/25 18:28	6020B	3010A

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	DISSOLVED METALS-TAL			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N = Spiked sample recovery not within control limits

LAB CHRONICLE

OrderID:	Q3291	OrderDate:	10/6/2025 10:30:11 AM
Client:	Tetra Tech, EMI	Project:	R37063 - PA
Contact:	Ava Heiss	Location:	D21

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q3291-05	MC0AX0	Water	Mercury	7470A	10/03/25	10/06/25	10/07/25	10/06/25
			Metals ICP-TAL	6020B		10/06/25	10/07/25	
Q3291-06	MC0AX1	Water	Dissolved ICP-TAL Metals	6020B	10/03/25	10/06/25	10/07/25	10/06/25
			Dissolved Mercury	7470A		10/06/25	10/07/25	
Q3291-07	MC0AX2	Water	Mercury	7470A	10/03/25	10/06/25	10/07/25	10/06/25
			Metals ICP-TAL	6020B		10/06/25	10/07/25	
Q3291-08	MC0AX3	Water	Dissolved ICP-TAL Metals	6020B	10/03/25	10/06/25	10/07/25	10/06/25
			Dissolved Mercury	7470A		10/06/25	10/07/25	