

## LAB CHRONICLE

|                 |                      |                   |                               |
|-----------------|----------------------|-------------------|-------------------------------|
| <b>OrderID:</b> | Q3298                | <b>OrderDate:</b> | 10/6/2025 4:00:00 PM          |
| <b>Client:</b>  | Tetra Tech NUS, Inc. | <b>Project:</b>   | NWIRP Bethpage 112G08005-WE13 |
| <b>Contact:</b> | Ernie Wu             | <b>Location:</b>  | D31,VOA Ref. #3 Water         |

| LabID           | ClientID                           | Matrix       | Test          | Method   | Sample Date     | Prep Date | Anal Date | Received        |
|-----------------|------------------------------------|--------------|---------------|----------|-----------------|-----------|-----------|-----------------|
| <b>Q3298-01</b> | <b>BP-VPB-184-TB-2025<br/>1003</b> | <b>Water</b> |               |          | <b>10/03/25</b> |           |           | <b>10/06/25</b> |
|                 |                                    |              | VOC-TCLVOA-10 | 8260-Low |                 |           | 10/07/25  |                 |
| <b>Q3298-02</b> | <b>BP-VPB-184-EB-2025<br/>1003</b> | <b>Water</b> |               |          | <b>10/03/25</b> |           |           | <b>10/06/25</b> |
|                 |                                    |              | VOC-TCLVOA-10 | 8260-Low |                 |           | 10/08/25  |                 |
| <b>Q3298-03</b> | <b>VPB184-HYD-202510<br/>03</b>    | <b>Water</b> |               |          | <b>10/03/25</b> |           |           | <b>10/06/25</b> |
|                 |                                    |              | VOC-TCLVOA-10 | 8260-Low |                 |           | 10/07/25  |                 |
| <b>Q3298-04</b> | <b>BP-VPB-184-GW-720-<br/>722</b>  | <b>Water</b> |               |          | <b>10/06/25</b> |           |           | <b>10/06/25</b> |
|                 |                                    |              | VOC-TCLVOA-10 | 8260-Low |                 |           | 10/07/25  |                 |
| <b>Q3298-05</b> | <b>BP-VPB-184-GW-740-<br/>742</b>  | <b>Water</b> |               |          | <b>10/06/25</b> |           |           | <b>10/06/25</b> |
|                 |                                    |              | VOC-TCLVOA-10 | 8260-Low |                 |           | 10/07/25  |                 |

**Hit Summary Sheet**  
**SW-846**

**SDG No.:** Q3298  
**Client:** Tetra Tech NUS, Inc.

| Sample ID         | Client ID                     | Matrix                      | Parameter | Concentration | C | MDL  | LOD  | RDL  | Units |
|-------------------|-------------------------------|-----------------------------|-----------|---------------|---|------|------|------|-------|
| <b>Client ID:</b> | <b>BP-VPB-184-EB-20251003</b> |                             |           |               |   |      |      |      |       |
| Q3298-02          | BP-VPB-184-EB-20 Water        | Acetone                     |           | 6.30          |   | 1.50 | 3.80 | 5.00 | ug/L  |
|                   |                               | <b>Total Voc :</b>          |           | 6.30          |   |      |      |      |       |
|                   |                               | <b>Total Concentration:</b> |           | 6.30          |   |      |      |      |       |
| <b>Client ID:</b> | <b>VPB184-HYD-20251003</b>    |                             |           |               |   |      |      |      |       |
| Q3298-03          | VPB184-HYD-2025 Water         | Dibromochloromethane        |           | 0.86          | J | 0.18 | 0.50 | 1.00 | ug/L  |
| Q3298-03          | VPB184-HYD-2025 Water         | Bromoform                   |           | 0.57          | J | 0.19 | 0.50 | 1.00 | ug/L  |
|                   |                               | <b>Total Voc :</b>          |           | 1.43          |   |      |      |      |       |
|                   |                               | <b>Total Concentration:</b> |           | 1.43          |   |      |      |      |       |
| <b>Client ID:</b> | <b>BP-VPB-184-GW-720-722</b>  |                             |           |               |   |      |      |      |       |
| Q3298-04          | BP-VPB-184-GW-7 Water         | Acetone                     |           | 20.3          |   | 1.50 | 3.80 | 5.00 | ug/L  |
| Q3298-04          | BP-VPB-184-GW-7 Water         | 2-Butanone                  |           | 4.00          | J | 0.98 | 2.50 | 5.00 | ug/L  |
|                   |                               | <b>Total Voc :</b>          |           | 24.3          |   |      |      |      |       |
|                   |                               | <b>Total Concentration:</b> |           | 24.3          |   |      |      |      |       |
| <b>Client ID:</b> | <b>BP-VPB-184-GW-740-742</b>  |                             |           |               |   |      |      |      |       |
| Q3298-05          | BP-VPB-184-GW-7 Water         | Acetone                     |           | 7.80          |   | 1.50 | 3.80 | 5.00 | ug/L  |
|                   |                               | <b>Total Voc :</b>          |           | 7.80          |   |      |      |      |       |
|                   |                               | <b>Total Concentration:</b> |           | 7.80          |   |      |      |      |       |



# SAMPLE DATA

## Report of Analysis

|                    |                               |           |                 |               |    |
|--------------------|-------------------------------|-----------|-----------------|---------------|----|
| Client:            | Tetra Tech NUS, Inc.          |           | Date Collected: | 10/03/25      |    |
| Project:           | NWIRP Bethpage 112G08005-WE13 |           | Date Received:  | 10/06/25      |    |
| Client Sample ID:  | BP-VPB-184-TB-20251003        |           | SDG No.:        | Q3298         |    |
| Lab Sample ID:     | Q3298-01                      |           | Matrix:         | Water         |    |
| Analytical Method: | 8260D                         |           | % Solid:        | 0             |    |
| Sample Wt/Vol:     | 5                             | Units: mL | Final Vol:      | 5000          | uL |
| Soil Aliquot Vol:  |                               | uL        | Test:           | VOC-TCLVOA-10 |    |
| GC Column:         | DB-624UI                      | ID : 0.18 | Level :         | LOW           |    |
| Prep Method :      |                               |           |                 |               |    |

|                   |           |                |               |
|-------------------|-----------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Date Analyzed  | Prep Batch ID |
| VX048047.D        | 1         | 10/07/25 13:02 | VX100725      |

| CAS Number     | Parameter                      | Conc. | Qualifier | MDL   | LOD  | LOQ / CRQL | Units |
|----------------|--------------------------------|-------|-----------|-------|------|------------|-------|
| <b>TARGETS</b> |                                |       |           |       |      |            |       |
| 75-71-8        | Dichlorodifluoromethane        | 0.50  | U         | 0.22  | 0.50 | 1.00       | ug/L  |
| 74-87-3        | Chloromethane                  | 0.50  | U         | 0.32  | 0.50 | 1.00       | ug/L  |
| 75-01-4        | Vinyl Chloride                 | 0.75  | U         | 0.26  | 0.75 | 1.00       | ug/L  |
| 74-83-9        | Bromomethane                   | 3.80  | U         | 1.40  | 3.80 | 5.00       | ug/L  |
| 75-00-3        | Chloroethane                   | 0.75  | U         | 0.47  | 0.75 | 1.00       | ug/L  |
| 75-69-4        | Trichlorofluoromethane         | 0.50  | U         | 0.33  | 0.50 | 1.00       | ug/L  |
| 76-13-1        | 1,1,2-Trichlorotrifluoroethane | 0.50  | U         | 0.25  | 0.50 | 1.00       | ug/L  |
| 75-35-4        | 1,1-Dichloroethene             | 0.75  | U         | 0.23  | 0.75 | 1.00       | ug/L  |
| 67-64-1        | Acetone                        | 3.80  | U         | 1.50  | 3.80 | 5.00       | ug/L  |
| 75-15-0        | Carbon Disulfide               | 0.75  | U         | 0.21  | 0.75 | 1.00       | ug/L  |
| 1634-04-4      | Methyl tert-butyl Ether        | 0.50  | U         | 0.16  | 0.50 | 1.00       | ug/L  |
| 79-20-9        | Methyl Acetate                 | 0.75  | U         | 0.27  | 0.75 | 1.00       | ug/L  |
| 75-09-2        | Methylene Chloride             | 0.50  | U         | 0.28  | 0.50 | 1.00       | ug/L  |
| 156-60-5       | trans-1,2-Dichloroethene       | 0.50  | U         | 0.23  | 0.50 | 1.00       | ug/L  |
| 75-34-3        | 1,1-Dichloroethane             | 0.50  | U         | 0.23  | 0.50 | 1.00       | ug/L  |
| 110-82-7       | Cyclohexane                    | 2.50  | U         | 1.50  | 2.50 | 5.00       | ug/L  |
| 78-93-3        | 2-Butanone                     | 2.50  | U         | 0.98  | 2.50 | 5.00       | ug/L  |
| 56-23-5        | Carbon Tetrachloride           | 0.50  | U         | 0.25  | 0.50 | 1.00       | ug/L  |
| 156-59-2       | cis-1,2-Dichloroethene         | 0.75  | U         | 0.19  | 0.75 | 1.00       | ug/L  |
| 74-97-5        | Bromochloromethane             | 0.50  | U         | 0.22  | 0.50 | 1.00       | ug/L  |
| 67-66-3        | Chloroform                     | 0.50  | U         | 0.25  | 0.50 | 1.00       | ug/L  |
| 71-55-6        | 1,1,1-Trichloroethane          | 0.50  | U         | 0.20  | 0.50 | 1.00       | ug/L  |
| 108-87-2       | Methylcyclohexane              | 0.50  | U         | 0.16  | 0.50 | 1.00       | ug/L  |
| 71-43-2        | Benzene                        | 0.50  | U         | 0.15  | 0.50 | 1.00       | ug/L  |
| 107-06-2       | 1,2-Dichloroethane             | 0.50  | U         | 0.22  | 0.50 | 1.00       | ug/L  |
| 79-01-6        | Trichloroethene                | 0.75  | U         | 0.090 | 0.75 | 1.00       | ug/L  |
| 78-87-5        | 1,2-Dichloropropane            | 0.50  | U         | 0.20  | 0.50 | 1.00       | ug/L  |
| 75-27-4        | Bromodichloromethane           | 0.50  | U         | 0.22  | 0.50 | 1.00       | ug/L  |
| 108-10-1       | 4-Methyl-2-Pentanone           | 2.50  | U         | 0.68  | 2.50 | 5.00       | ug/L  |
| 108-88-3       | Toluene                        | 0.50  | U         | 0.14  | 0.50 | 1.00       | ug/L  |

## Report of Analysis

|                    |                                         |                 |                            |
|--------------------|-----------------------------------------|-----------------|----------------------------|
| Client:            | Tetra Tech NUS, Inc.                    | Date Collected: | 10/03/25                   |
| Project:           | NWIRP Bethpage 112G08005-WE13           | Date Received:  | 10/06/25                   |
| Client Sample ID:  | BP-VPB-184-TB-20251003                  | SDG No.:        | Q3298                      |
| Lab Sample ID:     | Q3298-01                                | Matrix:         | Water                      |
| Analytical Method: | 8260D                                   | % Solid:        | 0                          |
| Sample Wt/Vol:     | 5                    Units:      mL     | Final Vol:      | 5000                    uL |
| Soil Aliquot Vol:  | uL                                      | Test:           | VOC-TCLVOA-10              |
| GC Column:         | DB-624UI                    ID :   0.18 | Level :         | LOW                        |
| Prep Method :      |                                         |                 |                            |

|                   |           |                |               |
|-------------------|-----------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Date Analyzed  | Prep Batch ID |
| VX048047.D        | 1         | 10/07/25 13:02 | VX100725      |

| CAS Number                | Parameter                   | Conc.  | Qualifier | MDL      | LOD  | LOQ / CRQL | Units   |
|---------------------------|-----------------------------|--------|-----------|----------|------|------------|---------|
| 10061-02-6                | t-1,3-Dichloropropene       | 0.50   | U         | 0.17     | 0.50 | 1.00       | ug/L    |
| 10061-01-5                | cis-1,3-Dichloropropene     | 0.50   | U         | 0.16     | 0.50 | 1.00       | ug/L    |
| 79-00-5                   | 1,1,2-Trichloroethane       | 0.50   | U         | 0.21     | 0.50 | 1.00       | ug/L    |
| 591-78-6                  | 2-Hexanone                  | 2.50   | U         | 0.89     | 2.50 | 5.00       | ug/L    |
| 124-48-1                  | Dibromochloromethane        | 0.50   | U         | 0.18     | 0.50 | 1.00       | ug/L    |
| 106-93-4                  | 1,2-Dibromoethane           | 0.50   | U         | 0.15     | 0.50 | 1.00       | ug/L    |
| 127-18-4                  | Tetrachloroethene           | 0.50   | U         | 0.23     | 0.50 | 1.00       | ug/L    |
| 108-90-7                  | Chlorobenzene               | 0.50   | U         | 0.12     | 0.50 | 1.00       | ug/L    |
| 100-41-4                  | Ethyl Benzene               | 0.50   | U         | 0.13     | 0.50 | 1.00       | ug/L    |
| 179601-23-1               | m/p-Xylenes                 | 1.00   | U         | 0.24     | 1.00 | 2.00       | ug/L    |
| 95-47-6                   | o-Xylene                    | 0.50   | U         | 0.12     | 0.50 | 1.00       | ug/L    |
| 100-42-5                  | Styrene                     | 0.50   | U         | 0.15     | 0.50 | 1.00       | ug/L    |
| 75-25-2                   | Bromoform                   | 0.50   | U         | 0.19     | 0.50 | 1.00       | ug/L    |
| 98-82-8                   | Isopropylbenzene            | 0.50   | U         | 0.12     | 0.50 | 1.00       | ug/L    |
| 79-34-5                   | 1,1,2,2-Tetrachloroethane   | 0.50   | U         | 0.26     | 0.50 | 1.00       | ug/L    |
| 541-73-1                  | 1,3-Dichlorobenzene         | 0.50   | U         | 0.16     | 0.50 | 1.00       | ug/L    |
| 106-46-7                  | 1,4-Dichlorobenzene         | 0.50   | U         | 0.19     | 0.50 | 1.00       | ug/L    |
| 95-50-1                   | 1,2-Dichlorobenzene         | 0.50   | U         | 0.16     | 0.50 | 1.00       | ug/L    |
| 96-12-8                   | 1,2-Dibromo-3-Chloropropane | 0.75   | U         | 0.53     | 0.75 | 1.00       | ug/L    |
| 120-82-1                  | 1,2,4-Trichlorobenzene      | 0.50   | U         | 0.20     | 0.50 | 1.00       | ug/L    |
| 87-61-6                   | 1,2,3-Trichlorobenzene      | 0.75   | U         | 0.20     | 0.75 | 1.00       | ug/L    |
| <b>SURROGATES</b>         |                             |        |           |          |      |            |         |
| 17060-07-0                | 1,2-Dichloroethane-d4       | 50.6   |           | 81 - 118 |      | 101%       | SPK: 50 |
| 1868-53-7                 | Dibromofluoromethane        | 48.7   |           | 80 - 119 |      | 97%        | SPK: 50 |
| 2037-26-5                 | Toluene-d8                  | 47.8   |           | 89 - 112 |      | 96%        | SPK: 50 |
| 460-00-4                  | 4-Bromofluorobenzene        | 53.9   |           | 85 - 114 |      | 108%       | SPK: 50 |
| <b>INTERNAL STANDARDS</b> |                             |        |           |          |      |            |         |
| 363-72-4                  | Pentafluorobenzene          | 119000 | 5.538     |          |      |            |         |
| 540-36-3                  | 1,4-Difluorobenzene         | 242000 | 6.751     |          |      |            |         |
| 3114-55-4                 | Chlorobenzene-d5            | 249000 | 10.037    |          |      |            |         |
| 3855-82-1                 | 1,4-Dichlorobenzene-d4      | 121000 | 12.006    |          |      |            |         |

### TENTATIVE IDENTIFIED COMPOUNDS

## Report of Analysis

|                    |                               |           |                 |               |
|--------------------|-------------------------------|-----------|-----------------|---------------|
| Client:            | Tetra Tech NUS, Inc.          |           | Date Collected: | 10/03/25      |
| Project:           | NWIRP Bethpage 112G08005-WE13 |           | Date Received:  | 10/06/25      |
| Client Sample ID:  | BP-VPB-184-TB-20251003        |           | SDG No.:        | Q3298         |
| Lab Sample ID:     | Q3298-01                      |           | Matrix:         | Water         |
| Analytical Method: | 8260D                         |           | % Solid:        | 0             |
| Sample Wt/Vol:     | 5                             | Units: mL | Final Vol:      | 5000 uL       |
| Soil Aliquot Vol:  |                               | uL        | Test:           | VOC-TCLVOA-10 |
| GC Column:         | DB-624UI                      | ID : 0.18 | Level :         | LOW           |
| Prep Method :      |                               |           |                 |               |

|                   |           |                |               |
|-------------------|-----------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Date Analyzed  | Prep Batch ID |
| VX048047.D        | 1         | 10/07/25 13:02 | VX100725      |

| CAS Number | Parameter             | Conc. | Qualifier | MDL | LOD | LOQ / CRQL | Units |
|------------|-----------------------|-------|-----------|-----|-----|------------|-------|
| 75-43-4    | Dichlorofluoromethane | N.D   |           |     |     |            |       |

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

## Report of Analysis

|                    |                               |           |                 |               |    |
|--------------------|-------------------------------|-----------|-----------------|---------------|----|
| Client:            | Tetra Tech NUS, Inc.          |           | Date Collected: | 10/03/25      |    |
| Project:           | NWIRP Bethpage 112G08005-WE13 |           | Date Received:  | 10/06/25      |    |
| Client Sample ID:  | BP-VPB-184-EB-20251003        |           | SDG No.:        | Q3298         |    |
| Lab Sample ID:     | Q3298-02                      |           | Matrix:         | Water         |    |
| Analytical Method: | 8260D                         |           | % Solid:        | 0             |    |
| Sample Wt/Vol:     | 5                             | Units: mL | Final Vol:      | 5000          | uL |
| Soil Aliquot Vol:  |                               | uL        | Test:           | VOC-TCLVOA-10 |    |
| GC Column:         | DB-624UI                      | ID : 0.18 | Level :         | LOW           |    |
| Prep Method :      |                               |           |                 |               |    |

|                   |           |                |               |
|-------------------|-----------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Date Analyzed  | Prep Batch ID |
| VX048066.D        | 1         | 10/08/25 11:40 | VX100825      |

| CAS Number     | Parameter                      | Conc. | Qualifier | MDL   | LOD  | LOQ / CRQL | Units |
|----------------|--------------------------------|-------|-----------|-------|------|------------|-------|
| <b>TARGETS</b> |                                |       |           |       |      |            |       |
| 75-71-8        | Dichlorodifluoromethane        | 0.50  | U         | 0.22  | 0.50 | 1.00       | ug/L  |
| 74-87-3        | Chloromethane                  | 0.50  | U         | 0.32  | 0.50 | 1.00       | ug/L  |
| 75-01-4        | Vinyl Chloride                 | 0.75  | U         | 0.26  | 0.75 | 1.00       | ug/L  |
| 74-83-9        | Bromomethane                   | 3.80  | U         | 1.40  | 3.80 | 5.00       | ug/L  |
| 75-00-3        | Chloroethane                   | 0.75  | U         | 0.47  | 0.75 | 1.00       | ug/L  |
| 75-69-4        | Trichlorofluoromethane         | 0.50  | U         | 0.33  | 0.50 | 1.00       | ug/L  |
| 76-13-1        | 1,1,2-Trichlorotrifluoroethane | 0.50  | U         | 0.25  | 0.50 | 1.00       | ug/L  |
| 75-35-4        | 1,1-Dichloroethene             | 0.75  | U         | 0.23  | 0.75 | 1.00       | ug/L  |
| 67-64-1        | Acetone                        | 6.30  |           | 1.50  | 3.80 | 5.00       | ug/L  |
| 75-15-0        | Carbon Disulfide               | 0.75  | U         | 0.21  | 0.75 | 1.00       | ug/L  |
| 1634-04-4      | Methyl tert-butyl Ether        | 0.50  | U         | 0.16  | 0.50 | 1.00       | ug/L  |
| 79-20-9        | Methyl Acetate                 | 0.75  | U         | 0.27  | 0.75 | 1.00       | ug/L  |
| 75-09-2        | Methylene Chloride             | 0.50  | U         | 0.28  | 0.50 | 1.00       | ug/L  |
| 156-60-5       | trans-1,2-Dichloroethene       | 0.50  | U         | 0.23  | 0.50 | 1.00       | ug/L  |
| 75-34-3        | 1,1-Dichloroethane             | 0.50  | U         | 0.23  | 0.50 | 1.00       | ug/L  |
| 110-82-7       | Cyclohexane                    | 2.50  | U         | 1.50  | 2.50 | 5.00       | ug/L  |
| 78-93-3        | 2-Butanone                     | 2.50  | U         | 0.98  | 2.50 | 5.00       | ug/L  |
| 56-23-5        | Carbon Tetrachloride           | 0.50  | U         | 0.25  | 0.50 | 1.00       | ug/L  |
| 156-59-2       | cis-1,2-Dichloroethene         | 0.75  | U         | 0.19  | 0.75 | 1.00       | ug/L  |
| 74-97-5        | Bromochloromethane             | 0.50  | U         | 0.22  | 0.50 | 1.00       | ug/L  |
| 67-66-3        | Chloroform                     | 0.50  | U         | 0.25  | 0.50 | 1.00       | ug/L  |
| 71-55-6        | 1,1,1-Trichloroethane          | 0.50  | U         | 0.20  | 0.50 | 1.00       | ug/L  |
| 108-87-2       | Methylcyclohexane              | 0.50  | U         | 0.16  | 0.50 | 1.00       | ug/L  |
| 71-43-2        | Benzene                        | 0.50  | U         | 0.15  | 0.50 | 1.00       | ug/L  |
| 107-06-2       | 1,2-Dichloroethane             | 0.50  | U         | 0.22  | 0.50 | 1.00       | ug/L  |
| 79-01-6        | Trichloroethene                | 0.75  | U         | 0.090 | 0.75 | 1.00       | ug/L  |
| 78-87-5        | 1,2-Dichloropropane            | 0.50  | U         | 0.20  | 0.50 | 1.00       | ug/L  |
| 75-27-4        | Bromodichloromethane           | 0.50  | U         | 0.22  | 0.50 | 1.00       | ug/L  |
| 108-10-1       | 4-Methyl-2-Pentanone           | 2.50  | U         | 0.68  | 2.50 | 5.00       | ug/L  |
| 108-88-3       | Toluene                        | 0.50  | U         | 0.14  | 0.50 | 1.00       | ug/L  |

## Report of Analysis

|                    |                                         |                 |                            |
|--------------------|-----------------------------------------|-----------------|----------------------------|
| Client:            | Tetra Tech NUS, Inc.                    | Date Collected: | 10/03/25                   |
| Project:           | NWIRP Bethpage 112G08005-WE13           | Date Received:  | 10/06/25                   |
| Client Sample ID:  | BP-VPB-184-EB-20251003                  | SDG No.:        | Q3298                      |
| Lab Sample ID:     | Q3298-02                                | Matrix:         | Water                      |
| Analytical Method: | 8260D                                   | % Solid:        | 0                          |
| Sample Wt/Vol:     | 5                    Units:      mL     | Final Vol:      | 5000                    uL |
| Soil Aliquot Vol:  | uL                                      | Test:           | VOC-TCLVOA-10              |
| GC Column:         | DB-624UI                    ID :   0.18 | Level :         | LOW                        |
| Prep Method :      |                                         |                 |                            |

|                   |           |                |               |
|-------------------|-----------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Date Analyzed  | Prep Batch ID |
| VX048066.D        | 1         | 10/08/25 11:40 | VX100825      |

| CAS Number                | Parameter                   | Conc.  | Qualifier | MDL      | LOD  | LOQ / CRQL | Units   |
|---------------------------|-----------------------------|--------|-----------|----------|------|------------|---------|
| 10061-02-6                | t-1,3-Dichloropropene       | 0.50   | U         | 0.17     | 0.50 | 1.00       | ug/L    |
| 10061-01-5                | cis-1,3-Dichloropropene     | 0.50   | U         | 0.16     | 0.50 | 1.00       | ug/L    |
| 79-00-5                   | 1,1,2-Trichloroethane       | 0.50   | U         | 0.21     | 0.50 | 1.00       | ug/L    |
| 591-78-6                  | 2-Hexanone                  | 2.50   | U         | 0.89     | 2.50 | 5.00       | ug/L    |
| 124-48-1                  | Dibromochloromethane        | 0.50   | U         | 0.18     | 0.50 | 1.00       | ug/L    |
| 106-93-4                  | 1,2-Dibromoethane           | 0.50   | U         | 0.15     | 0.50 | 1.00       | ug/L    |
| 127-18-4                  | Tetrachloroethene           | 0.50   | U         | 0.23     | 0.50 | 1.00       | ug/L    |
| 108-90-7                  | Chlorobenzene               | 0.50   | U         | 0.12     | 0.50 | 1.00       | ug/L    |
| 100-41-4                  | Ethyl Benzene               | 0.50   | U         | 0.13     | 0.50 | 1.00       | ug/L    |
| 179601-23-1               | m/p-Xylenes                 | 1.00   | U         | 0.24     | 1.00 | 2.00       | ug/L    |
| 95-47-6                   | o-Xylene                    | 0.50   | U         | 0.12     | 0.50 | 1.00       | ug/L    |
| 100-42-5                  | Styrene                     | 0.50   | U         | 0.15     | 0.50 | 1.00       | ug/L    |
| 75-25-2                   | Bromoform                   | 0.50   | U         | 0.19     | 0.50 | 1.00       | ug/L    |
| 98-82-8                   | Isopropylbenzene            | 0.50   | U         | 0.12     | 0.50 | 1.00       | ug/L    |
| 79-34-5                   | 1,1,2,2-Tetrachloroethane   | 0.50   | U         | 0.26     | 0.50 | 1.00       | ug/L    |
| 541-73-1                  | 1,3-Dichlorobenzene         | 0.50   | U         | 0.16     | 0.50 | 1.00       | ug/L    |
| 106-46-7                  | 1,4-Dichlorobenzene         | 0.50   | U         | 0.19     | 0.50 | 1.00       | ug/L    |
| 95-50-1                   | 1,2-Dichlorobenzene         | 0.50   | U         | 0.16     | 0.50 | 1.00       | ug/L    |
| 96-12-8                   | 1,2-Dibromo-3-Chloropropane | 0.75   | U         | 0.53     | 0.75 | 1.00       | ug/L    |
| 120-82-1                  | 1,2,4-Trichlorobenzene      | 0.50   | U         | 0.20     | 0.50 | 1.00       | ug/L    |
| 87-61-6                   | 1,2,3-Trichlorobenzene      | 0.75   | U         | 0.20     | 0.75 | 1.00       | ug/L    |
| <b>SURROGATES</b>         |                             |        |           |          |      |            |         |
| 17060-07-0                | 1,2-Dichloroethane-d4       | 54.7   |           | 81 - 118 |      | 109%       | SPK: 50 |
| 1868-53-7                 | Dibromofluoromethane        | 48.4   |           | 80 - 119 |      | 97%        | SPK: 50 |
| 2037-26-5                 | Toluene-d8                  | 47.4   |           | 89 - 112 |      | 95%        | SPK: 50 |
| 460-00-4                  | 4-Bromofluorobenzene        | 54.7   |           | 85 - 114 |      | 109%       | SPK: 50 |
| <b>INTERNAL STANDARDS</b> |                             |        |           |          |      |            |         |
| 363-72-4                  | Pentafluorobenzene          | 126000 | 5.538     |          |      |            |         |
| 540-36-3                  | 1,4-Difluorobenzene         | 261000 | 6.751     |          |      |            |         |
| 3114-55-4                 | Chlorobenzene-d5            | 270000 | 10.037    |          |      |            |         |
| 3855-82-1                 | 1,4-Dichlorobenzene-d4      | 137000 | 12.006    |          |      |            |         |

### TENTATIVE IDENTIFIED COMPOUNDS

## Report of Analysis

|                    |                               |           |                 |               |
|--------------------|-------------------------------|-----------|-----------------|---------------|
| Client:            | Tetra Tech NUS, Inc.          |           | Date Collected: | 10/03/25      |
| Project:           | NWIRP Bethpage 112G08005-WE13 |           | Date Received:  | 10/06/25      |
| Client Sample ID:  | BP-VPB-184-EB-20251003        |           | SDG No.:        | Q3298         |
| Lab Sample ID:     | Q3298-02                      |           | Matrix:         | Water         |
| Analytical Method: | 8260D                         |           | % Solid:        | 0             |
| Sample Wt/Vol:     | 5                             | Units: mL | Final Vol:      | 5000 uL       |
| Soil Aliquot Vol:  |                               | uL        | Test:           | VOC-TCLVOA-10 |
| GC Column:         | DB-624UI                      | ID : 0.18 | Level :         | LOW           |
| Prep Method :      |                               |           |                 |               |

|                   |           |                |               |
|-------------------|-----------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Date Analyzed  | Prep Batch ID |
| VX048066.D        | 1         | 10/08/25 11:40 | VX100825      |

| CAS Number | Parameter             | Conc. | Qualifier | MDL | LOD | LOQ / CRQL | Units |
|------------|-----------------------|-------|-----------|-----|-----|------------|-------|
| 75-43-4    | Dichlorofluoromethane | N.D   |           |     |     |            |       |

U = Not Detected  
 LOQ = Limit of Quantitation  
 MDL = Method Detection Limit  
 LOD = Limit of Detection  
 E = Value Exceeds Calibration Range  
 Q = indicates LCS control criteria did not meet requirements  
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value  
 B = Analyte Found in Associated Method Blank  
 N = Presumptive Evidence of a Compound  
 \* = Values outside of QC limits  
 D = Dilution  
 () = Laboratory InHouse Limit  
 A = Aldol-Condensation Reaction Products

## Report of Analysis

|                    |                               |           |                 |               |
|--------------------|-------------------------------|-----------|-----------------|---------------|
| Client:            | Tetra Tech NUS, Inc.          |           | Date Collected: | 10/03/25      |
| Project:           | NWIRP Bethpage 112G08005-WE13 |           | Date Received:  | 10/06/25      |
| Client Sample ID:  | VPB184-HYD-20251003           |           | SDG No.:        | Q3298         |
| Lab Sample ID:     | Q3298-03                      |           | Matrix:         | Water         |
| Analytical Method: | 8260D                         |           | % Solid:        | 0             |
| Sample Wt/Vol:     | 5                             | Units: mL | Final Vol:      | 5000 uL       |
| Soil Aliquot Vol:  |                               | uL        | Test:           | VOC-TCLVOA-10 |
| GC Column:         | DB-624UI                      | ID : 0.18 | Level :         | LOW           |
| Prep Method :      |                               |           |                 |               |

|                   |           |                |               |
|-------------------|-----------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Date Analyzed  | Prep Batch ID |
| VX048045.D        | 1         | 10/07/25 12:20 | VX100725      |

| CAS Number     | Parameter                      | Conc. | Qualifier | MDL   | LOD  | LOQ / CRQL | Units |
|----------------|--------------------------------|-------|-----------|-------|------|------------|-------|
| <b>TARGETS</b> |                                |       |           |       |      |            |       |
| 75-71-8        | Dichlorodifluoromethane        | 0.50  | U         | 0.22  | 0.50 | 1.00       | ug/L  |
| 74-87-3        | Chloromethane                  | 0.50  | U         | 0.32  | 0.50 | 1.00       | ug/L  |
| 75-01-4        | Vinyl Chloride                 | 0.75  | U         | 0.26  | 0.75 | 1.00       | ug/L  |
| 74-83-9        | Bromomethane                   | 3.80  | U         | 1.40  | 3.80 | 5.00       | ug/L  |
| 75-00-3        | Chloroethane                   | 0.75  | U         | 0.47  | 0.75 | 1.00       | ug/L  |
| 75-69-4        | Trichlorofluoromethane         | 0.50  | U         | 0.33  | 0.50 | 1.00       | ug/L  |
| 76-13-1        | 1,1,2-Trichlorotrifluoroethane | 0.50  | U         | 0.25  | 0.50 | 1.00       | ug/L  |
| 75-35-4        | 1,1-Dichloroethene             | 0.75  | U         | 0.23  | 0.75 | 1.00       | ug/L  |
| 67-64-1        | Acetone                        | 3.80  | U         | 1.50  | 3.80 | 5.00       | ug/L  |
| 75-15-0        | Carbon Disulfide               | 0.75  | U         | 0.21  | 0.75 | 1.00       | ug/L  |
| 1634-04-4      | Methyl tert-butyl Ether        | 0.50  | U         | 0.16  | 0.50 | 1.00       | ug/L  |
| 79-20-9        | Methyl Acetate                 | 0.75  | U         | 0.27  | 0.75 | 1.00       | ug/L  |
| 75-09-2        | Methylene Chloride             | 0.50  | U         | 0.28  | 0.50 | 1.00       | ug/L  |
| 156-60-5       | trans-1,2-Dichloroethene       | 0.50  | U         | 0.23  | 0.50 | 1.00       | ug/L  |
| 75-34-3        | 1,1-Dichloroethane             | 0.50  | U         | 0.23  | 0.50 | 1.00       | ug/L  |
| 110-82-7       | Cyclohexane                    | 2.50  | U         | 1.50  | 2.50 | 5.00       | ug/L  |
| 78-93-3        | 2-Butanone                     | 2.50  | U         | 0.98  | 2.50 | 5.00       | ug/L  |
| 56-23-5        | Carbon Tetrachloride           | 0.50  | U         | 0.25  | 0.50 | 1.00       | ug/L  |
| 156-59-2       | cis-1,2-Dichloroethene         | 0.75  | U         | 0.19  | 0.75 | 1.00       | ug/L  |
| 74-97-5        | Bromochloromethane             | 0.50  | U         | 0.22  | 0.50 | 1.00       | ug/L  |
| 67-66-3        | Chloroform                     | 0.50  | U         | 0.25  | 0.50 | 1.00       | ug/L  |
| 71-55-6        | 1,1,1-Trichloroethane          | 0.50  | U         | 0.20  | 0.50 | 1.00       | ug/L  |
| 108-87-2       | Methylcyclohexane              | 0.50  | U         | 0.16  | 0.50 | 1.00       | ug/L  |
| 71-43-2        | Benzene                        | 0.50  | U         | 0.15  | 0.50 | 1.00       | ug/L  |
| 107-06-2       | 1,2-Dichloroethane             | 0.50  | U         | 0.22  | 0.50 | 1.00       | ug/L  |
| 79-01-6        | Trichloroethene                | 0.75  | U         | 0.090 | 0.75 | 1.00       | ug/L  |
| 78-87-5        | 1,2-Dichloropropane            | 0.50  | U         | 0.20  | 0.50 | 1.00       | ug/L  |
| 75-27-4        | Bromodichloromethane           | 0.50  | U         | 0.22  | 0.50 | 1.00       | ug/L  |
| 108-10-1       | 4-Methyl-2-Pentanone           | 2.50  | U         | 0.68  | 2.50 | 5.00       | ug/L  |
| 108-88-3       | Toluene                        | 0.50  | U         | 0.14  | 0.50 | 1.00       | ug/L  |

## Report of Analysis

|                    |                               |        |      |                 |               |
|--------------------|-------------------------------|--------|------|-----------------|---------------|
| Client:            | Tetra Tech NUS, Inc.          |        |      | Date Collected: | 10/03/25      |
| Project:           | NWIRP Bethpage 112G08005-WE13 |        |      | Date Received:  | 10/06/25      |
| Client Sample ID:  | VPB184-HYD-20251003           |        |      | SDG No.:        | Q3298         |
| Lab Sample ID:     | Q3298-03                      |        |      | Matrix:         | Water         |
| Analytical Method: | 8260D                         |        |      | % Solid:        | 0             |
| Sample Wt/Vol:     | 5                             | Units: | mL   | Final Vol:      | 5000 uL       |
| Soil Aliquot Vol:  |                               |        | uL   | Test:           | VOC-TCLVOA-10 |
| GC Column:         | DB-624UI                      | ID :   | 0.18 | Level :         | LOW           |
| Prep Method :      |                               |        |      |                 |               |

|                   |           |                |               |
|-------------------|-----------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Date Analyzed  | Prep Batch ID |
| VX048045.D        | 1         | 10/07/25 12:20 | VX100725      |

[illegible]

## Report of Analysis

|                    |                               |           |                 |               |
|--------------------|-------------------------------|-----------|-----------------|---------------|
| Client:            | Tetra Tech NUS, Inc.          |           | Date Collected: | 10/03/25      |
| Project:           | NWIRP Bethpage 112G08005-WE13 |           | Date Received:  | 10/06/25      |
| Client Sample ID:  | VPB184-HYD-20251003           |           | SDG No.:        | Q3298         |
| Lab Sample ID:     | Q3298-03                      |           | Matrix:         | Water         |
| Analytical Method: | 8260D                         |           | % Solid:        | 0             |
| Sample Wt/Vol:     | 5                             | Units: mL | Final Vol:      | 5000 uL       |
| Soil Aliquot Vol:  |                               | uL        | Test:           | VOC-TCLVOA-10 |
| GC Column:         | DB-624UI                      | ID : 0.18 | Level :         | LOW           |
| Prep Method :      |                               |           |                 |               |

|                   |           |                |               |
|-------------------|-----------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Date Analyzed  | Prep Batch ID |
| VX048045.D        | 1         | 10/07/25 12:20 | VX100725      |

| CAS Number | Parameter             | Conc. | Qualifier | MDL | LOD | LOQ / CRQL | Units |
|------------|-----------------------|-------|-----------|-----|-----|------------|-------|
| 75-43-4    | Dichlorofluoromethane | N.D   |           |     |     |            |       |

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

## Report of Analysis

|                    |                               |           |                 |               |    |
|--------------------|-------------------------------|-----------|-----------------|---------------|----|
| Client:            | Tetra Tech NUS, Inc.          |           | Date Collected: | 10/06/25      |    |
| Project:           | NWIRP Bethpage 112G08005-WE13 |           | Date Received:  | 10/06/25      |    |
| Client Sample ID:  | BP-VPB-184-GW-720-722         |           | SDG No.:        | Q3298         |    |
| Lab Sample ID:     | Q3298-04                      |           | Matrix:         | Water         |    |
| Analytical Method: | 8260D                         |           | % Solid:        | 0             |    |
| Sample Wt/Vol:     | 5                             | Units: mL | Final Vol:      | 5000          | uL |
| Soil Aliquot Vol:  |                               | uL        | Test:           | VOC-TCLVOA-10 |    |
| GC Column:         | DB-624UI                      | ID : 0.18 | Level :         | LOW           |    |
| Prep Method :      |                               |           |                 |               |    |

|                   |           |                |               |
|-------------------|-----------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Date Analyzed  | Prep Batch ID |
| VX048048.D        | 1         | 10/07/25 13:23 | VX100725      |

| CAS Number     | Parameter                      | Conc. | Qualifier | MDL   | LOD  | LOQ / CRQL | Units |
|----------------|--------------------------------|-------|-----------|-------|------|------------|-------|
| <b>TARGETS</b> |                                |       |           |       |      |            |       |
| 75-71-8        | Dichlorodifluoromethane        | 0.50  | U         | 0.22  | 0.50 | 1.00       | ug/L  |
| 74-87-3        | Chloromethane                  | 0.50  | U         | 0.32  | 0.50 | 1.00       | ug/L  |
| 75-01-4        | Vinyl Chloride                 | 0.75  | U         | 0.26  | 0.75 | 1.00       | ug/L  |
| 74-83-9        | Bromomethane                   | 3.80  | U         | 1.40  | 3.80 | 5.00       | ug/L  |
| 75-00-3        | Chloroethane                   | 0.75  | U         | 0.47  | 0.75 | 1.00       | ug/L  |
| 75-69-4        | Trichlorofluoromethane         | 0.50  | U         | 0.33  | 0.50 | 1.00       | ug/L  |
| 76-13-1        | 1,1,2-Trichlorotrifluoroethane | 0.50  | U         | 0.25  | 0.50 | 1.00       | ug/L  |
| 75-35-4        | 1,1-Dichloroethene             | 0.75  | U         | 0.23  | 0.75 | 1.00       | ug/L  |
| 67-64-1        | Acetone                        | 20.3  |           | 1.50  | 3.80 | 5.00       | ug/L  |
| 75-15-0        | Carbon Disulfide               | 0.75  | U         | 0.21  | 0.75 | 1.00       | ug/L  |
| 1634-04-4      | Methyl tert-butyl Ether        | 0.50  | U         | 0.16  | 0.50 | 1.00       | ug/L  |
| 79-20-9        | Methyl Acetate                 | 0.75  | U         | 0.27  | 0.75 | 1.00       | ug/L  |
| 75-09-2        | Methylene Chloride             | 0.50  | U         | 0.28  | 0.50 | 1.00       | ug/L  |
| 156-60-5       | trans-1,2-Dichloroethene       | 0.50  | U         | 0.23  | 0.50 | 1.00       | ug/L  |
| 75-34-3        | 1,1-Dichloroethane             | 0.50  | U         | 0.23  | 0.50 | 1.00       | ug/L  |
| 110-82-7       | Cyclohexane                    | 2.50  | U         | 1.50  | 2.50 | 5.00       | ug/L  |
| 78-93-3        | 2-Butanone                     | 4.00  | J         | 0.98  | 2.50 | 5.00       | ug/L  |
| 56-23-5        | Carbon Tetrachloride           | 0.50  | U         | 0.25  | 0.50 | 1.00       | ug/L  |
| 156-59-2       | cis-1,2-Dichloroethene         | 0.75  | U         | 0.19  | 0.75 | 1.00       | ug/L  |
| 74-97-5        | Bromochloromethane             | 0.50  | U         | 0.22  | 0.50 | 1.00       | ug/L  |
| 67-66-3        | Chloroform                     | 0.50  | U         | 0.25  | 0.50 | 1.00       | ug/L  |
| 71-55-6        | 1,1,1-Trichloroethane          | 0.50  | U         | 0.20  | 0.50 | 1.00       | ug/L  |
| 108-87-2       | Methylcyclohexane              | 0.50  | U         | 0.16  | 0.50 | 1.00       | ug/L  |
| 71-43-2        | Benzene                        | 0.50  | U         | 0.15  | 0.50 | 1.00       | ug/L  |
| 107-06-2       | 1,2-Dichloroethane             | 0.50  | U         | 0.22  | 0.50 | 1.00       | ug/L  |
| 79-01-6        | Trichloroethene                | 0.75  | U         | 0.090 | 0.75 | 1.00       | ug/L  |
| 78-87-5        | 1,2-Dichloropropane            | 0.50  | U         | 0.20  | 0.50 | 1.00       | ug/L  |
| 75-27-4        | Bromodichloromethane           | 0.50  | U         | 0.22  | 0.50 | 1.00       | ug/L  |
| 108-10-1       | 4-Methyl-2-Pentanone           | 2.50  | U         | 0.68  | 2.50 | 5.00       | ug/L  |
| 108-88-3       | Toluene                        | 0.50  | U         | 0.14  | 0.50 | 1.00       | ug/L  |

## Report of Analysis

|                    |                                         |                 |                            |
|--------------------|-----------------------------------------|-----------------|----------------------------|
| Client:            | Tetra Tech NUS, Inc.                    | Date Collected: | 10/06/25                   |
| Project:           | NWIRP Bethpage 112G08005-WE13           | Date Received:  | 10/06/25                   |
| Client Sample ID:  | BP-VPB-184-GW-720-722                   | SDG No.:        | Q3298                      |
| Lab Sample ID:     | Q3298-04                                | Matrix:         | Water                      |
| Analytical Method: | 8260D                                   | % Solid:        | 0                          |
| Sample Wt/Vol:     | 5                    Units:      mL     | Final Vol:      | 5000                    uL |
| Soil Aliquot Vol:  | uL                                      | Test:           | VOC-TCLVOA-10              |
| GC Column:         | DB-624UI                    ID :   0.18 | Level :         | LOW                        |
| Prep Method :      |                                         |                 |                            |

|                   |           |                |               |
|-------------------|-----------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Date Analyzed  | Prep Batch ID |
| VX048048.D        | 1         | 10/07/25 13:23 | VX100725      |

[illegible]

## Report of Analysis

|                    |                               |           |                 |               |
|--------------------|-------------------------------|-----------|-----------------|---------------|
| Client:            | Tetra Tech NUS, Inc.          |           | Date Collected: | 10/06/25      |
| Project:           | NWIRP Bethpage 112G08005-WE13 |           | Date Received:  | 10/06/25      |
| Client Sample ID:  | BP-VPB-184-GW-720-722         |           | SDG No.:        | Q3298         |
| Lab Sample ID:     | Q3298-04                      |           | Matrix:         | Water         |
| Analytical Method: | 8260D                         |           | % Solid:        | 0             |
| Sample Wt/Vol:     | 5                             | Units: mL | Final Vol:      | 5000 uL       |
| Soil Aliquot Vol:  |                               | uL        | Test:           | VOC-TCLVOA-10 |
| GC Column:         | DB-624UI                      | ID : 0.18 | Level :         | LOW           |
| Prep Method :      |                               |           |                 |               |

|                   |           |                |               |
|-------------------|-----------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Date Analyzed  | Prep Batch ID |
| VX048048.D        | 1         | 10/07/25 13:23 | VX100725      |

| CAS Number | Parameter             | Conc. | Qualifier | MDL | LOD | LOQ / CRQL | Units |
|------------|-----------------------|-------|-----------|-----|-----|------------|-------|
| 75-43-4    | Dichlorofluoromethane | N.D   |           |     |     |            |       |

U = Not Detected  
 LOQ = Limit of Quantitation  
 MDL = Method Detection Limit  
 LOD = Limit of Detection  
 E = Value Exceeds Calibration Range  
 Q = indicates LCS control criteria did not meet requirements  
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value  
 B = Analyte Found in Associated Method Blank  
 N = Presumptive Evidence of a Compound  
 \* = Values outside of QC limits  
 D = Dilution  
 () = Laboratory InHouse Limit  
 A = Aldol-Condensation Reaction Products

## Report of Analysis

|                    |                               |           |                 |               |    |
|--------------------|-------------------------------|-----------|-----------------|---------------|----|
| Client:            | Tetra Tech NUS, Inc.          |           | Date Collected: | 10/06/25      |    |
| Project:           | NWIRP Bethpage 112G08005-WE13 |           | Date Received:  | 10/06/25      |    |
| Client Sample ID:  | BP-VPB-184-GW-740-742         |           | SDG No.:        | Q3298         |    |
| Lab Sample ID:     | Q3298-05                      |           | Matrix:         | Water         |    |
| Analytical Method: | 8260D                         |           | % Solid:        | 0             |    |
| Sample Wt/Vol:     | 5                             | Units: mL | Final Vol:      | 5000          | uL |
| Soil Aliquot Vol:  |                               | uL        | Test:           | VOC-TCLVOA-10 |    |
| GC Column:         | DB-624UI                      | ID : 0.18 | Level :         | LOW           |    |
| Prep Method :      |                               |           |                 |               |    |

|                   |           |                |               |
|-------------------|-----------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Date Analyzed  | Prep Batch ID |
| VX048049.D        | 1         | 10/07/25 13:45 | VX100725      |

| CAS Number     | Parameter                      | Conc. | Qualifier | MDL   | LOD  | LOQ / CRQL | Units |
|----------------|--------------------------------|-------|-----------|-------|------|------------|-------|
| <b>TARGETS</b> |                                |       |           |       |      |            |       |
| 75-71-8        | Dichlorodifluoromethane        | 0.50  | U         | 0.22  | 0.50 | 1.00       | ug/L  |
| 74-87-3        | Chloromethane                  | 0.50  | U         | 0.32  | 0.50 | 1.00       | ug/L  |
| 75-01-4        | Vinyl Chloride                 | 0.75  | U         | 0.26  | 0.75 | 1.00       | ug/L  |
| 74-83-9        | Bromomethane                   | 3.80  | U         | 1.40  | 3.80 | 5.00       | ug/L  |
| 75-00-3        | Chloroethane                   | 0.75  | U         | 0.47  | 0.75 | 1.00       | ug/L  |
| 75-69-4        | Trichlorofluoromethane         | 0.50  | U         | 0.33  | 0.50 | 1.00       | ug/L  |
| 76-13-1        | 1,1,2-Trichlorotrifluoroethane | 0.50  | U         | 0.25  | 0.50 | 1.00       | ug/L  |
| 75-35-4        | 1,1-Dichloroethene             | 0.75  | U         | 0.23  | 0.75 | 1.00       | ug/L  |
| 67-64-1        | Acetone                        | 7.80  |           | 1.50  | 3.80 | 5.00       | ug/L  |
| 75-15-0        | Carbon Disulfide               | 0.75  | U         | 0.21  | 0.75 | 1.00       | ug/L  |
| 1634-04-4      | Methyl tert-butyl Ether        | 0.50  | U         | 0.16  | 0.50 | 1.00       | ug/L  |
| 79-20-9        | Methyl Acetate                 | 0.75  | U         | 0.27  | 0.75 | 1.00       | ug/L  |
| 75-09-2        | Methylene Chloride             | 0.50  | U         | 0.28  | 0.50 | 1.00       | ug/L  |
| 156-60-5       | trans-1,2-Dichloroethene       | 0.50  | U         | 0.23  | 0.50 | 1.00       | ug/L  |
| 75-34-3        | 1,1-Dichloroethane             | 0.50  | U         | 0.23  | 0.50 | 1.00       | ug/L  |
| 110-82-7       | Cyclohexane                    | 2.50  | U         | 1.50  | 2.50 | 5.00       | ug/L  |
| 78-93-3        | 2-Butanone                     | 2.50  | U         | 0.98  | 2.50 | 5.00       | ug/L  |
| 56-23-5        | Carbon Tetrachloride           | 0.50  | U         | 0.25  | 0.50 | 1.00       | ug/L  |
| 156-59-2       | cis-1,2-Dichloroethene         | 0.75  | U         | 0.19  | 0.75 | 1.00       | ug/L  |
| 74-97-5        | Bromochloromethane             | 0.50  | U         | 0.22  | 0.50 | 1.00       | ug/L  |
| 67-66-3        | Chloroform                     | 0.50  | U         | 0.25  | 0.50 | 1.00       | ug/L  |
| 71-55-6        | 1,1,1-Trichloroethane          | 0.50  | U         | 0.20  | 0.50 | 1.00       | ug/L  |
| 108-87-2       | Methylcyclohexane              | 0.50  | U         | 0.16  | 0.50 | 1.00       | ug/L  |
| 71-43-2        | Benzene                        | 0.50  | U         | 0.15  | 0.50 | 1.00       | ug/L  |
| 107-06-2       | 1,2-Dichloroethane             | 0.50  | U         | 0.22  | 0.50 | 1.00       | ug/L  |
| 79-01-6        | Trichloroethene                | 0.75  | U         | 0.090 | 0.75 | 1.00       | ug/L  |
| 78-87-5        | 1,2-Dichloropropane            | 0.50  | U         | 0.20  | 0.50 | 1.00       | ug/L  |
| 75-27-4        | Bromodichloromethane           | 0.50  | U         | 0.22  | 0.50 | 1.00       | ug/L  |
| 108-10-1       | 4-Methyl-2-Pentanone           | 2.50  | U         | 0.68  | 2.50 | 5.00       | ug/L  |
| 108-88-3       | Toluene                        | 0.50  | U         | 0.14  | 0.50 | 1.00       | ug/L  |

## Report of Analysis

|                    |                                         |                 |                            |
|--------------------|-----------------------------------------|-----------------|----------------------------|
| Client:            | Tetra Tech NUS, Inc.                    | Date Collected: | 10/06/25                   |
| Project:           | NWIRP Bethpage 112G08005-WE13           | Date Received:  | 10/06/25                   |
| Client Sample ID:  | BP-VPB-184-GW-740-742                   | SDG No.:        | Q3298                      |
| Lab Sample ID:     | Q3298-05                                | Matrix:         | Water                      |
| Analytical Method: | 8260D                                   | % Solid:        | 0                          |
| Sample Wt/Vol:     | 5                    Units:      mL     | Final Vol:      | 5000                    uL |
| Soil Aliquot Vol:  | uL                                      | Test:           | VOC-TCLVOA-10              |
| GC Column:         | DB-624UI                    ID :   0.18 | Level :         | LOW                        |
| Prep Method :      |                                         |                 |                            |

|                   |           |                |               |
|-------------------|-----------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Date Analyzed  | Prep Batch ID |
| VX048049.D        | 1         | 10/07/25 13:45 | VX100725      |

| CAS Number                | Parameter                   | Conc.  | Qualifier | MDL      | LOD  | LOQ / CRQL | Units   |
|---------------------------|-----------------------------|--------|-----------|----------|------|------------|---------|
| 10061-02-6                | t-1,3-Dichloropropene       | 0.50   | U         | 0.17     | 0.50 | 1.00       | ug/L    |
| 10061-01-5                | cis-1,3-Dichloropropene     | 0.50   | U         | 0.16     | 0.50 | 1.00       | ug/L    |
| 79-00-5                   | 1,1,2-Trichloroethane       | 0.50   | U         | 0.21     | 0.50 | 1.00       | ug/L    |
| 591-78-6                  | 2-Hexanone                  | 2.50   | U         | 0.89     | 2.50 | 5.00       | ug/L    |
| 124-48-1                  | Dibromochloromethane        | 0.50   | U         | 0.18     | 0.50 | 1.00       | ug/L    |
| 106-93-4                  | 1,2-Dibromoethane           | 0.50   | U         | 0.15     | 0.50 | 1.00       | ug/L    |
| 127-18-4                  | Tetrachloroethene           | 0.50   | U         | 0.23     | 0.50 | 1.00       | ug/L    |
| 108-90-7                  | Chlorobenzene               | 0.50   | U         | 0.12     | 0.50 | 1.00       | ug/L    |
| 100-41-4                  | Ethyl Benzene               | 0.50   | U         | 0.13     | 0.50 | 1.00       | ug/L    |
| 179601-23-1               | m/p-Xylenes                 | 1.00   | U         | 0.24     | 1.00 | 2.00       | ug/L    |
| 95-47-6                   | o-Xylene                    | 0.50   | U         | 0.12     | 0.50 | 1.00       | ug/L    |
| 100-42-5                  | Styrene                     | 0.50   | U         | 0.15     | 0.50 | 1.00       | ug/L    |
| 75-25-2                   | Bromoform                   | 0.50   | U         | 0.19     | 0.50 | 1.00       | ug/L    |
| 98-82-8                   | Isopropylbenzene            | 0.50   | U         | 0.12     | 0.50 | 1.00       | ug/L    |
| 79-34-5                   | 1,1,2,2-Tetrachloroethane   | 0.50   | U         | 0.26     | 0.50 | 1.00       | ug/L    |
| 541-73-1                  | 1,3-Dichlorobenzene         | 0.50   | U         | 0.16     | 0.50 | 1.00       | ug/L    |
| 106-46-7                  | 1,4-Dichlorobenzene         | 0.50   | U         | 0.19     | 0.50 | 1.00       | ug/L    |
| 95-50-1                   | 1,2-Dichlorobenzene         | 0.50   | U         | 0.16     | 0.50 | 1.00       | ug/L    |
| 96-12-8                   | 1,2-Dibromo-3-Chloropropane | 0.75   | U         | 0.53     | 0.75 | 1.00       | ug/L    |
| 120-82-1                  | 1,2,4-Trichlorobenzene      | 0.50   | U         | 0.20     | 0.50 | 1.00       | ug/L    |
| 87-61-6                   | 1,2,3-Trichlorobenzene      | 0.75   | U         | 0.20     | 0.75 | 1.00       | ug/L    |
| <b>SURROGATES</b>         |                             |        |           |          |      |            |         |
| 17060-07-0                | 1,2-Dichloroethane-d4       | 54.6   |           | 81 - 118 |      | 109%       | SPK: 50 |
| 1868-53-7                 | Dibromofluoromethane        | 50.0   |           | 80 - 119 |      | 100%       | SPK: 50 |
| 2037-26-5                 | Toluene-d8                  | 48.6   |           | 89 - 112 |      | 97%        | SPK: 50 |
| 460-00-4                  | 4-Bromofluorobenzene        | 56.1   |           | 85 - 114 |      | 112%       | SPK: 50 |
| <b>INTERNAL STANDARDS</b> |                             |        |           |          |      |            |         |
| 363-72-4                  | Pentafluorobenzene          | 139000 | 5.544     |          |      |            |         |
| 540-36-3                  | 1,4-Difluorobenzene         | 285000 | 6.751     |          |      |            |         |
| 3114-55-4                 | Chlorobenzene-d5            | 296000 | 10.037    |          |      |            |         |
| 3855-82-1                 | 1,4-Dichlorobenzene-d4      | 152000 | 12.006    |          |      |            |         |

### TENTATIVE IDENTIFIED COMPOUNDS

## Report of Analysis

|                    |                               |           |                 |               |
|--------------------|-------------------------------|-----------|-----------------|---------------|
| Client:            | Tetra Tech NUS, Inc.          |           | Date Collected: | 10/06/25      |
| Project:           | NWIRP Bethpage 112G08005-WE13 |           | Date Received:  | 10/06/25      |
| Client Sample ID:  | BP-VPB-184-GW-740-742         |           | SDG No.:        | Q3298         |
| Lab Sample ID:     | Q3298-05                      |           | Matrix:         | Water         |
| Analytical Method: | 8260D                         |           | % Solid:        | 0             |
| Sample Wt/Vol:     | 5                             | Units: mL | Final Vol:      | 5000 uL       |
| Soil Aliquot Vol:  |                               | uL        | Test:           | VOC-TCLVOA-10 |
| GC Column:         | DB-624UI                      | ID : 0.18 | Level :         | LOW           |
| Prep Method :      |                               |           |                 |               |

|                   |           |                |               |
|-------------------|-----------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Date Analyzed  | Prep Batch ID |
| VX048049.D        | 1         | 10/07/25 13:45 | VX100725      |

| CAS Number | Parameter             | Conc. | Qualifier | MDL | LOD | LOQ / CRQL | Units |
|------------|-----------------------|-------|-----------|-----|-----|------------|-------|
| 75-43-4    | Dichlorofluoromethane | N.D   |           |     |     |            |       |

U = Not Detected  
 LOQ = Limit of Quantitation  
 MDL = Method Detection Limit  
 LOD = Limit of Detection  
 E = Value Exceeds Calibration Range  
 Q = indicates LCS control criteria did not meet requirements  
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value  
 B = Analyte Found in Associated Method Blank  
 N = Presumptive Evidence of a Compound  
 \* = Values outside of QC limits  
 D = Dilution  
 () = Laboratory InHouse Limit  
 A = Aldol-Condensation Reaction Products



# QC SUMMARY

## Surrogate Summary

SDG No.: **Q3298**

Client: **Tetra Tech NUS, Inc.**

Analytical Method: **SW8260-Low**

| Lab Sample ID | Client ID              | Parameter             | Spike | Result | Recovery (%) | Qual | Limits (%) |      |
|---------------|------------------------|-----------------------|-------|--------|--------------|------|------------|------|
|               |                        |                       |       |        |              |      | Low        | High |
| Q3298-01      | BP-VPB-184-TB-20251003 | 1,2-Dichloroethane-d4 | 50    | 50.6   | 101          |      | 81         | 118  |
|               |                        | Dibromofluoromethane  | 50    | 48.7   | 97           |      | 80         | 119  |
|               |                        | Toluene-d8            | 50    | 47.8   | 96           |      | 89         | 112  |
|               |                        | 4-Bromofluorobenzene  | 50    | 53.9   | 108          |      | 85         | 114  |
| Q3298-02      | BP-VPB-184-EB-20251003 | 1,2-Dichloroethane-d4 | 50    | 54.7   | 109          |      | 81         | 118  |
|               |                        | Dibromofluoromethane  | 50    | 48.4   | 97           |      | 80         | 119  |
|               |                        | Toluene-d8            | 50    | 47.4   | 95           |      | 89         | 112  |
|               |                        | 4-Bromofluorobenzene  | 50    | 54.7   | 109          |      | 85         | 114  |
| Q3298-03      | VPB184-HYD-20251003    | 1,2-Dichloroethane-d4 | 50    | 49.9   | 100          |      | 81         | 118  |
|               |                        | Dibromofluoromethane  | 50    | 48.2   | 96           |      | 80         | 119  |
|               |                        | Toluene-d8            | 50    | 48.0   | 96           |      | 89         | 112  |
|               |                        | 4-Bromofluorobenzene  | 50    | 54.0   | 108          |      | 85         | 114  |
| Q3298-04      | BP-VPB-184-GW-720-722  | 1,2-Dichloroethane-d4 | 50    | 49.8   | 100          |      | 81         | 118  |
|               |                        | Dibromofluoromethane  | 50    | 48.5   | 97           |      | 80         | 119  |
|               |                        | Toluene-d8            | 50    | 47.5   | 95           |      | 89         | 112  |
|               |                        | 4-Bromofluorobenzene  | 50    | 54.3   | 109          |      | 85         | 114  |
| Q3298-05      | BP-VPB-184-GW-740-742  | 1,2-Dichloroethane-d4 | 50    | 54.6   | 109          |      | 81         | 118  |
|               |                        | Dibromofluoromethane  | 50    | 50.0   | 100          |      | 80         | 119  |
|               |                        | Toluene-d8            | 50    | 48.6   | 97           |      | 89         | 112  |
|               |                        | 4-Bromofluorobenzene  | 50    | 56.1   | 112          |      | 85         | 114  |
| VX1007WBL01   | VX1007WBL01            | 1,2-Dichloroethane-d4 | 50    | 57.3   | 115          |      | 81         | 118  |
|               |                        | Dibromofluoromethane  | 50    | 51.5   | 103          |      | 80         | 119  |
|               |                        | Toluene-d8            | 50    | 49.3   | 99           |      | 89         | 112  |
|               |                        | 4-Bromofluorobenzene  | 50    | 56.8   | 114          |      | 85         | 114  |
| VX1007WBS01   | VX1007WBS01            | 1,2-Dichloroethane-d4 | 50    | 54.3   | 109          |      | 81         | 118  |
|               |                        | Dibromofluoromethane  | 50    | 55.8   | 112          |      | 80         | 119  |
|               |                        | Toluene-d8            | 50    | 53.5   | 107          |      | 89         | 112  |
|               |                        | 4-Bromofluorobenzene  | 50    | 54.7   | 109          |      | 85         | 114  |
| VX1007WBSD01  | VX1007WBSD01           | 1,2-Dichloroethane-d4 | 50    | 53.0   | 106          |      | 81         | 118  |
|               |                        | Dibromofluoromethane  | 50    | 54.9   | 110          |      | 80         | 119  |
|               |                        | Toluene-d8            | 50    | 53.2   | 106          |      | 89         | 112  |
|               |                        | 4-Bromofluorobenzene  | 50    | 53.5   | 107          |      | 85         | 114  |
| VX1008WBL01   | VX1008WBL01            | 1,2-Dichloroethane-d4 | 50    | 50.5   | 101          |      | 81         | 118  |
|               |                        | Dibromofluoromethane  | 50    | 49.3   | 99           |      | 80         | 119  |
|               |                        | Toluene-d8            | 50    | 48.8   | 98           |      | 89         | 112  |
|               |                        | 4-Bromofluorobenzene  | 50    | 54.1   | 108          |      | 85         | 114  |
| VX1008WBS01   | VX1008WBS01            | 1,2-Dichloroethane-d4 | 50    | 52.5   | 105          |      | 81         | 118  |
|               |                        | Dibromofluoromethane  | 50    | 54.0   | 108          |      | 80         | 119  |
|               |                        | Toluene-d8            | 50    | 51.7   | 103          |      | 89         | 112  |
|               |                        | 4-Bromofluorobenzene  | 50    | 52.9   | 106          |      | 85         | 114  |

Laboratory Control Sample/Laboratory Control Sample Duplicate Summary

SW-846

|          |                             |                    |                   |
|----------|-----------------------------|--------------------|-------------------|
| SDG No.: | <u>Q3298</u>                | Analytical Method: | <u>SW8260-Low</u> |
| Client:  | <u>Tetra Tech NUS, Inc.</u> | Datafile :         | <u>VX048039.D</u> |

| Lab Sample ID | Parameter                      | Spike | Result | Unit | Rec | RPD | Qual | Low | Limits High | RPD |
|---------------|--------------------------------|-------|--------|------|-----|-----|------|-----|-------------|-----|
| VX1007WBS01   | Dichlorodifluoromethane        | 20    | 19.3   | ug/L | 97  |     |      | 32  | 152         |     |
|               | Chloromethane                  | 20    | 17.1   | ug/L | 86  |     |      | 50  | 139         |     |
|               | Vinyl chloride                 | 20    | 18.9   | ug/L | 95  |     |      | 58  | 137         |     |
|               | Bromomethane                   | 20    | 19.9   | ug/L | 100 |     |      | 53  | 141         |     |
|               | Chloroethane                   | 20    | 20.0   | ug/L | 100 |     |      | 60  | 138         |     |
|               | Trichlorofluoromethane         | 20    | 20.2   | ug/L | 101 |     |      | 65  | 141         |     |
|               | 1,1,2-Trichlorotrifluoroethane | 20    | 20.4   | ug/L | 102 |     |      | 70  | 136         |     |
|               | 1,1-Dichloroethene             | 20    | 19.7   | ug/L | 99  |     |      | 71  | 131         |     |
|               | Acetone                        | 100   | 100    | ug/L | 100 |     |      | 39  | 160         |     |
|               | Carbon disulfide               | 20    | 16.9   | ug/L | 85  |     |      | 64  | 133         |     |
|               | Methyl tert-butyl Ether        | 20    | 21.3   | ug/L | 106 |     |      | 71  | 124         |     |
|               | Methyl Acetate                 | 20    | 24.1   | ug/L | 121 |     |      | 56  | 136         |     |
|               | Methylene Chloride             | 20    | 20.7   | ug/L | 104 |     |      | 74  | 124         |     |
|               | trans-1,2-Dichloroethene       | 20    | 19.4   | ug/L | 97  |     |      | 75  | 124         |     |
|               | 1,1-Dichloroethane             | 20    | 21.3   | ug/L | 106 |     |      | 77  | 125         |     |
|               | Cyclohexane                    | 20    | 17.4   | ug/L | 87  |     |      | 71  | 130         |     |
|               | 2-Butanone                     | 100   | 110    | ug/L | 110 |     |      | 56  | 143         |     |
|               | Carbon Tetrachloride           | 20    | 20.7   | ug/L | 104 |     |      | 72  | 136         |     |
|               | cis-1,2-Dichloroethene         | 20    | 21.5   | ug/L | 108 |     |      | 78  | 123         |     |
|               | Bromochloromethane             | 20    | 22.7   | ug/L | 114 |     |      | 78  | 123         |     |
|               | Chloroform                     | 20    | 22.3   | ug/L | 112 |     |      | 79  | 124         |     |
|               | 1,1,1-Trichloroethane          | 20    | 21.2   | ug/L | 106 |     |      | 74  | 131         |     |
|               | Methylcyclohexane              | 20    | 17.2   | ug/L | 86  |     |      | 72  | 132         |     |
|               | Benzene                        | 20    | 21.0   | ug/L | 105 |     |      | 79  | 120         |     |
|               | 1,2-Dichloroethane             | 20    | 21.9   | ug/L | 110 |     |      | 73  | 128         |     |
|               | Trichloroethene                | 20    | 20.8   | ug/L | 104 |     |      | 79  | 123         |     |
|               | 1,2-Dichloropropane            | 20    | 21.9   | ug/L | 110 |     |      | 78  | 122         |     |
|               | Bromodichloromethane           | 20    | 22.8   | ug/L | 114 |     |      | 79  | 125         |     |
|               | 4-Methyl-2-Pentanone           | 100   | 120    | ug/L | 120 |     |      | 67  | 130         |     |
|               | Toluene                        | 20    | 21.0   | ug/L | 105 |     |      | 80  | 121         |     |
|               | t-1,3-Dichloropropene          | 20    | 20.9   | ug/L | 104 |     |      | 73  | 127         |     |
|               | cis-1,3-Dichloropropene        | 20    | 21.5   | ug/L | 108 |     |      | 75  | 124         |     |
|               | 1,1,2-Trichloroethane          | 20    | 23.4   | ug/L | 117 |     |      | 80  | 119         |     |
|               | 2-Hexanone                     | 100   | 110    | ug/L | 110 |     |      | 57  | 139         |     |
|               | Dibromochloromethane           | 20    | 23.8   | ug/L | 119 |     |      | 74  | 126         |     |
|               | 1,2-Dibromoethane              | 20    | 22.7   | ug/L | 114 |     |      | 77  | 121         |     |
|               | Tetrachloroethene              | 20    | 19.0   | ug/L | 95  |     |      | 74  | 129         |     |
|               | Chlorobenzene                  | 20    | 20.6   | ug/L | 103 |     |      | 82  | 118         |     |
|               | Ethyl Benzene                  | 20    | 19.6   | ug/L | 98  |     |      | 79  | 121         |     |
|               | m/p-Xylenes                    | 40    | 40.1   | ug/L | 100 |     |      | 80  | 121         |     |
|               | o-Xylene                       | 20    | 19.9   | ug/L | 100 |     |      | 78  | 122         |     |
|               | Styrene                        | 20    | 20.0   | ug/L | 100 |     |      | 78  | 123         |     |
|               | Bromoform                      | 20    | 22.9   | ug/L | 115 |     |      | 66  | 130         |     |
|               | Isopropylbenzene               | 20    | 18.6   | ug/L | 93  |     |      | 72  | 131         |     |
|               | 1,1,2,2-Tetrachloroethane      | 20    | 21.4   | ug/L | 107 |     |      | 71  | 121         |     |
|               | 1,3-Dichlorobenzene            | 20    | 19.3   | ug/L | 97  |     |      | 80  | 119         |     |
|               | 1,4-Dichlorobenzene            | 20    | 19.6   | ug/L | 98  |     |      | 79  | 118         |     |
|               | 1,2-Dichlorobenzene            | 20    | 19.7   | ug/L | 99  |     |      | 80  | 119         |     |

**Laboratory Control Sample/Laboratory Control Sample Duplicate Summary**

**SW-846**

|                 |                             |                           |                   |
|-----------------|-----------------------------|---------------------------|-------------------|
| <b>SDG No.:</b> | <u>Q3298</u>                | <b>Analytical Method:</b> | <u>SW8260-Low</u> |
| <b>Client:</b>  | <u>Tetra Tech NUS, Inc.</u> | <b>Datafile :</b>         | <u>VX048039.D</u> |

| Lab Sample ID | Parameter                   | Spike | Result | Unit | Rec | RPD | Qual | Low | Limits<br>High | RPD |
|---------------|-----------------------------|-------|--------|------|-----|-----|------|-----|----------------|-----|
| VX1007WBS01   | 1,2-Dibromo-3-Chloropropane | 20    | 18.8   | ug/L | 94  |     |      | 62  | 128            |     |
|               | 1,2,4-Trichlorobenzene      | 20    | 17.8   | ug/L | 89  |     |      | 69  | 130            |     |
|               | 1,2,3-Trichlorobenzene      | 20    | 18.7   | ug/L | 94  |     |      | 69  | 129            |     |

Laboratory Control Sample/Laboratory Control Sample Duplicate Summary

|          |  |                      |            |  |                    |  |            |
|----------|--|----------------------|------------|--|--------------------|--|------------|
| SDG No.: |  | Q3298                | SW-846     |  | Analytical Method: |  | SW8260-Low |
| Client:  |  | Tetra Tech NUS, Inc. | Datafile : |  | VX048040.D         |  |            |

| Lab Sample ID | Parameter                      | Spike | Result | Unit | Rec | RPD | Qual | Low | Limits High | RPD |
|---------------|--------------------------------|-------|--------|------|-----|-----|------|-----|-------------|-----|
| VX1007WBSD01  | Dichlorodifluoromethane        | 20    | 19.2   | ug/L | 96  | 1   |      | 32  | 152         | 20  |
|               | Chloromethane                  | 20    | 16.7   | ug/L | 84  | 2   |      | 50  | 139         | 20  |
|               | Vinyl chloride                 | 20    | 18.4   | ug/L | 92  | 3   |      | 58  | 137         | 20  |
|               | Bromomethane                   | 20    | 19.7   | ug/L | 99  | 1   |      | 53  | 141         | 20  |
|               | Chloroethane                   | 20    | 18.5   | ug/L | 93  | 7   |      | 60  | 138         | 20  |
|               | Trichlorofluoromethane         | 20    | 19.9   | ug/L | 100 | 1   |      | 65  | 141         | 20  |
|               | 1,1,2-Trichlorotrifluoroethane | 20    | 20.2   | ug/L | 101 | 1   |      | 70  | 136         | 20  |
|               | 1,1-Dichloroethene             | 20    | 19.1   | ug/L | 96  | 3   |      | 71  | 131         | 20  |
|               | Acetone                        | 100   | 88.7   | ug/L | 89  | 12  |      | 39  | 160         | 20  |
|               | Carbon disulfide               | 20    | 16.5   | ug/L | 83  | 2   |      | 64  | 133         | 20  |
|               | Methyl tert-butyl Ether        | 20    | 20.4   | ug/L | 102 | 4   |      | 71  | 124         | 20  |
|               | Methyl Acetate                 | 20    | 23.7   | ug/L | 119 | 2   |      | 56  | 136         | 20  |
|               | Methylene Chloride             | 20    | 20.2   | ug/L | 101 | 3   |      | 74  | 124         | 20  |
|               | trans-1,2-Dichloroethene       | 20    | 19.3   | ug/L | 97  | 0   |      | 75  | 124         | 20  |
|               | 1,1-Dichloroethane             | 20    | 20.3   | ug/L | 102 | 4   |      | 77  | 125         | 20  |
|               | Cyclohexane                    | 20    | 18.1   | ug/L | 91  | 4   |      | 71  | 130         | 20  |
|               | 2-Butanone                     | 100   | 100    | ug/L | 100 | 10  |      | 56  | 143         | 20  |
|               | Carbon Tetrachloride           | 20    | 20.4   | ug/L | 102 | 2   |      | 72  | 136         | 20  |
|               | cis-1,2-Dichloroethene         | 20    | 19.8   | ug/L | 99  | 9   |      | 78  | 123         | 20  |
|               | Bromochloromethane             | 20    | 22.5   | ug/L | 113 | 1   |      | 78  | 123         | 20  |
|               | Chloroform                     | 20    | 21.8   | ug/L | 109 | 3   |      | 79  | 124         | 20  |
|               | 1,1,1-Trichloroethane          | 20    | 21.3   | ug/L | 106 | 0   |      | 74  | 131         | 20  |
|               | Methylcyclohexane              | 20    | 18.5   | ug/L | 93  | 8   |      | 72  | 132         | 20  |
|               | Benzene                        | 20    | 20.3   | ug/L | 102 | 3   |      | 79  | 120         | 20  |
|               | 1,2-Dichloroethane             | 20    | 21.1   | ug/L | 106 | 4   |      | 73  | 128         | 20  |
|               | Trichloroethene                | 20    | 20.0   | ug/L | 100 | 4   |      | 79  | 123         | 20  |
|               | 1,2-Dichloropropane            | 20    | 21.7   | ug/L | 109 | 1   |      | 78  | 122         | 20  |
|               | Bromodichloromethane           | 20    | 22.1   | ug/L | 111 | 3   |      | 79  | 125         | 20  |
|               | 4-Methyl-2-Pentanone           | 100   | 120    | ug/L | 120 | 0   |      | 67  | 130         | 20  |
|               | Toluene                        | 20    | 20.7   | ug/L | 104 | 1   |      | 80  | 121         | 20  |
|               | t-1,3-Dichloropropene          | 20    | 20.6   | ug/L | 103 | 1   |      | 73  | 127         | 20  |
|               | cis-1,3-Dichloropropene        | 20    | 20.9   | ug/L | 104 | 4   |      | 75  | 124         | 20  |
|               | 1,1,2-Trichloroethane          | 20    | 22.9   | ug/L | 115 | 2   |      | 80  | 119         | 20  |
|               | 2-Hexanone                     | 100   | 110    | ug/L | 110 | 0   |      | 57  | 139         | 20  |
|               | Dibromochloromethane           | 20    | 23.2   | ug/L | 116 | 3   |      | 74  | 126         | 20  |
|               | 1,2-Dibromoethane              | 20    | 22.4   | ug/L | 112 | 2   |      | 77  | 121         | 20  |
|               | Tetrachloroethene              | 20    | 19.8   | ug/L | 99  | 4   |      | 74  | 129         | 20  |
|               | Chlorobenzene                  | 20    | 20.5   | ug/L | 103 | 0   |      | 82  | 118         | 20  |
|               | Ethyl Benzene                  | 20    | 19.6   | ug/L | 98  | 0   |      | 79  | 121         | 20  |
|               | m/p-Xylenes                    | 40    | 40.5   | ug/L | 101 | 1   |      | 80  | 121         | 20  |
|               | o-Xylene                       | 20    | 19.8   | ug/L | 99  | 1   |      | 78  | 122         | 20  |
|               | Styrene                        | 20    | 20.4   | ug/L | 102 | 2   |      | 78  | 123         | 20  |
|               | Bromoform                      | 20    | 22.4   | ug/L | 112 | 3   |      | 66  | 130         | 20  |
|               | Isopropylbenzene               | 20    | 19.2   | ug/L | 96  | 3   |      | 72  | 131         | 20  |
|               | 1,1,2,2-Tetrachloroethane      | 20    | 21.4   | ug/L | 107 | 0   |      | 71  | 121         | 20  |
|               | 1,3-Dichlorobenzene            | 20    | 19.6   | ug/L | 98  | 1   |      | 80  | 119         | 20  |
|               | 1,4-Dichlorobenzene            | 20    | 20.0   | ug/L | 100 | 2   |      | 79  | 118         | 20  |
|               | 1,2-Dichlorobenzene            | 20    | 20.4   | ug/L | 102 | 3   |      | 80  | 119         | 20  |

**Laboratory Control Sample/Laboratory Control Sample Duplicate Summary**

**SW-846**

|                 |                             |                           |                   |
|-----------------|-----------------------------|---------------------------|-------------------|
| <b>SDG No.:</b> | <u>Q3298</u>                | <b>Analytical Method:</b> | <u>SW8260-Low</u> |
| <b>Client:</b>  | <u>Tetra Tech NUS, Inc.</u> | <b>Datafile :</b>         | <u>VX048040.D</u> |

| Lab Sample ID | Parameter                   | Spike | Result | Unit | Rec | RPD | Qual | Low | Limits<br>High | RPD |
|---------------|-----------------------------|-------|--------|------|-----|-----|------|-----|----------------|-----|
| VX1007WBSD01  | 1,2-Dibromo-3-Chloropropane | 20    | 20.0   | ug/L | 100 | 6   |      | 62  | 128            | 20  |
|               | 1,2,4-Trichlorobenzene      | 20    | 18.7   | ug/L | 94  | 5   |      | 69  | 130            | 20  |
|               | 1,2,3-Trichlorobenzene      | 20    | 19.9   | ug/L | 100 | 6   |      | 69  | 129            | 20  |

Laboratory Control Sample/Laboratory Control Sample Duplicate Summary

|          |                      |            |                    |            |
|----------|----------------------|------------|--------------------|------------|
| SDG No.: | Q3298                | SW-846     | Analytical Method: | SW8260-Low |
| Client:  | Tetra Tech NUS, Inc. | Datafile : | VX048063.D         |            |

| Lab Sample ID | Parameter                      | Spike | Result | Unit | Rec | RPD | Qual | Low | Limits High | RPD |
|---------------|--------------------------------|-------|--------|------|-----|-----|------|-----|-------------|-----|
| VX1008WBS01   | Dichlorodifluoromethane        | 20    | 15.8   | ug/L | 79  |     |      | 32  | 152         |     |
|               | Chloromethane                  | 20    | 14.6   | ug/L | 73  |     |      | 50  | 139         |     |
|               | Vinyl chloride                 | 20    | 16.2   | ug/L | 81  |     |      | 58  | 137         |     |
|               | Bromomethane                   | 20    | 16.1   | ug/L | 81  |     |      | 53  | 141         |     |
|               | Chloroethane                   | 20    | 17.1   | ug/L | 86  |     |      | 60  | 138         |     |
|               | Trichlorofluoromethane         | 20    | 17.7   | ug/L | 89  |     |      | 65  | 141         |     |
|               | 1,1,2-Trichlorotrifluoroethane | 20    | 18.1   | ug/L | 91  |     |      | 70  | 136         |     |
|               | 1,1-Dichloroethene             | 20    | 17.5   | ug/L | 88  |     |      | 71  | 131         |     |
|               | Acetone                        | 100   | 88.7   | ug/L | 89  |     |      | 39  | 160         |     |
|               | Carbon disulfide               | 20    | 14.3   | ug/L | 72  |     |      | 64  | 133         |     |
|               | Methyl tert-butyl Ether        | 20    | 19.2   | ug/L | 96  |     |      | 71  | 124         |     |
|               | Methyl Acetate                 | 20    | 22.8   | ug/L | 114 |     |      | 56  | 136         |     |
|               | Methylene Chloride             | 20    | 18.4   | ug/L | 92  |     |      | 74  | 124         |     |
|               | trans-1,2-Dichloroethene       | 20    | 17.1   | ug/L | 86  |     |      | 75  | 124         |     |
|               | 1,1-Dichloroethane             | 20    | 19.1   | ug/L | 96  |     |      | 77  | 125         |     |
|               | Cyclohexane                    | 20    | 15.8   | ug/L | 79  |     |      | 71  | 130         |     |
|               | 2-Butanone                     | 100   | 99.9   | ug/L | 100 |     |      | 56  | 143         |     |
|               | Carbon Tetrachloride           | 20    | 18.0   | ug/L | 90  |     |      | 72  | 136         |     |
|               | cis-1,2-Dichloroethene         | 20    | 18.7   | ug/L | 94  |     |      | 78  | 123         |     |
|               | Bromochloromethane             | 20    | 20.2   | ug/L | 101 |     |      | 78  | 123         |     |
|               | Chloroform                     | 20    | 20.1   | ug/L | 101 |     |      | 79  | 124         |     |
|               | 1,1,1-Trichloroethane          | 20    | 19.1   | ug/L | 96  |     |      | 74  | 131         |     |
|               | Methylcyclohexane              | 20    | 15.0   | ug/L | 75  |     |      | 72  | 132         |     |
|               | Benzene                        | 20    | 18.3   | ug/L | 92  |     |      | 79  | 120         |     |
|               | 1,2-Dichloroethane             | 20    | 19.3   | ug/L | 97  |     |      | 73  | 128         |     |
|               | Trichloroethene                | 20    | 18.1   | ug/L | 91  |     |      | 79  | 123         |     |
|               | 1,2-Dichloropropane            | 20    | 19.5   | ug/L | 98  |     |      | 78  | 122         |     |
|               | Bromodichloromethane           | 20    | 19.8   | ug/L | 99  |     |      | 79  | 125         |     |
|               | 4-Methyl-2-Pentanone           | 100   | 110    | ug/L | 110 |     |      | 67  | 130         |     |
|               | Toluene                        | 20    | 18.4   | ug/L | 92  |     |      | 80  | 121         |     |
|               | t-1,3-Dichloropropene          | 20    | 18.4   | ug/L | 92  |     |      | 73  | 127         |     |
|               | cis-1,3-Dichloropropene        | 20    | 18.6   | ug/L | 93  |     |      | 75  | 124         |     |
|               | 1,1,2-Trichloroethane          | 20    | 20.8   | ug/L | 104 |     |      | 80  | 119         |     |
|               | 2-Hexanone                     | 100   | 100    | ug/L | 100 |     |      | 57  | 139         |     |
|               | Dibromochloromethane           | 20    | 20.7   | ug/L | 104 |     |      | 74  | 126         |     |
|               | 1,2-Dibromoethane              | 20    | 20.8   | ug/L | 104 |     |      | 77  | 121         |     |
|               | Tetrachloroethene              | 20    | 16.3   | ug/L | 81  |     |      | 74  | 129         |     |
|               | Chlorobenzene                  | 20    | 18.4   | ug/L | 92  |     |      | 82  | 118         |     |
|               | Ethyl Benzene                  | 20    | 17.5   | ug/L | 88  |     |      | 79  | 121         |     |
|               | m/p-Xylenes                    | 40    | 35.5   | ug/L | 89  |     |      | 80  | 121         |     |
|               | o-Xylene                       | 20    | 17.8   | ug/L | 89  |     |      | 78  | 122         |     |
|               | Styrene                        | 20    | 18.3   | ug/L | 92  |     |      | 78  | 123         |     |
|               | Bromoform                      | 20    | 20.5   | ug/L | 103 |     |      | 66  | 130         |     |
|               | Isopropylbenzene               | 20    | 17.0   | ug/L | 85  |     |      | 72  | 131         |     |
|               | 1,1,2,2-Tetrachloroethane      | 20    | 19.9   | ug/L | 100 |     |      | 71  | 121         |     |
|               | 1,3-Dichlorobenzene            | 20    | 17.9   | ug/L | 90  |     |      | 80  | 119         |     |
|               | 1,4-Dichlorobenzene            | 20    | 17.7   | ug/L | 89  |     |      | 79  | 118         |     |
|               | 1,2-Dichlorobenzene            | 20    | 18.0   | ug/L | 90  |     |      | 80  | 119         |     |

**Laboratory Control Sample/Laboratory Control Sample Duplicate Summary**

**SW-846**

|                 |                             |                           |                   |
|-----------------|-----------------------------|---------------------------|-------------------|
| <b>SDG No.:</b> | <u>Q3298</u>                | <b>Analytical Method:</b> | <u>SW8260-Low</u> |
| <b>Client:</b>  | <u>Tetra Tech NUS, Inc.</u> | <b>Datafile :</b>         | <u>VX048063.D</u> |

| Lab Sample ID | Parameter                   | Spike | Result | Unit | Rec | RPD | Qual | Low | Limits | RPD |
|---------------|-----------------------------|-------|--------|------|-----|-----|------|-----|--------|-----|
|               |                             |       |        |      |     |     |      |     | High   |     |
| VX1008WBS01   | 1,2-Dibromo-3-Chloropropane | 20    | 18.5   | ug/L | 93  |     |      | 62  | 128    |     |
|               | 1,2,4-Trichlorobenzene      | 20    | 16.5   | ug/L | 83  |     |      | 69  | 130    |     |
|               | 1,2,3-Trichlorobenzene      | 20    | 17.1   | ug/L | 86  |     |      | 69  | 129    |     |

VOLATILE METHOD BLANK SUMMARY

Client ID

VX1007WBL01

Lab Name: Alliance

Contract: TETR06

Lab Code: ACE

SDG NO.: Q3298

Lab File ID: VX048038.D

Lab Sample ID: VX1007WBL01

Date Analyzed: 10/07/2025

Time Analyzed: 09:34

GC Column: DB-624UI ID: 0.18 (mm)

Heated Purge: (Y/N) N

Instrument ID: MSVOA\_X

THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES, MS AND MSD:

| EPA<br>SAMPLE NO.      | LAB<br>SAMPLE ID | LAB<br>FILE ID | DATE<br>ANALYZED |
|------------------------|------------------|----------------|------------------|
| VX1007WBS01            | VX1007WBS01      | VX048039.D     | 10/07/2025       |
| VX1007WBSD01           | VX1007WBSD01     | VX048040.D     | 10/07/2025       |
| VPB184-HYD-20251003    | Q3298-03         | VX048045.D     | 10/07/2025       |
| BP-VPB-184-TB-20251003 | Q3298-01         | VX048047.D     | 10/07/2025       |
| BP-VPB-184-GW-720-722  | Q3298-04         | VX048048.D     | 10/07/2025       |
| BP-VPB-184-GW-740-742  | Q3298-05         | VX048049.D     | 10/07/2025       |

COMMENTS: \_\_\_\_\_  
\_\_\_\_\_

VOLATILE METHOD BLANK SUMMARY

Client ID

VX1008WBL01

Lab Name: Alliance

Contract: TETR06

Lab Code: ACE

SDG NO.: Q3298

Lab File ID: VX048062.D

Lab Sample ID: VX1008WBL01

Date Analyzed: 10/08/2025

Time Analyzed: 10:04

GC Column: DB-624UI ID: 0.18 (mm)

Heated Purge: (Y/N) N

Instrument ID: MSVOA\_X

THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES, MS AND MSD:

| EPA<br>SAMPLE NO.      | LAB<br>SAMPLE ID | LAB<br>FILE ID | DATE<br>ANALYZED |
|------------------------|------------------|----------------|------------------|
| VX1008WBS01            | VX1008WBS01      | VX048063.D     | 10/08/2025       |
| BP-VPB-184-EB-20251003 | Q3298-02         | VX048066.D     | 10/08/2025       |

COMMENTS: \_\_\_\_\_

\_\_\_\_\_

VOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK  
BROMOFLUOROBENZENE (BFB)

Lab Name: Alliance  
Lab Code: ACE  
Lab File ID: VX047584.D  
Instrument ID: MSVOA\_X  
GC Column: DB-624UI ID: 0.18 (mm)

Contract: TETR06  
SDG NO.: Q3298  
BFB Injection Date: 09/16/2025  
BFB Injection Time: 08:56  
Heated Purge: Y/N N

| m/e | ION ABUNDANCE CRITERIA             | % RELATIVE ABUNDANCE |
|-----|------------------------------------|----------------------|
| 50  | 15.0 - 40.0% of mass 95            | 20                   |
| 75  | 30.0 - 60.0% of mass 95            | 54                   |
| 95  | Base Peak, 100% relative abundance | 100                  |
| 96  | 5.0 - 9.0% of mass 95              | 7                    |
| 173 | Less than 2.0% of mass 174         | 0.7 ( 1 ) 1          |
| 174 | 50.0 - 100.0% of mass 95           | 67.3                 |
| 175 | 5.0 - 9.0% of mass 174             | 5.4 ( 8.1 ) 1        |
| 176 | 95.0 - 101.0% of mass 174          | 66.3 ( 98.6 ) 1      |
| 177 | 5.0 - 9.0% of mass 176             | 4.3 ( 6.4 ) 2        |

1-Value is % mass 174

2-Value is % mass 176

THIS CHECK APPLIES TO THE FOLLOWING SAMPLES, MS, MSD, BLANKS, AND STANDARDS:

| CLIENT ID | LAB SAMPLE ID | LAB FILE ID | DATE ANALYZED | TIME ANALYZED |
|-----------|---------------|-------------|---------------|---------------|
| VSTDIC001 | VSTDIC001     | VX047585.D  | 09/16/2025    | 09:23         |
| VSTDIC005 | VSTDIC005     | VX047586.D  | 09/16/2025    | 10:16         |
| VSTDIC020 | VSTDIC020     | VX047587.D  | 09/16/2025    | 10:37         |
| VSTDIC050 | VSTDIC050     | VX047588.D  | 09/16/2025    | 10:58         |
| VSTDIC100 | VSTDIC100     | VX047589.D  | 09/16/2025    | 11:40         |
| VSTDIC150 | VSTDIC150     | VX047590.D  | 09/16/2025    | 12:01         |

VOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK  
BROMOFLUOROBENZENE (BFB)

Lab Name: Alliance  
Lab Code: ACE  
Lab File ID: VX048035.D  
Instrument ID: MSVOA\_X  
GC Column: DB-624UI ID: 0.18 (mm)

Contract: TETR06  
SDG NO.: Q3298  
BFB Injection Date: 10/07/2025  
BFB Injection Time: 08:07  
Heated Purge: Y/N N

| m/e | ION ABUNDANCE CRITERIA             | % RELATIVE ABUNDANCE |
|-----|------------------------------------|----------------------|
| 50  | 15.0 - 40.0% of mass 95            | 19.9                 |
| 75  | 30.0 - 60.0% of mass 95            | 53.1                 |
| 95  | Base Peak, 100% relative abundance | 100                  |
| 96  | 5.0 - 9.0% of mass 95              | 6.7                  |
| 173 | Less than 2.0% of mass 174         | 1 ( 1.4 ) 1          |
| 174 | 50.0 - 100.0% of mass 95           | 70.1                 |
| 175 | 5.0 - 9.0% of mass 174             | 5.2 ( 7.4 ) 1        |
| 176 | 95.0 - 101.0% of mass 174          | 67.1 ( 95.6 ) 1      |
| 177 | 5.0 - 9.0% of mass 176             | 4.5 ( 6.7 ) 2        |

1-Value is % mass 174

2-Value is % mass 176

THIS CHECK APPLIES TO THE FOLLOWING SAMPLES, MS, MSD, BLANKS, AND STANDARDS:

| CLIENT ID              | LAB SAMPLE ID | LAB FILE ID | DATE ANALYZED | TIME ANALYZED |
|------------------------|---------------|-------------|---------------|---------------|
| VSTDCCC050             | VSTDCCC050    | VX048036.D  | 10/07/2025    | 08:44         |
| VX1007WBL01            | VX1007WBL01   | VX048038.D  | 10/07/2025    | 09:34         |
| VX1007WBS01            | VX1007WBS01   | VX048039.D  | 10/07/2025    | 10:06         |
| VX1007WBSD01           | VX1007WBSD01  | VX048040.D  | 10/07/2025    | 10:34         |
| VPB184-HYD-20251003    | Q3298-03      | VX048045.D  | 10/07/2025    | 12:20         |
| BP-VPB-184-TB-20251003 | Q3298-01      | VX048047.D  | 10/07/2025    | 13:02         |
| BP-VPB-184-GW-720-722  | Q3298-04      | VX048048.D  | 10/07/2025    | 13:23         |
| BP-VPB-184-GW-740-742  | Q3298-05      | VX048049.D  | 10/07/2025    | 13:45         |
| VSTDCCC050EC           | VSTDCCC050    | VX048050.D  | 10/07/2025    | 14:06         |

VOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK  
BROMOFLUOROBENZENE (BFB)

Lab Name: Alliance

Contract: TETR06

Lab Code: ACE

SDG NO.: Q3298

Lab File ID: VX048059.D

BFB Injection Date: 10/08/2025

Instrument ID: MSVOA\_X

BFB Injection Time: 08:44

GC Column: DB-624UI ID: 0.18 (mm)

Heated Purge: Y/N N

| m/e | ION ABUNDANCE CRITERIA             | % RELATIVE ABUNDANCE |
|-----|------------------------------------|----------------------|
| 50  | 15.0 - 40.0% of mass 95            | 19.9                 |
| 75  | 30.0 - 60.0% of mass 95            | 52.3                 |
| 95  | Base Peak, 100% relative abundance | 100                  |
| 96  | 5.0 - 9.0% of mass 95              | 6.2                  |
| 173 | Less than 2.0% of mass 174         | 0.8 ( 1.1 ) 1        |
| 174 | 50.0 - 100.0% of mass 95           | 69.6                 |
| 175 | 5.0 - 9.0% of mass 174             | 5.3 ( 7.6 ) 1        |
| 176 | 95.0 - 101.0% of mass 174          | 67 ( 96.3 ) 1        |
| 177 | 5.0 - 9.0% of mass 176             | 4.1 ( 6.2 ) 2        |

1-Value is % mass 174

2-Value is % mass 176

THIS CHECK APPLIES TO THE FOLLOWING SAMPLES, MS, MSD, BLANKS, AND STANDARDS:

| CLIENT ID              | LAB SAMPLE ID | LAB FILE ID | DATE ANALYZED | TIME ANALYZED |
|------------------------|---------------|-------------|---------------|---------------|
| VSTDCCC050             | VSTDCCC050    | VX048060.D  | 10/08/2025    | 09:15         |
| VX1008WBL01            | VX1008WBL01   | VX048062.D  | 10/08/2025    | 10:04         |
| VX1008WBS01            | VX1008WBS01   | VX048063.D  | 10/08/2025    | 10:31         |
| BP-VPB-184-EB-20251003 | Q3298-02      | VX048066.D  | 10/08/2025    | 11:40         |
| VSTDCCC050EC           | VSTDCCC050    | VX048070.D  | 10/08/2025    | 15:19         |

VOLATILE INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: Alliance Contract: TETR06  
Lab Code: ACE SDG NO.: Q3298  
Lab File ID: VX048036.D Date Analyzed: 10/07/2025  
Instrument ID: MSVOA\_X Time Analyzed: 08:44  
GC Column: DB-624UI ID: 0.18 (mm) Heated Purge: (Y/N) N

|                        | IS1<br>AREA # | RT #  | IS2<br>AREA # | RT #  | IS3<br>AREA # | RT #   |
|------------------------|---------------|-------|---------------|-------|---------------|--------|
| 12 HOUR STD            | 144874        | 5.53  | 249421        | 6.74  | 221582        | 10.04  |
| UPPER LIMIT            | 289748        | 6.025 | 498842        | 7.239 | 443164        | 10.537 |
| LOWER LIMIT            | 72437         | 5.025 | 124711        | 6.239 | 110791        | 9.537  |
| EPA SAMPLE NO.         |               |       |               |       |               |        |
| BP-VPB-184-TB-20251003 | 119485        | 5.54  | 242388        | 6.75  | 248619        | 10.04  |
| VPB184-HYD-20251003    | 123263        | 5.54  | 249648        | 6.75  | 255281        | 10.04  |
| BP-VPB-184-GW-720-722  | 122944        | 5.54  | 248523        | 6.75  | 257016        | 10.04  |
| BP-VPB-184-GW-740-742  | 138944        | 5.54  | 284728        | 6.75  | 296067        | 10.04  |
| VX1007WBL01            | 133238        | 5.54  | 276412        | 6.75  | 291549        | 10.04  |
| VX1007WBS01            | 127551        | 5.53  | 226030        | 6.75  | 211007        | 10.04  |
| VX1007WBSD01           | 129287        | 5.53  | 226163        | 6.75  | 207970        | 10.04  |

IS1 = Pentafluorobenzene  
IS2 = 1,4-Difluorobenzene  
IS3 = Chlorobenzene-d5

AREA UPPER LIMIT = +100% of internal standard area  
AREA LOWER LIMIT = -50% of internal standard area  
RT UPPER LIMIT = +0.50 minutes of internal standard RT  
RT LOWER LIMIT = -0.50 minutes of internal standard RT

# Column used to flag values outside QC limits with an asterisk.  
\* Values outside of QC limits.

VOLATILE INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: Alliance Contract: TETR06  
 Lab Code: ACE SDG NO.: Q3298  
 Lab File ID: VX048036.D Date Analyzed: 10/07/2025  
 Instrument ID: MSVOA\_X Time Analyzed: 08:44  
 GC Column: DB-624UI ID: 0.18 (mm) Heated Purge: (Y/N) N

|                        | IS4<br>AREA # | RT #   |  |  |  |  |
|------------------------|---------------|--------|--|--|--|--|
| 12 HOUR STD            | 111843        | 12.00€ |  |  |  |  |
| UPPER LIMIT            | 223686        | 12.50€ |  |  |  |  |
| LOWER LIMIT            | 55921.5       | 11.50€ |  |  |  |  |
| EPA SAMPLE NO.         |               |        |  |  |  |  |
| BP-VPB-184-TB-20251003 | 121141        | 12.01  |  |  |  |  |
| VPB184-HYD-20251003    | 126158        | 12.01  |  |  |  |  |
| BP-VPB-184-GW-720-722  | 125514        | 12.01  |  |  |  |  |
| BP-VPB-184-GW-740-742  | 152416        | 12.01  |  |  |  |  |
| VX1007WBL01            | 144709        | 12.01  |  |  |  |  |
| VX1007WBS01            | 108312        | 12.01  |  |  |  |  |
| VX1007WBSD01           | 105986        | 12.01  |  |  |  |  |

IS4 = 1,4-Dichlorobenzene-d4

AREA UPPER LIMIT = +100% of internal standard area  
 AREA LOWER LIMIT = -50% of internal standard area  
 RT UPPER LIMIT = +0.50 minutes of internal standard RT  
 RT LOWER LIMIT = -0.50 minutes of internal standard RT

# Column used to flag values outside QC limits with an asterisk.  
 \* Values outside of QC limits.

VOLATILE INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: Alliance Contract: TETR06  
Lab Code: ACE SDG NO.: Q3298  
Lab File ID: VX048060.D Date Analyzed: 10/08/2025  
Instrument ID: MSVOA\_X Time Analyzed: 09:15  
GC Column: DB-624UI ID: 0.18 (mm) Heated Purge: (Y/N) N

|                        | IS1<br>AREA # | RT #  | IS2<br>AREA # | RT #  | IS3<br>AREA # | RT #   |
|------------------------|---------------|-------|---------------|-------|---------------|--------|
| 12 HOUR STD            | 142766        | 5.54  | 249681        | 6.74  | 222440        | 10.04  |
| UPPER LIMIT            | 285532        | 6.037 | 499362        | 7.238 | 444880        | 10.537 |
| LOWER LIMIT            | 71383         | 5.037 | 124841        | 6.238 | 111220        | 9.537  |
| EPA SAMPLE NO.         |               |       |               |       |               |        |
| BP-VPB-184-EB-20251003 | 125586        | 5.54  | 260870        | 6.75  | 270184        | 10.04  |
| VX1008WBL01            | 121387        | 5.54  | 244961        | 6.75  | 249961        | 10.04  |
| VX1008WBS01            | 138126        | 5.54  | 247938        | 6.75  | 228109        | 10.04  |

IS1 = Pentafluorobenzene  
IS2 = 1,4-Difluorobenzene  
IS3 = Chlorobenzene-d5

AREA UPPER LIMIT = +100% of internal standard area  
AREA LOWER LIMIT = -50% of internal standard area  
RT UPPER LIMIT = +0.50 minutes of internal standard RT  
RT LOWER LIMIT = -0.50 minutes of internal standard RT

# Column used to flag values outside QC limits with an asterisk.  
\* Values outside of QC limits.

VOLATILE INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: Alliance Contract: TETR06  
 Lab Code: ACE SDG NO.: Q3298  
 Lab File ID: VX048060.D Date Analyzed: 10/08/2025  
 Instrument ID: MSVOA\_X Time Analyzed: 09:15  
 GC Column: DB-624UI ID: 0.18 (mm) Heated Purge: (Y/N) N

|                        | IS4<br>AREA # | RT #   |  |  |  |  |
|------------------------|---------------|--------|--|--|--|--|
| 12 HOUR STD            | 110153        | 12.00€ |  |  |  |  |
| UPPER LIMIT            | 220306        | 12.50€ |  |  |  |  |
| LOWER LIMIT            | 55076.5       | 11.50€ |  |  |  |  |
| EPA SAMPLE NO.         |               |        |  |  |  |  |
| BP-VPB-184-EB-20251003 | 137239        | 12.01  |  |  |  |  |
| VX1008WBL01            | 121871        | 12.01  |  |  |  |  |
| VX1008WBS01            | 115582        | 12.01  |  |  |  |  |

IS4 = 1,4-Dichlorobenzene-d4

AREA UPPER LIMIT = +100% of internal standard area  
 AREA LOWER LIMIT = -50% of internal standard area  
 RT UPPER LIMIT = +0.50 minutes of internal standard RT  
 RT LOWER LIMIT = -0.50 minutes of internal standard RT

# Column used to flag values outside QC limits with an asterisk.  
 \* Values outside of QC limits.



# QC SAMPLE DATA

## Report of Analysis

|                    |                               |           |                 |               |
|--------------------|-------------------------------|-----------|-----------------|---------------|
| Client:            | Tetra Tech NUS, Inc.          |           | Date Collected: |               |
| Project:           | NWIRP Bethpage 112G08005-WE13 |           | Date Received:  |               |
| Client Sample ID:  | VX1007WBL01                   |           | SDG No.:        | Q3298         |
| Lab Sample ID:     | VX1007WBL01                   |           | Matrix:         | Water         |
| Analytical Method: | 8260D                         |           | % Solid:        | 0             |
| Sample Wt/Vol:     | 5                             | Units: mL | Final Vol:      | 5000 uL       |
| Soil Aliquot Vol:  |                               | uL        | Test:           | VOC-TCLVOA-10 |
| GC Column:         | DB-624UI                      | ID : 0.18 | Level :         | LOW           |
| Prep Method :      |                               |           |                 |               |

|                   |           |                |               |
|-------------------|-----------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Date Analyzed  | Prep Batch ID |
| VX048038.D        | 1         | 10/07/25 09:34 | VX100725      |

| CAS Number     | Parameter                      | Conc. | Qualifier | MDL   | LOD  | LOQ / CRQL | Units |
|----------------|--------------------------------|-------|-----------|-------|------|------------|-------|
| <b>TARGETS</b> |                                |       |           |       |      |            |       |
| 75-71-8        | Dichlorodifluoromethane        | 0.50  | U         | 0.22  | 0.50 | 1.00       | ug/L  |
| 74-87-3        | Chloromethane                  | 0.50  | U         | 0.32  | 0.50 | 1.00       | ug/L  |
| 75-01-4        | Vinyl Chloride                 | 0.75  | U         | 0.26  | 0.75 | 1.00       | ug/L  |
| 74-83-9        | Bromomethane                   | 3.80  | U         | 1.40  | 3.80 | 5.00       | ug/L  |
| 75-00-3        | Chloroethane                   | 0.75  | U         | 0.47  | 0.75 | 1.00       | ug/L  |
| 75-69-4        | Trichlorofluoromethane         | 0.50  | U         | 0.33  | 0.50 | 1.00       | ug/L  |
| 76-13-1        | 1,1,2-Trichlorotrifluoroethane | 0.50  | U         | 0.25  | 0.50 | 1.00       | ug/L  |
| 75-35-4        | 1,1-Dichloroethene             | 0.75  | U         | 0.23  | 0.75 | 1.00       | ug/L  |
| 67-64-1        | Acetone                        | 3.80  | U         | 1.50  | 3.80 | 5.00       | ug/L  |
| 75-15-0        | Carbon Disulfide               | 0.75  | U         | 0.21  | 0.75 | 1.00       | ug/L  |
| 1634-04-4      | Methyl tert-butyl Ether        | 0.50  | U         | 0.16  | 0.50 | 1.00       | ug/L  |
| 79-20-9        | Methyl Acetate                 | 0.75  | U         | 0.27  | 0.75 | 1.00       | ug/L  |
| 75-09-2        | Methylene Chloride             | 0.50  | U         | 0.28  | 0.50 | 1.00       | ug/L  |
| 156-60-5       | trans-1,2-Dichloroethene       | 0.50  | U         | 0.23  | 0.50 | 1.00       | ug/L  |
| 75-34-3        | 1,1-Dichloroethane             | 0.50  | U         | 0.23  | 0.50 | 1.00       | ug/L  |
| 110-82-7       | Cyclohexane                    | 2.50  | U         | 1.50  | 2.50 | 5.00       | ug/L  |
| 78-93-3        | 2-Butanone                     | 2.50  | U         | 0.98  | 2.50 | 5.00       | ug/L  |
| 56-23-5        | Carbon Tetrachloride           | 0.50  | U         | 0.25  | 0.50 | 1.00       | ug/L  |
| 156-59-2       | cis-1,2-Dichloroethene         | 0.75  | U         | 0.19  | 0.75 | 1.00       | ug/L  |
| 74-97-5        | Bromochloromethane             | 0.50  | U         | 0.22  | 0.50 | 1.00       | ug/L  |
| 67-66-3        | Chloroform                     | 0.50  | U         | 0.25  | 0.50 | 1.00       | ug/L  |
| 71-55-6        | 1,1,1-Trichloroethane          | 0.50  | U         | 0.20  | 0.50 | 1.00       | ug/L  |
| 108-87-2       | Methylcyclohexane              | 0.50  | U         | 0.16  | 0.50 | 1.00       | ug/L  |
| 71-43-2        | Benzene                        | 0.50  | U         | 0.15  | 0.50 | 1.00       | ug/L  |
| 107-06-2       | 1,2-Dichloroethane             | 0.50  | U         | 0.22  | 0.50 | 1.00       | ug/L  |
| 79-01-6        | Trichloroethene                | 0.75  | U         | 0.090 | 0.75 | 1.00       | ug/L  |
| 78-87-5        | 1,2-Dichloropropane            | 0.50  | U         | 0.20  | 0.50 | 1.00       | ug/L  |
| 75-27-4        | Bromodichloromethane           | 0.50  | U         | 0.22  | 0.50 | 1.00       | ug/L  |
| 108-10-1       | 4-Methyl-2-Pentanone           | 2.50  | U         | 0.68  | 2.50 | 5.00       | ug/L  |
| 108-88-3       | Toluene                        | 0.50  | U         | 0.14  | 0.50 | 1.00       | ug/L  |

## Report of Analysis

|                    |                               |           |                 |               |
|--------------------|-------------------------------|-----------|-----------------|---------------|
| Client:            | Tetra Tech NUS, Inc.          |           | Date Collected: |               |
| Project:           | NWIRP Bethpage 112G08005-WE13 |           | Date Received:  |               |
| Client Sample ID:  | VX1007WBL01                   |           | SDG No.:        | Q3298         |
| Lab Sample ID:     | VX1007WBL01                   |           | Matrix:         | Water         |
| Analytical Method: | 8260D                         |           | % Solid:        | 0             |
| Sample Wt/Vol:     | 5                             | Units: mL | Final Vol:      | 5000 uL       |
| Soil Aliquot Vol:  |                               | uL        | Test:           | VOC-TCLVOA-10 |
| GC Column:         | DB-624UI                      | ID : 0.18 | Level :         | LOW           |
| Prep Method :      |                               |           |                 |               |

|                   |           |                |               |
|-------------------|-----------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Date Analyzed  | Prep Batch ID |
| VX048038.D        | 1         | 10/07/25 09:34 | VX100725      |

| CAS Number                | Parameter                   | Conc.  | Qualifier | MDL      | LOD  | LOQ / CRQL | Units   |
|---------------------------|-----------------------------|--------|-----------|----------|------|------------|---------|
| 10061-02-6                | t-1,3-Dichloropropene       | 0.50   | U         | 0.17     | 0.50 | 1.00       | ug/L    |
| 10061-01-5                | cis-1,3-Dichloropropene     | 0.50   | U         | 0.16     | 0.50 | 1.00       | ug/L    |
| 79-00-5                   | 1,1,2-Trichloroethane       | 0.50   | U         | 0.21     | 0.50 | 1.00       | ug/L    |
| 591-78-6                  | 2-Hexanone                  | 2.50   | U         | 0.89     | 2.50 | 5.00       | ug/L    |
| 124-48-1                  | Dibromochloromethane        | 0.50   | U         | 0.18     | 0.50 | 1.00       | ug/L    |
| 106-93-4                  | 1,2-Dibromoethane           | 0.50   | U         | 0.15     | 0.50 | 1.00       | ug/L    |
| 127-18-4                  | Tetrachloroethene           | 0.50   | U         | 0.23     | 0.50 | 1.00       | ug/L    |
| 108-90-7                  | Chlorobenzene               | 0.50   | U         | 0.12     | 0.50 | 1.00       | ug/L    |
| 100-41-4                  | Ethyl Benzene               | 0.50   | U         | 0.13     | 0.50 | 1.00       | ug/L    |
| 179601-23-1               | m/p-Xylenes                 | 1.00   | U         | 0.24     | 1.00 | 2.00       | ug/L    |
| 95-47-6                   | o-Xylene                    | 0.50   | U         | 0.12     | 0.50 | 1.00       | ug/L    |
| 100-42-5                  | Styrene                     | 0.50   | U         | 0.15     | 0.50 | 1.00       | ug/L    |
| 75-25-2                   | Bromoform                   | 0.50   | U         | 0.19     | 0.50 | 1.00       | ug/L    |
| 98-82-8                   | Isopropylbenzene            | 0.50   | U         | 0.12     | 0.50 | 1.00       | ug/L    |
| 79-34-5                   | 1,1,2,2-Tetrachloroethane   | 0.50   | U         | 0.26     | 0.50 | 1.00       | ug/L    |
| 541-73-1                  | 1,3-Dichlorobenzene         | 0.50   | U         | 0.16     | 0.50 | 1.00       | ug/L    |
| 106-46-7                  | 1,4-Dichlorobenzene         | 0.50   | U         | 0.19     | 0.50 | 1.00       | ug/L    |
| 95-50-1                   | 1,2-Dichlorobenzene         | 0.50   | U         | 0.16     | 0.50 | 1.00       | ug/L    |
| 96-12-8                   | 1,2-Dibromo-3-Chloropropane | 0.75   | U         | 0.53     | 0.75 | 1.00       | ug/L    |
| 120-82-1                  | 1,2,4-Trichlorobenzene      | 0.50   | U         | 0.20     | 0.50 | 1.00       | ug/L    |
| 87-61-6                   | 1,2,3-Trichlorobenzene      | 0.75   | U         | 0.20     | 0.75 | 1.00       | ug/L    |
| <b>SURROGATES</b>         |                             |        |           |          |      |            |         |
| 17060-07-0                | 1,2-Dichloroethane-d4       | 57.3   |           | 81 - 118 |      | 115%       | SPK: 50 |
| 1868-53-7                 | Dibromofluoromethane        | 51.5   |           | 80 - 119 |      | 103%       | SPK: 50 |
| 2037-26-5                 | Toluene-d8                  | 49.3   |           | 89 - 112 |      | 99%        | SPK: 50 |
| 460-00-4                  | 4-Bromofluorobenzene        | 56.8   |           | 85 - 114 |      | 114%       | SPK: 50 |
| <b>INTERNAL STANDARDS</b> |                             |        |           |          |      |            |         |
| 363-72-4                  | Pentafluorobenzene          | 133000 | 5.544     |          |      |            |         |
| 540-36-3                  | 1,4-Difluorobenzene         | 276000 | 6.751     |          |      |            |         |
| 3114-55-4                 | Chlorobenzene-d5            | 292000 | 10.037    |          |      |            |         |
| 3855-82-1                 | 1,4-Dichlorobenzene-d4      | 145000 | 12.006    |          |      |            |         |

## Report of Analysis

|                    |                               |           |                 |               |
|--------------------|-------------------------------|-----------|-----------------|---------------|
| Client:            | Tetra Tech NUS, Inc.          |           | Date Collected: |               |
| Project:           | NWIRP Bethpage 112G08005-WE13 |           | Date Received:  |               |
| Client Sample ID:  | VX1007WBL01                   |           | SDG No.:        | Q3298         |
| Lab Sample ID:     | VX1007WBL01                   |           | Matrix:         | Water         |
| Analytical Method: | 8260D                         |           | % Solid:        | 0             |
| Sample Wt/Vol:     | 5                             | Units: mL | Final Vol:      | 5000 uL       |
| Soil Aliquot Vol:  |                               | uL        | Test:           | VOC-TCLVOA-10 |
| GC Column:         | DB-624UI                      | ID : 0.18 | Level :         | LOW           |
| Prep Method :      |                               |           |                 |               |

|                   |           |                |               |
|-------------------|-----------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Date Analyzed  | Prep Batch ID |
| VX048038.D        | 1         | 10/07/25 09:34 | VX100725      |

| CAS Number | Parameter | Conc. | Qualifier | MDL | LOD | LOQ / CRQL | Units |
|------------|-----------|-------|-----------|-----|-----|------------|-------|
|------------|-----------|-------|-----------|-----|-----|------------|-------|

U = Not Detected  
 LOQ = Limit of Quantitation  
 MDL = Method Detection Limit  
 LOD = Limit of Detection  
 E = Value Exceeds Calibration Range  
 Q = indicates LCS control criteria did not meet requirements  
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value  
 B = Analyte Found in Associated Method Blank  
 N = Presumptive Evidence of a Compound  
 \* = Values outside of QC limits  
 D = Dilution  
 () = Laboratory InHouse Limit  
 A = Aldol-Condensation Reaction Products

## Report of Analysis

|                    |                               |           |                 |               |
|--------------------|-------------------------------|-----------|-----------------|---------------|
| Client:            | Tetra Tech NUS, Inc.          |           | Date Collected: |               |
| Project:           | NWIRP Bethpage 112G08005-WE13 |           | Date Received:  |               |
| Client Sample ID:  | VX1008WBL01                   |           | SDG No.:        | Q3298         |
| Lab Sample ID:     | VX1008WBL01                   |           | Matrix:         | Water         |
| Analytical Method: | 8260D                         |           | % Solid:        | 0             |
| Sample Wt/Vol:     | 5                             | Units: mL | Final Vol:      | 5000 uL       |
| Soil Aliquot Vol:  |                               | uL        | Test:           | VOC-TCLVOA-10 |
| GC Column:         | DB-624UI                      | ID : 0.18 | Level :         | LOW           |
| Prep Method :      |                               |           |                 |               |

|                   |           |                |               |
|-------------------|-----------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Date Analyzed  | Prep Batch ID |
| VX048062.D        | 1         | 10/08/25 10:04 | VX100825      |

| CAS Number     | Parameter                      | Conc. | Qualifier | MDL   | LOD  | LOQ / CRQL | Units |
|----------------|--------------------------------|-------|-----------|-------|------|------------|-------|
| <b>TARGETS</b> |                                |       |           |       |      |            |       |
| 75-71-8        | Dichlorodifluoromethane        | 0.50  | U         | 0.22  | 0.50 | 1.00       | ug/L  |
| 74-87-3        | Chloromethane                  | 0.50  | U         | 0.32  | 0.50 | 1.00       | ug/L  |
| 75-01-4        | Vinyl Chloride                 | 0.75  | U         | 0.26  | 0.75 | 1.00       | ug/L  |
| 74-83-9        | Bromomethane                   | 3.80  | U         | 1.40  | 3.80 | 5.00       | ug/L  |
| 75-00-3        | Chloroethane                   | 0.75  | U         | 0.47  | 0.75 | 1.00       | ug/L  |
| 75-69-4        | Trichlorofluoromethane         | 0.50  | U         | 0.33  | 0.50 | 1.00       | ug/L  |
| 76-13-1        | 1,1,2-Trichlorotrifluoroethane | 0.50  | U         | 0.25  | 0.50 | 1.00       | ug/L  |
| 75-35-4        | 1,1-Dichloroethene             | 0.75  | U         | 0.23  | 0.75 | 1.00       | ug/L  |
| 67-64-1        | Acetone                        | 3.80  | U         | 1.50  | 3.80 | 5.00       | ug/L  |
| 75-15-0        | Carbon Disulfide               | 0.75  | U         | 0.21  | 0.75 | 1.00       | ug/L  |
| 1634-04-4      | Methyl tert-butyl Ether        | 0.50  | U         | 0.16  | 0.50 | 1.00       | ug/L  |
| 79-20-9        | Methyl Acetate                 | 0.75  | U         | 0.27  | 0.75 | 1.00       | ug/L  |
| 75-09-2        | Methylene Chloride             | 0.50  | U         | 0.28  | 0.50 | 1.00       | ug/L  |
| 156-60-5       | trans-1,2-Dichloroethene       | 0.50  | U         | 0.23  | 0.50 | 1.00       | ug/L  |
| 75-34-3        | 1,1-Dichloroethane             | 0.50  | U         | 0.23  | 0.50 | 1.00       | ug/L  |
| 110-82-7       | Cyclohexane                    | 2.50  | U         | 1.50  | 2.50 | 5.00       | ug/L  |
| 78-93-3        | 2-Butanone                     | 2.50  | U         | 0.98  | 2.50 | 5.00       | ug/L  |
| 56-23-5        | Carbon Tetrachloride           | 0.50  | U         | 0.25  | 0.50 | 1.00       | ug/L  |
| 156-59-2       | cis-1,2-Dichloroethene         | 0.75  | U         | 0.19  | 0.75 | 1.00       | ug/L  |
| 74-97-5        | Bromochloromethane             | 0.50  | U         | 0.22  | 0.50 | 1.00       | ug/L  |
| 67-66-3        | Chloroform                     | 0.50  | U         | 0.25  | 0.50 | 1.00       | ug/L  |
| 71-55-6        | 1,1,1-Trichloroethane          | 0.50  | U         | 0.20  | 0.50 | 1.00       | ug/L  |
| 108-87-2       | Methylcyclohexane              | 0.50  | U         | 0.16  | 0.50 | 1.00       | ug/L  |
| 71-43-2        | Benzene                        | 0.50  | U         | 0.15  | 0.50 | 1.00       | ug/L  |
| 107-06-2       | 1,2-Dichloroethane             | 0.50  | U         | 0.22  | 0.50 | 1.00       | ug/L  |
| 79-01-6        | Trichloroethene                | 0.75  | U         | 0.090 | 0.75 | 1.00       | ug/L  |
| 78-87-5        | 1,2-Dichloropropane            | 0.50  | U         | 0.20  | 0.50 | 1.00       | ug/L  |
| 75-27-4        | Bromodichloromethane           | 0.50  | U         | 0.22  | 0.50 | 1.00       | ug/L  |
| 108-10-1       | 4-Methyl-2-Pentanone           | 2.50  | U         | 0.68  | 2.50 | 5.00       | ug/L  |
| 108-88-3       | Toluene                        | 0.50  | U         | 0.14  | 0.50 | 1.00       | ug/L  |

## Report of Analysis

|                    |                               |           |                 |               |
|--------------------|-------------------------------|-----------|-----------------|---------------|
| Client:            | Tetra Tech NUS, Inc.          |           | Date Collected: |               |
| Project:           | NWIRP Bethpage 112G08005-WE13 |           | Date Received:  |               |
| Client Sample ID:  | VX1008WBL01                   |           | SDG No.:        | Q3298         |
| Lab Sample ID:     | VX1008WBL01                   |           | Matrix:         | Water         |
| Analytical Method: | 8260D                         |           | % Solid:        | 0             |
| Sample Wt/Vol:     | 5                             | Units: mL | Final Vol:      | 5000 uL       |
| Soil Aliquot Vol:  |                               | uL        | Test:           | VOC-TCLVOA-10 |
| GC Column:         | DB-624UI                      | ID : 0.18 | Level :         | LOW           |
| Prep Method :      |                               |           |                 |               |

|                   |           |                |               |
|-------------------|-----------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Date Analyzed  | Prep Batch ID |
| VX048062.D        | 1         | 10/08/25 10:04 | VX100825      |

| CAS Number                | Parameter                   | Conc.  | Qualifier | MDL      | LOD  | LOQ / CRQL | Units   |
|---------------------------|-----------------------------|--------|-----------|----------|------|------------|---------|
| 10061-02-6                | t-1,3-Dichloropropene       | 0.50   | U         | 0.17     | 0.50 | 1.00       | ug/L    |
| 10061-01-5                | cis-1,3-Dichloropropene     | 0.50   | U         | 0.16     | 0.50 | 1.00       | ug/L    |
| 79-00-5                   | 1,1,2-Trichloroethane       | 0.50   | U         | 0.21     | 0.50 | 1.00       | ug/L    |
| 591-78-6                  | 2-Hexanone                  | 2.50   | U         | 0.89     | 2.50 | 5.00       | ug/L    |
| 124-48-1                  | Dibromochloromethane        | 0.50   | U         | 0.18     | 0.50 | 1.00       | ug/L    |
| 106-93-4                  | 1,2-Dibromoethane           | 0.50   | U         | 0.15     | 0.50 | 1.00       | ug/L    |
| 127-18-4                  | Tetrachloroethene           | 0.50   | U         | 0.23     | 0.50 | 1.00       | ug/L    |
| 108-90-7                  | Chlorobenzene               | 0.50   | U         | 0.12     | 0.50 | 1.00       | ug/L    |
| 100-41-4                  | Ethyl Benzene               | 0.50   | U         | 0.13     | 0.50 | 1.00       | ug/L    |
| 179601-23-1               | m/p-Xylenes                 | 1.00   | U         | 0.24     | 1.00 | 2.00       | ug/L    |
| 95-47-6                   | o-Xylene                    | 0.50   | U         | 0.12     | 0.50 | 1.00       | ug/L    |
| 100-42-5                  | Styrene                     | 0.50   | U         | 0.15     | 0.50 | 1.00       | ug/L    |
| 75-25-2                   | Bromoform                   | 0.50   | U         | 0.19     | 0.50 | 1.00       | ug/L    |
| 98-82-8                   | Isopropylbenzene            | 0.50   | U         | 0.12     | 0.50 | 1.00       | ug/L    |
| 79-34-5                   | 1,1,2,2-Tetrachloroethane   | 0.50   | U         | 0.26     | 0.50 | 1.00       | ug/L    |
| 541-73-1                  | 1,3-Dichlorobenzene         | 0.50   | U         | 0.16     | 0.50 | 1.00       | ug/L    |
| 106-46-7                  | 1,4-Dichlorobenzene         | 0.50   | U         | 0.19     | 0.50 | 1.00       | ug/L    |
| 95-50-1                   | 1,2-Dichlorobenzene         | 0.50   | U         | 0.16     | 0.50 | 1.00       | ug/L    |
| 96-12-8                   | 1,2-Dibromo-3-Chloropropane | 0.75   | U         | 0.53     | 0.75 | 1.00       | ug/L    |
| 120-82-1                  | 1,2,4-Trichlorobenzene      | 0.50   | U         | 0.20     | 0.50 | 1.00       | ug/L    |
| 87-61-6                   | 1,2,3-Trichlorobenzene      | 0.75   | U         | 0.20     | 0.75 | 1.00       | ug/L    |
| <b>SURROGATES</b>         |                             |        |           |          |      |            |         |
| 17060-07-0                | 1,2-Dichloroethane-d4       | 50.5   |           | 81 - 118 |      | 101%       | SPK: 50 |
| 1868-53-7                 | Dibromofluoromethane        | 49.3   |           | 80 - 119 |      | 99%        | SPK: 50 |
| 2037-26-5                 | Toluene-d8                  | 48.8   |           | 89 - 112 |      | 98%        | SPK: 50 |
| 460-00-4                  | 4-Bromofluorobenzene        | 54.1   |           | 85 - 114 |      | 108%       | SPK: 50 |
| <b>INTERNAL STANDARDS</b> |                             |        |           |          |      |            |         |
| 363-72-4                  | Pentafluorobenzene          | 121000 | 5.537     |          |      |            |         |
| 540-36-3                  | 1,4-Difluorobenzene         | 245000 | 6.745     |          |      |            |         |
| 3114-55-4                 | Chlorobenzene-d5            | 250000 | 10.037    |          |      |            |         |
| 3855-82-1                 | 1,4-Dichlorobenzene-d4      | 122000 | 12.006    |          |      |            |         |

## Report of Analysis

|                    |                               |           |                 |               |
|--------------------|-------------------------------|-----------|-----------------|---------------|
| Client:            | Tetra Tech NUS, Inc.          |           | Date Collected: |               |
| Project:           | NWIRP Bethpage 112G08005-WE13 |           | Date Received:  |               |
| Client Sample ID:  | VX1008WBL01                   |           | SDG No.:        | Q3298         |
| Lab Sample ID:     | VX1008WBL01                   |           | Matrix:         | Water         |
| Analytical Method: | 8260D                         |           | % Solid:        | 0             |
| Sample Wt/Vol:     | 5                             | Units: mL | Final Vol:      | 5000 uL       |
| Soil Aliquot Vol:  |                               | uL        | Test:           | VOC-TCLVOA-10 |
| GC Column:         | DB-624UI                      | ID : 0.18 | Level :         | LOW           |
| Prep Method :      |                               |           |                 |               |

|                   |           |                |               |
|-------------------|-----------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Date Analyzed  | Prep Batch ID |
| VX048062.D        | 1         | 10/08/25 10:04 | VX100825      |

| CAS Number | Parameter | Conc. | Qualifier | MDL | LOD | LOQ / CRQL | Units |
|------------|-----------|-------|-----------|-----|-----|------------|-------|
|------------|-----------|-------|-----------|-----|-----|------------|-------|

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

## Report of Analysis

|                    |                               |           |                 |               |
|--------------------|-------------------------------|-----------|-----------------|---------------|
| Client:            | Tetra Tech NUS, Inc.          |           | Date Collected: |               |
| Project:           | NWIRP Bethpage 112G08005-WE13 |           | Date Received:  |               |
| Client Sample ID:  | VX1007WBS01                   |           | SDG No.:        | Q3298         |
| Lab Sample ID:     | VX1007WBS01                   |           | Matrix:         | Water         |
| Analytical Method: | 8260D                         |           | % Solid:        | 0             |
| Sample Wt/Vol:     | 5                             | Units: mL | Final Vol:      | 5000 uL       |
| Soil Aliquot Vol:  |                               | uL        | Test:           | VOC-TCLVOA-10 |
| GC Column:         | DB-624UI                      | ID : 0.18 | Level :         | LOW           |
| Prep Method :      |                               |           |                 |               |

|                   |           |                |               |
|-------------------|-----------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Date Analyzed  | Prep Batch ID |
| VX048039.D        | 1         | 10/07/25 10:06 | VX100725      |

| CAS Number     | Parameter                      | Conc. | Qualifier | MDL   | LOD  | LOQ / CRQL | Units |
|----------------|--------------------------------|-------|-----------|-------|------|------------|-------|
| <b>TARGETS</b> |                                |       |           |       |      |            |       |
| 75-71-8        | Dichlorodifluoromethane        | 19.3  |           | 0.22  | 0.50 | 1.00       | ug/L  |
| 74-87-3        | Chloromethane                  | 17.1  |           | 0.32  | 0.50 | 1.00       | ug/L  |
| 75-01-4        | Vinyl Chloride                 | 18.9  |           | 0.26  | 0.75 | 1.00       | ug/L  |
| 74-83-9        | Bromomethane                   | 19.9  |           | 1.40  | 3.80 | 5.00       | ug/L  |
| 75-00-3        | Chloroethane                   | 20.0  |           | 0.47  | 0.75 | 1.00       | ug/L  |
| 75-69-4        | Trichlorofluoromethane         | 20.2  |           | 0.33  | 0.50 | 1.00       | ug/L  |
| 76-13-1        | 1,1,2-Trichlorotrifluoroethane | 20.4  |           | 0.25  | 0.50 | 1.00       | ug/L  |
| 75-35-4        | 1,1-Dichloroethene             | 19.7  |           | 0.23  | 0.75 | 1.00       | ug/L  |
| 67-64-1        | Acetone                        | 100   |           | 1.50  | 3.80 | 5.00       | ug/L  |
| 75-15-0        | Carbon Disulfide               | 16.9  |           | 0.21  | 0.75 | 1.00       | ug/L  |
| 1634-04-4      | Methyl tert-butyl Ether        | 21.3  |           | 0.16  | 0.50 | 1.00       | ug/L  |
| 79-20-9        | Methyl Acetate                 | 24.1  |           | 0.27  | 0.75 | 1.00       | ug/L  |
| 75-09-2        | Methylene Chloride             | 20.7  |           | 0.28  | 0.50 | 1.00       | ug/L  |
| 156-60-5       | trans-1,2-Dichloroethene       | 19.4  |           | 0.23  | 0.50 | 1.00       | ug/L  |
| 75-34-3        | 1,1-Dichloroethane             | 21.3  |           | 0.23  | 0.50 | 1.00       | ug/L  |
| 110-82-7       | Cyclohexane                    | 17.4  |           | 1.50  | 2.50 | 5.00       | ug/L  |
| 78-93-3        | 2-Butanone                     | 110   |           | 0.98  | 2.50 | 5.00       | ug/L  |
| 56-23-5        | Carbon Tetrachloride           | 20.7  |           | 0.25  | 0.50 | 1.00       | ug/L  |
| 156-59-2       | cis-1,2-Dichloroethene         | 21.5  |           | 0.19  | 0.75 | 1.00       | ug/L  |
| 74-97-5        | Bromochloromethane             | 22.7  |           | 0.22  | 0.50 | 1.00       | ug/L  |
| 67-66-3        | Chloroform                     | 22.3  |           | 0.25  | 0.50 | 1.00       | ug/L  |
| 71-55-6        | 1,1,1-Trichloroethane          | 21.2  |           | 0.20  | 0.50 | 1.00       | ug/L  |
| 108-87-2       | Methylcyclohexane              | 17.2  |           | 0.16  | 0.50 | 1.00       | ug/L  |
| 71-43-2        | Benzene                        | 21.0  |           | 0.15  | 0.50 | 1.00       | ug/L  |
| 107-06-2       | 1,2-Dichloroethane             | 21.9  |           | 0.22  | 0.50 | 1.00       | ug/L  |
| 79-01-6        | Trichloroethene                | 20.8  |           | 0.090 | 0.75 | 1.00       | ug/L  |
| 78-87-5        | 1,2-Dichloropropane            | 21.9  |           | 0.20  | 0.50 | 1.00       | ug/L  |
| 75-27-4        | Bromodichloromethane           | 22.8  |           | 0.22  | 0.50 | 1.00       | ug/L  |
| 108-10-1       | 4-Methyl-2-Pentanone           | 120   |           | 0.68  | 2.50 | 5.00       | ug/L  |
| 108-88-3       | Toluene                        | 21.0  |           | 0.14  | 0.50 | 1.00       | ug/L  |

## Report of Analysis

|                    |                               |           |                 |               |
|--------------------|-------------------------------|-----------|-----------------|---------------|
| Client:            | Tetra Tech NUS, Inc.          |           | Date Collected: |               |
| Project:           | NWIRP Bethpage 112G08005-WE13 |           | Date Received:  |               |
| Client Sample ID:  | VX1007WBS01                   |           | SDG No.:        | Q3298         |
| Lab Sample ID:     | VX1007WBS01                   |           | Matrix:         | Water         |
| Analytical Method: | 8260D                         |           | % Solid:        | 0             |
| Sample Wt/Vol:     | 5                             | Units: mL | Final Vol:      | 5000 uL       |
| Soil Aliquot Vol:  |                               | uL        | Test:           | VOC-TCLVOA-10 |
| GC Column:         | DB-624UI                      | ID : 0.18 | Level :         | LOW           |
| Prep Method :      |                               |           |                 |               |

|                   |           |                |               |
|-------------------|-----------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Date Analyzed  | Prep Batch ID |
| VX048039.D        | 1         | 10/07/25 10:06 | VX100725      |

| CAS Number                | Parameter                   | Conc.  | Qualifier | MDL      | LOD  | LOQ / CRQL | Units   |
|---------------------------|-----------------------------|--------|-----------|----------|------|------------|---------|
| 10061-02-6                | t-1,3-Dichloropropene       | 20.9   |           | 0.17     | 0.50 | 1.00       | ug/L    |
| 10061-01-5                | cis-1,3-Dichloropropene     | 21.5   |           | 0.16     | 0.50 | 1.00       | ug/L    |
| 79-00-5                   | 1,1,2-Trichloroethane       | 23.4   |           | 0.21     | 0.50 | 1.00       | ug/L    |
| 591-78-6                  | 2-Hexanone                  | 110    |           | 0.89     | 2.50 | 5.00       | ug/L    |
| 124-48-1                  | Dibromochloromethane        | 23.8   |           | 0.18     | 0.50 | 1.00       | ug/L    |
| 106-93-4                  | 1,2-Dibromoethane           | 22.7   |           | 0.15     | 0.50 | 1.00       | ug/L    |
| 127-18-4                  | Tetrachloroethene           | 19.0   |           | 0.23     | 0.50 | 1.00       | ug/L    |
| 108-90-7                  | Chlorobenzene               | 20.6   |           | 0.12     | 0.50 | 1.00       | ug/L    |
| 100-41-4                  | Ethyl Benzene               | 19.6   |           | 0.13     | 0.50 | 1.00       | ug/L    |
| 179601-23-1               | m/p-Xylenes                 | 40.1   |           | 0.24     | 1.00 | 2.00       | ug/L    |
| 95-47-6                   | o-Xylene                    | 19.9   |           | 0.12     | 0.50 | 1.00       | ug/L    |
| 100-42-5                  | Styrene                     | 20.0   |           | 0.15     | 0.50 | 1.00       | ug/L    |
| 75-25-2                   | Bromoform                   | 22.9   |           | 0.19     | 0.50 | 1.00       | ug/L    |
| 98-82-8                   | Isopropylbenzene            | 18.6   |           | 0.12     | 0.50 | 1.00       | ug/L    |
| 79-34-5                   | 1,1,2,2-Tetrachloroethane   | 21.4   |           | 0.26     | 0.50 | 1.00       | ug/L    |
| 541-73-1                  | 1,3-Dichlorobenzene         | 19.3   |           | 0.16     | 0.50 | 1.00       | ug/L    |
| 106-46-7                  | 1,4-Dichlorobenzene         | 19.6   |           | 0.19     | 0.50 | 1.00       | ug/L    |
| 95-50-1                   | 1,2-Dichlorobenzene         | 19.7   |           | 0.16     | 0.50 | 1.00       | ug/L    |
| 96-12-8                   | 1,2-Dibromo-3-Chloropropane | 18.8   |           | 0.53     | 0.75 | 1.00       | ug/L    |
| 120-82-1                  | 1,2,4-Trichlorobenzene      | 17.8   |           | 0.20     | 0.50 | 1.00       | ug/L    |
| 87-61-6                   | 1,2,3-Trichlorobenzene      | 18.7   |           | 0.20     | 0.75 | 1.00       | ug/L    |
| <b>SURROGATES</b>         |                             |        |           |          |      |            |         |
| 17060-07-0                | 1,2-Dichloroethane-d4       | 54.3   |           | 81 - 118 |      | 109%       | SPK: 50 |
| 1868-53-7                 | Dibromofluoromethane        | 55.8   |           | 80 - 119 |      | 112%       | SPK: 50 |
| 2037-26-5                 | Toluene-d8                  | 53.5   |           | 89 - 112 |      | 107%       | SPK: 50 |
| 460-00-4                  | 4-Bromofluorobenzene        | 54.7   |           | 85 - 114 |      | 109%       | SPK: 50 |
| <b>INTERNAL STANDARDS</b> |                             |        |           |          |      |            |         |
| 363-72-4                  | Pentafluorobenzene          | 128000 | 5.531     |          |      |            |         |
| 540-36-3                  | 1,4-Difluorobenzene         | 226000 | 6.745     |          |      |            |         |
| 3114-55-4                 | Chlorobenzene-d5            | 211000 | 10.037    |          |      |            |         |
| 3855-82-1                 | 1,4-Dichlorobenzene-d4      | 108000 | 12.006    |          |      |            |         |

## Report of Analysis

|                    |                               |           |                 |               |
|--------------------|-------------------------------|-----------|-----------------|---------------|
| Client:            | Tetra Tech NUS, Inc.          |           | Date Collected: |               |
| Project:           | NWIRP Bethpage 112G08005-WE13 |           | Date Received:  |               |
| Client Sample ID:  | VX1007WBS01                   |           | SDG No.:        | Q3298         |
| Lab Sample ID:     | VX1007WBS01                   |           | Matrix:         | Water         |
| Analytical Method: | 8260D                         |           | % Solid:        | 0             |
| Sample Wt/Vol:     | 5                             | Units: mL | Final Vol:      | 5000 uL       |
| Soil Aliquot Vol:  |                               | uL        | Test:           | VOC-TCLVOA-10 |
| GC Column:         | DB-624UI                      | ID : 0.18 | Level :         | LOW           |
| Prep Method :      |                               |           |                 |               |

|                   |           |                |               |
|-------------------|-----------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Date Analyzed  | Prep Batch ID |
| VX048039.D        | 1         | 10/07/25 10:06 | VX100725      |

| CAS Number | Parameter | Conc. | Qualifier | MDL | LOD | LOQ / CRQL | Units |
|------------|-----------|-------|-----------|-----|-----|------------|-------|
|------------|-----------|-------|-----------|-----|-----|------------|-------|

U = Not Detected  
 LOQ = Limit of Quantitation  
 MDL = Method Detection Limit  
 LOD = Limit of Detection  
 E = Value Exceeds Calibration Range  
 Q = indicates LCS control criteria did not meet requirements  
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value  
 B = Analyte Found in Associated Method Blank  
 N = Presumptive Evidence of a Compound  
 \* = Values outside of QC limits  
 D = Dilution  
 () = Laboratory InHouse Limit  
 A = Aldol-Condensation Reaction Products

## Report of Analysis

|                    |                               |           |                 |               |
|--------------------|-------------------------------|-----------|-----------------|---------------|
| Client:            | Tetra Tech NUS, Inc.          |           | Date Collected: |               |
| Project:           | NWIRP Bethpage 112G08005-WE13 |           | Date Received:  |               |
| Client Sample ID:  | VX1008WBS01                   |           | SDG No.:        | Q3298         |
| Lab Sample ID:     | VX1008WBS01                   |           | Matrix:         | Water         |
| Analytical Method: | 8260D                         |           | % Solid:        | 0             |
| Sample Wt/Vol:     | 5                             | Units: mL | Final Vol:      | 5000 uL       |
| Soil Aliquot Vol:  |                               | uL        | Test:           | VOC-TCLVOA-10 |
| GC Column:         | DB-624UI                      | ID : 0.18 | Level :         | LOW           |
| Prep Method :      |                               |           |                 |               |

|                   |           |                |               |
|-------------------|-----------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Date Analyzed  | Prep Batch ID |
| VX048063.D        | 1         | 10/08/25 10:31 | VX100825      |

| CAS Number     | Parameter                      | Conc. | Qualifier | MDL   | LOD  | LOQ / CRQL | Units |
|----------------|--------------------------------|-------|-----------|-------|------|------------|-------|
| <b>TARGETS</b> |                                |       |           |       |      |            |       |
| 75-71-8        | Dichlorodifluoromethane        | 15.8  |           | 0.22  | 0.50 | 1.00       | ug/L  |
| 74-87-3        | Chloromethane                  | 14.6  |           | 0.32  | 0.50 | 1.00       | ug/L  |
| 75-01-4        | Vinyl Chloride                 | 16.2  |           | 0.26  | 0.75 | 1.00       | ug/L  |
| 74-83-9        | Bromomethane                   | 16.1  |           | 1.40  | 3.80 | 5.00       | ug/L  |
| 75-00-3        | Chloroethane                   | 17.1  |           | 0.47  | 0.75 | 1.00       | ug/L  |
| 75-69-4        | Trichlorofluoromethane         | 17.7  |           | 0.33  | 0.50 | 1.00       | ug/L  |
| 76-13-1        | 1,1,2-Trichlorotrifluoroethane | 18.1  |           | 0.25  | 0.50 | 1.00       | ug/L  |
| 75-35-4        | 1,1-Dichloroethene             | 17.5  |           | 0.23  | 0.75 | 1.00       | ug/L  |
| 67-64-1        | Acetone                        | 88.7  |           | 1.50  | 3.80 | 5.00       | ug/L  |
| 75-15-0        | Carbon Disulfide               | 14.3  |           | 0.21  | 0.75 | 1.00       | ug/L  |
| 1634-04-4      | Methyl tert-butyl Ether        | 19.2  |           | 0.16  | 0.50 | 1.00       | ug/L  |
| 79-20-9        | Methyl Acetate                 | 22.8  |           | 0.27  | 0.75 | 1.00       | ug/L  |
| 75-09-2        | Methylene Chloride             | 18.4  |           | 0.28  | 0.50 | 1.00       | ug/L  |
| 156-60-5       | trans-1,2-Dichloroethene       | 17.1  |           | 0.23  | 0.50 | 1.00       | ug/L  |
| 75-34-3        | 1,1-Dichloroethane             | 19.1  |           | 0.23  | 0.50 | 1.00       | ug/L  |
| 110-82-7       | Cyclohexane                    | 15.8  |           | 1.50  | 2.50 | 5.00       | ug/L  |
| 78-93-3        | 2-Butanone                     | 99.9  |           | 0.98  | 2.50 | 5.00       | ug/L  |
| 56-23-5        | Carbon Tetrachloride           | 18.0  |           | 0.25  | 0.50 | 1.00       | ug/L  |
| 156-59-2       | cis-1,2-Dichloroethene         | 18.7  |           | 0.19  | 0.75 | 1.00       | ug/L  |
| 74-97-5        | Bromochloromethane             | 20.2  |           | 0.22  | 0.50 | 1.00       | ug/L  |
| 67-66-3        | Chloroform                     | 20.1  |           | 0.25  | 0.50 | 1.00       | ug/L  |
| 71-55-6        | 1,1,1-Trichloroethane          | 19.1  |           | 0.20  | 0.50 | 1.00       | ug/L  |
| 108-87-2       | Methylcyclohexane              | 15.0  |           | 0.16  | 0.50 | 1.00       | ug/L  |
| 71-43-2        | Benzene                        | 18.3  |           | 0.15  | 0.50 | 1.00       | ug/L  |
| 107-06-2       | 1,2-Dichloroethane             | 19.3  |           | 0.22  | 0.50 | 1.00       | ug/L  |
| 79-01-6        | Trichloroethene                | 18.1  |           | 0.090 | 0.75 | 1.00       | ug/L  |
| 78-87-5        | 1,2-Dichloropropane            | 19.5  |           | 0.20  | 0.50 | 1.00       | ug/L  |
| 75-27-4        | Bromodichloromethane           | 19.8  |           | 0.22  | 0.50 | 1.00       | ug/L  |
| 108-10-1       | 4-Methyl-2-Pentanone           | 110   |           | 0.68  | 2.50 | 5.00       | ug/L  |
| 108-88-3       | Toluene                        | 18.4  |           | 0.14  | 0.50 | 1.00       | ug/L  |

## Report of Analysis

|                    |                               |           |                 |               |
|--------------------|-------------------------------|-----------|-----------------|---------------|
| Client:            | Tetra Tech NUS, Inc.          |           | Date Collected: |               |
| Project:           | NWIRP Bethpage 112G08005-WE13 |           | Date Received:  |               |
| Client Sample ID:  | VX1008WBS01                   |           | SDG No.:        | Q3298         |
| Lab Sample ID:     | VX1008WBS01                   |           | Matrix:         | Water         |
| Analytical Method: | 8260D                         |           | % Solid:        | 0             |
| Sample Wt/Vol:     | 5                             | Units: mL | Final Vol:      | 5000 uL       |
| Soil Aliquot Vol:  |                               | uL        | Test:           | VOC-TCLVOA-10 |
| GC Column:         | DB-624UI                      | ID : 0.18 | Level :         | LOW           |
| Prep Method :      |                               |           |                 |               |

|                   |           |                |               |
|-------------------|-----------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Date Analyzed  | Prep Batch ID |
| VX048063.D        | 1         | 10/08/25 10:31 | VX100825      |

| CAS Number                | Parameter                   | Conc.  | Qualifier | MDL      | LOD  | LOQ / CRQL | Units   |
|---------------------------|-----------------------------|--------|-----------|----------|------|------------|---------|
| 10061-02-6                | t-1,3-Dichloropropene       | 18.4   |           | 0.17     | 0.50 | 1.00       | ug/L    |
| 10061-01-5                | cis-1,3-Dichloropropene     | 18.6   |           | 0.16     | 0.50 | 1.00       | ug/L    |
| 79-00-5                   | 1,1,2-Trichloroethane       | 20.8   |           | 0.21     | 0.50 | 1.00       | ug/L    |
| 591-78-6                  | 2-Hexanone                  | 100    |           | 0.89     | 2.50 | 5.00       | ug/L    |
| 124-48-1                  | Dibromochloromethane        | 20.7   |           | 0.18     | 0.50 | 1.00       | ug/L    |
| 106-93-4                  | 1,2-Dibromoethane           | 20.8   |           | 0.15     | 0.50 | 1.00       | ug/L    |
| 127-18-4                  | Tetrachloroethene           | 16.3   |           | 0.23     | 0.50 | 1.00       | ug/L    |
| 108-90-7                  | Chlorobenzene               | 18.4   |           | 0.12     | 0.50 | 1.00       | ug/L    |
| 100-41-4                  | Ethyl Benzene               | 17.5   |           | 0.13     | 0.50 | 1.00       | ug/L    |
| 179601-23-1               | m/p-Xylenes                 | 35.5   |           | 0.24     | 1.00 | 2.00       | ug/L    |
| 95-47-6                   | o-Xylene                    | 17.8   |           | 0.12     | 0.50 | 1.00       | ug/L    |
| 100-42-5                  | Styrene                     | 18.3   |           | 0.15     | 0.50 | 1.00       | ug/L    |
| 75-25-2                   | Bromoform                   | 20.5   |           | 0.19     | 0.50 | 1.00       | ug/L    |
| 98-82-8                   | Isopropylbenzene            | 17.0   |           | 0.12     | 0.50 | 1.00       | ug/L    |
| 79-34-5                   | 1,1,2,2-Tetrachloroethane   | 19.9   |           | 0.26     | 0.50 | 1.00       | ug/L    |
| 541-73-1                  | 1,3-Dichlorobenzene         | 17.9   |           | 0.16     | 0.50 | 1.00       | ug/L    |
| 106-46-7                  | 1,4-Dichlorobenzene         | 17.7   |           | 0.19     | 0.50 | 1.00       | ug/L    |
| 95-50-1                   | 1,2-Dichlorobenzene         | 18.0   |           | 0.16     | 0.50 | 1.00       | ug/L    |
| 96-12-8                   | 1,2-Dibromo-3-Chloropropane | 18.5   |           | 0.53     | 0.75 | 1.00       | ug/L    |
| 120-82-1                  | 1,2,4-Trichlorobenzene      | 16.5   |           | 0.20     | 0.50 | 1.00       | ug/L    |
| 87-61-6                   | 1,2,3-Trichlorobenzene      | 17.1   |           | 0.20     | 0.75 | 1.00       | ug/L    |
| <b>SURROGATES</b>         |                             |        |           |          |      |            |         |
| 17060-07-0                | 1,2-Dichloroethane-d4       | 52.5   |           | 81 - 118 |      | 105%       | SPK: 50 |
| 1868-53-7                 | Dibromofluoromethane        | 54.1   |           | 80 - 119 |      | 108%       | SPK: 50 |
| 2037-26-5                 | Toluene-d8                  | 51.7   |           | 89 - 112 |      | 103%       | SPK: 50 |
| 460-00-4                  | 4-Bromofluorobenzene        | 52.9   |           | 85 - 114 |      | 106%       | SPK: 50 |
| <b>INTERNAL STANDARDS</b> |                             |        |           |          |      |            |         |
| 363-72-4                  | Pentafluorobenzene          | 138000 | 5.538     |          |      |            |         |
| 540-36-3                  | 1,4-Difluorobenzene         | 248000 | 6.745     |          |      |            |         |
| 3114-55-4                 | Chlorobenzene-d5            | 228000 | 10.037    |          |      |            |         |
| 3855-82-1                 | 1,4-Dichlorobenzene-d4      | 116000 | 12.006    |          |      |            |         |

## Report of Analysis

|                    |                               |           |                 |               |
|--------------------|-------------------------------|-----------|-----------------|---------------|
| Client:            | Tetra Tech NUS, Inc.          |           | Date Collected: |               |
| Project:           | NWIRP Bethpage 112G08005-WE13 |           | Date Received:  |               |
| Client Sample ID:  | VX1008WBS01                   |           | SDG No.:        | Q3298         |
| Lab Sample ID:     | VX1008WBS01                   |           | Matrix:         | Water         |
| Analytical Method: | 8260D                         |           | % Solid:        | 0             |
| Sample Wt/Vol:     | 5                             | Units: mL | Final Vol:      | 5000 uL       |
| Soil Aliquot Vol:  |                               | uL        | Test:           | VOC-TCLVOA-10 |
| GC Column:         | DB-624UI                      | ID : 0.18 | Level :         | LOW           |
| Prep Method :      |                               |           |                 |               |

|                   |           |                |               |
|-------------------|-----------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Date Analyzed  | Prep Batch ID |
| VX048063.D        | 1         | 10/08/25 10:31 | VX100825      |

| CAS Number | Parameter | Conc. | Qualifier | MDL | LOD | LOQ / CRQL | Units |
|------------|-----------|-------|-----------|-----|-----|------------|-------|
|------------|-----------|-------|-----------|-----|-----|------------|-------|

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

## Report of Analysis

|                    |                               |           |                 |               |
|--------------------|-------------------------------|-----------|-----------------|---------------|
| Client:            | Tetra Tech NUS, Inc.          |           | Date Collected: |               |
| Project:           | NWIRP Bethpage 112G08005-WE13 |           | Date Received:  |               |
| Client Sample ID:  | VX1007WBSD01                  |           | SDG No.:        | Q3298         |
| Lab Sample ID:     | VX1007WBSD01                  |           | Matrix:         | Water         |
| Analytical Method: | 8260D                         |           | % Solid:        | 0             |
| Sample Wt/Vol:     | 5                             | Units: mL | Final Vol:      | 5000 uL       |
| Soil Aliquot Vol:  |                               | uL        | Test:           | VOC-TCLVOA-10 |
| GC Column:         | DB-624UI                      | ID : 0.18 | Level :         | LOW           |
| Prep Method :      |                               |           |                 |               |

|                   |           |                |               |
|-------------------|-----------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Date Analyzed  | Prep Batch ID |
| VX048040.D        | 1         | 10/07/25 10:34 | VX100725      |

| CAS Number     | Parameter                      | Conc. | Qualifier | MDL   | LOD  | LOQ / CRQL | Units |
|----------------|--------------------------------|-------|-----------|-------|------|------------|-------|
| <b>TARGETS</b> |                                |       |           |       |      |            |       |
| 75-71-8        | Dichlorodifluoromethane        | 19.2  |           | 0.22  | 0.50 | 1.00       | ug/L  |
| 74-87-3        | Chloromethane                  | 16.7  |           | 0.32  | 0.50 | 1.00       | ug/L  |
| 75-01-4        | Vinyl Chloride                 | 18.4  |           | 0.26  | 0.75 | 1.00       | ug/L  |
| 74-83-9        | Bromomethane                   | 19.7  |           | 1.40  | 3.80 | 5.00       | ug/L  |
| 75-00-3        | Chloroethane                   | 18.5  |           | 0.47  | 0.75 | 1.00       | ug/L  |
| 75-69-4        | Trichlorofluoromethane         | 19.9  |           | 0.33  | 0.50 | 1.00       | ug/L  |
| 76-13-1        | 1,1,2-Trichlorotrifluoroethane | 20.2  |           | 0.25  | 0.50 | 1.00       | ug/L  |
| 75-35-4        | 1,1-Dichloroethene             | 19.1  |           | 0.23  | 0.75 | 1.00       | ug/L  |
| 67-64-1        | Acetone                        | 88.7  |           | 1.50  | 3.80 | 5.00       | ug/L  |
| 75-15-0        | Carbon Disulfide               | 16.5  |           | 0.21  | 0.75 | 1.00       | ug/L  |
| 1634-04-4      | Methyl tert-butyl Ether        | 20.4  |           | 0.16  | 0.50 | 1.00       | ug/L  |
| 79-20-9        | Methyl Acetate                 | 23.7  |           | 0.27  | 0.75 | 1.00       | ug/L  |
| 75-09-2        | Methylene Chloride             | 20.2  |           | 0.28  | 0.50 | 1.00       | ug/L  |
| 156-60-5       | trans-1,2-Dichloroethene       | 19.3  |           | 0.23  | 0.50 | 1.00       | ug/L  |
| 75-34-3        | 1,1-Dichloroethane             | 20.3  |           | 0.23  | 0.50 | 1.00       | ug/L  |
| 110-82-7       | Cyclohexane                    | 18.1  |           | 1.50  | 2.50 | 5.00       | ug/L  |
| 78-93-3        | 2-Butanone                     | 100   |           | 0.98  | 2.50 | 5.00       | ug/L  |
| 56-23-5        | Carbon Tetrachloride           | 20.4  |           | 0.25  | 0.50 | 1.00       | ug/L  |
| 156-59-2       | cis-1,2-Dichloroethene         | 19.8  |           | 0.19  | 0.75 | 1.00       | ug/L  |
| 74-97-5        | Bromochloromethane             | 22.5  |           | 0.22  | 0.50 | 1.00       | ug/L  |
| 67-66-3        | Chloroform                     | 21.8  |           | 0.25  | 0.50 | 1.00       | ug/L  |
| 71-55-6        | 1,1,1-Trichloroethane          | 21.3  |           | 0.20  | 0.50 | 1.00       | ug/L  |
| 108-87-2       | Methylcyclohexane              | 18.5  |           | 0.16  | 0.50 | 1.00       | ug/L  |
| 71-43-2        | Benzene                        | 20.3  |           | 0.15  | 0.50 | 1.00       | ug/L  |
| 107-06-2       | 1,2-Dichloroethane             | 21.1  |           | 0.22  | 0.50 | 1.00       | ug/L  |
| 79-01-6        | Trichloroethene                | 20.0  |           | 0.090 | 0.75 | 1.00       | ug/L  |
| 78-87-5        | 1,2-Dichloropropane            | 21.7  |           | 0.20  | 0.50 | 1.00       | ug/L  |
| 75-27-4        | Bromodichloromethane           | 22.1  |           | 0.22  | 0.50 | 1.00       | ug/L  |
| 108-10-1       | 4-Methyl-2-Pentanone           | 120   |           | 0.68  | 2.50 | 5.00       | ug/L  |
| 108-88-3       | Toluene                        | 20.7  |           | 0.14  | 0.50 | 1.00       | ug/L  |

## Report of Analysis

|                    |                               |           |                 |               |
|--------------------|-------------------------------|-----------|-----------------|---------------|
| Client:            | Tetra Tech NUS, Inc.          |           | Date Collected: |               |
| Project:           | NWIRP Bethpage 112G08005-WE13 |           | Date Received:  |               |
| Client Sample ID:  | VX1007WBSD01                  |           | SDG No.:        | Q3298         |
| Lab Sample ID:     | VX1007WBSD01                  |           | Matrix:         | Water         |
| Analytical Method: | 8260D                         |           | % Solid:        | 0             |
| Sample Wt/Vol:     | 5                             | Units: mL | Final Vol:      | 5000 uL       |
| Soil Aliquot Vol:  |                               | uL        | Test:           | VOC-TCLVOA-10 |
| GC Column:         | DB-624UI                      | ID : 0.18 | Level :         | LOW           |
| Prep Method :      |                               |           |                 |               |

|                   |           |                |               |
|-------------------|-----------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Date Analyzed  | Prep Batch ID |
| VX048040.D        | 1         | 10/07/25 10:34 | VX100725      |

| CAS Number                | Parameter                   | Conc.  | Qualifier | MDL      | LOD  | LOQ / CRQL | Units   |
|---------------------------|-----------------------------|--------|-----------|----------|------|------------|---------|
| 10061-02-6                | t-1,3-Dichloropropene       | 20.6   |           | 0.17     | 0.50 | 1.00       | ug/L    |
| 10061-01-5                | cis-1,3-Dichloropropene     | 20.9   |           | 0.16     | 0.50 | 1.00       | ug/L    |
| 79-00-5                   | 1,1,2-Trichloroethane       | 22.9   |           | 0.21     | 0.50 | 1.00       | ug/L    |
| 591-78-6                  | 2-Hexanone                  | 110    |           | 0.89     | 2.50 | 5.00       | ug/L    |
| 124-48-1                  | Dibromochloromethane        | 23.2   |           | 0.18     | 0.50 | 1.00       | ug/L    |
| 106-93-4                  | 1,2-Dibromoethane           | 22.4   |           | 0.15     | 0.50 | 1.00       | ug/L    |
| 127-18-4                  | Tetrachloroethene           | 19.8   |           | 0.23     | 0.50 | 1.00       | ug/L    |
| 108-90-7                  | Chlorobenzene               | 20.5   |           | 0.12     | 0.50 | 1.00       | ug/L    |
| 100-41-4                  | Ethyl Benzene               | 19.6   |           | 0.13     | 0.50 | 1.00       | ug/L    |
| 179601-23-1               | m/p-Xylenes                 | 40.5   |           | 0.24     | 1.00 | 2.00       | ug/L    |
| 95-47-6                   | o-Xylene                    | 19.8   |           | 0.12     | 0.50 | 1.00       | ug/L    |
| 100-42-5                  | Styrene                     | 20.4   |           | 0.15     | 0.50 | 1.00       | ug/L    |
| 75-25-2                   | Bromoform                   | 22.4   |           | 0.19     | 0.50 | 1.00       | ug/L    |
| 98-82-8                   | Isopropylbenzene            | 19.2   |           | 0.12     | 0.50 | 1.00       | ug/L    |
| 79-34-5                   | 1,1,2,2-Tetrachloroethane   | 21.4   |           | 0.26     | 0.50 | 1.00       | ug/L    |
| 541-73-1                  | 1,3-Dichlorobenzene         | 19.6   |           | 0.16     | 0.50 | 1.00       | ug/L    |
| 106-46-7                  | 1,4-Dichlorobenzene         | 20.0   |           | 0.19     | 0.50 | 1.00       | ug/L    |
| 95-50-1                   | 1,2-Dichlorobenzene         | 20.4   |           | 0.16     | 0.50 | 1.00       | ug/L    |
| 96-12-8                   | 1,2-Dibromo-3-Chloropropane | 20.0   |           | 0.53     | 0.75 | 1.00       | ug/L    |
| 120-82-1                  | 1,2,4-Trichlorobenzene      | 18.7   |           | 0.20     | 0.50 | 1.00       | ug/L    |
| 87-61-6                   | 1,2,3-Trichlorobenzene      | 19.9   |           | 0.20     | 0.75 | 1.00       | ug/L    |
| <b>SURROGATES</b>         |                             |        |           |          |      |            |         |
| 17060-07-0                | 1,2-Dichloroethane-d4       | 53.0   |           | 81 - 118 |      | 106%       | SPK: 50 |
| 1868-53-7                 | Dibromofluoromethane        | 54.9   |           | 80 - 119 |      | 110%       | SPK: 50 |
| 2037-26-5                 | Toluene-d8                  | 53.2   |           | 89 - 112 |      | 106%       | SPK: 50 |
| 460-00-4                  | 4-Bromofluorobenzene        | 53.5   |           | 85 - 114 |      | 107%       | SPK: 50 |
| <b>INTERNAL STANDARDS</b> |                             |        |           |          |      |            |         |
| 363-72-4                  | Pentafluorobenzene          | 129000 | 5.531     |          |      |            |         |
| 540-36-3                  | 1,4-Difluorobenzene         | 226000 | 6.745     |          |      |            |         |
| 3114-55-4                 | Chlorobenzene-d5            | 208000 | 10.037    |          |      |            |         |
| 3855-82-1                 | 1,4-Dichlorobenzene-d4      | 106000 | 12.006    |          |      |            |         |

## Report of Analysis

|                    |                               |           |                 |               |
|--------------------|-------------------------------|-----------|-----------------|---------------|
| Client:            | Tetra Tech NUS, Inc.          |           | Date Collected: |               |
| Project:           | NWIRP Bethpage 112G08005-WE13 |           | Date Received:  |               |
| Client Sample ID:  | VX1007WBSD01                  |           | SDG No.:        | Q3298         |
| Lab Sample ID:     | VX1007WBSD01                  |           | Matrix:         | Water         |
| Analytical Method: | 8260D                         |           | % Solid:        | 0             |
| Sample Wt/Vol:     | 5                             | Units: mL | Final Vol:      | 5000 uL       |
| Soil Aliquot Vol:  |                               | uL        | Test:           | VOC-TCLVOA-10 |
| GC Column:         | DB-624UI                      | ID : 0.18 | Level :         | LOW           |
| Prep Method :      |                               |           |                 |               |

|                   |           |                |               |
|-------------------|-----------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Date Analyzed  | Prep Batch ID |
| VX048040.D        | 1         | 10/07/25 10:34 | VX100725      |

| CAS Number | Parameter | Conc. | Qualifier | MDL | LOD | LOQ / CRQL | Units |
|------------|-----------|-------|-----------|-----|-----|------------|-------|
|------------|-----------|-------|-----------|-----|-----|------------|-------|

U = Not Detected  
 LOQ = Limit of Quantitation  
 MDL = Method Detection Limit  
 LOD = Limit of Detection  
 E = Value Exceeds Calibration Range  
 Q = indicates LCS control criteria did not meet requirements  
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value  
 B = Analyte Found in Associated Method Blank  
 N = Presumptive Evidence of a Compound  
 \* = Values outside of QC limits  
 D = Dilution  
 () = Laboratory InHouse Limit  
 A = Aldol-Condensation Reaction Products



# CALIBRATION SUMMARY

### VOLATILE ORGANICS INITIAL CALIBRATION DATA

|                                                 |                                                          |
|-------------------------------------------------|----------------------------------------------------------|
| Lab Name: <u>Alliance</u>                       | Contract: <u>TETR06</u>                                  |
| Lab Code: <u>ACE</u>                            | SDG No.: <u>Q3298</u>                                    |
| Instrument ID: <u>MSVOA_X</u>                   | Calibration Date(s): <u>09/16/2025</u> <u>09/16/2025</u> |
| Heated Purge: (Y/N) <u>N</u>                    | Calibration Time(s): <u>09:23</u> <u>12:01</u>           |
| GC Column: <u>DB-624UI</u> ID: <u>0.18</u> (mm) |                                                          |

| LAB FILE ID:                   |        | RRF001 = VX047585.D |        | RRF005 = VX047586.D |        | RRF020 = VX047587.D |       |       |
|--------------------------------|--------|---------------------|--------|---------------------|--------|---------------------|-------|-------|
|                                |        | RRF050 = VX047588.D |        | RRF100 = VX047589.D |        | RRF150 = VX047590.D |       |       |
| COMPOUND                       | RRF001 | RRF005              | RRF020 | RRF050              | RRF100 | RRF150              | RRF   | % RSD |
| Dichlorodifluoromethane        | 0.447  | 0.575               | 0.582  | 0.501               | 0.510  | 0.492               | 0.518 | 10    |
| Chloromethane                  | 0.610  | 0.749               | 0.739  | 0.661               | 0.677  | 0.647               | 0.680 | 7.9   |
| Vinyl Chloride                 | 0.572  | 0.713               | 0.716  | 0.661               | 0.677  | 0.658               | 0.666 | 7.9   |
| Bromomethane                   |        | 0.493               | 0.451  | 0.424               | 0.423  | 0.321               | 0.422 | 15    |
| Chloroethane                   | 0.433  | 0.450               | 0.469  | 0.443               | 0.450  | 0.426               | 0.445 | 3.4   |
| Trichlorofluoromethane         | 0.865  | 1.033               | 1.038  | 0.995               | 1.018  | 0.986               | 0.989 | 6.5   |
| 1,1,2-Trichlorotrifluoroethane | 0.519  | 0.591               | 0.603  | 0.583               | 0.590  | 0.583               | 0.578 | 5.2   |
| 1,1-Dichloroethene             | 0.526  | 0.612               | 0.618  | 0.604               | 0.609  | 0.596               | 0.594 | 5.7   |
| Acetone                        | 0.343  | 0.416               | 0.400  | 0.317               | 0.302  | 0.299               | 0.346 | 14.7  |
| Carbon Disulfide               | 1.555  | 1.735               | 1.758  | 1.566               | 1.589  | 1.555               | 1.626 | 5.8   |
| Methyl tert-butyl Ether        | 1.884  | 2.238               | 2.221  | 2.247               | 2.212  | 2.209               | 2.169 | 6.5   |
| Methyl Acetate                 | 0.612  | 0.673               | 0.714  | 0.876               | 0.865  | 0.881               | 0.770 | 15.4  |
| Methylene Chloride             | 0.718  | 0.772               | 0.754  | 0.730               | 0.716  | 0.705               | 0.732 | 3.5   |
| trans-1,2-Dichloroethene       | 0.543  | 0.703               | 0.665  | 0.649               | 0.643  | 0.635               | 0.640 | 8.3   |
| 1,1-Dichloroethane             | 1.090  | 1.325               | 1.299  | 1.297               | 1.287  | 1.278               | 1.263 | 6.8   |
| Cyclohexane                    |        | 1.161               | 1.092  | 1.030               | 0.984  | 0.993               | 1.052 | 7.1   |
| 2-Butanone                     | 0.370  | 0.470               | 0.473  | 0.439               | 0.414  | 0.424               | 0.432 | 9     |
| Carbon Tetrachloride           | 0.482  | 0.574               | 0.555  | 0.539               | 0.526  | 0.518               | 0.532 | 6     |
| cis-1,2-Dichloroethene         | 0.698  | 0.806               | 0.803  | 0.808               | 0.787  | 0.797               | 0.783 | 5.4   |
| Bromochloromethane             | 0.457  | 0.607               | 0.450  | 0.577               | 0.587  | 0.630               | 0.551 | 14.2  |
| Chloroform                     | 1.034  | 1.364               | 1.366  | 1.323               | 1.282  | 1.288               | 1.276 | 9.7   |
| 1,1,1-Trichloroethane          | 0.901  | 1.123               | 1.141  | 1.127               | 1.100  | 1.103               | 1.082 | 8.3   |
| Methylcyclohexane              | 0.490  | 0.589               | 0.591  | 0.565               | 0.548  | 0.554               | 0.556 | 6.6   |
| Benzene                        | 1.330  | 1.577               | 1.566  | 1.523               | 1.473  | 1.459               | 1.488 | 6.1   |
| 1,2-Dichloroethane             | 0.513  | 0.595               | 0.600  | 0.582               | 0.554  | 0.553               | 0.566 | 5.8   |
| Trichloroethene                | 0.296  | 0.382               | 0.382  | 0.370               | 0.364  | 0.363               | 0.360 | 8.9   |
| 1,2-Dichloropropane            | 0.326  | 0.403               | 0.394  | 0.397               | 0.382  | 0.384               | 0.381 | 7.4   |
| Bromodichloromethane           | 0.461  | 0.599               | 0.601  | 0.607               | 0.579  | 0.586               | 0.572 | 9.7   |
| 4-Methyl-2-Pentanone           | 0.390  | 0.493               | 0.503  | 0.511               | 0.479  | 0.487               | 0.477 | 9.3   |
| Toluene                        | 0.841  | 0.967               | 0.960  | 0.940               | 0.897  | 0.897               | 0.917 | 5.2   |

\* Compounds with required minimum RRF and maximum %RSD values.  
All other compounds must meet a minimum RRF of 0.010.  
RRF of 1,4-Dioxane = Value should be divide by 1000.

### VOLATILE ORGANICS INITIAL CALIBRATION DATA

|                                                 |                                                          |
|-------------------------------------------------|----------------------------------------------------------|
| Lab Name: <u>Alliance</u>                       | Contract: <u>TETR06</u>                                  |
| Lab Code: <u>ACE</u>                            | SDG No.: <u>Q3298</u>                                    |
| Instrument ID: <u>MSVOA_X</u>                   | Calibration Date(s): <u>09/16/2025</u> <u>09/16/2025</u> |
| Heated Purge: (Y/N) <u>N</u>                    | Calibration Time(s): <u>09:23</u> <u>12:01</u>           |
| GC Column: <u>DB-624UI</u> ID: <u>0.18</u> (mm) |                                                          |

|                             |        |                     |        |                     |        |                     |       |       |
|-----------------------------|--------|---------------------|--------|---------------------|--------|---------------------|-------|-------|
| LAB FILE ID:                |        | RRF001 = VX047585.D |        | RRF005 = VX047586.D |        | RRF020 = VX047587.D |       |       |
|                             |        | RRF050 = VX047588.D |        | RRF100 = VX047589.D |        | RRF150 = VX047590.D |       |       |
| COMPOUND                    | RRF001 | RRF005              | RRF020 | RRF050              | RRF100 | RRF150              | RRF   | % RSD |
| t-1,3-Dichloropropene       | 0.487  | 0.588               | 0.602  | 0.619               | 0.595  | 0.611               | 0.584 | 8.3   |
| cis-1,3-Dichloropropene     | 0.513  | 0.652               | 0.644  | 0.653               | 0.637  | 0.644               | 0.624 | 8.7   |
| 1,1,2-Trichloroethane       | 0.323  | 0.365               | 0.371  | 0.367               | 0.344  | 0.351               | 0.354 | 5.1   |
| 2-Hexanone                  | 0.274  | 0.374               | 0.372  | 0.360               | 0.333  | 0.343               | 0.343 | 10.8  |
| Dibromochloromethane        | 0.321  | 0.414               | 0.431  | 0.435               | 0.421  | 0.422               | 0.407 | 10.5  |
| 1,2-Dibromoethane           | 0.287  | 0.379               | 0.384  | 0.379               | 0.364  | 0.367               | 0.360 | 10.1  |
| Tetrachloroethene           | 0.299  | 0.354               | 0.342  | 0.326               | 0.320  | 0.314               | 0.326 | 6     |
| Chlorobenzene               | 0.998  | 1.182               | 1.177  | 1.178               | 1.139  | 1.142               | 1.136 | 6.2   |
| Ethyl Benzene               | 1.625  | 2.077               | 2.049  | 2.039               | 1.996  | 1.973               | 1.960 | 8.6   |
| m/p-Xylenes                 | 0.604  | 0.774               | 0.765  | 0.765               | 0.739  | 0.730               | 0.729 | 8.8   |
| o-Xylene                    | 0.576  | 0.734               | 0.734  | 0.749               | 0.721  | 0.719               | 0.706 | 9.1   |
| Styrene                     | 1.019  | 1.288               | 1.290  | 1.299               | 1.257  | 1.265               | 1.236 | 8.7   |
| Bromoform                   | 0.221  | 0.293               | 0.301  | 0.313               | 0.312  | 0.317               | 0.293 | 12.4  |
| Isopropylbenzene            | 3.124  | 3.907               | 3.986  | 4.047               | 3.907  | 3.839               | 3.801 | 8.9   |
| 1,1,2,2-Tetrachloroethane   | 0.965  | 1.182               | 1.203  | 1.225               | 1.152  | 1.173               | 1.150 | 8.2   |
| 1,3-Dichlorobenzene         | 1.462  | 1.800               | 1.829  | 1.817               | 1.768  | 1.758               | 1.739 | 8     |
| 1,4-Dichlorobenzene         | 1.570  | 1.890               | 1.868  | 1.832               | 1.767  | 1.783               | 1.785 | 6.5   |
| 1,2-Dichlorobenzene         | 1.359  | 1.691               | 1.757  | 1.746               | 1.696  | 1.692               | 1.657 | 9     |
| 1,2-Dibromo-3-Chloropropane | 0.173  | 0.218               | 0.242  | 0.254               | 0.250  | 0.260               | 0.233 | 14.1  |
| 1,2,4-Trichlorobenzene      | 0.831  | 1.099               | 1.107  | 1.156               | 1.140  | 1.126               | 1.077 | 11.3  |
| 1,2,3-Trichlorobenzene      | 0.753  | 0.986               | 1.031  | 1.088               | 1.078  | 1.073               | 1.002 | 12.7  |
| 1,2-Dichloroethane-d4       |        | 0.884               | 0.647  | 0.770               | 0.815  | 0.863               | 0.796 | 11.8  |
| Dibromofluoromethane        |        | 0.356               | 0.266  | 0.331               | 0.355  | 0.368               | 0.335 | 12.3  |
| Toluene-d8                  |        | 1.237               | 0.943  | 1.147               | 1.211  | 1.263               | 1.160 | 11.1  |
| 4-Bromofluorobenzene        |        | 0.478               | 0.360  | 0.427               | 0.452  | 0.484               | 0.440 | 11.4  |

\* Compounds with required minimum RRF and maximum %RSD values.  
All other compounds must meet a minimum RRF of 0.010.  
RRF of 1,4-Dioxane = Value should be divide by 1000.

VOLATILE CONTINUING CALIBRATION CHECK

|                     |                   |                        |                              |
|---------------------|-------------------|------------------------|------------------------------|
| Lab Name:           | <u>Alliance</u>   | Contract:              | <u>TETR06</u>                |
| Lab Code:           | <u>ACE</u>        | SDG No.:               | <u>Q3298</u>                 |
| Instrument ID:      | <u>MSVOA_X</u>    | Calibration Date/Time: | <u>10/07/2025 08:44</u>      |
| Lab File ID:        | <u>VX048036.D</u> | Init. Calib. Date(s):  | <u>09/16/2025 09/16/2025</u> |
| Heated Purge: (Y/N) | <u>N</u>          | Init. Calib. Time(s):  | <u>09:23 12:01</u>           |
| GC Column:          | <u>DB-624UI</u>   | ID:                    | <u>0.18</u> (mm)             |

| COMPOUND                       | RRF   | RRF050 | MIN RRF | %D     | MAX%D |
|--------------------------------|-------|--------|---------|--------|-------|
| Dichlorodifluoromethane        | 0.518 | 0.546  |         | 5.41   | 20    |
| Chloromethane                  | 0.680 | 0.611  | 0.1     | -10.15 | 20    |
| Vinyl Chloride                 | 0.666 | 0.663  |         | -0.45  | 20    |
| Bromomethane                   | 0.422 | 0.428  |         | 1.42   | 20    |
| Chloroethane                   | 0.445 | 0.452  |         | 1.57   | 20    |
| Trichlorofluoromethane         | 0.989 | 1.050  |         | 6.17   | 20    |
| 1,1,2-Trichlorotrifluoroethane | 0.578 | 0.617  |         | 6.75   | 20    |
| 1,1-Dichloroethene             | 0.594 | 0.578  |         | -2.69  | 20    |
| Acetone                        | 0.346 | 0.394  |         | 13.87  | 20    |
| Carbon Disulfide               | 1.626 | 1.432  |         | -11.93 | 20    |
| Methyl tert-butyl Ether        | 2.169 | 2.312  |         | 6.59   | 20    |
| Methyl Acetate                 | 0.770 | 0.907  |         | 17.79  | 20    |
| Methylene Chloride             | 0.732 | 0.752  |         | 2.73   | 20    |
| trans-1,2-Dichloroethene       | 0.640 | 0.650  |         | 1.56   | 20    |
| 1,1-Dichloroethane             | 1.263 | 1.344  | 0.1     | 6.41   | 20    |
| Cyclohexane                    | 1.052 | 0.909  |         | -13.59 | 20    |
| 2-Butanone                     | 0.432 | 0.471  |         | 9.03   | 20    |
| Carbon Tetrachloride           | 0.532 | 0.548  |         | 3.01   | 20    |
| cis-1,2-Dichloroethene         | 0.783 | 0.803  |         | 2.55   | 20    |
| Bromochloromethane             | 0.551 | 0.601  |         | 9.07   | 20    |
| Chloroform                     | 1.276 | 1.378  |         | 7.99   | 20    |
| 1,1,1-Trichloroethane          | 1.082 | 1.125  |         | 3.97   | 20    |
| Methylcyclohexane              | 0.556 | 0.483  |         | -13.13 | 20    |
| Benzene                        | 1.488 | 1.533  |         | 3.02   | 20    |
| 1,2-Dichloroethane             | 0.566 | 0.596  |         | 5.3    | 20    |
| Trichloroethene                | 0.360 | 0.364  |         | 1.11   | 20    |
| 1,2-Dichloropropane            | 0.381 | 0.413  |         | 8.4    | 20    |
| Bromodichloromethane           | 0.572 | 0.639  |         | 11.71  | 20    |
| 4-Methyl-2-Pentanone           | 0.477 | 0.523  |         | 9.64   | 20    |
| Toluene                        | 0.917 | 0.925  |         | 0.87   | 20    |
| t-1,3-Dichloropropene          | 0.584 | 0.615  |         | 5.31   | 20    |
| cis-1,3-Dichloropropene        | 0.624 | 0.663  |         | 6.25   | 20    |
| 1,1,2-Trichloroethane          | 0.354 | 0.392  |         | 10.73  | 20    |
| 2-Hexanone                     | 0.343 | 0.370  |         | 7.87   | 20    |
| Dibromochloromethane           | 0.407 | 0.464  |         | 14.01  | 20    |
| 1,2-Dibromoethane              | 0.360 | 0.395  |         | 9.72   | 20    |
| Tetrachloroethene              | 0.326 | 0.310  |         | -4.91  | 20    |
| Chlorobenzene                  | 1.136 | 1.171  | 0.3     | 3.08   | 20    |

All other compounds must meet a minimum RRF of 0.010.  
RRF of 1,4-Dioxane = Value should be divide by 1000.

VOLATILE CONTINUING CALIBRATION CHECK

|                     |                   |                        |                              |
|---------------------|-------------------|------------------------|------------------------------|
| Lab Name:           | <u>Alliance</u>   | Contract:              | <u>TETR06</u>                |
| Lab Code:           | <u>ACE</u>        | SDG No.:               | <u>Q3298</u>                 |
| Instrument ID:      | <u>MSVOA_X</u>    | Calibration Date/Time: | <u>10/07/2025 08:44</u>      |
| Lab File ID:        | <u>VX048036.D</u> | Init. Calib. Date(s):  | <u>09/16/2025 09/16/2025</u> |
| Heated Purge: (Y/N) | <u>N</u>          | Init. Calib. Time(s):  | <u>09:23 12:01</u>           |
| GC Column:          | <u>DB-624UI</u>   | ID:                    | <u>0.18</u> (mm)             |

| COMPOUND                    | RRF   | RRF050 | MIN<br>RRF | %D    | MAX%D |
|-----------------------------|-------|--------|------------|-------|-------|
| Ethyl Benzene               | 1.960 | 1.968  |            | 0.41  | 20    |
| m/p-Xylenes                 | 0.729 | 0.738  |            | 1.24  | 20    |
| o-Xylene                    | 0.706 | 0.724  |            | 2.55  | 20    |
| Styrene                     | 1.236 | 1.302  |            | 5.34  | 20    |
| Bromoform                   | 0.293 | 0.330  | 0.1        | 12.63 | 20    |
| Isopropylbenzene            | 3.801 | 3.646  |            | -4.08 | 20    |
| 1,1,2,2-Tetrachloroethane   | 1.150 | 1.212  | 0.3        | 5.39  | 20    |
| 1,3-Dichlorobenzene         | 1.739 | 1.678  |            | -3.51 | 20    |
| 1,4-Dichlorobenzene         | 1.785 | 1.721  |            | -3.59 | 20    |
| 1,2-Dichlorobenzene         | 1.657 | 1.647  |            | -0.6  | 20    |
| 1,2-Dibromo-3-Chloropropane | 0.233 | 0.229  |            | -1.72 | 20    |
| 1,2,4-Trichlorobenzene      | 1.077 | 0.972  |            | -9.75 | 20    |
| 1,2,3-Trichlorobenzene      | 1.002 | 0.943  |            | -5.89 | 20    |
| 1,2-Dichloroethane-d4       | 0.796 | 0.824  |            | 3.52  | 20    |
| Dibromofluoromethane        | 0.335 | 0.370  |            | 10.45 | 20    |
| Toluene-d8                  | 1.160 | 1.208  |            | 4.14  | 20    |
| 4-Bromofluorobenzene        | 0.440 | 0.455  |            | 3.41  | 20    |

All other compounds must meet a minimum RRF of 0.010.  
RRF of 1,4-Dioxane = Value should be divide by 1000.

VOLATILE CONTINUING CALIBRATION CHECK

|                     |                   |                        |                              |
|---------------------|-------------------|------------------------|------------------------------|
| Lab Name:           | <u>Alliance</u>   | Contract:              | <u>TETR06</u>                |
| Lab Code:           | <u>ACE</u>        | SDG No.:               | <u>Q3298</u>                 |
| Instrument ID:      | <u>MSVOA_X</u>    | Calibration Date/Time: | <u>10/07/2025 14:06</u>      |
| Lab File ID:        | <u>VX048050.D</u> | Init. Calib. Date(s):  | <u>09/16/2025 09/16/2025</u> |
| Heated Purge: (Y/N) | <u>N</u>          | Init. Calib. Time(s):  | <u>09:23 12:01</u>           |
| GC Column:          | <u>DB-624UI</u>   | ID:                    | <u>0.18</u> (mm)             |

| COMPOUND                       | RRF   | RRF050 | MIN RRF | %D     | MAX%D |
|--------------------------------|-------|--------|---------|--------|-------|
| Dichlorodifluoromethane        | 0.518 | 0.506  |         | -2.32  | 50    |
| Chloromethane                  | 0.680 | 0.564  | 0.1     | -17.06 | 50    |
| Vinyl Chloride                 | 0.666 | 0.627  |         | -5.86  | 50    |
| Bromomethane                   | 0.422 | 0.375  |         | -11.14 | 50    |
| Chloroethane                   | 0.445 | 0.429  |         | -3.6   | 50    |
| Trichlorofluoromethane         | 0.989 | 1.019  |         | 3.03   | 50    |
| 1,1,2-Trichlorotrifluoroethane | 0.578 | 0.631  |         | 9.17   | 50    |
| 1,1-Dichloroethene             | 0.594 | 0.586  |         | -1.35  | 50    |
| Acetone                        | 0.346 | 0.328  |         | -5.2   | 50    |
| Carbon Disulfide               | 1.626 | 1.365  |         | -16.05 | 50    |
| Methyl tert-butyl Ether        | 2.169 | 2.270  |         | 4.66   | 50    |
| Methyl Acetate                 | 0.770 | 0.955  |         | 24.03  | 50    |
| Methylene Chloride             | 0.732 | 0.742  |         | 1.37   | 50    |
| trans-1,2-Dichloroethene       | 0.640 | 0.629  |         | -1.72  | 50    |
| 1,1-Dichloroethane             | 1.263 | 1.317  | 0.1     | 4.28   | 50    |
| Cyclohexane                    | 1.052 | 0.932  |         | -11.41 | 50    |
| 2-Butanone                     | 0.432 | 0.490  |         | 13.43  | 50    |
| Carbon Tetrachloride           | 0.532 | 0.545  |         | 2.44   | 50    |
| cis-1,2-Dichloroethene         | 0.783 | 0.804  |         | 2.68   | 50    |
| Bromochloromethane             | 0.551 | 0.569  |         | 3.27   | 50    |
| Chloroform                     | 1.276 | 1.358  |         | 6.43   | 50    |
| 1,1,1-Trichloroethane          | 1.082 | 1.127  |         | 4.16   | 50    |
| Methylcyclohexane              | 0.556 | 0.519  |         | -6.66  | 50    |
| Benzene                        | 1.488 | 1.520  |         | 2.15   | 50    |
| 1,2-Dichloroethane             | 0.566 | 0.588  |         | 3.89   | 50    |
| Trichloroethene                | 0.360 | 0.366  |         | 1.67   | 50    |
| 1,2-Dichloropropane            | 0.381 | 0.406  |         | 6.56   | 50    |
| Bromodichloromethane           | 0.572 | 0.630  |         | 10.14  | 50    |
| 4-Methyl-2-Pentanone           | 0.477 | 0.578  |         | 21.17  | 50    |
| Toluene                        | 0.917 | 0.935  |         | 1.96   | 50    |
| t-1,3-Dichloropropene          | 0.584 | 0.598  |         | 2.4    | 50    |
| cis-1,3-Dichloropropene        | 0.624 | 0.651  |         | 4.33   | 50    |
| 1,1,2-Trichloroethane          | 0.354 | 0.398  |         | 12.43  | 50    |
| 2-Hexanone                     | 0.343 | 0.406  |         | 18.37  | 50    |
| Dibromochloromethane           | 0.407 | 0.462  |         | 13.51  | 50    |
| 1,2-Dibromoethane              | 0.360 | 0.399  |         | 10.83  | 50    |
| Tetrachloroethene              | 0.326 | 0.319  |         | -2.15  | 50    |
| Chlorobenzene                  | 1.136 | 1.184  | 0.3     | 4.22   | 50    |

All other compounds must meet a minimum RRF of 0.010.  
RRF of 1,4-Dioxane = Value should be divide by 1000.

VOLATILE CONTINUING CALIBRATION CHECK

|                     |                   |                        |                              |
|---------------------|-------------------|------------------------|------------------------------|
| Lab Name:           | <u>Alliance</u>   | Contract:              | <u>TETR06</u>                |
| Lab Code:           | <u>ACE</u>        | SDG No.:               | <u>Q3298</u>                 |
| Instrument ID:      | <u>MSVOA_X</u>    | Calibration Date/Time: | <u>10/07/2025 14:06</u>      |
| Lab File ID:        | <u>VX048050.D</u> | Init. Calib. Date(s):  | <u>09/16/2025 09/16/2025</u> |
| Heated Purge: (Y/N) | <u>N</u>          | Init. Calib. Time(s):  | <u>09:23 12:01</u>           |
| GC Column:          | <u>DB-624UI</u>   | ID:                    | <u>0.18</u> (mm)             |

| COMPOUND                    | RRF   | RRF050 | MIN<br>RRF | %D    | MAX%D |
|-----------------------------|-------|--------|------------|-------|-------|
| Ethyl Benzene               | 1.960 | 2.018  |            | 2.96  | 50    |
| m/p-Xylenes                 | 0.729 | 0.757  |            | 3.84  | 50    |
| o-Xylene                    | 0.706 | 0.742  |            | 5.1   | 50    |
| Styrene                     | 1.236 | 1.315  |            | 6.39  | 50    |
| Bromoform                   | 0.293 | 0.344  | 0.1        | 17.41 | 50    |
| Isopropylbenzene            | 3.801 | 3.770  |            | -0.82 | 50    |
| 1,1,2,2-Tetrachloroethane   | 1.150 | 1.303  | 0.3        | 13.3  | 50    |
| 1,3-Dichlorobenzene         | 1.739 | 1.731  |            | -0.46 | 50    |
| 1,4-Dichlorobenzene         | 1.785 | 1.762  |            | -1.29 | 50    |
| 1,2-Dichlorobenzene         | 1.657 | 1.675  |            | 1.09  | 50    |
| 1,2-Dibromo-3-Chloropropane | 0.233 | 0.252  |            | 8.15  | 50    |
| 1,2,4-Trichlorobenzene      | 1.077 | 1.040  |            | -3.43 | 50    |
| 1,2,3-Trichlorobenzene      | 1.002 | 1.030  |            | 2.79  | 50    |
| 1,2-Dichloroethane-d4       | 0.796 | 0.805  |            | 1.13  | 50    |
| Dibromofluoromethane        | 0.335 | 0.357  |            | 6.57  | 50    |
| Toluene-d8                  | 1.160 | 1.184  |            | 2.07  | 50    |
| 4-Bromofluorobenzene        | 0.440 | 0.453  |            | 2.95  | 50    |

All other compounds must meet a minimum RRF of 0.010.  
RRF of 1,4-Dioxane = Value should be divide by 1000.

VOLATILE CONTINUING CALIBRATION CHECK

|                     |                   |                        |                              |
|---------------------|-------------------|------------------------|------------------------------|
| Lab Name:           | <u>Alliance</u>   | Contract:              | <u>TETR06</u>                |
| Lab Code:           | <u>ACE</u>        | SDG No.:               | <u>Q3298</u>                 |
| Instrument ID:      | <u>MSVOA_X</u>    | Calibration Date/Time: | <u>10/08/2025 09:15</u>      |
| Lab File ID:        | <u>VX048060.D</u> | Init. Calib. Date(s):  | <u>09/16/2025 09/16/2025</u> |
| Heated Purge: (Y/N) | <u>N</u>          | Init. Calib. Time(s):  | <u>09:23 12:01</u>           |
| GC Column:          | <u>DB-624UI</u>   | ID:                    | <u>0.18</u> (mm)             |

| COMPOUND                       | RRF   | RRF050 | MIN<br>RRF | %D     | MAX%D |
|--------------------------------|-------|--------|------------|--------|-------|
| Dichlorodifluoromethane        | 0.518 | 0.494  |            | -4.63  | 20    |
| Chloromethane                  | 0.680 | 0.576  | 0.1        | -15.29 | 20    |
| Vinyl Chloride                 | 0.666 | 0.609  |            | -8.56  | 20    |
| Bromomethane                   | 0.422 | 0.370  |            | -12.32 | 20    |
| Chloroethane                   | 0.445 | 0.429  |            | -3.6   | 20    |
| Trichlorofluoromethane         | 0.989 | 0.977  |            | -1.21  | 20    |
| 1,1,2-Trichlorotrifluoroethane | 0.578 | 0.583  |            | 0.87   | 20    |
| 1,1-Dichloroethene             | 0.594 | 0.561  |            | -5.56  | 20    |
| Acetone                        | 0.346 | 0.398  |            | 15.03  | 20    |
| Carbon Disulfide               | 1.626 | 1.366  |            | -15.99 | 20    |
| Methyl tert-butyl Ether        | 2.169 | 2.276  |            | 4.93   | 20    |
| Methyl Acetate                 | 0.770 | 0.935  |            | 21.43  | 20    |
| Methylene Chloride             | 0.732 | 0.736  |            | 0.55   | 20    |
| trans-1,2-Dichloroethene       | 0.640 | 0.605  |            | -5.47  | 20    |
| 1,1-Dichloroethane             | 1.263 | 1.291  | 0.1        | 2.22   | 20    |
| Cyclohexane                    | 1.052 | 0.870  |            | -17.3  | 20    |
| 2-Butanone                     | 0.432 | 0.496  |            | 14.81  | 20    |
| Carbon Tetrachloride           | 0.532 | 0.522  |            | -1.88  | 20    |
| cis-1,2-Dichloroethene         | 0.783 | 0.782  |            | -0.13  | 20    |
| Bromochloromethane             | 0.551 | 0.586  |            | 6.35   | 20    |
| Chloroform                     | 1.276 | 1.334  |            | 4.55   | 20    |
| 1,1,1-Trichloroethane          | 1.082 | 1.099  |            | 1.57   | 20    |
| Methylcyclohexane              | 0.556 | 0.471  |            | -15.29 | 20    |
| Benzene                        | 1.488 | 1.451  |            | -2.49  | 20    |
| 1,2-Dichloroethane             | 0.566 | 0.575  |            | 1.59   | 20    |
| Trichloroethene                | 0.360 | 0.349  |            | -3.06  | 20    |
| 1,2-Dichloropropane            | 0.381 | 0.394  |            | 3.41   | 20    |
| Bromodichloromethane           | 0.572 | 0.615  |            | 7.52   | 20    |
| 4-Methyl-2-Pentanone           | 0.477 | 0.538  |            | 12.79  | 20    |
| Toluene                        | 0.917 | 0.881  |            | -3.93  | 20    |
| t-1,3-Dichloropropene          | 0.584 | 0.600  |            | 2.74   | 20    |
| cis-1,3-Dichloropropene        | 0.624 | 0.630  |            | 0.96   | 20    |
| 1,1,2-Trichloroethane          | 0.354 | 0.379  |            | 7.06   | 20    |
| 2-Hexanone                     | 0.343 | 0.386  |            | 12.54  | 20    |
| Dibromochloromethane           | 0.407 | 0.448  |            | 10.07  | 20    |
| 1,2-Dibromoethane              | 0.360 | 0.382  |            | 6.11   | 20    |
| Tetrachloroethene              | 0.326 | 0.294  |            | -9.82  | 20    |
| Chlorobenzene                  | 1.136 | 1.127  | 0.3        | -0.79  | 20    |

All other compounds must meet a minimum RRF of 0.010.  
RRF of 1,4-Dioxane = Value should be divide by 1000.

VOLATILE CONTINUING CALIBRATION CHECK

|                     |                   |                        |                              |
|---------------------|-------------------|------------------------|------------------------------|
| Lab Name:           | <u>Alliance</u>   | Contract:              | <u>TETR06</u>                |
| Lab Code:           | <u>ACE</u>        | SDG No.:               | <u>Q3298</u>                 |
| Instrument ID:      | <u>MSVOA_X</u>    | Calibration Date/Time: | <u>10/08/2025 09:15</u>      |
| Lab File ID:        | <u>VX048060.D</u> | Init. Calib. Date(s):  | <u>09/16/2025 09/16/2025</u> |
| Heated Purge: (Y/N) | <u>N</u>          | Init. Calib. Time(s):  | <u>09:23 12:01</u>           |
| GC Column:          | <u>DB-624UI</u>   | ID:                    | <u>0.18</u> (mm)             |

| COMPOUND                    | RRF   | RRF050 | MIN<br>RRF | %D    | MAX%D |
|-----------------------------|-------|--------|------------|-------|-------|
| Ethyl Benzene               | 1.960 | 1.894  |            | -3.37 | 20    |
| m/p-Xylenes                 | 0.729 | 0.711  |            | -2.47 | 20    |
| o-Xylene                    | 0.706 | 0.687  |            | -2.69 | 20    |
| Styrene                     | 1.236 | 1.236  |            | 0     | 20    |
| Bromoform                   | 0.293 | 0.329  | 0.1        | 12.29 | 20    |
| Isopropylbenzene            | 3.801 | 3.580  |            | -5.81 | 20    |
| 1,1,2,2-Tetrachloroethane   | 1.150 | 1.236  | 0.3        | 7.48  | 20    |
| 1,3-Dichlorobenzene         | 1.739 | 1.660  |            | -4.54 | 20    |
| 1,4-Dichlorobenzene         | 1.785 | 1.684  |            | -5.66 | 20    |
| 1,2-Dichlorobenzene         | 1.657 | 1.629  |            | -1.69 | 20    |
| 1,2-Dibromo-3-Chloropropane | 0.233 | 0.249  |            | 6.87  | 20    |
| 1,2,4-Trichlorobenzene      | 1.077 | 1.014  |            | -5.85 | 20    |
| 1,2,3-Trichlorobenzene      | 1.002 | 0.968  |            | -3.39 | 20    |
| 1,2-Dichloroethane-d4       | 0.796 | 0.807  |            | 1.38  | 20    |
| Dibromofluoromethane        | 0.335 | 0.359  |            | 7.16  | 20    |
| Toluene-d8                  | 1.160 | 1.166  |            | 0.52  | 20    |
| 4-Bromofluorobenzene        | 0.440 | 0.450  |            | 2.27  | 20    |

All other compounds must meet a minimum RRF of 0.010.  
RRF of 1,4-Dioxane = Value should be divide by 1000.

VOLATILE CONTINUING CALIBRATION CHECK

|                     |                   |                        |                              |
|---------------------|-------------------|------------------------|------------------------------|
| Lab Name:           | <u>Alliance</u>   | Contract:              | <u>TETR06</u>                |
| Lab Code:           | <u>ACE</u>        | SDG No.:               | <u>Q3298</u>                 |
| Instrument ID:      | <u>MSVOA_X</u>    | Calibration Date/Time: | <u>10/08/2025 15:19</u>      |
| Lab File ID:        | <u>VX048070.D</u> | Init. Calib. Date(s):  | <u>09/16/2025 09/16/2025</u> |
| Heated Purge: (Y/N) | <u>N</u>          | Init. Calib. Time(s):  | <u>09:23 12:01</u>           |
| GC Column:          | <u>DB-624UI</u>   | ID:                    | <u>0.18</u> (mm)             |

| COMPOUND                       | RRF   | RRF050 | MIN RRF | %D     | MAX%D |
|--------------------------------|-------|--------|---------|--------|-------|
| Dichlorodifluoromethane        | 0.518 | 0.398  |         | -23.17 | 50    |
| Chloromethane                  | 0.680 | 0.636  | 0.1     | -6.47  | 50    |
| Vinyl Chloride                 | 0.666 | 0.610  |         | -8.41  | 50    |
| Bromomethane                   | 0.422 | 0.384  |         | -9.01  | 50    |
| Chloroethane                   | 0.445 | 0.467  |         | 4.94   | 50    |
| Trichlorofluoromethane         | 0.989 | 0.855  |         | -13.55 | 50    |
| 1,1,2-Trichlorotrifluoroethane | 0.578 | 0.508  |         | -12.11 | 50    |
| 1,1-Dichloroethene             | 0.594 | 0.552  |         | -7.07  | 50    |
| Acetone                        | 0.346 | 0.358  |         | 3.47   | 50    |
| Carbon Disulfide               | 1.626 | 1.323  |         | -18.64 | 50    |
| Methyl tert-butyl Ether        | 2.169 | 2.733  |         | 26     | 50    |
| Methyl Acetate                 | 0.770 | 1.111  |         | 44.29  | 50    |
| Methylene Chloride             | 0.732 | 0.866  |         | 18.31  | 50    |
| trans-1,2-Dichloroethene       | 0.640 | 0.641  |         | 0.16   | 50    |
| 1,1-Dichloroethane             | 1.263 | 1.453  | 0.1     | 15.04  | 50    |
| Cyclohexane                    | 1.052 | 0.742  |         | -29.47 | 50    |
| 2-Butanone                     | 0.432 | 0.532  |         | 23.15  | 50    |
| Carbon Tetrachloride           | 0.532 | 0.452  |         | -15.04 | 50    |
| cis-1,2-Dichloroethene         | 0.783 | 0.880  |         | 12.39  | 50    |
| Bromochloromethane             | 0.551 | 0.708  |         | 28.49  | 50    |
| Chloroform                     | 1.276 | 1.538  |         | 20.53  | 50    |
| 1,1,1-Trichloroethane          | 1.082 | 1.097  |         | 1.39   | 50    |
| Methylcyclohexane              | 0.556 | 0.369  |         | -33.63 | 50    |
| Benzene                        | 1.488 | 1.471  |         | -1.14  | 50    |
| 1,2-Dichloroethane             | 0.566 | 0.649  |         | 14.66  | 50    |
| Trichloroethene                | 0.360 | 0.318  |         | -11.67 | 50    |
| 1,2-Dichloropropane            | 0.381 | 0.422  |         | 10.76  | 50    |
| Bromodichloromethane           | 0.572 | 0.657  |         | 14.86  | 50    |
| 4-Methyl-2-Pentanone           | 0.477 | 0.580  |         | 21.59  | 50    |
| Toluene                        | 0.917 | 0.845  |         | -7.85  | 50    |
| t-1,3-Dichloropropene          | 0.584 | 0.605  |         | 3.6    | 50    |
| cis-1,3-Dichloropropene        | 0.624 | 0.644  |         | 3.2    | 50    |
| 1,1,2-Trichloroethane          | 0.354 | 0.416  |         | 17.51  | 50    |
| 2-Hexanone                     | 0.343 | 0.400  |         | 16.62  | 50    |
| Dibromochloromethane           | 0.407 | 0.487  |         | 19.66  | 50    |
| 1,2-Dibromoethane              | 0.360 | 0.420  |         | 16.67  | 50    |
| Tetrachloroethene              | 0.326 | 0.280  |         | -14.11 | 50    |
| Chlorobenzene                  | 1.136 | 1.091  | 0.3     | -3.96  | 50    |

All other compounds must meet a minimum RRF of 0.010.  
RRF of 1,4-Dioxane = Value should be divide by 1000.

VOLATILE CONTINUING CALIBRATION CHECK

|                     |                   |                        |                              |
|---------------------|-------------------|------------------------|------------------------------|
| Lab Name:           | <u>Alliance</u>   | Contract:              | <u>TETR06</u>                |
| Lab Code:           | <u>ACE</u>        | SDG No.:               | <u>Q3298</u>                 |
| Instrument ID:      | <u>MSVOA_X</u>    | Calibration Date/Time: | <u>10/08/2025 15:19</u>      |
| Lab File ID:        | <u>VX048070.D</u> | Init. Calib. Date(s):  | <u>09/16/2025 09/16/2025</u> |
| Heated Purge: (Y/N) | <u>N</u>          | Init. Calib. Time(s):  | <u>09:23 12:01</u>           |
| GC Column:          | <u>DB-624UI</u>   | ID:                    | <u>0.18</u> (mm)             |

| COMPOUND                    | RRF   | RRF050 | MIN<br>RRF | %D     | MAX%D |
|-----------------------------|-------|--------|------------|--------|-------|
| Ethyl Benzene               | 1.960 | 1.708  |            | -12.86 | 50    |
| m/p-Xylenes                 | 0.729 | 0.643  |            | -11.8  | 50    |
| o-Xylene                    | 0.706 | 0.644  |            | -8.78  | 50    |
| Styrene                     | 1.236 | 1.167  |            | -5.58  | 50    |
| Bromoform                   | 0.293 | 0.359  | 0.1        | 22.53  | 50    |
| Isopropylbenzene            | 3.801 | 3.261  |            | -14.21 | 50    |
| 1,1,2,2-Tetrachloroethane   | 1.150 | 1.401  | 0.3        | 21.83  | 50    |
| 1,3-Dichlorobenzene         | 1.739 | 1.566  |            | -9.95  | 50    |
| 1,4-Dichlorobenzene         | 1.785 | 1.579  |            | -11.54 | 50    |
| 1,2-Dichlorobenzene         | 1.657 | 1.599  |            | -3.5   | 50    |
| 1,2-Dibromo-3-Chloropropane | 0.233 | 0.269  |            | 15.45  | 50    |
| 1,2,4-Trichlorobenzene      | 1.077 | 0.936  |            | -13.09 | 50    |
| 1,2,3-Trichlorobenzene      | 1.002 | 0.918  |            | -8.38  | 50    |
| 1,2-Dichloroethane-d4       | 0.796 | 1.008  |            | 26.63  | 50    |
| Dibromofluoromethane        | 0.335 | 0.397  |            | 18.51  | 50    |
| Toluene-d8                  | 1.160 | 1.129  |            | -2.67  | 50    |
| 4-Bromofluorobenzene        | 0.440 | 0.440  |            | 0      | 50    |

All other compounds must meet a minimum RRF of 0.010.  
RRF of 1,4-Dioxane = Value should be divide by 1000.

### LAB CHRONICLE

|                 |                      |                   |                               |
|-----------------|----------------------|-------------------|-------------------------------|
| <b>OrderID:</b> | Q3298                | <b>OrderDate:</b> | 10/6/2025 4:00:00 PM          |
| <b>Client:</b>  | Tetra Tech NUS, Inc. | <b>Project:</b>   | NWIRP Bethpage 112G08005-WE13 |
| <b>Contact:</b> | Ernie Wu             | <b>Location:</b>  | D31,VOA Ref. #3 Water         |

| LabID           | ClientID                           | Matrix       | Test           | Method        | Sample Date     | Prep Date | Anal Date | Received        |
|-----------------|------------------------------------|--------------|----------------|---------------|-----------------|-----------|-----------|-----------------|
| <b>Q3298-02</b> | <b>BP-VPB-184-EB-2025<br/>1003</b> | <b>Water</b> |                |               | <b>10/03/25</b> |           |           | <b>10/06/25</b> |
|                 |                                    |              | SVOC-SIMGroup1 | 8270-Modified |                 | 10/08/25  | 10/13/25  |                 |
| <b>Q3298-03</b> | <b>VPB184-HYD-202510<br/>03</b>    | <b>Water</b> |                |               | <b>10/03/25</b> |           |           | <b>10/06/25</b> |
|                 |                                    |              | SVOC-SIMGroup1 | 8270-Modified |                 | 10/08/25  | 10/13/25  |                 |
| <b>Q3298-05</b> | <b>BP-VPB-184-GW-740-<br/>742</b>  | <b>Water</b> |                |               | <b>10/06/25</b> |           |           | <b>10/06/25</b> |
|                 |                                    |              | SVOC-SIMGroup1 | 8270-Modified |                 | 10/08/25  | 10/14/25  |                 |



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

### Hit Summary Sheet SW-846

**SDG No.:** Q3298  
**Client:** Tetra Tech NUS, Inc.

| Sample ID                                 | Client ID                  | Parameter   | Concentration | C           | MDL  | LOD  | RDL  | Units |
|-------------------------------------------|----------------------------|-------------|---------------|-------------|------|------|------|-------|
| <b>Client ID : BP-VPB-184-EB-20251003</b> |                            |             |               |             |      |      |      |       |
| Q3298-02                                  | BP-VPB-184-EB-202510 WATER | 1,4-Dioxane | 0.110         | J           | 0.09 | 0.27 | 0.27 | ug/L  |
| <b>Total Svoc :</b>                       |                            |             |               | <b>0.11</b> |      |      |      |       |
| <b>Total Concentration:</b>               |                            |             |               | <b>0.11</b> |      |      |      |       |



# SAMPLE DATA

## Report of Analysis

|                    |                               |                    |                 |                |
|--------------------|-------------------------------|--------------------|-----------------|----------------|
| Client:            | Tetra Tech NUS, Inc.          |                    | Date Collected: | 10/03/25       |
| Project:           | NWIRP Bethpage 112G08005-WE13 |                    | Date Received:  | 10/06/25       |
| Client Sample ID:  | BP-VPB-184-EB-20251003        |                    | SDG No.:        | Q3298          |
| Lab Sample ID:     | Q3298-02                      |                    | Matrix:         | Water          |
| Analytical Method: | SW8270ESIM                    | Level : LOW        | % Solid:        | 0              |
| Sample Wt/Vol:     | 750 mL                        | Final Vol: 1000 uL | Test:           | SVOC-SIMGroup1 |
| Prep Method :      | Prep Date: 10/08/25           |                    |                 |                |

| CAS Number                | Parameter               | Conc.       | Qua. | DF | MDL      | LOD  | LOQ / CRQL | Units    | Date Ana.      | Prep BatchID |
|---------------------------|-------------------------|-------------|------|----|----------|------|------------|----------|----------------|--------------|
| <b>TARGETS</b>            |                         |             |      |    |          |      |            |          |                |              |
| 123-91-1                  | 1,4-Dioxane             | 0.11        | J    | 1  | 0.090    | 0.27 | 0.27       | ug/L     | 10/13/25 18:36 | PB170022     |
| <b>SURROGATES</b>         |                         |             |      |    |          |      |            |          |                |              |
| 7297-45-2                 | 2-Methylnaphthalene-d10 | 0.36        |      |    | 30 - 150 |      | 90%        | SPK: 0.4 |                |              |
| 93951-69-0                | Fluoranthene-d10        | 0.44        |      |    | 30 - 150 |      | 111%       | SPK: 0.4 |                |              |
| 4165-60-0                 | Nitrobenzene-d5         | 0.39        |      |    | 55 - 111 |      | 97%        | SPK: 0.4 |                |              |
| 321-60-8                  | 2-Fluorobiphenyl        | 0.44        | *    |    | 53 - 106 |      | 110%       | SPK: 0.4 |                |              |
| 1718-51-0                 | Terphenyl-d14           | 0.58        | *    |    | 58 - 132 |      | 144%       | SPK: 0.4 |                |              |
| <b>INTERNAL STANDARDS</b> |                         |             |      |    |          |      |            |          |                |              |
|                           |                         | <b>Area</b> |      |    |          |      |            |          |                |              |
| 3855-82-1                 | 1,4-Dichlorobenzene-d4  | 5120        |      |    |          |      |            |          |                |              |
| 1146-65-2                 | Naphthalene-d8          | 12400       |      |    |          |      |            |          |                |              |
| 15067-26-2                | Acenaphthene-d10        | 6200        |      |    |          |      |            |          |                |              |
| 1517-22-2                 | Phenanthrene-d10        | 12000       |      |    |          |      |            |          |                |              |
| 1719-03-5                 | Chrysene-d12            | 10600       |      |    |          |      |            |          |                |              |
| 1520-96-3                 | Perylene-d12            | 10600       |      |    |          |      |            |          |                |              |

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

## Report of Analysis

|                    |                               |                    |                 |                |
|--------------------|-------------------------------|--------------------|-----------------|----------------|
| Client:            | Tetra Tech NUS, Inc.          |                    | Date Collected: | 10/03/25       |
| Project:           | NWIRP Bethpage 112G08005-WE13 |                    | Date Received:  | 10/06/25       |
| Client Sample ID:  | VPB184-HYD-20251003           |                    | SDG No.:        | Q3298          |
| Lab Sample ID:     | Q3298-03                      |                    | Matrix:         | Water          |
| Analytical Method: | SW8270ESIM                    | Level : LOW        | % Solid:        | 0              |
| Sample Wt/Vol:     | 1000 mL                       | Final Vol: 1000 uL | Test:           | SVOC-SIMGroup1 |
| Prep Method :      | Prep Date: 10/08/25           |                    |                 |                |

| CAS Number                | Parameter               | Conc.       | Qua. | DF | MDL      | LOD  | LOQ / CRQL | Units    | Date Ana.      | Prep BatchID |
|---------------------------|-------------------------|-------------|------|----|----------|------|------------|----------|----------------|--------------|
| <b>TARGETS</b>            |                         |             |      |    |          |      |            |          |                |              |
| 123-91-1                  | 1,4-Dioxane             | 0.20        | U    | 1  | 0.070    | 0.20 | 0.20       | ug/L     | 10/13/25 19:12 | PB170022     |
| <b>SURROGATES</b>         |                         |             |      |    |          |      |            |          |                |              |
| 7297-45-2                 | 2-Methylnaphthalene-d10 | 0           | *    |    | 30 - 150 |      | 0%         | SPK: 0.4 |                |              |
| 93951-69-0                | Fluoranthene-d10        | 0.056       | *    |    | 30 - 150 |      | 14%        | SPK: 0.4 |                |              |
| 4165-60-0                 | Nitrobenzene-d5         | 0.40        |      |    | 55 - 111 |      | 99%        | SPK: 0.4 |                |              |
| 321-60-8                  | 2-Fluorobiphenyl        | 0.47        | *    |    | 53 - 106 |      | 117%       | SPK: 0.4 |                |              |
| 1718-51-0                 | Terphenyl-d14           | 0.59        | *    |    | 58 - 132 |      | 147%       | SPK: 0.4 |                |              |
| <b>INTERNAL STANDARDS</b> |                         |             |      |    |          |      |            |          |                |              |
|                           |                         | <b>Area</b> |      |    |          |      |            |          |                |              |
| 3855-82-1                 | 1,4-Dichlorobenzene-d4  | 5260        |      |    |          |      |            |          |                |              |
| 1146-65-2                 | Naphthalene-d8          | 13400       |      |    |          |      |            |          |                |              |
| 15067-26-2                | Acenaphthene-d10        | 6640        |      |    |          |      |            |          |                |              |
| 1517-22-2                 | Phenanthrene-d10        | 11400       |      |    |          |      |            |          |                |              |
| 1719-03-5                 | Chrysene-d12            | 8660        |      |    |          |      |            |          |                |              |
| 1520-96-3                 | Perylene-d12            | 7770        |      |    |          |      |            |          |                |              |

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

## Report of Analysis

|                    |                               |                    |                 |                |
|--------------------|-------------------------------|--------------------|-----------------|----------------|
| Client:            | Tetra Tech NUS, Inc.          |                    | Date Collected: | 10/06/25       |
| Project:           | NWIRP Bethpage 112G08005-WE13 |                    | Date Received:  | 10/06/25       |
| Client Sample ID:  | BP-VPB-184-GW-740-742         |                    | SDG No.:        | Q3298          |
| Lab Sample ID:     | Q3298-05                      |                    | Matrix:         | Water          |
| Analytical Method: | SW8270ESIM                    | Level : LOW        | % Solid:        | 0              |
| Sample Wt/Vol:     | 400 mL                        | Final Vol: 1000 uL | Test:           | SVOC-SIMGroup1 |
| Prep Method :      | Prep Date: 10/08/25           |                    |                 |                |

| CAS Number                | Parameter               | Conc.       | Qua. | DF | MDL      | LOD  | LOQ / CRQL | Units    | Date Ana.      | Prep BatchID |
|---------------------------|-------------------------|-------------|------|----|----------|------|------------|----------|----------------|--------------|
| <b>TARGETS</b>            |                         |             |      |    |          |      |            |          |                |              |
| 123-91-1                  | 1,4-Dioxane             | 0.50        | UM   | 1  | 0.17     | 0.50 | 0.50       | ug/L     | 10/14/25 03:07 | PB170022     |
| <b>SURROGATES</b>         |                         |             |      |    |          |      |            |          |                |              |
| 7297-45-2                 | 2-Methylnaphthalene-d10 | 0.27        |      |    | 30 - 150 |      | 68%        | SPK: 0.4 |                |              |
| 93951-69-0                | Fluoranthene-d10        | 0.32        |      |    | 30 - 150 |      | 79%        | SPK: 0.4 |                |              |
| 4165-60-0                 | Nitrobenzene-d5         | 0.29        |      |    | 55 - 111 |      | 72%        | SPK: 0.4 |                |              |
| 321-60-8                  | 2-Fluorobiphenyl        | 0.33        |      |    | 53 - 106 |      | 81%        | SPK: 0.4 |                |              |
| 1718-51-0                 | Terphenyl-d14           | 0.47        |      |    | 58 - 132 |      | 116%       | SPK: 0.4 |                |              |
| <b>INTERNAL STANDARDS</b> |                         |             |      |    |          |      |            |          |                |              |
|                           |                         | <b>Area</b> |      |    |          |      |            |          |                |              |
| 3855-82-1                 | 1,4-Dichlorobenzene-d4  | 6150        |      |    |          |      |            |          |                |              |
| 1146-65-2                 | Naphthalene-d8          | 16100       |      |    |          |      |            |          |                |              |
| 15067-26-2                | Acenaphthene-d10        | 7710        |      |    |          |      |            |          |                |              |
| 1517-22-2                 | Phenanthrene-d10        | 13000       |      |    |          |      |            |          |                |              |
| 1719-03-5                 | Chrysene-d12            | 10100       |      |    |          |      |            |          |                |              |
| 1520-96-3                 | Perylene-d12            | 9620        |      |    |          |      |            |          |                |              |

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products



# QC SUMMARY

## Surrogate Summary

SW-846

SDG No.: **Q3298**

Client: **Tetra Tech NUS, Inc.**

Analytical Method: **8270-Modified**

| Lab Sample ID | Client ID                | Parameter               | Spike (PPM) | Result (PPM) | Recovery (%) | Qual | Limits (%) |      |
|---------------|--------------------------|-------------------------|-------------|--------------|--------------|------|------------|------|
|               |                          |                         |             |              |              |      | Low        | High |
| PB170022BL    | PB170022BL               | 2-Methylnaphthalene-d10 | 0.4         | 0.32         | 80           |      | 30         | 150  |
|               |                          | Fluoranthene-d10        | 0.4         | 0.35         | 88           |      | 30         | 150  |
|               |                          | Nitrobenzene-d5         | 0.4         | 0.37         | 92           |      | 55         | 111  |
|               |                          | 2-Fluorobiphenyl        | 0.4         | 0.38         | 95           |      | 53         | 106  |
|               |                          | Terphenyl-d14           | 0.4         | 0.49         | 123          |      | 58         | 132  |
| PB170022BS    | PB170022BS               | 2-Methylnaphthalene-d10 | 0.4         | 0.36         | 89           |      | 30         | 150  |
|               |                          | Fluoranthene-d10        | 0.4         | 0.32         | 80           |      | 30         | 150  |
|               |                          | Nitrobenzene-d5         | 0.4         | 0.37         | 92           |      | 55         | 111  |
|               |                          | 2-Fluorobiphenyl        | 0.4         | 0.41         | 103          |      | 53         | 106  |
|               |                          | Terphenyl-d14           | 0.4         | 0.49         | 122          |      | 58         | 132  |
| Q3298-02      | BP-VPB-184-EB-20251003   | 2-Methylnaphthalene-d10 | 0.4         | 0.36         | 90           |      | 30         | 150  |
|               |                          | Fluoranthene-d10        | 0.4         | 0.44         | 111          |      | 30         | 150  |
|               |                          | Nitrobenzene-d5         | 0.4         | 0.39         | 97           |      | 55         | 111  |
|               |                          | 2-Fluorobiphenyl        | 0.4         | 0.44         | 110          | *    | 53         | 106  |
|               |                          | Terphenyl-d14           | 0.4         | 0.58         | 144          | *    | 58         | 132  |
| Q3298-03      | VPB184-HYD-20251003      | 2-Methylnaphthalene-d10 | 0.4         | 0            | 0            | *    | 30         | 150  |
|               |                          | Fluoranthene-d10        | 0.4         | 0.056        | 14           | *    | 30         | 150  |
|               |                          | Nitrobenzene-d5         | 0.4         | 0.40         | 99           |      | 55         | 111  |
|               |                          | 2-Fluorobiphenyl        | 0.4         | 0.47         | 117          | *    | 53         | 106  |
|               |                          | Terphenyl-d14           | 0.4         | 0.59         | 147          | *    | 58         | 132  |
| Q3298-05      | BP-VPB-184-GW-740-742    | 2-Methylnaphthalene-d10 | 0.4         | 0.27         | 68           |      | 30         | 150  |
|               |                          | Fluoranthene-d10        | 0.4         | 0.32         | 79           |      | 30         | 150  |
|               |                          | Nitrobenzene-d5         | 0.4         | 0.29         | 72           |      | 55         | 111  |
|               |                          | 2-Fluorobiphenyl        | 0.4         | 0.33         | 81           |      | 53         | 106  |
|               |                          | Terphenyl-d14           | 0.4         | 0.47         | 116          |      | 58         | 132  |
| Q3298-06MS    | BP-VPB-184-GW-740-742MS  | 2-Methylnaphthalene-d10 | 0.4         | 0.26         | 64           |      | 30         | 150  |
|               |                          | Fluoranthene-d10        | 0.4         | 0.19         | 48           |      | 30         | 150  |
|               |                          | Nitrobenzene-d5         | 0.4         | 0.29         | 72           |      | 55         | 111  |
|               |                          | 2-Fluorobiphenyl        | 0.4         | 0.73         | 183          | *    | 53         | 106  |
|               |                          | Terphenyl-d14           | 0.4         | 1.08         | 269          | *    | 58         | 132  |
| Q3298-07MSD   | BP-VPB-184-GW-740-742MSD | 2-Methylnaphthalene-d10 | 0.4         | 0.26         | 65           |      | 30         | 150  |
|               |                          | Fluoranthene-d10        | 0.4         | 0.14         | 36           |      | 30         | 150  |
|               |                          | Nitrobenzene-d5         | 0.4         | 0.32         | 79           |      | 55         | 111  |
|               |                          | 2-Fluorobiphenyl        | 0.4         | 0.87         | 218          | *    | 53         | 106  |
|               |                          | Terphenyl-d14           | 0.4         | 2.21         | 553          | *    | 58         | 132  |



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

Matrix Spike/Matrix Spike Duplicate Summary  
SW-846

SDG No.:

Q3298

Analytical Method:

SW8270-Modified

Client:

Tetra Tech NUS, Inc.

DataFile:

BN038086.D

| Parameter      | Spike      | Sample Result     | Result                  | Units | Rec | Rec Qual | RPD | RPD Qual | Low | Limits High | RPD |
|----------------|------------|-------------------|-------------------------|-------|-----|----------|-----|----------|-----|-------------|-----|
| Lab Sample ID: | Q3298-06MS | Client Sample ID: | BP-VPB-184-GW-740-742MS |       |     |          |     |          |     |             |     |
| 1,4-Dioxane    | 0.95       | 0                 | 1.60                    | ug/L  | 168 | *        |     |          | 70  | 130         |     |

Matrix Spike/Matrix Spike Duplicate Summary  
SW-846

SDG No.:

Q3298

Analytical Method:

SW8270-Modified

Client:

Tetra Tech NUS, Inc.

DataFile:

BN038087.D

| Parameter      | Spike       | Sample<br>Result  | Result                   | Units | Rec | Rec<br>Qual | RPD | RPD<br>Qual | Low | Limits<br>High | RPD |
|----------------|-------------|-------------------|--------------------------|-------|-----|-------------|-----|-------------|-----|----------------|-----|
| Lab Sample ID: | Q3298-07MSD | Client Sample ID: | BP-VPB-184-GW-740-742MSD |       |     |             |     |             |     |                |     |
| 1,4-Dioxane    | 1.1         | 0                 | 1.90                     | ug/L  | 173 | *           | 3   |             | 70  | 130            | 20  |

**Laboratory Control Sample/Laboratory Control Sample Duplicate Summary**

SW-846

SDG No.: Q3298

Analytical Method: 8270-Modified

Client: Tetra Tech NUS, Inc.

DataFile: BN038071.D

| Lab Sample ID | Parameter   | Spike | Result | Unit | Rec | RPD | Qual | RPD  | Limits |      | RPD |
|---------------|-------------|-------|--------|------|-----|-----|------|------|--------|------|-----|
|               |             |       |        |      |     |     |      | Qual | Low    | High |     |
| PB170022BS    | 1,4-Dioxane | 0.4   | 0.35   | ug/L | 88  |     |      |      | 70     | 130  |     |

4B

SEMIVOLATILE METHOD BLANK SUMMARY

Client ID

PB170022BL

Lab Name: Alliance

Contract: TETR06

Lab Code: ACE

SDG NO.: Q3298

Lab File ID: BN038070.D

Lab Sample ID: PB170022BL

Instrument ID: BNA\_N

Date Extracted: 10/08/2025

Matrix: (soil/water) Water

Date Analyzed: 10/13/2025

Level: (low/med) LOW

Time Analyzed: 16:12

THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES, MS AND MSD:

| EPA<br>SAMPLE NO.        | LAB<br>SAMPLE ID | LAB<br>FILE ID | DATE<br>ANALYZED |
|--------------------------|------------------|----------------|------------------|
| PB170022BS               | PB170022BS       | BN038071.D     | 10/13/2025       |
| BP-VPB-184-EB-20251003   | Q3298-02         | BN038074.D     | 10/13/2025       |
| VPB184-HYD-20251003      | Q3298-03         | BN038075.D     | 10/13/2025       |
| BP-VPB-184-GW-740-742    | Q3298-05         | BN038085.D     | 10/14/2025       |
| BP-VPB-184-GW-740-742MS  | Q3298-06MS       | BN038086.D     | 10/14/2025       |
| BP-VPB-184-GW-740-742MSD | Q3298-07MSD      | BN038087.D     | 10/14/2025       |

COMMENTS: \_\_\_\_\_

\_\_\_\_\_

5B

SEMIVOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK  
DECAFLUOROTRIPHENYLPHOSPHINE (DFTPP)

Lab Name: Alliance  
Lab Code: ACE  
Lab File ID: BN037860.D  
Instrument ID: BNA\_N

Contract: TETR06  
SDG NO.: Q3298  
DFTPP Injection Date: 09/23/2025  
DFTPP Injection Time: 11:33

| m/e | ION ABUNDANCE CRITERIA             | % RELATIVE ABUNDANCE |
|-----|------------------------------------|----------------------|
| 68  | Less than 2.0% of mass 69          | 0.7 ( 1.8 ) 1        |
| 69  | Mass 69 relative abundance         | 100                  |
| 70  | Less than 2.0% of mass 69          | 0.2 ( 0.6 ) 1        |
| 197 | Less than 2.0% of mass 198         | 0.0                  |
| 198 | Base Peak, 100% relative abundance | 100                  |
| 199 | 5.0 to 9.0% of mass 198            | 6.9                  |
| 365 | Greater than 1% of mass 198        | 4.2                  |
| 441 | Present, but less than mass 443    | 72.6                 |
| 442 | Greater than 50% of mass 198       | 100                  |
| 443 | 15.0 - 24.0% of mass 442           | 17.7 (20.8) 2        |

1-Value is % mass 69

2-Value is % mass 442

THIS CHECK APPLIES TO THE FOLLOWING SAMPLES, MS, MSD, BLANKS, AND STANDARDS:

| EPA<br>SAMPLE NO. | LAB<br>SAMPLE ID | LAB<br>FILE ID | DATE<br>ANALYZED | TIME<br>ANALYZED |
|-------------------|------------------|----------------|------------------|------------------|
| SSTDICC0.1        | SSTDICC0.1       | BN037861.D     | 09/23/2025       | 12:13            |
| SSTDICC0.2        | SSTDICC0.2       | BN037862.D     | 09/23/2025       | 12:49            |
| SSTDICCC0.4       | SSTDICCC0.4      | BN037863.D     | 09/23/2025       | 13:25            |
| SSTDICC0.8        | SSTDICC0.8       | BN037864.D     | 09/23/2025       | 14:02            |
| SSTDICC1.6        | SSTDICC1.6       | BN037865.D     | 09/23/2025       | 14:38            |
| SSTDICC3.2        | SSTDICC3.2       | BN037866.D     | 09/23/2025       | 15:15            |
| SSTDICC5.0        | SSTDICC5.0       | BN037867.D     | 09/23/2025       | 15:51            |

5B

SEMIVOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK  
DECAFLUOROTRIPHENYLPHOSPHINE (DFTPP)

Lab Name: Alliance  
Lab Code: ACE  
Lab File ID: BN038065.D  
Instrument ID: BNA\_N

Contract: TETR06  
SDG NO.: Q3298  
DFTPP Injection Date: 10/13/2025  
DFTPP Injection Time: 13:08

| m/e | ION ABUNDANCE CRITERIA             | % RELATIVE ABUNDANCE |
|-----|------------------------------------|----------------------|
| 68  | Less than 2.0% of mass 69          | 0.5 ( 1.2 ) 1        |
| 69  | Mass 69 relative abundance         | 100                  |
| 70  | Less than 2.0% of mass 69          | 0.2 ( 0.5 ) 1        |
| 197 | Less than 2.0% of mass 198         | 0.2                  |
| 198 | Base Peak, 100% relative abundance | 100                  |
| 199 | 5.0 to 9.0% of mass 198            | 6.7                  |
| 365 | Greater than 1% of mass 198        | 3.4                  |
| 441 | Present, but less than mass 443    | 70.3                 |
| 442 | Greater than 50% of mass 198       | 100                  |
| 443 | 15.0 - 24.0% of mass 442           | 19.2 ( 21 ) 2        |

1-Value is % mass 69

2-Value is % mass 442

THIS CHECK APPLIES TO THE FOLLOWING SAMPLES, MS, MSD, BLANKS, AND STANDARDS:

| EPA<br>SAMPLE NO.      | LAB<br>SAMPLE ID | LAB<br>FILE ID | DATE<br>ANALYZED | TIME<br>ANALYZED |
|------------------------|------------------|----------------|------------------|------------------|
| SSTDCCC0.4             | SSTDCCC0.4       | BN038066.D     | 10/13/2025       | 13:47            |
| PB170022BL             | PB170022BL       | BN038070.D     | 10/13/2025       | 16:12            |
| PB170022BS             | PB170022BS       | BN038071.D     | 10/13/2025       | 16:48            |
| BP-VPB-184-EB-20251003 | Q3298-02         | BN038074.D     | 10/13/2025       | 18:36            |
| VPB184-HYD-20251003    | Q3298-03         | BN038075.D     | 10/13/2025       | 19:12            |
| SSTDCCC0.4EC           | SSTDCCC0.4       | BN038081.D     | 10/13/2025       | 23:24            |

5B

SEMIVOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK  
DECAFLUOROTRIPHENYLPHOSPHINE (DFTPP)

Lab Name: Alliance  
Lab Code: ACE  
Lab File ID: BN038082.D  
Instrument ID: BNA\_N

Contract: TETR06  
SDG NO.: Q3298  
DFTPP Injection Date: 10/14/2025  
DFTPP Injection Time: 00:40

| m/e | ION ABUNDANCE CRITERIA             | % RELATIVE ABUNDANCE |
|-----|------------------------------------|----------------------|
| 68  | Less than 2.0% of mass 69          | 0.7 ( 1.7 ) 1        |
| 69  | Mass 69 relative abundance         | 100                  |
| 70  | Less than 2.0% of mass 69          | 0.2 ( 0.5 ) 1        |
| 197 | Less than 2.0% of mass 198         | 0.4                  |
| 198 | Base Peak, 100% relative abundance | 100                  |
| 199 | 5.0 to 9.0% of mass 198            | 6.8                  |
| 365 | Greater than 1% of mass 198        | 3.5                  |
| 441 | Present, but less than mass 443    | 83.1                 |
| 442 | Greater than 50% of mass 198       | 100                  |
| 443 | 15.0 - 24.0% of mass 442           | 17 ( 18 ) 2          |

1-Value is % mass 69

2-Value is % mass 442

THIS CHECK APPLIES TO THE FOLLOWING SAMPLES, MS, MSD, BLANKS, AND STANDARDS:

| EPA<br>SAMPLE NO.        | LAB<br>SAMPLE ID | LAB<br>FILE ID | DATE<br>ANALYZED | TIME<br>ANALYZED |
|--------------------------|------------------|----------------|------------------|------------------|
| SSTDCCC0.4               | SSTDCCC0.4       | BN038083.D     | 10/14/2025       | 01:19            |
| BP-VPB-184-GW-740-742    | Q3298-05         | BN038085.D     | 10/14/2025       | 03:07            |
| BP-VPB-184-GW-740-742MS  | Q3298-06MS       | BN038086.D     | 10/14/2025       | 03:43            |
| BP-VPB-184-GW-740-742MSD | Q3298-07MSD      | BN038087.D     | 10/14/2025       | 04:19            |
| SSTDCCC0.4EC             | SSTDCCC0.4       | BN038088.D     | 10/14/2025       | 04:56            |

8B

SEMIVOLATILE INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: Alliance

Lab Code: ACE

SDG NO.: Q3298

Client ID : SSTDCCC0.4

Date Analyzed: 10/13/2025

Lab File ID: BN038066.D

Time Analyzed: 13:47

Instrument ID: BNA\_N

GC Column: ZB-GR ID: 0.25 (mm)

|                           | IS1 (DCB)<br>AREA # | RT #  | IS2 (NPT)<br>AREA # | RT #   | IS3 (ANT)<br>AREA # | RT #   |
|---------------------------|---------------------|-------|---------------------|--------|---------------------|--------|
| 12 HOUR STD               | 7166                | 7.797 | 18651               | 10.59  | 10244               | 14.45  |
| UPPER LIMIT               | 14332               | 8.297 | 37302               | 11.094 | 20488               | 14.952 |
| LOWER LIMIT               | 3583                | 7.297 | 9325.5              | 10.094 | 5122                | 13.952 |
| EPA SAMPLE NO.            |                     |       |                     |        |                     |        |
| 01 PB170022BL             | 6807                | 7.80  | 16619               | 10.61  | 7880                | 14.45  |
| 02 PB170022BS             | 6425                | 7.80  | 16580               | 10.59  | 7629                | 14.45  |
| 03 BP-VPB-184-EB-20251003 | 5123                | 7.80  | 12401               | 10.59  | 6195                | 14.45  |
| 04 VPB184-HYD-20251003    | 5261                | 7.80  | 13388               | 10.59  | 6636                | 14.45  |

IS1 (DCB) = 1,4-Dichlorobenzene-d4

IS2 (NPT) = Naphthalene-d8

IS3 (ANT) = Acenaphthene-d10

AREA UPPER LIMIT = +100% of internal standard area

AREA LOWER LIMIT = -50% of internal standard area

RT UPPER LIMIT = +0.50 minutes of internal standard RT

RT UPPER LIMIT = -0.50 minutes of internal standard RT

# Column used to flag values outside QC limits with an asterisk.

\* Values outside of QC limits.

8C

SEMIVOLATILE INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: Alliance

Lab Code: ACE

SDG NO.: Q3298

Client ID: SSTDCCC0.4

Date Analyzed: 10/13/2025

Lab File ID: BN038066.D

Time Analyzed: 13:47

Instrument ID: BNA\_N

GC Column: ZB-GR ID: 0.25 (mm)

|                           | IS4 (PHN)<br>AREA # | RT #   | IS5 (CRY)<br>AREA # | RT #   | IS6 (PRY)<br>AREA # | RT #   |
|---------------------------|---------------------|--------|---------------------|--------|---------------------|--------|
| 12 HOUR STD               | 18901               | 17.198 | 16827               | 21.393 | 17326               | 23.712 |
| UPPER LIMIT               | 37802               | 17.698 | 33654               | 21.893 | 34652               | 24.212 |
| LOWER LIMIT               | 9450.5              | 16.698 | 8413.5              | 20.893 | 8663                | 23.212 |
| EPA SAMPLE NO.            |                     |        |                     |        |                     |        |
| 01 PB170022BL             | 12265               | 17.21  | 8413 *              | 21.39  | 7507 *              | 23.72  |
| 02 PB170022BS             | 12726               | 17.20  | 8201 *              | 21.39  | 7302 *              | 23.71  |
| 03 BP-VPB-184-EB-20251003 | 11996               | 17.20  | 10642               | 21.39  | 10598               | 23.72  |
| 04 VPB184-HYD-20251003    | 11371               | 17.20  | 8656                | 21.39  | 7769 *              | 23.71  |

IS4 (PHN) = Phenanthrene-d10

IS5 (CRY) = Chrysene-d12

IS6 (PRY) = Perylene-d12

AREA UPPER LIMIT = +100% of internal standard area

AREA LOWER LIMIT = -50% of internal standard area

RT UPPER LIMIT = +0.50 minutes of internal standard RT

RT UPPER LIMIT = -0.50 minutes of internal standard RT

# Column used to flag values outside QC limits with an asterisk.

\* Values outside of QC limits.

8B

SEMIVOLATILE INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: Alliance

Lab Code: ACE

SDG NO.: Q3298

Client ID : SSTDCCC0.4

Date Analyzed: 10/14/2025

Lab File ID: BN038083.D

Time Analyzed: 01:19

Instrument ID: BNA\_N

GC Column: ZB-GR ID: 0.25 (mm)

|                             | IS1 (DCB)<br>AREA # | RT #  | IS2 (NPT)<br>AREA # | RT #   | IS3 (ANT)<br>AREA # | RT #   |
|-----------------------------|---------------------|-------|---------------------|--------|---------------------|--------|
| 12 HOUR STD                 | 7061                | 7.797 | 18151               | 10.59  | 9016                | 14.45  |
| UPPER LIMIT                 | 14122               | 8.297 | 36302               | 11.094 | 18032               | 14.952 |
| LOWER LIMIT                 | 3530.5              | 7.297 | 9075.5              | 10.094 | 4508                | 13.952 |
| EPA SAMPLE NO.              |                     |       |                     |        |                     |        |
| 01 BP-VPB-184-GW-740-742    | 6146                | 7.80  | 16059               | 10.59  | 7706                | 14.45  |
| 02 BP-VPB-184-GW-740-742MS  | 5765                | 7.80  | 14968               | 10.59  | 3442 *              | 14.45  |
| 03 BP-VPB-184-GW-740-742MSD | 6052                | 7.80  | 15943               | 10.59  | 3279 *              | 14.45  |

IS1 (DCB) = 1,4-Dichlorobenzene-d4

IS2 (NPT) = Naphthalene-d8

IS3 (ANT) = Acenaphthene-d10

AREA UPPER LIMIT = +100% of internal standard area

AREA LOWER LIMIT = -50% of internal standard area

RT UPPER LIMIT = +0.50 minutes of internal standard RT

RT UPPER LIMIT = -0.50 minutes of internal standard RT

# Column used to flag values outside QC limits with an asterisk.

\* Values outside of QC limits.

8C

SEMIVOLATILE INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: Alliance

Lab Code: ACE

SDG NO.: Q3298

Client ID: SSTDCCC0.4

Date Analyzed: 10/14/2025

Lab File ID: BN038083.D

Time Analyzed: 01:19

Instrument ID: BNA\_N

GC Column: ZB-GR ID: 0.25 (mm)

|                             | IS4 (PHN)<br>AREA # | RT #   | IS5 (CRY)<br>AREA # | RT #   | IS6 (PRY)<br>AREA # | RT #   |
|-----------------------------|---------------------|--------|---------------------|--------|---------------------|--------|
| 12 HOUR STD                 | 16225               | 17.198 | 13579               | 21.384 | 13727               | 23.709 |
| UPPER LIMIT                 | 32450               | 17.698 | 27158               | 21.884 | 27454               | 24.209 |
| LOWER LIMIT                 | 8112.5              | 16.698 | 6789.5              | 20.884 | 6863.5              | 23.209 |
| EPA SAMPLE NO.              |                     |        |                     |        |                     |        |
| 01 BP-VPB-184-GW-740-742    | 13040               | 17.20  | 10129               | 21.38  | 9622                | 23.71  |
| 02 BP-VPB-184-GW-740-742MS  | 10343               | 17.20  | 3302 *              | 21.38  | 80 *                | 23.71  |
| 03 BP-VPB-184-GW-740-742MSD | 9259                | 17.20  | 1395 *              | 21.38  | 59 *                | 23.71  |

IS4 (PHN) = Phenanthrene-d10

IS5 (CRY) = Chrysene-d12

IS6 (PRY) = Perylene-d12

AREA UPPER LIMIT = +100% of internal standard area

AREA LOWER LIMIT = -50% of internal standard area

RT UPPER LIMIT = +0.50 minutes of internal standard RT

RT UPPER LIMIT = -0.50 minutes of internal standard RT

# Column used to flag values outside QC limits with an asterisk.

\* Values outside of QC limits.



# QC SAMPLE DATA

## Report of Analysis

Client: Tetra Tech NUS, Inc.  
Project: NWIRP Bethpage 112G08005-WE13  
Client Sample ID: PB170022BL  
Lab Sample ID: PB170022BL  
Analytical Method: SW8270ESIM Level : LOW  
Sample Wt/Vol: 1000 mL Final Vol: 1000 uL  
Prep Method : Prep Date: 10/08/25

Date Collected:  
Date Received:  
SDG No.: Q3298  
Matrix: Water  
% Solid: 0  
Test: SVOC-SIMGroup1

| CAS Number                | Parameter               | Conc.       | Qua. | DF | MDL      | LOD  | LOQ / CRQL | Units    | Date Ana.      | Prep BatchID |
|---------------------------|-------------------------|-------------|------|----|----------|------|------------|----------|----------------|--------------|
| <b>TARGETS</b>            |                         |             |      |    |          |      |            |          |                |              |
| 123-91-1                  | 1,4-Dioxane             | 0.20        | U    | 1  | 0.070    | 0.20 | 0.20       | ug/L     | 10/13/25 16:12 | PB170022     |
| <b>SURROGATES</b>         |                         |             |      |    |          |      |            |          |                |              |
| 7297-45-2                 | 2-Methylnaphthalene-d10 | 0.32        |      |    | 30 - 150 |      | 80%        | SPK: 0.4 |                |              |
| 93951-69-0                | Fluoranthene-d10        | 0.35        |      |    | 30 - 150 |      | 88%        | SPK: 0.4 |                |              |
| 4165-60-0                 | Nitrobenzene-d5         | 0.37        |      |    | 55 - 111 |      | 92%        | SPK: 0.4 |                |              |
| 321-60-8                  | 2-Fluorobiphenyl        | 0.38        |      |    | 53 - 106 |      | 95%        | SPK: 0.4 |                |              |
| 1718-51-0                 | Terphenyl-d14           | 0.49        |      |    | 58 - 132 |      | 123%       | SPK: 0.4 |                |              |
| <b>INTERNAL STANDARDS</b> |                         |             |      |    |          |      |            |          |                |              |
|                           |                         | <b>Area</b> |      |    |          |      |            |          |                |              |
| 3855-82-1                 | 1,4-Dichlorobenzene-d4  | 6810        |      |    |          |      |            |          |                |              |
| 1146-65-2                 | Naphthalene-d8          | 16600       |      |    |          |      |            |          |                |              |
| 15067-26-2                | Acenaphthene-d10        | 7880        |      |    |          |      |            |          |                |              |
| 1517-22-2                 | Phenanthrene-d10        | 12300       |      |    |          |      |            |          |                |              |
| 1719-03-5                 | Chrysene-d12            | 8410        |      |    |          |      |            |          |                |              |
| 1520-96-3                 | Perylene-d12            | 7510        |      |    |          |      |            |          |                |              |

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

## Report of Analysis

|                    |                               |                     |                 |                |
|--------------------|-------------------------------|---------------------|-----------------|----------------|
| Client:            | Tetra Tech NUS, Inc.          |                     | Date Collected: |                |
| Project:           | NWIRP Bethpage 112G08005-WE13 |                     | Date Received:  |                |
| Client Sample ID:  | PB170022BS                    |                     | SDG No.:        | Q3298          |
| Lab Sample ID:     | PB170022BS                    |                     | Matrix:         | Water          |
| Analytical Method: | SW8270ESIM                    | Level : LOW         | % Solid:        | 0              |
| Sample Wt/Vol:     | 1000 mL                       | Final Vol: 1000 uL  | Test:           | SVOC-SIMGroup1 |
| Prep Method :      |                               | Prep Date: 10/08/25 |                 |                |

| CAS Number                | Parameter               | Conc.       | Qua. | DF | MDL      | LOD  | LOQ / CRQL | Units    | Date Ana.      | Prep BatchID |
|---------------------------|-------------------------|-------------|------|----|----------|------|------------|----------|----------------|--------------|
| <b>TARGETS</b>            |                         |             |      |    |          |      |            |          |                |              |
| 123-91-1                  | 1,4-Dioxane             | 0.35        |      | 1  | 0.070    | 0.20 | 0.20       | ug/L     | 10/13/25 16:48 | PB170022     |
| <b>SURROGATES</b>         |                         |             |      |    |          |      |            |          |                |              |
| 7297-45-2                 | 2-Methylnaphthalene-d10 | 0.36        |      |    | 30 - 150 |      | 89%        | SPK: 0.4 |                |              |
| 93951-69-0                | Fluoranthene-d10        | 0.32        |      |    | 30 - 150 |      | 80%        | SPK: 0.4 |                |              |
| 4165-60-0                 | Nitrobenzene-d5         | 0.37        |      |    | 55 - 111 |      | 92%        | SPK: 0.4 |                |              |
| 321-60-8                  | 2-Fluorobiphenyl        | 0.41        |      |    | 53 - 106 |      | 103%       | SPK: 0.4 |                |              |
| 1718-51-0                 | Terphenyl-d14           | 0.49        |      |    | 58 - 132 |      | 122%       | SPK: 0.4 |                |              |
| <b>INTERNAL STANDARDS</b> |                         |             |      |    |          |      |            |          |                |              |
|                           |                         | <b>Area</b> |      |    |          |      |            |          |                |              |
| 3855-82-1                 | 1,4-Dichlorobenzene-d4  | 6430        |      |    |          |      |            |          |                |              |
| 1146-65-2                 | Naphthalene-d8          | 16600       |      |    |          |      |            |          |                |              |
| 15067-26-2                | Acenaphthene-d10        | 7630        |      |    |          |      |            |          |                |              |
| 1517-22-2                 | Phenanthrene-d10        | 12700       |      |    |          |      |            |          |                |              |
| 1719-03-5                 | Chrysene-d12            | 8200        |      |    |          |      |            |          |                |              |
| 1520-96-3                 | Perylene-d12            | 7300        |      |    |          |      |            |          |                |              |

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

## Report of Analysis

|                    |                               |                    |                 |                |
|--------------------|-------------------------------|--------------------|-----------------|----------------|
| Client:            | Tetra Tech NUS, Inc.          |                    | Date Collected: | 10/06/25       |
| Project:           | NWIRP Bethpage 112G08005-WE13 |                    | Date Received:  | 10/06/25       |
| Client Sample ID:  | BP-VPB-184-GW-740-742MS       |                    | SDG No.:        | Q3298          |
| Lab Sample ID:     | Q3298-06MS                    |                    | Matrix:         | Water          |
| Analytical Method: | SW8270ESIM                    | Level : LOW        | % Solid:        | 0              |
| Sample Wt/Vol:     | 420 mL                        | Final Vol: 1000 uL | Test:           | SVOC-SIMGroup1 |
| Prep Method :      | Prep Date: 10/08/25           |                    |                 |                |

| CAS Number                | Parameter               | Conc.       | Qua. | DF | MDL      | LOD  | LOQ / CRQL | Units    | Date Ana.      | Prep BatchID |
|---------------------------|-------------------------|-------------|------|----|----------|------|------------|----------|----------------|--------------|
| <b>TARGETS</b>            |                         |             |      |    |          |      |            |          |                |              |
| 123-91-1                  | 1,4-Dioxane             | 1.60        |      | 1  | 0.16     | 0.48 | 0.48       | ug/L     | 10/14/25 03:43 | PB170022     |
| <b>SURROGATES</b>         |                         |             |      |    |          |      |            |          |                |              |
| 7297-45-2                 | 2-Methylnaphthalene-d10 | 0.26        |      |    | 30 - 150 |      | 64%        | SPK: 0.4 |                |              |
| 93951-69-0                | Fluoranthene-d10        | 0.19        |      |    | 30 - 150 |      | 48%        | SPK: 0.4 |                |              |
| 4165-60-0                 | Nitrobenzene-d5         | 0.29        |      |    | 55 - 111 |      | 72%        | SPK: 0.4 |                |              |
| 321-60-8                  | 2-Fluorobiphenyl        | 0.73        | *    |    | 53 - 106 |      | 183%       | SPK: 0.4 |                |              |
| 1718-51-0                 | Terphenyl-d14           | 1.08        | *    |    | 58 - 132 |      | 269%       | SPK: 0.4 |                |              |
| <b>INTERNAL STANDARDS</b> |                         |             |      |    |          |      |            |          |                |              |
|                           |                         | <b>Area</b> |      |    |          |      |            |          |                |              |
| 3855-82-1                 | 1,4-Dichlorobenzene-d4  | 5770        |      |    |          |      |            |          |                |              |
| 1146-65-2                 | Naphthalene-d8          | 15000       |      |    |          |      |            |          |                |              |
| 15067-26-2                | Acenaphthene-d10        | 3440        |      |    |          |      |            |          |                |              |
| 1517-22-2                 | Phenanthrene-d10        | 10300       |      |    |          |      |            |          |                |              |
| 1719-03-5                 | Chrysene-d12            | 3300        |      |    |          |      |            |          |                |              |
| 1520-96-3                 | Perylene-d12            | 80.0        |      |    |          |      |            |          |                |              |

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

## Report of Analysis

|                    |                               |                    |                 |                |
|--------------------|-------------------------------|--------------------|-----------------|----------------|
| Client:            | Tetra Tech NUS, Inc.          |                    | Date Collected: | 10/06/25       |
| Project:           | NWIRP Bethpage 112G08005-WE13 |                    | Date Received:  | 10/06/25       |
| Client Sample ID:  | BP-VPB-184-GW-740-742MSD      |                    | SDG No.:        | Q3298          |
| Lab Sample ID:     | Q3298-07MSD                   |                    | Matrix:         | Water          |
| Analytical Method: | SW8270ESIM                    | Level : LOW        | % Solid:        | 0              |
| Sample Wt/Vol:     | 360 mL                        | Final Vol: 1000 uL | Test:           | SVOC-SIMGroup1 |
| Prep Method :      | Prep Date: 10/08/25           |                    |                 |                |

| CAS Number                | Parameter               | Conc.       | Qua. | DF | MDL      | LOD  | LOQ / CRQL | Units    | Date Ana.      | Prep BatchID |
|---------------------------|-------------------------|-------------|------|----|----------|------|------------|----------|----------------|--------------|
| <b>TARGETS</b>            |                         |             |      |    |          |      |            |          |                |              |
| 123-91-1                  | 1,4-Dioxane             | 1.90        |      | 1  | 0.18     | 0.56 | 0.56       | ug/L     | 10/14/25 04:19 | PB170022     |
| <b>SURROGATES</b>         |                         |             |      |    |          |      |            |          |                |              |
| 7297-45-2                 | 2-Methylnaphthalene-d10 | 0.26        |      |    | 30 - 150 |      | 65%        | SPK: 0.4 |                |              |
| 93951-69-0                | Fluoranthene-d10        | 0.14        |      |    | 30 - 150 |      | 36%        | SPK: 0.4 |                |              |
| 4165-60-0                 | Nitrobenzene-d5         | 0.32        |      |    | 55 - 111 |      | 79%        | SPK: 0.4 |                |              |
| 321-60-8                  | 2-Fluorobiphenyl        | 0.87        | *    |    | 53 - 106 |      | 218%       | SPK: 0.4 |                |              |
| 1718-51-0                 | Terphenyl-d14           | 2.21        | *    |    | 58 - 132 |      | 553%       | SPK: 0.4 |                |              |
| <b>INTERNAL STANDARDS</b> |                         |             |      |    |          |      |            |          |                |              |
|                           |                         | <b>Area</b> |      |    |          |      |            |          |                |              |
| 3855-82-1                 | 1,4-Dichlorobenzene-d4  | 6050        |      |    |          |      |            |          |                |              |
| 1146-65-2                 | Naphthalene-d8          | 15900       |      |    |          |      |            |          |                |              |
| 15067-26-2                | Acenaphthene-d10        | 3280        |      |    |          |      |            |          |                |              |
| 1517-22-2                 | Phenanthrene-d10        | 9260        |      |    |          |      |            |          |                |              |
| 1719-03-5                 | Chrysene-d12            | 1400        |      |    |          |      |            |          |                |              |
| 1520-96-3                 | Perylene-d12            | 59.0        |      |    |          |      |            |          |                |              |

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products



# CALIBRATION SUMMARY

Method Path : Z:\svoasrv\HPCHEM1\BNA\_N\Methods\  
 Method File : 8270-SIM-BN092325.M  
 Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION  
 Last Update : Wed Sep 24 11:00:01 2025  
 Response Via : Initial Calibration

## Calibration Files

0.1 =BN037861.D 0.2 =BN037862.D 0.4 =BN037863.D 0.8 =BN037864.D 1.6 =BN037865.D 3.2 =BN037866.D 5 =BN037867.D

|           | Compound              | 0.1            | 0.2   | 0.4   | 0.8   | 1.6   | 3.2   | 5     | Avg   | %RSD  |
|-----------|-----------------------|----------------|-------|-------|-------|-------|-------|-------|-------|-------|
| -----     |                       |                |       |       |       |       |       |       |       |       |
| 1) I      | 1,4-Dichlorobenzen... | -----ISTD----- |       |       |       |       |       |       |       |       |
| 2)        | 1,4-Dioxane           | 0.413          | 0.410 | 0.403 | 0.425 | 0.410 | 0.376 | 0.406 | 4.04  |       |
| 3)        | n-Nitrosodimet...     | 0.541          | 0.517 | 0.526 | 0.561 | 0.549 | 0.547 | 0.540 | 3.03  |       |
| 4) S      | 2-Fluorophenol        | 0.944          | 0.921 | 0.856 | 0.839 | 0.908 | 0.923 | 0.998 | 0.913 | 5.84  |
| 5) S      | Phenol-d6             | 1.190          | 1.200 | 1.118 | 1.088 | 1.211 | 1.236 | 1.353 | 1.199 | 7.15  |
| 6)        | bis(2-Chloroet...     | 1.133          | 1.096 | 1.082 | 1.066 | 1.150 | 1.124 | 1.143 | 1.113 | 2.89  |
|           |                       |                |       |       |       |       |       |       |       |       |
| 7) I      | Naphthalene-d8        | -----ISTD----- |       |       |       |       |       |       |       |       |
| 8) S      | Nitrobenzene-d5       | 0.299          | 0.289 | 0.289 | 0.290 | 0.310 | 0.320 | 0.338 | 0.305 | 6.14  |
| 9)        | Naphthalene           | 1.105          | 1.089 | 1.048 | 1.051 | 1.123 | 1.137 | 1.160 | 1.102 | 3.84  |
| 10)       | Hexachlorobuta...     | 0.198          | 0.184 | 0.182 | 0.183 | 0.192 | 0.188 | 0.188 | 0.188 | 2.94  |
| 11) SURR2 | Methylnaphth...       | 0.515          | 0.518 | 0.499 | 0.504 | 0.553 | 0.587 | 0.714 | 0.556 | 13.74 |
| 12)       | 2-Methylnaphth...     | 0.678          | 0.681 | 0.668 | 0.682 | 0.754 | 0.775 | 0.802 | 0.720 | 7.68  |
|           |                       |                |       |       |       |       |       |       |       |       |
| 13) I     | Acenaphthene-d10      | -----ISTD----- |       |       |       |       |       |       |       |       |
| 14) S     | 2,4,6-Tribromo...     | 0.148          | 0.142 | 0.135 | 0.139 | 0.163 | 0.184 | 0.152 | 12.15 |       |
| 15) S     | 2-Fluorobiphenyl      | 1.660          | 1.631 | 1.559 | 1.547 | 1.654 | 1.650 | 1.762 | 1.638 | 4.36  |
| 16)       | Acenaphthylene        | 1.698          | 1.721 | 1.663 | 1.680 | 1.907 | 1.951 | 2.094 | 1.816 | 9.23  |
| 17)       | Acenaphthene          | 1.262          | 1.230 | 1.198 | 1.208 | 1.351 | 1.371 | 1.437 | 1.294 | 7.16  |
| 18)       | Fluorene              | 1.455          | 1.455 | 1.452 | 1.466 | 1.664 | 1.717 | 1.748 | 1.565 | 8.77  |
|           |                       |                |       |       |       |       |       |       |       |       |
| 19) I     | Phenanthrene-d10      | -----ISTD----- |       |       |       |       |       |       |       |       |
| 20)       | 4,6-Dinitro-2-...     | 0.041          | 0.044 | 0.046 | 0.058 | 0.071 | 0.084 | 0.057 | 29.75 |       |
| 21)       | 4-Bromophenyl-...     | 0.252          | 0.247 | 0.244 | 0.244 | 0.272 | 0.275 | 0.291 | 0.261 | 7.07  |
| 22)       | Hexachlorobenzene     | 0.317          | 0.312 | 0.305 | 0.300 | 0.324 | 0.323 | 0.332 | 0.316 | 3.53  |
| 23)       | Atrazine              | 0.180          | 0.181 | 0.172 | 0.178 | 0.205 | 0.224 | 0.249 | 0.199 | 14.70 |
| 24)       | Pentachlorophenol     | 0.101          | 0.092 | 0.097 | 0.116 | 0.136 | 0.108 | 16.50 |       |       |
| 25)       | Phenanthrene          | 1.301          | 1.271 | 1.230 | 1.224 | 1.358 | 1.379 | 1.452 | 1.316 | 6.37  |
| 26)       | Anthracene            | 1.034          | 1.035 | 1.023 | 1.057 | 1.209 | 1.275 | 1.361 | 1.142 | 12.10 |
| 27) SURR  | Fluoranthene-d10      | 0.880          | 0.918 | 0.887 | 0.900 | 1.004 | 1.085 | 1.370 | 1.006 | 17.59 |
| 28)       | Fluoranthene          | 1.278          | 1.315 | 1.311 | 1.358 | 1.555 | 1.617 | 1.713 | 1.450 | 12.07 |
|           |                       |                |       |       |       |       |       |       |       |       |
| 29) I     | Chrysene-d12          | -----ISTD----- |       |       |       |       |       |       |       |       |
| 30)       | Pyrene                | 1.576          | 1.600 | 1.521 | 1.476 | 1.607 | 1.595 | 1.679 | 1.579 | 4.12  |
| 31) S     | Terphenyl-d14         | 0.799          | 0.791 | 0.753 | 0.735 | 0.798 | 0.809 | 0.893 | 0.797 | 6.34  |
| 32)       | Benzo(a)anthra...     | 1.376          | 1.359 | 1.294 | 1.285 | 1.423 | 1.483 | 1.567 | 1.398 | 7.27  |
| 33)       | Chrysene              | 1.508          | 1.526 | 1.462 | 1.446 | 1.559 | 1.512 | 1.569 | 1.512 | 3.03  |
| 34)       | Bis(2-ethylhex...     | 0.592          | 0.487 | 0.476 | 0.518 | 0.569 | 0.676 | 0.553 | 13.57 |       |
|           |                       |                |       |       |       |       |       |       |       |       |
| 35) I     | Perylene-d12          | -----ISTD----- |       |       |       |       |       |       |       |       |

Method Path : Z:\svoasrv\HPCHEM1\BNA\_N\Methods\

Method File : 8270-SIM-BN092325.M

|       |                   |       |       |       |       |       |       |       |       |       |
|-------|-------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 36)   | Indeno(1,2,3-c... | 1.715 | 1.672 | 1.658 | 1.707 | 1.887 | 1.996 | 2.159 | 1.828 | 10.52 |
| 37)   | Benzo(b)fluora... | 1.599 | 1.606 | 1.641 | 1.590 | 1.810 | 1.848 | 1.981 | 1.725 | 8.95  |
| 38)   | Benzo(k)fluora... | 1.620 | 1.586 | 1.597 | 1.628 | 1.875 | 1.917 | 1.926 | 1.736 | 9.26  |
| 39) C | Benzo(a)pyrene    | 1.254 | 1.296 | 1.231 | 1.254 | 1.413 | 1.492 | 1.610 | 1.364 | 10.61 |
| 40)   | Dibenzo(a,h)an... | 1.285 | 1.283 | 1.303 | 1.333 | 1.495 | 1.587 | 1.705 | 1.427 | 11.87 |
| 41)   | Benzo(g,h,i)pe... | 1.407 | 1.381 | 1.404 | 1.397 | 1.521 | 1.613 | 1.773 | 1.499 | 9.85  |

-----  
(#) = Out of Range

7C

SEMIVOLATILE CONTINUING CALIBRATION CHECK

Lab Name: Alliance Contract: TETR06  
Lab Code: ACE SDG No.: Q3298  
Instrument ID: BNA\_N Calibration Date/Time: 10/13/2025 13:47  
Lab File ID: BN038066.D Init. Calib. Date(s): 09/23/2025 09/23/2025  
EPA Sample No.: SSTDCCC0.4 Init. Calib. Time(s): 12:13 15:51  
GC Column: ZB-GR ID: 0.25 (mm)

| COMPOUND                | RRF   | RRF0.4 | MIN<br>RRF | %D    | MAX%D |
|-------------------------|-------|--------|------------|-------|-------|
| 2-Methylnaphthalene-d10 | 0.556 | 0.571  |            | 2.7   | 20.0  |
| Fluoranthene-d10        | 1.006 | 1.065  |            | 5.9   | 20.0  |
| 2-Fluorophenol          | 0.913 | 0.893  |            | -2.2  | 20.0  |
| Phenol-d6               | 1.199 | 0.939  |            | -21.7 | 20.0  |
| Nitrobenzene-d5         | 0.305 | 0.238  |            | -22.0 | 20.0  |
| 2-Fluorobiphenyl        | 1.638 | 1.428  |            | -12.8 | 20.0  |
| 2,4,6-Tribromophenol    | 0.152 | 0.137  |            | -9.9  | 20.0  |
| Terphenyl-d14           | 0.797 | 0.724  |            | -9.2  | 20.0  |
| 1,4-Dioxane             | 0.406 | 0.465  |            | 14.5  | 20.0  |

All other compounds must meet a minimum RRF of 0.010.

7C

SEMIVOLATILE CONTINUING CALIBRATION CHECK

Lab Name: Alliance Contract: TETR06  
Lab Code: ACE SDG No.: Q3298  
Instrument ID: BNA\_N Calibration Date/Time: 10/13/2025 23:24  
Lab File ID: BN038081.D Init. Calib. Date(s): 09/23/2025 09/23/2025  
EPA Sample No.: SSTDCCC0.4EC Init. Calib. Time(s): 12:13 15:51  
GC Column: ZB-GR ID: 0.25 (mm)

| COMPOUND                | RRF   | RRF0.4 | MIN<br>RRF | %D    | MAX%D |
|-------------------------|-------|--------|------------|-------|-------|
| 2-Methylnaphthalene-d10 | 0.556 | 0.494  |            | -11.2 | 50.0  |
| Fluoranthene-d10        | 1.006 | 0.861  |            | -14.4 | 50.0  |
| 2-Fluorophenol          | 0.913 | 0.864  |            | -5.4  | 50.0  |
| Phenol-d6               | 1.199 | 0.927  |            | -22.7 | 50.0  |
| Nitrobenzene-d5         | 0.305 | 0.270  |            | -11.5 | 50.0  |
| 2-Fluorobiphenyl        | 1.638 | 1.596  |            | -2.6  | 50.0  |
| 2,4,6-Tribromophenol    | 0.152 | 0.107  |            | -29.6 | 50.0  |
| Terphenyl-d14           | 0.797 | 0.757  |            | -5.0  | 50.0  |
| 1,4-Dioxane             | 0.406 | 0.485  |            | 19.5  | 50.0  |

All other compounds must meet a minimum RRF of 0.010.

7C

SEMIVOLATILE CONTINUING CALIBRATION CHECK

Lab Name: Alliance Contract: TETR06  
 Lab Code: ACE SDG No.: Q3298  
 Instrument ID: BNA\_N Calibration Date/Time: 10/14/2025 01:19  
 Lab File ID: BN038083.D Init. Calib. Date(s): 09/23/2025 09/23/2025  
 EPA Sample No.: SSTDCCC0.4 Init. Calib. Time(s): 12:13 15:51  
 GC Column: ZB-GR ID: 0.25 (mm)

| COMPOUND                | RRF   | RRF0.4 | MIN<br>RRF | %D    | MAX%D |
|-------------------------|-------|--------|------------|-------|-------|
| 2-Methylnaphthalene-d10 | 0.556 | 0.546  |            | -1.8  | 20.0  |
| Fluoranthene-d10        | 1.006 | 1.016  |            | 1.0   | 20.0  |
| 2-Fluorophenol          | 0.913 | 0.823  |            | -9.9  | 20.0  |
| Phenol-d6               | 1.199 | 0.940  |            | -21.6 | 20.0  |
| Nitrobenzene-d5         | 0.305 | 0.248  |            | -18.7 | 20.0  |
| 2-Fluorobiphenyl        | 1.638 | 1.500  |            | -8.4  | 20.0  |
| 2,4,6-Tribromophenol    | 0.152 | 0.116  |            | -23.7 | 20.0  |
| Terphenyl-d14           | 0.797 | 0.709  |            | -11.0 | 20.0  |
| 1,4-Dioxane             | 0.406 | 0.473  |            | 16.5  | 20.0  |

All other compounds must meet a minimum RRF of 0.010.

7C

SEMIVOLATILE CONTINUING CALIBRATION CHECK

|                 |                     |                        |                              |
|-----------------|---------------------|------------------------|------------------------------|
| Lab Name:       | <u>Alliance</u>     | Contract:              | <u>TETR06</u>                |
| Lab Code:       | <u>ACE</u>          | SDG No.:               | <u>Q3298</u>                 |
| Instrument ID:  | <u>BNA_N</u>        | Calibration Date/Time: | <u>10/14/2025 04:56</u>      |
| Lab File ID:    | <u>BN038088.D</u>   | Init. Calib. Date(s):  | <u>09/23/2025 09/23/2025</u> |
| EPA Sample No.: | <u>SSTDCCC0.4EC</u> | Init. Calib. Time(s):  | <u>12:13 15:51</u>           |
| GC Column:      | <u>ZB-GR</u>        | ID:                    | <u>0.25</u> (mm)             |

| COMPOUND                | RRF   | RRF0.4 | MIN<br>RRF | %D    | MAX%D |
|-------------------------|-------|--------|------------|-------|-------|
| 2-Methylnaphthalene-d10 | 0.556 | 0.537  |            | -3.4  | 50.0  |
| Fluoranthene-d10        | 1.006 | 0.979  |            | -2.7  | 50.0  |
| 2-Fluorophenol          | 0.913 | 0.880  |            | -3.6  | 50.0  |
| Phenol-d6               | 1.199 | 0.975  |            | -18.7 | 50.0  |
| Nitrobenzene-d5         | 0.305 | 0.255  |            | -16.4 | 50.0  |
| 2-Fluorobiphenyl        | 1.638 | 1.577  |            | -3.7  | 50.0  |
| 2,4,6-Tribromophenol    | 0.152 | 0.119  |            | -21.7 | 50.0  |
| Terphenyl-d14           | 0.797 | 0.748  |            | -6.1  | 50.0  |
| 1,4-Dioxane             | 0.406 | 0.494  |            | 21.7  | 50.0  |

All other compounds must meet a minimum RRF of 0.010.