

Report of Analysis

Client:	PSEG	Date Collected:	10/07/25 12:35
Project:	Trenton Gas and Appliance Service MA00006789	Date Received:	10/07/25
Client Sample ID:	TR-04-100725	SDG No.:	Q3304
Lab Sample ID:	Q3304-01	Matrix:	SOIL
		% Solid:	91.9

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Hexavalent Chromium	0.074	U	1	0.074	0.42	mg/Kg	10/09/25 11:10	10/09/25 14:17	7196A
Paint Filter	1.00	U	1	1.00	1.00	ml/100gm		10/08/25 09:45	9095B

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits