

DATA PACKAGE

VOLATILE ORGANICS

PROJECT NAME : 74-16 CYPRESS HILL ST, GLENDALE NY

GFE LLC

58 Nokomis Ave

Lake Hiawatha, NJ - 07034

Phone No: 646-542-3465

ORDER ID : Q3306

ATTENTION : Frank Galdun



Laboratory Certification ID # 20012



1) Signature Page	3
2) Case Narrative	4
2.1) VOCMS Group2- Case Narrative	4
3) Qualifier Page	6
4) QA Checklist	7
5) VOCMS Group2 Data	8
6) Shipping Document	16
6.1) CHAIN OF CUSTODY	17
6.2) Lab Certificate	22
6.3) Internal COC	23

1
2
3
4
5
6

Cover Page

Order ID : Q3306

Project ID : 74-16 Cypress Hill St, Glendale NY

Client : GFE LLC

Lab Sample Number

Q3306-01
Q3306-02
Q3306-03
Q3306-04

Client Sample Number

IA1
OA1
SV1
SV2

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

Signature :

APPROVED

By Nimisha Pandya, QA/QC Supervisor at 2:47 pm, Oct 15, 2025

Date: 10/13/2025

NYDOH CERTIFICATION NO - 11376

NJDEP CERTIFICATION NO - 20012

CASE NARRATIVE

GFE LLC

Project Name: 74-16 Cypress Hill St, Glendale NY

Project # N/A

Order ID # Q3306

Test Name: VOCMS Group2

A. Number of Samples and Date of Receipt:

4 Air samples were received on 10/07/2025.

B. Parameters

According to the Chain of Custody document, the following analyses were requested: VOCMS Group2. This data package contains results for VOCMS Group2.

C. Analytical Techniques:

The analysis performed on instrument MSVOA_L were done using GC column RTX-1, which is 60 meters, 0.32 mm id, 1.0 um df, Restek Cat. #10157. The Trap was supplied by Entech, glass bead and Tenax , Entech 7100A Preconcentrator. The analysis of VOCMS Group2 was based on method TO-15.

D. QA/ QC Samples:

The Holding Times were met for all analysis.

The Surrogate recoveries were met for all analysis.

The Internal Standards Areas were met for all analysis.

The Retention Times were met for all analysis.

The RPD were met for all analysis.

The Blank Spike met requirements for all compounds.

The Blank analysis did not indicate the presence of lab contamination.

The %RSD is greater than 30% in the Initial Calibration method (VL100225AIR.M) for Naphthalene passing on Quadratic Regression.

The Continuous Calibration met the requirements.

The Tuning criteria met requirements.

Due to potential high concentration of target analytes, Samples SV1, SV2 were initially diluted.



284 Sheffield Street, Mountainside, NJ 07092
Phone: 908 789 8900 Fax: 908 789 8922

E. Additional Comments:

Alliance Technical Group, LLC - Newark holds certification for the analytes "Heptane". Currently, we are not eligible to report them, as we have not successfully completed the required Proficiency Testing (PT) study. We are actively engaged in the PT study process to gain reporting eligibility.

F. Manual Integration Comments:

Please refer to the Manual integration Report included with the Run Logs for information on the manual integrations performed.

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

APPROVED

By Nimisha Pandya, QA/QC Supervisor at 2:48 pm, Oct 15, 2025

Signature_____

DATA REPORTING QUALIFIERS- ORGANIC

For reporting results, the following “Results Qualifiers” are used:

Value	If the result is a value greater than or equal to the detection limit, report the value
U	Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. “10 U”. This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
ND	Indicates the analyte was analyzed for, but not detected
J	Indicates an estimated value. This flag is used: <ul style="list-style-type: none"> (1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.) (2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3 ug/L was calculated report as 3 J. This flag is used when similar situation arise on any organic parameter i.e. Pest, PCB and others.
B	Indicates the analyte was found in the blank as well as the sample report as “12 B”.
E	Indicates the analyte ‘s concentration exceeds the calibrated range of the instrument for that specific analysis.
D	This flag identifies all compounds identified in an analysis at a secondary dilution factor.
P	This flag is used for Pesticide/PCB target analyte when there is >25% difference for detected concentrations between the two GC columns. The lower of the two values is reported on Form 1 and flagged with a “P”.
N	This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.
A	This flag indicates that a Tentatively Identified Compound is a suspected aldol-condensation product.
Q	Indicates the LCS did not meet the control limits requirements

APPENDIX A

QA REVIEW GENERAL DOCUMENTATION

Project #: Q3306

Completed

For thorough review, the report must have the following:

GENERAL:

Are all original paperwork present (chain of custody, record of communication,airbill, sample management lab chronicle, login page)

✓

Check chain-of-custody for proper relinquish/return of samples

✓

Is the chain of custody signed and complete

✓

Check internal chain-of-custody for proper relinquish/return of samples /sample extracts

✓

Collect information for each project id from server. Were all requirements followed

✓

COVER PAGE:

Do numbers of samples correspond to the number of samples in the Chain of Custody on login page

✓

Do lab numbers and client Ids on cover page agree with the Chain of Custody

✓

CHAIN OF CUSTODY:

Do requested analyses on Chain of Custody agree with form I results

✓

Do requested analyses on Chain of Custody agree with the log-in page

✓

Were the correct method log-in for analysis according to the Analytical Request and Chain of Castody

✓

Were the samples received within hold time

✓

Were any problems found with the samples at arrival recorded in the Sample Management Laboratory Chronicle

✓

ANALYTICAL:

Was method requirement followed?

✓

Was client requirement followed?

✓

Does the case narrative summarize all QC failure?

✓

All runlogs and manual integration are reviewed for requirements

✓

All manual calculations and /or hand notations verified

✓

QA Review Signature: SOHIL JODHANI

Date: 10/13/2025

Hit Summary Sheet
SW-846

SDG No.: Q3306
Client: GFE LLC

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID:	IA1							
Q3306-01	IA1	Air	Benzene	0.51	J	0.26	1.60	ug/m3
Q3306-01	IA1	Air	Toluene	1.17	J	0.60	1.88	ug/m3
Q3306-01	IA1	Air	Hexane	48.3		0.56	1.76	ug/m3
			Total Voc :	50.0				
			Total Concentration:	50.0				
Client ID:	OA1							
Q3306-02	OA1	Air	Benzene	0.38	J	0.26	1.60	ug/m3
Q3306-02	OA1	Air	Toluene	0.72	J	0.60	1.88	ug/m3
Q3306-02	OA1	Air	Hexane	1.02	J	0.56	1.76	ug/m3
			Total Voc :	2.12				
			Total Concentration:	2.12				
Client ID:	SV1							
Q3306-03	SV1	Air	Heptane	5.74	J	3.48	10.3	ug/m3
Q3306-03	SV1	Air	Toluene	13.9		3.01	9.42	ug/m3
Q3306-03	SV1	Air	Tetrachloroethene	15.6		0.54	1.02	ug/m3
Q3306-03	SV1	Air	Ethyl Benzene	9.99	J	4.13	10.9	ug/m3
Q3306-03	SV1	Air	m/p-Xylene	33.9		9.12	21.7	ug/m3
Q3306-03	SV1	Air	o-Xylene	16.9		4.78	10.9	ug/m3
Q3306-03	SV1	Air	1,3,5-Trimethylbenzene	9.34	J	4.42	12.3	ug/m3
Q3306-03	SV1	Air	1,2,4-Trimethylbenzene	13.3		4.42	12.3	ug/m3
Q3306-03	SV1	Air	Hexane	36.6		2.82	8.81	ug/m3
			Total Voc :	155				
			Total Concentration:	155				
Client ID:	SV2							
Q3306-04	SV2	Air	Heptane	7.38	J	3.48	10.3	ug/m3
Q3306-04	SV2	Air	Toluene	13.9		3.01	9.42	ug/m3
Q3306-04	SV2	Air	Tetrachloroethene	9.49		0.54	1.02	ug/m3
Q3306-04	SV2	Air	Ethyl Benzene	6.08	J	4.13	10.9	ug/m3
Q3306-04	SV2	Air	m/p-Xylene	16.9	J	9.12	21.7	ug/m3
Q3306-04	SV2	Air	o-Xylene	9.56	J	4.78	10.9	ug/m3
Q3306-04	SV2	Air	1,2,4-Trimethylbenzene	4.62	J	4.42	12.3	ug/m3
Q3306-04	SV2	Air	Hexane	72.3		2.82	8.81	ug/m3
			Total Voc :	140				
			Total Concentration:	140				



SAMPLE DATA

Report of Analysis

Client:	GFE LLC	Date Collected:	10/07/25
Project:	74-16 Cypress Hill St, Glendale NY	Date Received:	10/07/25
Client Sample ID:	IA1	SDG No.:	Q3306
Lab Sample ID:	Q3306-01	Matrix:	Air
Analytical Method:	TO-15	Test:	VOCMS Group2
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL043061.D	1		10/08/25 13:23	VL100825

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL ug/m3	LOQ / CRQL ug/m3
TARGETS						
75-01-4	Vinyl Chloride	0.030	0.080	U	0.080	0.080
142-82-5	Heptane	0.17	0.70	U	0.70	2.05
75-34-3	1,1-Dichloroethane	0.13	0.53	U	0.53	2.02
110-82-7	Cyclohexane	0.22	0.76	U	0.76	1.72
156-59-2	cis-1,2-Dichloroethene	0.10	0.40	U	0.40	1.98
71-55-6	1,1,1-Trichloroethane	0.020	0.11	U	0.11	0.16
540-84-1	2,2,4-Trimethylpentane	0.14	0.65	U	0.65	2.34
71-43-2	Benzene	0.16	0.51	J	0.26	1.60
79-01-6	Trichloroethene	0.020	0.11	U	0.11	0.16
108-88-3	Toluene	0.31	1.17	J	0.60	1.88
127-18-4	Tetrachloroethene	0.020	0.14	U	0.14	0.20
100-41-4	Ethyl Benzene	0.19	0.83	U	0.83	2.17
179601-23-1	m/p-Xylene	0.41	1.78	U	1.78	4.34
95-47-6	o-Xylene	0.21	0.91	U	0.91	2.17
108-67-8	1,3,5-Trimethylbenzene	0.18	0.88	U	0.88	2.46
95-63-6	1,2,4-Trimethylbenzene	0.18	0.88	U	0.88	2.46
91-20-3	Naphthalene	0.010	0.050	U	0.050	0.52
110-54-3	Hexane	13.7	48.3		0.56	1.76
SURROGATES						
460-00-4	1-Bromo-4-Fluorobenzene	10.4			65 - 135	104% SPK: 10
INTERNAL STANDARDS						
74-97-5	Bromochloromethane	179000		2.791		
540-36-3	1,4-Difluorobenzene	481000		3.962		
3114-55-4	Chlorobenzene-d5	386000		8.885		

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

D = Dilution

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

Q = indicates LCS control criteria did not meet requirements

Report of Analysis

Client:	GFE LLC	Date Collected:	10/07/25
Project:	74-16 Cypress Hill St, Glendale NY	Date Received:	10/07/25
Client Sample ID:	OA1	SDG No.:	Q3306
Lab Sample ID:	Q3306-02	Matrix:	Air
Analytical Method:	TO-15	Test:	VOCMS Group2
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL043063.D	1		10/08/25 14:32	VL100825

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL ug/m3	LOQ / CRQL ug/m3
TARGETS						
75-01-4	Vinyl Chloride	0.030	0.080	U	0.080	0.080
142-82-5	Heptane	0.17	0.70	U	0.70	2.05
75-34-3	1,1-Dichloroethane	0.13	0.53	U	0.53	2.02
110-82-7	Cyclohexane	0.22	0.76	U	0.76	1.72
156-59-2	cis-1,2-Dichloroethene	0.10	0.40	U	0.40	1.98
71-55-6	1,1,1-Trichloroethane	0.020	0.11	U	0.11	0.16
540-84-1	2,2,4-Trimethylpentane	0.14	0.65	U	0.65	2.34
71-43-2	Benzene	0.12	0.38	J	0.26	1.60
79-01-6	Trichloroethene	0.020	0.11	U	0.11	0.16
108-88-3	Toluene	0.19	0.72	J	0.60	1.88
127-18-4	Tetrachloroethene	0.020	0.14	U	0.14	0.20
100-41-4	Ethyl Benzene	0.19	0.83	U	0.83	2.17
179601-23-1	m/p-Xylene	0.41	1.78	U	1.78	4.34
95-47-6	o-Xylene	0.21	0.91	U	0.91	2.17
108-67-8	1,3,5-Trimethylbenzene	0.18	0.88	U	0.88	2.46
95-63-6	1,2,4-Trimethylbenzene	0.18	0.88	U	0.88	2.46
91-20-3	Naphthalene	0.010	0.050	U	0.050	0.52
110-54-3	Hexane	0.29	1.02	J	0.56	1.76
SURROGATES						
460-00-4	1-Bromo-4-Fluorobenzene	9.70			65 - 135	97% SPK: 10
INTERNAL STANDARDS						
74-97-5	Bromochloromethane	183000		2.787		
540-36-3	1,4-Difluorobenzene	487000		3.959		
3114-55-4	Chlorobenzene-d5	384000		8.882		

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

D = Dilution

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

Q = indicates LCS control criteria did not meet requirements

Report of Analysis

Client:	GFE LLC	Date Collected:	10/07/25
Project:	74-16 Cypress Hill St, Glendale NY	Date Received:	10/07/25
Client Sample ID:	SV1	SDG No.:	Q3306
Lab Sample ID:	Q3306-03	Matrix:	Air
Analytical Method:	TO-15	Test:	VOCMS Group2
Sample Wt/Vol:	400	Units:	mL

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL043067.D	5		10/08/25 20:30	VL100825

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL ug/m3	LOQ / CRQL ug/m3
TARGETS						
75-01-4	Vinyl Chloride	0.13	0.33	U	0.33	0.38
142-82-5	Heptane	1.40	5.74	J	3.48	10.3
75-34-3	1,1-Dichloroethane	0.65	2.63	U	2.63	10.1
110-82-7	Cyclohexane	1.10	3.79	U	3.79	8.61
156-59-2	cis-1,2-Dichloroethene	0.50	1.98	U	1.98	9.91
71-55-6	1,1,1-Trichloroethane	0.080	0.44	U	0.44	0.82
540-84-1	2,2,4-Trimethylpentane	0.70	3.27	U	3.27	11.7
71-43-2	Benzene	0.40	1.28	U	1.28	7.99
79-01-6	Trichloroethene	0.12	0.64	U	0.64	0.81
108-88-3	Toluene	3.70	13.9		3.01	9.42
127-18-4	Tetrachloroethene	2.30	15.6		0.54	1.02
100-41-4	Ethyl Benzene	2.30	9.99	J	4.13	10.9
179601-23-1	m/p-Xylene	7.80	33.9		9.12	21.7
95-47-6	o-Xylene	3.90	16.9		4.78	10.9
108-67-8	1,3,5-Trimethylbenzene	1.90	9.34	J	4.42	12.3
95-63-6	1,2,4-Trimethylbenzene	2.70	13.3		4.42	12.3
91-20-3	Naphthalene	0.070	0.37	U	0.37	2.62
110-54-3	Hexane	10.4	36.6		2.82	8.81
SURROGATES						
460-00-4	1-Bromo-4-Fluorobenzene	10.3			65 - 135	103% SPK: 10
INTERNAL STANDARDS						
74-97-5	Bromochloromethane	191000		2.79		
540-36-3	1,4-Difluorobenzene	520000		3.959		
3114-55-4	Chlorobenzene-d5	486000		8.875		

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

D = Dilution

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

Q = indicates LCS control criteria did not meet requirements

Report of Analysis

Client:	GFE LLC	Date Collected:	10/07/25
Project:	74-16 Cypress Hill St, Glendale NY	Date Received:	10/07/25
Client Sample ID:	SV2	SDG No.:	Q3306
Lab Sample ID:	Q3306-04	Matrix:	Air
Analytical Method:	TO-15	Test:	VOCMS Group2
Sample Wt/Vol:	400	Units:	mL

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL043066.D	5		10/08/25 19:57	VL100825

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL ug/m3	LOQ / CRQL ug/m3
TARGETS						
75-01-4	Vinyl Chloride	0.13	0.33	U	0.33	0.38
142-82-5	Heptane	1.80	7.38	J	3.48	10.3
75-34-3	1,1-Dichloroethane	0.65	2.63	U	2.63	10.1
110-82-7	Cyclohexane	1.10	3.79	U	3.79	8.61
156-59-2	cis-1,2-Dichloroethene	0.50	1.98	U	1.98	9.91
71-55-6	1,1,1-Trichloroethane	0.080	0.44	U	0.44	0.82
540-84-1	2,2,4-Trimethylpentane	0.70	3.27	U	3.27	11.7
71-43-2	Benzene	0.40	1.28	U	1.28	7.99
79-01-6	Trichloroethene	0.12	0.64	U	0.64	0.81
108-88-3	Toluene	3.70	13.9		3.01	9.42
127-18-4	Tetrachloroethene	1.40	9.49		0.54	1.02
100-41-4	Ethyl Benzene	1.40	6.08	J	4.13	10.9
179601-23-1	m/p-Xylene	3.90	16.9	J	9.12	21.7
95-47-6	o-Xylene	2.20	9.56	J	4.78	10.9
108-67-8	1,3,5-Trimethylbenzene	0.90	4.42	U	4.42	12.3
95-63-6	1,2,4-Trimethylbenzene	0.94	4.62	J	4.42	12.3
91-20-3	Naphthalene	0.070	0.37	U	0.37	2.62
110-54-3	Hexane	20.5	72.3		2.82	8.81
SURROGATES						
460-00-4	1-Bromo-4-Fluorobenzene	10.4			65 - 135	104% SPK: 10
INTERNAL STANDARDS						
74-97-5	Bromochloromethane	198000		2.794		
540-36-3	1,4-Difluorobenzene	519000		3.962		
3114-55-4	Chlorobenzene-d5	481000		8.875		

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

D = Dilution

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

Q = indicates LCS control criteria did not meet requirements

Report of Analysis

Client:	GFE LLC	Date Collected:	
Project:	74-16 Cypress Hill St, Glendale NY	Date Received:	
Client Sample ID:	IA1DUP	SDG No.:	Q3306
Lab Sample ID:	Q3306-01DUP	Matrix:	Air
Analytical Method:	TO-15	Test:	VOCMS Group2
Sample Wt/Vol:	400	Units:	mL

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL043062.D	1		10/08/25 13:58	VL100825

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL ug/m3	LOQ / CRQL ug/m3
TARGETS						
75-01-4	Vinyl Chloride	0.030	0.080	U	0.080	0.080
142-82-5	Heptane	0.17	0.70	U	0.70	2.05
75-34-3	1,1-Dichloroethane	0.13	0.53	U	0.53	2.02
110-82-7	Cyclohexane	0.22	0.76	U	0.76	1.72
156-59-2	cis-1,2-Dichloroethene	0.10	0.40	U	0.40	1.98
71-55-6	1,1,1-Trichloroethane	0.020	0.11	U	0.11	0.16
540-84-1	2,2,4-Trimethylpentane	0.14	0.65	U	0.65	2.34
71-43-2	Benzene	0.17	0.54	J	0.26	1.60
79-01-6	Trichloroethene	0.020	0.11	U	0.11	0.16
108-88-3	Toluene	0.31	1.17	J	0.60	1.88
127-18-4	Tetrachloroethene	0.020	0.14	U	0.14	0.20
100-41-4	Ethyl Benzene	0.19	0.83	U	0.83	2.17
179601-23-1	m/p-Xylene	0.41	1.78	U	1.78	4.34
95-47-6	o-Xylene	0.21	0.91	U	0.91	2.17
108-67-8	1,3,5-Trimethylbenzene	0.18	0.88	U	0.88	2.46
95-63-6	1,2,4-Trimethylbenzene	0.18	0.88	U	0.88	2.46
91-20-3	Naphthalene	0.010	0.050	U	0.050	0.52
110-54-3	Hexane	13.7	48.3		0.56	1.76
SURROGATES						
460-00-4	1-Bromo-4-Fluorobenzene	10.2			65 - 135	102% SPK: 10
INTERNAL STANDARDS						
74-97-5	Bromochloromethane	184000		2.793		
540-36-3	1,4-Difluorobenzene	502000		3.965		
3114-55-4	Chlorobenzene-d5	399000		8.888		

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

D = Dilution

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

Q = indicates LCS control criteria did not meet requirements

LAB CHRONICLE


OrderID:	Q3306	OrderDate:	10/7/2025 2:43:29 PM
Client:	GFE LLC	Project:	74-16 Cypress Hill St, Glendale NY
Contact:	Frank Galdun	Location:	D31,VOA Lab

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q3306-01	IA1	Air	VOCMS Group2	TO-15	10/07/25		10/08/25	10/07/25
Q3306-02	OA1	Air	VOCMS Group2	TO-15	10/07/25		10/08/25	10/07/25
Q3306-03	SV1	Air	VOCMS Group2	TO-15	10/07/25		10/08/25	10/07/25
Q3306-04	SV2	Air	VOCMS Group2	TO-15	10/07/25		10/08/25	10/07/25



SHIPPING DOCUMENTS

Client Contact Information				Bottle Order ID : B2509073				Courier : FGALDUN				1 of 4 COCs					
Client ID : GFEL01 Project ID : All Projects				Project Manager : Frank galdun				Sampler Name(s) : FRANK GALDUN				Analysis		Matrix			
Customer Name : GFE LLC Address : 58 Nokomis Ave				Phone Number : 646-542-3465				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified									
				Fax Number : 973-334-1692													
				Site Details: 74-16 CYPRESS HILL ST. GLENDALE, NY													
City : Lake Hiawatha				Analysis Turnaround Time 5 DAY				Data Package Type : RESULTS ONLY									
State : NJ				Standard : 10 business days OR													
Zip Code : 07034				Rush (Specify): 5 Days				EDD Type : PDP									
Country :																	
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas
IAI	10/1/25	8:39	10:29	19	0	70	70	-30	-2.7	10503	10334	6 L	50	VL042625.D	1	1	
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) Sant							
		Ambient	Maximum	Minimum													
Start																	
Stop																	
Pressure (Inches of Hg)										**Submittal of this COC indicates approval of the analysis based on existing conditions. REPORT ONLY THOSE ANALYTES ON THE ATTACHED LIST Please follow the instructions on the back of this COC.							
		Ambient	Maximum	Minimum													
Start																	
Stop																	
Special Instructions/QC Requirements & Comments :																	
Suspected Contamination: High Medium Low PID Readings: 0.0																	
Sampling site (State):																	
Quick Connector required : N																	
Canisters Shipped by: Sant				Date/Time: 09/29/25				Canisters Received by: OP				Date/Time: 10/2/25 1242				B2509073 - 2	
Samples Relinquished by: FGALDUN				Date/Time: 10/7/25				Received by:				Date/Time:					
Relinquished by:				Date/Time:				Received by:				Date/Time:					

Client Contact Information				Bottle Order ID : B2509073				Courier : FGALDUN				2 of 4 COCs				
Client ID : GFE01				Project ID : All Projects				Sampler Name(s) : FRANK GALDUN				Analysis		Matrix		
Customer Name : GFE LLC Address : 58 Nokomis Ave				Project Manager : Frank galdun				AIR ANALYSIS CHAIN-OF-CUSTODY Individual Certified								
				Phone Number : 646-542-3465												
				Fax Number : 973-334-1692												
City : Lake Hiawatha				Site Details: 74-16 CYPRESS HILL ST. GLENDALE, NY												
State : NJ				Analysis Turnaround Time 5 DAY												
Zip Code : 07034				Standard : 10 business days OR				Data Package Type : RESULTS ONLY								
Country :				Rush (Specify): 5 Days				EDD Type : PDF								
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Soil Gas
OA1	06/25	08:03	09:30	2	70	70	-30	-4.3	10502	10329	6 L	50	VL042625.D	1		
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) <div style="border: 1px solid black; padding: 5px; display: inline-block;">  </div>						
		Ambient	Maximum	Minimum												
Start																
Stop																
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. REPORT ONLY THOSE ANALYTES ON THE ATTACHED LIST Please follow the instructions on the back of this COC.						
		Ambient	Maximum	Minimum												
Start																
Stop																
Special Instructions/QC Requirements & Comments :																
Suspected Contamination: High Medium Low PID Readings 0.0																
Sampling site (State):																
Quick Connector required : NO																
Canisters Shipped by: Sam				Date/Time: 09/29/15				Canisters Received by: CP				Date/Time: 10/7/25 1242				
Samples Relinquished by: Frank				Date/Time: 10/7/25				Received by:				Date/Time:				
Relinquished by:				Date/Time:				Received by:				Date/Time:				

B2509073 - 1

Client Contact Information				Bottle Order ID : B2509073				Courier : F Galdun				3 of 4 COCs			
Client ID : GFEL01 Project ID : All Projects				Sampler Name(s) : FRANK GALDUN				Analysis				Matrix			
Customer GFE LLC Name : Address : 58 Nokomis Ave				Project Manager : Frank galdun				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified							
				Phone Number : 646-542-3465											
				Fax Number : 973-334-1692											
				Site Details: 74-16 GIPRESS Hill St. GLENDALE, NY											
City : Lake Hiawatha				Analysis Turnaround Time 5 DAY				Data Package Type : RESULTS ONLY							
State : NJ				Standard : 10 business days OR											
Zip Code : 07034				Rush (Specify): 5 Days				EDD Type : PDF							
Country :															

Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas
SVI	10/7/25	8:17	10:17	over 20	4.4	70	70	-30	-4.3	10511	10598	6 L	50	VL042703.D	1		1

Temperature (Fahrenheit)				
	Ambient	Maximum	Minimum	
Start				
Stop				

Pressure (Inches of Hg)				
	Ambient	Maximum	Minimum	
Start				
Stop				

GC/MS Analyst Signature (TO-15) [Signature]

** Submittal of this COC indicates approval of the analysis based on existing conditions.

REPORT ONLY THOSE ANALYTES ON THE ATTACHED LIST

Please follow the instructions on the back of this COC.

Special Instructions/QC Requirements & Comments :

Suspected Contamination: High Medium Low PID Readings: **4.4**

Sampling site (State):

Quick Connector required : No			
Canisters Shipped by: [Signature]	Date/Time: 09/29/25	Canisters Received by: [Signature]	Date/Time: 10/7/25 12:42
Samples Relinquished by: [Signature]	Date/Time: 10/7/25	Received by:	Date/Time:
Relinquished by:	Date/Time:	Received by:	Date/Time:

B2509073 - 4

Client Contact Information				Bottle Order ID : B2509073				Courier : <i>FGaldun</i>				4 of 4 COCs				
Client ID : GFEL01 Project ID : All Projects				Sampler Name(s) : <i>Frank Galdun</i>				Analysis				Matrix				
Customer Name : GFE LLC Address : 58 Nokomis Ave City : Lake Hiawatha State : NJ Zip Code : 07034 Country :				Project Manager : Frank galdun				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified								
				Phone Number : 646-542-3465												
				Fax Number : 973-334-1692												
				Site Details: <i>74-16 Cypress Hill St. GLENDALE, NY</i>												
				Analysis Turnaround Time <i>5 DAY</i>				Data Package Type : <i>Results only</i>								
				Standard : 10 business days OR				EDD Type : <i>RDE</i>								
				Rush (Specify): <i>5</i> Days												
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas
<i>SVZ</i>	<i>10/1/25</i>	<i>8:22</i>	<i>10:22</i>	<i>30</i>	<i>5</i>	<i>70</i>	<i>70</i>	<i>-30</i>	<i>-4.7</i>	<i>10649</i>	<i>10439</i>	<i>6 L</i>	<i>50</i>	<i>VL042625.D</i>	<i>1</i>	<i>1</i>
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) <i>Sut</i>						
		Ambient	Maximum	Minimum												
Start																
Stop																
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. <i>REPORT ONLY THOSE ANALYTES ON THE ATTACHED LIST</i> Please follow the instructions on the back of this COC.						
		Ambient	Maximum	Minimum												
Start																
Stop																
Special Instructions/QC Requirements & Comments :																
Suspected Contamination: High Medium Low PID Readings: <i>0.4</i>																
Sampling site (State):																
Quick Connector required : <i>No</i>																
Canisters Shipped by: <i>Sam</i>				Date/Time: <i>09/29/25</i>				Canisters Received by: <i>CP</i>				Date/Time: <i>10/7/25 1242</i>				B2509073 - 3
Samples Relinquished by: <i>FWD</i>				Date/Time: <i>10/7/25</i>				Received by:				Date/Time:				
Relinquished by:				Date/Time:				Received by:				Date/Time:				

REQUESTED ANALYTE LIST:**PCE****TCE****cis-1,2-DCE****1,1,1-TCA****1,1-DCE****Vinyl chloride****Benzene****Toluene****Ethylbenzene****Naphthalene****Cyclohexane****2,2,4-Trimethylpentane****1,2,4-Trimethylbenzene****1,3,5-Trimethylbenzene****o-xylene****m,p-xylene****Heptane****Hexane**

Laboratory Certification

Certified By	License No.
Connecticut	PH-0830
DOD ELAP (ANAB)	L2219
Maine	2024021
Maryland	296
New Hampshire	255425
New Jersey	20012
New York	11376
Pennsylvania	68-00548
Soil Permit	525-24-234-08441
Texas	TX-C25-00189
Virginia	460312

Internal Chain of Custody

Instructions: Use 1 form for each 20 samples of aliquot

Laboratory Person Breaking Field Seal on Sample Shuttle & Accepting Responsibility for Sample

Laboratory: Chemtech

Location: 284 Sheffield Street, Mountainside, NJ 7092

~~Q3306~~

Title: Sample Custodian

Field Sample Seal No.: Q3306



Date Broken: 10/7/2025

Military Time Seal Broken: 12:42:00

Case No.: 74-16 Cypress Hill St, Gler

Analytical Parameter/Fraction: WOCMS Group2

Sample No.	Aliquot/Extract No.	Sample No.	Aliquot/Extract No.
Q3306-01	IA1		
Q3306-02	OA1		
Q3306-03	SV1		
Q3306-04	SV2		

Date	Time	Relinquished By	Received By	Purpose of Change of Custody
10/7	1500	Signature 	Signature 	
		Printed Name <u>GONGE N.</u>	Printed Name <u>Sample Custodian</u>	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	

Distribution: White - Original (Sent With Report)

Yellow - Contractor Archive

Pink - Sample Custodian - Interim Copy