

Client Contact Information		Bottle Order ID : B2509073		Courier : F Galdun		1 of 4 COCs																											
Client ID : GFELO1		Project ID : All Projects		Sampler Name(s) : FRANK Galdun		Analysis																											
Customer Name : GFE LLC		Project Manager : Frank galdun		AIR ANALYSIS		Matrix																											
Address : 58 Nokomis Ave		Phone Number : 646-542-3465		CHAIN-OF-CUSTODY																													
City : Lake Hiawatha		Fax Number : 973-334-1692		Batch Certified																													
State : NJ		Site Details : 74-16 Cypress Hwy St. GLENDALE, NY																															
Zip Code : 07034		Analysis Turnaround Time : 5 DAY																															
Country : USA		Standard : 10 business days OR 5 Days		Data Package Type : RESULTS ONLY																													
		Rush (Specify):		EDD Type : PDF																													
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum Field ("Hg) (Start)	Can Vacuum Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID	Indoor/Ambient Air	Soil Gas																		
IA1	10/17/2019	10:29	10:19	19	0	70	70	-30	-2.7	10503	10334	50	VL042625.D	1	1																		
Temperature (Fahrenheit) <table border="1"> <tr> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> </tr> </table> Pressure (Inches of Hg) <table border="1"> <tr> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> </tr> </table>																Ambient	Maximum	Minimum	Start			Stop			Ambient	Maximum	Minimum	Start			Stop		
Ambient	Maximum	Minimum																															
Start																																	
Stop																																	
Ambient	Maximum	Minimum																															
Start																																	
Stop																																	
GC/MS Analyst Signature (TO-15) <i>[Signature]</i>																																	
*** Submittal of this COC indicates approval of the analysis based on existing conditions. REPORT ONLY THOSE ANALYTES ON THE ATTACHED LIST Please follow the instructions on the back of this COC.																																	
Special Instructions/QC Requirements & Comments :																																	
Suspected Contamination: High Medium Low																																	
Sampling site (State):																																	
Quick Connector required : NO																																	
Canisters Shipped by: [Signature]																																	
Samples Relinquished by: [Signature]																																	
Relinquished by:																																	
Date/Time: 10/27/25 12:42																																	
Date/Time:																																	
Date/Time:																																	
B2509073 - 2																																	



284 Sheffield Street, Mountainside, New Jersey 07092 Phone : 908 789 8900 Fax : 908 766 9077

Client Contact Information						Bottle Order ID : B2509073						Courier : F Galdun 2 of 3 COCs					
Client ID : GFEL01						Project ID : All Projects						Sampler Name(s) : FRANK GALDUN					
Customer Name : GFE LLC						Project Manager : Frank galdun						AIR ANALYSIS CHAIN-OF-CUSTODY Individual Certified					
Address : 58 Nokomis Ave						Phone Number : 646-542-3465											
						Fax Number : 973-334-1692											
City : Lake Hiawatha						Site Details: 74-16 GYRESS Hill St.											
State : NJ						Analysis Turnaround Time : 5 DAY											
Zip Code : 07034						Standard : 10 business days OR						Data Package Type : RESULTS ONLY					
Country :						Rush (Specify): 5 Days						EDD Type : PDF					
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)**	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID				
OAI 10/12/2015	10/12/2015	8:00	10:30	2	2	70	70	-30	-4.3	10502	10329	50	VL042625.D				
Temperature (Fahrenheit)																	
Ambient		Maximum		Minimum													
Start																	
Stop																	
Pressure (Inches of Hg)																	
Ambient		Maximum		Minimum													
Start																	
Stop																	
** Submittal of this COC Indicates approval of the analysis based on existing conditions. REPORT ONLY THOSE ANALYTES ON THE ATTACHED LIST Please follow the instructions on the back of this COC.																	
GC/MS Analyst Signature (TO-15) 																	
Special Instructions/QC Requirements & Comments : Suspected Contamination: High Medium Low Sampling site (State): Quick Connector required : NO																	
Canisters Shipped by: SGA Samples Relinquished by: FSG Relinquished by:																	
Date/Time: 10/17/25 1242 Date/Time: Date/Time:																	

Client Contact Information						Bottle Order ID : B2509073						Courier : Frank Gaudin						4 of 4 COCs				
Client ID : GFEL01						Project ID : All Projects						Sampler Name(s) : Frank Gaudin										
Customer Name : GFE LLC						Project Manager : Frank galdun						AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified										
Address : 58 Nokomis Ave						Phone Number : 646-542-3465																
City : Lake Hiawatha						Fax Number : 973-334-1692																
State : NJ						Analysis Turnaround Time 5 DAY																
Zip Code : 07034						Standard : 10 business days OR						Data Package Type : Results only										
Country :						Rush (Specify): 5 Days						EDD Type : PDF										
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum In Field ("Hg) (Start)	Can Vacuum In Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID									
SVC	10/12/25	8:30	10:30	30	5	70	70	-30	-4.7	10649	10439	6 L	50	VLO42625.D								
															GC/MS Analyst Signature (TO-15)							
															** Submittal of this COC indicates approval of the analysis based on existing conditions.							
															Please follow the instructions on the back of this COC.							
															Releas ONLY THOSE ANALYSES ON THE ATTACHED LIST							
															PID Readings: 0.4							
															Quick Connector required : NO							
															Canisters Shipped by : SAG							
															Date/Time: 09/29/23							
															Samples Relinquished by : FGA							
															Date/Time: 10/12/25							
															Relinquished by:							
															Date/Time:							
															Received by:							
															Date/Time:							

Client Contact Information		Bottle Order ID : B2509073		Courier : F Giribud		Analysis		Matrix																	
Client ID : GFELO1		Project ID : All Projects		Sampler Name(s) : Frank Giribud																					
Customer Name : GFE LLC		Project Manager : Frank gaidun		AIR ANALYSIS																					
Address : 58 Nokomis Ave		Phone Number : 646-542-3465		CHAIN-OF-CUSTODY																					
City : Lake Hiawatha		Fax Number : 973-334-1692		Batch Certified																					
State : NJ		Analysis Turnaround Time : 5 DAY																							
Zip Code : 07034		Standard : 10-business days		Data Package Type : Results only																					
Country : USA		Rush (Specify) : 5 Days		EDD Type : PDF																					
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum In Field ("Hg) (Start)	Can Vacuum In Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambinet Air	Soil Gas									
SV1	10/1/25	8:17	10:17	20.5	20.4	70	70	-30	-43	10511	10598	6 L	50	VL042703.D	1	1									
Temperature (Fahrenheit) <table border="1"> <tr> <td>Ambient:</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> </tr> </table>																	Ambient:	Maximum	Minimum	Start			Stop		
Ambient:	Maximum	Minimum																							
Start																									
Stop																									
Pressure (Inches of Hg) <table border="1"> <tr> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> </tr> </table>																	Ambient	Maximum	Minimum	Start			Stop		
Ambient	Maximum	Minimum																							
Start																									
Stop																									
GC/MS Analyst Signature (TO-15) <i>[Signature]</i>																									
Special Instructions/QC Requirements & Comments : Suspected Contamination: High Medium Low (Low) Sampling site (State): Quick Connector required: No Canisters Shipped by: SEA Date/Time: 09/29/25 Canisters Received by: CR Date/Time: 10/15/25 Samples Relinquished by: FOA Date/Time: 10/17/25 Received by: CR Date/Time: 10/15/25 Relinquished by: FOA Date/Time: 10/17/25 Received by: CR Date/Time: 10/15/25 PID Readings: 4.14 KEEP ONLY THOSE ANALYTES ON THE ATTACHED LIST Please follow the instructions on the back of this COC.																									

REQUESTED ANALYTE LIST:

PCE
TCE
cis-1,2-DCE
1,1,1-TCA
1,1-DCE
Vinyl chloride
Benzene
Toluene
Ethylbenzene
Naphthalene
Cyclohexane
2,2,4-Trimethylpentane
1,2,4-Trimethylbenzene
1,3,5-Trimethylbenzene
o-xylene
m,p-xylene
Heptane
Hexane

Internal Chain of Custody

Instructions: Use 1 form for each 20 samples of aliquot

Laboratory Person Breaking Field Seal on Sample Shuttle & Accepting Responsibility for Sample

Laboratory: Chemtech

Location: 284 Sheffield Street, Mountainside, NJ 7092

NONE

Title: Sample Custodian

Field Sample Seal No.: Q3306


Date Broken: 10/7/2025

Military Time Seal Broken: 12:42:00

Case No.: 74-16 Cypress Hill St, Gler

Analytical Parameter/Fraction: MOCMS Group2

Sample No.	Aliquot/Extract No.	Sample No.	Aliquot/Extract No.
Q3306-01	IA1		
Q3306-02	OA1		
Q3306-03	SV1		
Q3306-04	SV2		

Date	Time	Relinquished By	Received By	Purpose of Change of Custody
10/7	1500	Signature 	Signature 	
		Printed Name <u>George N.</u>	Printed Name <u>Sample Custodian</u>	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	

Distribution: White - Original (Sent With Report)

Yellow - Contractor Archive

Pink - Sample Custodian - Interim Copy

Analyst Signature:

~~Supervisor Signature:~~

Pressure Gauge ID:

Document Control # A3041228

Process Report

284 Sheffield Street, Mountainside, New Jersey 07092 Phone : 908 789 8900 Fax : 908 789 8922

Order ID : Q3306

Date	Bottle ID	Lab Sample Number	InComing Vacuum	Canister ID	Can Size	Reg ID	Reg Size	Batch Code	Certification ID
10/08/2025	B2509073	Q3306-02	-4.3	10329	6 L	10502		C2506001	VL042625.D Seq :VL061625 TUNE : VL042621.D ICAL : VL042584.D CCAL : VL042622.D MB : VL042623.D
10/08/2025	B2509073	Q3306-01	-2.7	10334	6 L	10503		C2506001	VL042625.D Seq :VL061625 TUNE : VL042621.D ICAL : VL042584.D CCAL : VL042622.D MB : VL042623.D
10/08/2025	B2509073	Q3306-03	-4.3	10598	6 L	10511		C2507001	VL042703.D Seq :VL070325 TUNE : VL042698.D ICAL : VL042694.D CCAL : VL042699.D MB : VL042700.D
10/08/2025	B2509073	Q3306-04	-4.7	10439	6 L	10649		C2506001	VL042625.D Seq :VL061625 TUNE : VL042621.D ICAL : VL042584.D CCAL : VL042622.D MB : VL042623.D

10334 -2.7

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8922

CHEMTECH

Client Sample ID #: IA1

Client Name: GFE

Project Name: CYPRESS

Date: 10/7 Time: 10-15

Analysis: TO-15

Comments: TO-15

CHEMTECH'S SAMPLE ID: _____

Date Received: _____ Expiration Date: _____

Storage Location: VOA Lab
Sample: Q3306-01
Cust #: IA1

B2509073

10329 -4.3

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F

CHEMTECH

Client Sample ID #: OA1

Client Name: GFE

Project Name: CYPRESS

Date: 10/7 Time: 10-15

Analysis: TO-15

Comments: TO-15

CHEMTECH'S SAMPLE ID: _____

Date Received: _____ Expiration Date: _____

Storage Location: VOA Lab
Sample: Q3306-02
Cust #: OA1

B2509073

10508 -4.4

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8922

CHEMTECH

Client Sample ID #: SV1

Client Name: GFE

Project Name: CYPRESS

Date: 10/7 Time: 10-15

Analysis: TO-15

Comments: TO-15

CHEMTECH'S SAMPLE ID: _____

Date Received: _____ Expiration Date: _____

Storage Location: VOA Lab
Sample: Q3306-03
Cust #: SV1

B2509073

63761

147

Client Sample ID #: SV2
Client Name: ARE
Project Name: Cypress
Date: 10/7
Analysis: 10/7
Comments: 10/7
CHEMTECH'S SAMPLE ID: _____
Date Received: _____
Expiration Date: _____

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8922

CHEMTECH

Storage Location: VOA Lab
Sample: Q3306-04
Cust #: SV2

2509073

789-8922