



SHIPPING DOCUMENTS

Client Contact Information				Bottle Order ID : B2509073				Courier : FGALDUN				1 of 4 COCs					
Client ID : GFEL01				Project ID : All Projects				Sampler Name(s) : FRANK GALDUN				Analysis		Matrix			
Customer Name : GFE LLC Address : 58 Nokomis Ave City : Lake Hiawatha State : NJ Zip Code : 07034 Country :				Project Manager : Frank galdun				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified									
				Phone Number : 646-542-3465													
				Fax Number : 973-334-1692													
				Site Details: 74-16 CYPRESS HILL ST. GLENDALE, NY													
				Analysis Turnaround Time 5 DAY				Data Package Type : RESULTS ONLY									
				Standard : 10 business days OR				EDD Type : PDP									
				Rush (Specify): 5 Days													
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas
IA1	10/1/25	8:29	10:29	19	0	70	70	-30	-2.7	10503	10334	6 L	50	VL042625.D	1	1	
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) Sant							
		Ambient	Maximum	Minimum													
Start																	
Stop																	
Pressure (Inches of Hg)										**Submittal of this COC indicates approval of the analysis based on existing conditions. REPORT ONLY THOSE ANALYTES ON THE ATTACHED LIST Please follow the instructions on the back of this COC.							
		Ambient	Maximum	Minimum													
Start																	
Stop																	
Special Instructions/QC Requirements & Comments :																	
Suspected Contamination: High Medium Low PID Readings: 0.0																	
Sampling site (State):																	
Quick Connector required : N																	
Canisters Shipped by: Sam				Date/Time: 09/29/25				Canisters Received by: OP				Date/Time: 10/2/25 1242				B2509073 - 2	
Samples Relinquished by: FGALDUN				Date/Time: 10/7/25				Received by:				Date/Time:					
Relinquished by:				Date/Time:				Received by:				Date/Time:					

Client Contact Information				Bottle Order ID : B2509073				Courier : <u>FGaldun</u>				<u>2</u> of <u>4</u> COCs										
Client ID : GFE01 Project ID : All Projects				Sampler Name(s) : <u>FRANK Galdun</u>				Analysis				Matrix										
Customer Name : GFE LLC Address : 58 Nokomis Ave				Project Manager : Frank galdun				AIR ANALYSIS CHAIN-OF-CUSTODY Individual Certified														
				Phone Number : 646-542-3465																		
				Fax Number : 973-334-1692																		
City : Lake Hiawatha				Site Details: <u>74-16 CYPRESS HILL ST.</u> <u>GLENDALE, NY</u>																		
State : NJ				Analysis Turnaround Time <u>5 DAY</u>																		
Zip Code : 07034				Standard : <u>10 business days</u> OR				Data Package Type : <u>RESULTS ONLY</u>														
Country :				Rush (Specify): <u>5</u> Days				EDD Type : <u>PDF</u>														
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID								
<u>OA1</u>	<u>06/25</u>	<u>8:03</u>	<u>10:30</u>	<u>2</u>	<u>70</u>	<u>70</u>	<u>-30</u>	<u>-4.3</u>	<u>10502</u>	<u>10329</u>	<u>6 L</u>	<u>50</u>	<u>VL042625.D</u>	<u>1</u>								
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) <u>[Signature]</u>												
		Ambient	Maximum	Minimum																		
Start																						
Stop																						
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. <u>REPORT ONLY THOSE ANALYTES ON THE ATTACHED LIST</u> Please follow the instructions on the back of this COC.												
		Ambient	Maximum	Minimum																		
Start																						
Stop																						
Special Instructions/QC Requirements & Comments :																						
Suspected Contamination: High Medium <u>Low</u> PID Readings <u>0.0</u>																						
Sampling site (State):																						
Quick Connector required : <u>No</u>																						
Canisters Shipped by: <u>Sam</u>				Date/Time: <u>09/29/15</u>				Canisters Received by: <u>CP</u>				Date/Time: <u>10/7/25 1242</u>				B2509073 - 1						
Samples Relinquished by: <u>FWJW</u>				Date/Time: <u>10/7/25</u>				Received by:				Date/Time:										
Relinquished by:				Date/Time:				Received by:				Date/Time:										

Client Contact Information				Bottle Order ID : B2509073				Courier : <u>F Galdun</u>				<u>3</u> of <u>4</u> COCs			
Client ID : GFEL01 Project ID : All Projects				Sampler Name(s) : <u>FRANK GALDUN</u>				Analysis				Matrix			
Customer GFE LLC Name : Address : 58 Nokomis Ave				Project Manager : Frank galdun				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified							
				Phone Number : 646-542-3465											
				Fax Number : 973-334-1692											
Site Details: <u>74-16 GIPRESS Hill St.</u> <u>GLENDALE, NY</u>															
City : Lake Hiawatha				Analysis Turnaround Time <u>5 DAY</u>				Data Package Type : <u>RESULTS ONLY</u>							
State : NJ				Standard : <u>10 business days</u> OR				EDD Type : <u>PDF</u>							
Zip Code : 07034				Rush (Specify): <u>5</u> Days											
Country :															

Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15			Indoor/Ambient Air	Soil Gas
SVI	10/7/25	8:17	10:17	over 20	4.4	70	70	-30	-4.3	10511	10598	6 L	50	VL042703.D	1				1

Temperature (Fahrenheit)				
	Ambient	Maximum	Minimum	
Start				
Stop				

Pressure (Inches of Hg)				
	Ambient	Maximum	Minimum	
Start				
Stop				

GC/MS Analyst Signature (TO-15) [Signature]

**** Submittal of this COC indicates approval of the analysis based on existing conditions.**

REPORT ONLY THOSE ANALYTES ON THE ATTACHED LIST

Please follow the instructions on the back of this COC.

Special Instructions/QC Requirements & Comments :

Suspected Contamination: High Medium Low PID Readings: 4.4

Sampling site (State):

Quick Connector required : No

Canisters Shipped by: <u>[Signature]</u>	Date/Time: <u>09/29/25</u>	Canisters Received by: <u>[Signature]</u>	Date/Time: <u>10/6/25 12:42</u>
Samples Relinquished by: <u>[Signature]</u>	Date/Time: <u>10/7/25</u>	Received by:	Date/Time:
Relinquished by:	Date/Time:	Received by:	Date/Time:

B2509073 - 4

Client Contact Information				Bottle Order ID : B2509073				Courier : <i>FGaldun</i>				4 of 4 COCs			
Client ID : GFEL01 Project ID : All Projects				Sampler Name(s) : <i>Frank Galdun</i>				Analysis				Matrix			
Customer Name : GFE LLC Address : 58 Nokomis Ave				Project Manager : Frank galdun				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified							
				Phone Number : 646-542-3465											
				Fax Number : 973-334-1692											
Site Details: <i>74-16 Cypress Hill St. GLENDALE, NY</i>															
City : Lake Hiawatha				Analysis Turnaround Time <i>5 DAY</i>				Data Package Type : <i>Results only</i>							
State : NJ				Standard : 10 business days OR				EDD Type : <i>RDE</i>							
Zip Code : 07034				Rush (Specify): <i>5</i> Days											
Country :															

Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas
<i>SUZ</i>	<i>10/1/25</i>	<i>8:22</i>	<i>10:22</i>	<i>30</i>	<i>5</i>	<i>70</i>	<i>70</i>	<i>-30</i>	<i>-4.7</i>	<i>10649</i>	<i>10439</i>	<i>6 L</i>	<i>50</i>	<i>VL042625.D</i>	<i>1</i>	<i>1</i>

Temperature (Fahrenheit)					GC/MS Analyst Signature (TO-15) <i>SUT</i>
	Ambient	Maximum	Minimum		
Start					
Stop					

Pressure (Inches of Hg)					** Submittal of this COC indicates approval of the analysis based on existing conditions. <i>REPORT ONLY THOSE ANALYTES ON THE ATTACHED LIST</i> Please follow the instructions on the back of this COC.
	Ambient	Maximum	Minimum		
Start					
Stop					

Special Instructions/QC Requirements & Comments :

Suspected Contamination: High Medium Low PID Readings: *0.4*

Sampling site (State):

Quick Connector required : *No*

Canisters Shipped by: <i>Sam</i>	Date/Time: <i>09/29/25</i>	Canisters Received by: <i>CP</i>	Date/Time: <i>10/7/25 1242</i>
Samples Relinquished by: <i>FWD</i>	Date/Time: <i>10/7/25</i>	Received by:	Date/Time:
Relinquished by:	Date/Time:	Received by:	Date/Time:

REQUESTED ANALYTE LIST:

PCE
TCE
cis-1,2-DCE
1,1,1-TCA
1,1-DCE
Vinyl chloride
Benzene
Toluene
Ethylbenzene
Naphthalene
Cyclohexane
2,2,4-Trimethylpentane
1,2,4-Trimethylbenzene
1,3,5-Trimethylbenzene
o-xylene
m,p-xylene
Heptane
Hexane

Laboratory Certification

Certified By	License No.
Connecticut	PH-0830
DOD ELAP (ANAB)	L2219
Maine	2024021
Maryland	296
New Hampshire	255425
New Jersey	20012
New York	11376
Pennsylvania	68-00548
Soil Permit	525-24-234-08441
Texas	TX-C25-00189
Virginia	460312

New Jersey Department of Environmental Protection

Internal Chain of Custody

Instructions: Use 1 form for each 20 samples of aliquot

Laboratory Person Breaking Field Seal on Sample Shuttle & Accepting Responsibility for Sample	
Laboratory: <u>Chemtech</u> Name Field Sample Seal No. <u>Q3306</u> Case No.: <u>74-16 Cypress Hill St, Gler</u>	Location: <u>284 Sheffield Street, Mountainside, NJ 7092</u> Title: <u>Sample Custodian</u> Date Broken: <u>10/7/2025</u> Analytical Parameter/Fraction: <u>OCMS Group2</u>
Military Time Seal Broken: <u>12:42:00</u>	

Sample No.	Aliquot/Extract No.	Sample No.	Aliquot/Extract No.
Q3306-01	IA1		
Q3306-02	OA1		
Q3306-03	SV1		
Q3306-04	SV2		

Date	Time	Relinquished By		Received By		Purpose of Change of Custody
10/7	1500	Signature		Signature	<i>Sue...</i>	
		Printed Name	<i>Douglas W.</i>	Printed Name	<i>Sue...</i>	
		Signature		Signature		
		Printed Name		Printed Name		
		Signature		Signature		
		Printed Name		Printed Name		
		Signature		Signature		
		Printed Name		Printed Name		
		Signature		Signature		
		Printed Name		Printed Name		
		Signature		Signature		
		Printed Name		Printed Name		
		Signature		Signature		
		Printed Name		Printed Name		
		Signature		Signature		
		Printed Name		Printed Name		

Distribution: White - Original (Sent With Report) Yellow - Contractor Archive Pink - Sample Custodian - Interim Copy