

Client Contact Information				Bottle Order ID : B2509073				Courier : FGALDUN				1 of 4 COCs					
Client ID : GFEL01				Project ID : All Projects				Sampler Name(s) : FRANK GALDUN				Analysis		Matrix			
Customer Name : GFE LLC Address : 58 Nokomis Ave City : Lake Hiawatha State : NJ Zip Code : 07034 Country :				Project Manager : Frank galdun				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified									
				Phone Number : 646-542-3465													
				Fax Number : 973-334-1692													
				Site Details: 74-16 CYPRESS HILL ST. GLENDALE, NY													
				Analysis Turnaround Time 5 DAY				Data Package Type : RESULTS ONLY									
				Standard : 10 business days OR				EDD Type : PDP									
				Rush (Specify): 5 Days													
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas
IA1	10/1/25	8:29	10:29	19	0	70	70	-30	-2.7	10503	10334	6 L	50	VL042625.D	1	1	
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) Sant							
		Ambient	Maximum	Minimum													
Start																	
Stop																	
Pressure (Inches of Hg)										**Submittal of this COC indicates approval of the analysis based on existing conditions. REPORT ONLY THOSE ANALYTES ON THE ATTACHED LIST Please follow the instructions on the back of this COC.							
		Ambient	Maximum	Minimum													
Start																	
Stop																	
Special Instructions/QC Requirements & Comments :																	
Suspected Contamination: High Medium Low PID Readings: 0.0																	
Sampling site (State):																	
Quick Connector required : N																	
Canisters Shipped by: Sant				Date/Time: 09/29/25				Canisters Received by: OP				Date/Time: 10/2/25 1242				B2509073 - 2	
Samples Relinquished by: FGALDUN				Date/Time: 10/7/25				Received by:				Date/Time:					
Relinquished by:				Date/Time:				Received by:				Date/Time:					

Client Contact Information				Bottle Order ID : B2509073				Courier : <u>FGaldun</u>				<u>2</u> of <u>4</u> COCs				
Client ID : GFE01 Project ID : All Projects				Sampler Name(s) : <u>FRANK Galdun</u>				Analysis				Matrix				
Customer Name : GFE LLC Address : 58 Nokomis Ave				Project Manager : Frank galdun				AIR ANALYSIS CHAIN-OF-CUSTODY Individual Certified								
				Phone Number : 646-542-3465												
				Fax Number : 973-334-1692												
City : Lake Hiawatha				Site Details: <u>74-16 CYPRESS HILL ST.</u> <u>GLENDALE, NY</u>												
State : NJ				Analysis Turnaround Time <u>5 DAY</u>												
Zip Code : 07034				Standard : <u>10 business days</u> OR				Data Package Type : <u>RESULTS ONLY</u>								
Country :				Rush (Specify): <u>5</u> Days				EDD Type : <u>PDF</u>								
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Soil Gas
<u>OA1</u>	<u>06/25</u>	<u>8:03</u>	<u>10:30</u>	<u>2</u>	<u>70</u>	<u>70</u>	<u>-30</u>	<u>-4.3</u>	<u>10502</u>	<u>10329</u>	<u>6 L</u>	<u>50</u>	<u>VL042625.D</u>	<u>1</u>		
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) <u>[Signature]</u>						
		Ambient		Maximum		Minimum										
Start																
Stop																
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. <u>REPORT ONLY THOSE ANALYTES ON THE ATTACHED LIST</u> Please follow the instructions on the back of this COC.						
		Ambient		Maximum		Minimum										
Start																
Stop																
Special Instructions/QC Requirements & Comments :																
Suspected Contamination: High Medium <u>Low</u> PID Readings <u>0.0</u>																
Sampling site (State):																
Quick Connector required : <u>No</u>																
Canisters Shipped by: <u>Sam</u>				Date/Time: <u>09/29/15</u>				Canisters Received by: <u>CP</u>				Date/Time: <u>10/7/25 1242</u>				
Samples Relinquished by: <u>FWJW</u>				Date/Time: <u>10/7/25</u>				Received by:				Date/Time:				
Relinquished by:				Date/Time:				Received by:				Date/Time:				

Client Contact Information				Bottle Order ID : B2509073				Courier : <u>F Galdun</u>				<u>3</u> of <u>4</u> COCs							
Client ID : GFEL01 Project ID : All Projects				Sampler Name(s) : <u>FRANK GALDUN</u>				Analysis				Matrix							
Customer GFE LLC Name : Address : 58 Nokomis Ave				Project Manager : Frank galdun				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified											
				Phone Number : 646-542-3465															
				Fax Number : 973-334-1692															
				Site Details: <u>74-16 GIPRESS Hill St.</u> <u>GLENDALE, NY</u>															
City : Lake Hiawatha				Analysis Turnaround Time <u>5 DAY</u>				Data Package Type : <u>RESULTS ONLY</u>											
State : NJ				Standard : <u>10 business days</u> OR															
Zip Code : 07034				Rush (Specify): <u>5</u> Days															
Country :				EDD Type : <u>PDF</u>															
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	<u>TO-15</u>			Indoor/Ambient Air	Soil Gas
<u>SVI</u>	<u>10/7/25</u>	<u>8:17</u>	<u>10:17</u>	<u>over 20</u>	<u>4.4</u>	<u>70</u>	<u>70</u>	<u>-30</u>	<u>-4.3</u>	<u>10511</u>	<u>10598</u>	<u>6 L</u>	<u>50</u>	<u>VL042703.D</u>	<u>1</u>				<u>1</u>
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) <u>[Signature]</u>									
		Ambient	Maximum	Minimum															
Start																			
Stop																			
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. <u>REPORT ONLY THOSE ANALYTES ON THE ATTACHED LIST</u> Please follow the instructions on the back of this COC.									
		Ambient	Maximum	Minimum															
Start																			
Stop																			
Special Instructions/QC Requirements & Comments :																			
Suspected Contamination: High Medium <u>(Low)</u> PID Readings: <u>4.4</u> Sampling site (State):																			
Quick Connector required : <u>No</u>																			
Canisters Shipped by: <u>[Signature]</u>				Date/Time: <u>09/29/25</u>				Canisters Received by: <u>[Signature]</u>				Date/Time: <u>10/6/25 12:42</u>				B2509073 - 4			
Samples Relinquished by: <u>[Signature]</u>				Date/Time: <u>10/7/25</u>				Received by:				Date/Time:							
Relinquished by:				Date/Time:				Received by:				Date/Time:							

Client Contact Information				Bottle Order ID : B2509073				Courier : <i>FGaldun</i>				4 of 4 COCs																
Client ID : GFEL01 Project ID : All Projects				Sampler Name(s) : <i>Frank Galdun</i>				Analysis				Matrix																
Customer Name : GFE LLC Address : 58 Nokomis Ave City : Lake Hiawatha State : NJ Zip Code : 07034 Country :				Project Manager : Frank galdun				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified																				
				Phone Number : 646-542-3465																								
				Fax Number : 973-334-1692																								
				Site Details: <i>74-16 Cypress Hill St. GLENDALE, NY</i>																								
				Analysis Turnaround Time <i>5 DAY</i>				Data Package Type : <i>Results only</i>																				
				Standard : 10 business days OR				EDD Type : <i>RDE</i>																				
				Rush (Specify): <i>5</i> Days																								
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID	<i>TO-15</i>	<i>Indoor/Ambient Air</i>	<i>Soil Gas</i>												
<i>SUZ</i>	<i>10/1/25</i>	<i>8:22</i>	<i>10:22</i>	<i>30</i>	<i>5</i>	<i>70</i>	<i>70</i>	<i>-30</i>	<i>-4.7</i>	<i>10649</i>	<i>10439</i>	<i>6 L</i>	<i>50</i>	<i>VL042625.D</i>	<i>1</i>	<i>1</i>												
Temperature (Fahrenheit) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table> GC/MS Analyst Signature (TO-15) <i>Suz</i>											Ambient	Maximum	Minimum	Start				Stop				** Submittal of this COC indicates approval of the analysis based on existing conditions. <i>REPORT ONLY THOSE ANALYTES ON THE ATTACHED LIST</i> Please follow the instructions on the back of this COC.						
	Ambient	Maximum	Minimum																									
Start																												
Stop																												
Pressure (Inches of Hg) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop										
	Ambient	Maximum	Minimum																									
Start																												
Stop																												
Special Instructions/QC Requirements & Comments : Suspected Contamination: High Medium <i>(Low)</i> PID Readings: <i>0.4</i> Sampling site (State):																												
Quick Connector required : <i>No</i>																												
Canisters Shipped by: <i>Sam</i>				Date/Time: <i>09/29/25</i>				Canisters Received by: <i>CP</i>				Date/Time: <i>10/7/25 1242</i>																
Samples Relinquished by: <i>FWD</i>				Date/Time: <i>10/7/25</i>				Received by:				Date/Time:																
Relinquished by:				Date/Time:				Received by:				Date/Time:																

REQUESTED ANALYTE LIST:

PCE
TCE
cis-1,2-DCE
1,1,1-TCA
1,1-DCE
Vinyl chloride
Benzene
Toluene
Ethylbenzene
Naphthalene
Cyclohexane
2,2,4-Trimethylpentane
1,2,4-Trimethylbenzene
1,3,5-Trimethylbenzene
o-xylene
m,p-xylene
Heptane
Hexane