

Report of Analysis

Client: Core Environmental Consultants and Services, Inc.
Project: The Wills Building
Client Sample ID: MW-218DL
Lab Sample ID: Q3311-01DL
Analytical Method: 8260D
Sample Wt/Vol: 5 mL

Level : LOW
Final Vol: 5000 uL

Date Collected: 10/07/25
Date Received: 10/08/25
SDG No.: Q3311
Matrix: Water
% Solid: 0
Test: VOC-TCLVOA-10

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	BatchID
TARGETS									
75-71-8	Dichlorodifluoromethane	10.0	UD	10	2.20	10.0	ug/L	10/10/25 16:15	VX101025
74-87-3	Chloromethane	10.0	UD	10	3.20	10.0	ug/L	10/10/25 16:15	VX101025
75-01-4	Vinyl Chloride	10.0	UD	10	2.60	10.0	ug/L	10/10/25 16:15	VX101025
74-83-9	Bromomethane	50.0	UD	10	14.4	50.0	ug/L	10/10/25 16:15	VX101025
75-00-3	Chloroethane	10.0	UD	10	4.70	10.0	ug/L	10/10/25 16:15	VX101025
75-69-4	Trichlorofluoromethane	10.0	UD	10	3.30	10.0	ug/L	10/10/25 16:15	VX101025
76-13-1	1,1,2-Trichlorotrifluoroethane	10.0	UD	10	2.50	10.0	ug/L	10/10/25 16:15	VX101025
75-35-4	1,1-Dichloroethene	10.0	UD	10	2.30	10.0	ug/L	10/10/25 16:15	VX101025
67-64-1	Acetone	50.0	UD	10	15.1	50.0	ug/L	10/10/25 16:15	VX101025
75-15-0	Carbon Disulfide	10.0	UD	10	2.10	10.0	ug/L	10/10/25 16:15	VX101025
1634-04-4	Methyl tert-butyl Ether	10.0	UD	10	1.60	10.0	ug/L	10/10/25 16:15	VX101025
79-20-9	Methyl Acetate	10.0	UD	10	2.70	10.0	ug/L	10/10/25 16:15	VX101025
75-09-2	Methylene Chloride	10.0	UD	10	2.80	10.0	ug/L	10/10/25 16:15	VX101025
156-60-5	trans-1,2-Dichloroethene	10.0	UD	10	2.30	10.0	ug/L	10/10/25 16:15	VX101025
75-34-3	1,1-Dichloroethane	10.0	UD	10	2.30	10.0	ug/L	10/10/25 16:15	VX101025
110-82-7	Cyclohexane	50.0	UD	10	14.5	50.0	ug/L	10/10/25 16:15	VX101025
78-93-3	2-Butanone	50.0	UD	10	9.80	50.0	ug/L	10/10/25 16:15	VX101025
56-23-5	Carbon Tetrachloride	10.0	UD	10	2.50	10.0	ug/L	10/10/25 16:15	VX101025
156-59-2	cis-1,2-Dichloroethene	22.6	D	10	1.90	10.0	ug/L	10/10/25 16:15	VX101025
74-97-5	Bromochloromethane	10.0	UD	10	2.20	10.0	ug/L	10/10/25 16:15	VX101025
67-66-3	Chloroform	8.10	JD	10	2.50	10.0	ug/L	10/10/25 16:15	VX101025
71-55-6	1,1,1-Trichloroethane	10.0	UD	10	2.00	10.0	ug/L	10/10/25 16:15	VX101025
108-87-2	Methylcyclohexane	10.0	UD	10	1.60	10.0	ug/L	10/10/25 16:15	VX101025
71-43-2	Benzene	10.0	UD	10	1.50	10.0	ug/L	10/10/25 16:15	VX101025
107-06-2	1,2-Dichloroethane	10.0	UD	10	2.20	10.0	ug/L	10/10/25 16:15	VX101025
79-01-6	Trichloroethene	40.6	D	10	0.93	10.0	ug/L	10/10/25 16:15	VX101025
78-87-5	1,2-Dichloropropane	10.0	UD	10	2.00	10.0	ug/L	10/10/25 16:15	VX101025
75-27-4	Bromodichloromethane	10.0	UD	10	2.20	10.0	ug/L	10/10/25 16:15	VX101025
108-10-1	4-Methyl-2-Pentanone	50.0	UD	10	6.80	50.0	ug/L	10/10/25 16:15	VX101025
108-88-3	Toluene	10.0	UD	10	1.40	10.0	ug/L	10/10/25 16:15	VX101025
10061-02-6	t-1,3-Dichloropropene	10.0	UD	10	1.70	10.0	ug/L	10/10/25 16:15	VX101025
10061-01-5	cis-1,3-Dichloropropene	10.0	UD	10	1.60	10.0	ug/L	10/10/25 16:15	VX101025
79-00-5	1,1,2-Trichloroethane	10.0	UD	10	2.10	10.0	ug/L	10/10/25 16:15	VX101025
591-78-6	2-Hexanone	50.0	UD	10	8.90	50.0	ug/L	10/10/25 16:15	VX101025
124-48-1	Dibromochloromethane	10.0	UD	10	1.80	10.0	ug/L	10/10/25 16:15	VX101025
106-93-4	1,2-Dibromoethane	10.0	UD	10	1.50	10.0	ug/L	10/10/25 16:15	VX101025
127-18-4	Tetrachloroethene	340	D	10	2.30	10.0	ug/L	10/10/25 16:15	VX101025
108-90-7	Chlorobenzene	10.0	UD	10	1.20	10.0	ug/L	10/10/25 16:15	VX101025
100-41-4	Ethyl Benzene	10.0	UD	10	1.30	10.0	ug/L	10/10/25 16:15	VX101025
179601-23-1	m/p-Xylenes	20.0	UD	10	2.40	20.0	ug/L	10/10/25 16:15	VX101025
95-47-6	o-Xylene	10.0	UD	10	1.20	10.0	ug/L	10/10/25 16:15	VX101025
100-42-5	Styrene	10.0	UD	10	1.50	10.0	ug/L	10/10/25 16:15	VX101025
75-25-2	Bromoform	10.0	UD	10	1.90	10.0	ug/L	10/10/25 16:15	VX101025

Report of Analysis

Client: Core Environmental Consultants and Services, Inc.
Project: The Wills Building
Client Sample ID: MW-218DL
Lab Sample ID: Q3311-01DL
Analytical Method: 8260D
Sample Wt/Vol: 5 mL

Level : LOW
Final Vol: 5000 uL

Date Collected: 10/07/25
Date Received: 10/08/25
SDG No.: Q3311
Matrix: Water
% Solid: 0
Test: VOC-TCLVOA-10

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	BatchID
98-82-8	Isopropylbenzene	10.0	UD	10	1.20	10.0	ug/L	10/10/25 16:15	VX101025
79-34-5	1,1,2,2-Tetrachloroethane	10.0	UD	10	2.60	10.0	ug/L	10/10/25 16:15	VX101025
541-73-1	1,3-Dichlorobenzene	10.0	UD	10	1.60	10.0	ug/L	10/10/25 16:15	VX101025
106-46-7	1,4-Dichlorobenzene	10.0	UD	10	1.90	10.0	ug/L	10/10/25 16:15	VX101025
95-50-1	1,2-Dichlorobenzene	10.0	UD	10	1.60	10.0	ug/L	10/10/25 16:15	VX101025
96-12-8	1,2-Dibromo-3-Chloropropane	10.0	UD	10	5.30	10.0	ug/L	10/10/25 16:15	VX101025
120-82-1	1,2,4-Trichlorobenzene	10.0	UD	10	2.00	10.0	ug/L	10/10/25 16:15	VX101025
87-61-6	1,2,3-Trichlorobenzene	10.0	UD	10	2.00	10.0	ug/L	10/10/25 16:15	VX101025
SURROGATES									
17060-07-0	1,2-Dichloroethane-d4	51.2			74 - 125	102%	SPK: 50		
1868-53-7	Dibromofluoromethane	49.0			75 - 124	98%	SPK: 50		
2037-26-5	Toluene-d8	48.3			86 - 113	97%	SPK: 50		
460-00-4	4-Bromofluorobenzene	53.5			77 - 121	107%	SPK: 50		
INTERNAL STANDARDS									
363-72-4	Pentafluorobenzene	108000							
540-36-3	1,4-Difluorobenzene	221000							
3114-55-4	Chlorobenzene-d5	233000							
3855-82-1	1,4-Dichlorobenzene-d4	113000							

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products