

Report of Analysis

Client: Core Environmental Consultants and Services, Inc.
Project: The Wills Building
Client Sample ID: C-MW-3DL
Lab Sample ID: Q3311-09DL
Analytical Method: 8260D
Sample Wt/Vol: 5 mL

Level : LOW
Final Vol: 5000 uL

Date Collected: 10/07/25
Date Received: 10/08/25
SDG No.: Q3311
Matrix: Water
% Solid: 0
Test: VOC-TCLVOA-10

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	BatchID
TARGETS									
75-71-8	Dichlorodifluoromethane	500	UD	500	110	500	ug/L	10/10/25 17:16	VX101025
74-87-3	Chloromethane	500	UD	500	160	500	ug/L	10/10/25 17:16	VX101025
75-01-4	Vinyl Chloride	500	UD	500	130	500	ug/L	10/10/25 17:16	VX101025
74-83-9	Bromomethane	2500	UD	500	720	2500	ug/L	10/10/25 17:16	VX101025
75-00-3	Chloroethane	500	UD	500	240	500	ug/L	10/10/25 17:16	VX101025
75-69-4	Trichlorofluoromethane	500	UD	500	170	500	ug/L	10/10/25 17:16	VX101025
76-13-1	1,1,2-Trichlorotrifluoroethane	500	UD	500	130	500	ug/L	10/10/25 17:16	VX101025
75-35-4	1,1-Dichloroethene	500	UD	500	120	500	ug/L	10/10/25 17:16	VX101025
67-64-1	Acetone	2500	UD	500	760	2500	ug/L	10/10/25 17:16	VX101025
75-15-0	Carbon Disulfide	500	UD	500	110	500	ug/L	10/10/25 17:16	VX101025
1634-04-4	Methyl tert-butyl Ether	500	UD	500	80.0	500	ug/L	10/10/25 17:16	VX101025
79-20-9	Methyl Acetate	500	UD	500	140	500	ug/L	10/10/25 17:16	VX101025
75-09-2	Methylene Chloride	500	UD	500	140	500	ug/L	10/10/25 17:16	VX101025
156-60-5	trans-1,2-Dichloroethene	500	UD	500	120	500	ug/L	10/10/25 17:16	VX101025
75-34-3	1,1-Dichloroethane	500	UD	500	120	500	ug/L	10/10/25 17:16	VX101025
110-82-7	Cyclohexane	2500	UD	500	730	2500	ug/L	10/10/25 17:16	VX101025
78-93-3	2-Butanone	2500	UD	500	490	2500	ug/L	10/10/25 17:16	VX101025
56-23-5	Carbon Tetrachloride	500	UD	500	130	500	ug/L	10/10/25 17:16	VX101025
156-59-2	cis-1,2-Dichloroethene	500	UD	500	95.0	500	ug/L	10/10/25 17:16	VX101025
74-97-5	Bromochloromethane	500	UD	500	110	500	ug/L	10/10/25 17:16	VX101025
67-66-3	Chloroform	500	UD	500	130	500	ug/L	10/10/25 17:16	VX101025
71-55-6	1,1,1-Trichloroethane	500	UD	500	100	500	ug/L	10/10/25 17:16	VX101025
108-87-2	Methylcyclohexane	500	UD	500	80.0	500	ug/L	10/10/25 17:16	VX101025
71-43-2	Benzene	500	UD	500	75.0	500	ug/L	10/10/25 17:16	VX101025
107-06-2	1,2-Dichloroethane	500	UD	500	110	500	ug/L	10/10/25 17:16	VX101025
79-01-6	Trichloroethene	500	UD	500	46.5	500	ug/L	10/10/25 17:16	VX101025
78-87-5	1,2-Dichloropropane	500	UD	500	100	500	ug/L	10/10/25 17:16	VX101025
75-27-4	Bromodichloromethane	500	UD	500	110	500	ug/L	10/10/25 17:16	VX101025
108-10-1	4-Methyl-2-Pentanone	2500	UD	500	340	2500	ug/L	10/10/25 17:16	VX101025
108-88-3	Toluene	500	UD	500	70.0	500	ug/L	10/10/25 17:16	VX101025
10061-02-6	t-1,3-Dichloropropene	500	UD	500	85.0	500	ug/L	10/10/25 17:16	VX101025
10061-01-5	cis-1,3-Dichloropropene	500	UD	500	80.0	500	ug/L	10/10/25 17:16	VX101025
79-00-5	1,1,2-Trichloroethane	500	UD	500	110	500	ug/L	10/10/25 17:16	VX101025
591-78-6	2-Hexanone	2500	UD	500	450	2500	ug/L	10/10/25 17:16	VX101025
124-48-1	Dibromochloromethane	500	UD	500	90.0	500	ug/L	10/10/25 17:16	VX101025
106-93-4	1,2-Dibromoethane	500	UD	500	75.0	500	ug/L	10/10/25 17:16	VX101025
127-18-4	Tetrachloroethene	47200	D	500	120	500	ug/L	10/10/25 17:16	VX101025
108-90-7	Chlorobenzene	500	UD	500	60.0	500	ug/L	10/10/25 17:16	VX101025
100-41-4	Ethyl Benzene	500	UD	500	65.0	500	ug/L	10/10/25 17:16	VX101025
179601-23-1	m/p-Xylenes	1000	UD	500	120	1000	ug/L	10/10/25 17:16	VX101025
95-47-6	o-Xylene	500	UD	500	60.0	500	ug/L	10/10/25 17:16	VX101025
100-42-5	Styrene	500	UD	500	75.0	500	ug/L	10/10/25 17:16	VX101025
75-25-2	Bromoform	500	UD	500	95.0	500	ug/L	10/10/25 17:16	VX101025

Report of Analysis

Client: Core Environmental Consultants and Services, Inc.
Project: The Wills Building
Client Sample ID: C-MW-3DL
Lab Sample ID: Q3311-09DL
Analytical Method: 8260D
Sample Wt/Vol: 5 mL

Level : LOW
Final Vol: 5000 uL

Date Collected: 10/07/25
Date Received: 10/08/25
SDG No.: Q3311
Matrix: Water
% Solid: 0
Test: VOC-TCLVOA-10

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	BatchID
98-82-8	Isopropylbenzene	500	UD	500	60.0	500	ug/L	10/10/25 17:16	VX101025
79-34-5	1,1,2,2-Tetrachloroethane	500	UD	500	130	500	ug/L	10/10/25 17:16	VX101025
541-73-1	1,3-Dichlorobenzene	500	UD	500	80.0	500	ug/L	10/10/25 17:16	VX101025
106-46-7	1,4-Dichlorobenzene	500	UD	500	95.0	500	ug/L	10/10/25 17:16	VX101025
95-50-1	1,2-Dichlorobenzene	500	UD	500	80.0	500	ug/L	10/10/25 17:16	VX101025
96-12-8	1,2-Dibromo-3-Chloropropane	500	UD	500	270	500	ug/L	10/10/25 17:16	VX101025
120-82-1	1,2,4-Trichlorobenzene	500	UD	500	100	500	ug/L	10/10/25 17:16	VX101025
87-61-6	1,2,3-Trichlorobenzene	500	UD	500	100	500	ug/L	10/10/25 17:16	VX101025
SURROGATES									
17060-07-0	1,2-Dichloroethane-d4	53.4			74 - 125	107%	SPK: 50		
1868-53-7	Dibromofluoromethane	50.4			75 - 124	101%	SPK: 50		
2037-26-5	Toluene-d8	49.3			86 - 113	99%	SPK: 50		
460-00-4	4-Bromofluorobenzene	56.6			77 - 121	113%	SPK: 50		
INTERNAL STANDARDS									
		Area Count							
363-72-4	Pentafluorobenzene	131000							
540-36-3	1,4-Difluorobenzene	270000							
3114-55-4	Chlorobenzene-d5	285000							
3855-82-1	1,4-Dichlorobenzene-d4	146000							

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products