

Client Contact Information		Bottle Order ID : B2509079		Courier : F Gaudin		1 of 13 COCs																			
Client ID : GFEL01		Project ID : All Projects		Sampler Name(s) : Frank Gaudin		Analysis Matrix																			
Customer Name : GFE LLC		Project Manager : Frank Gaudin		AIR ANALYSIS																					
Address : 58 Nokomis Ave		Phone Number : 646-542-3465		CHAIN-OF-CUSTODY																					
City : Lake Hiawatha		Fax Number : 973-334-1692		Batch Certified																					
State : NJ		Site Details : 700 Reservoir St																							
Zip Code : 07034		Analysis Turnaround Time : 7 DAYS																							
Country : USA		Standard : 10 Business Days		Data Package Type : Results only																					
		Rush (Specify): 7 Days		EDD Type :																					
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/ Ambient Air	Soil Gas									
IAI 10/18/10	10/18/10	07:30	08:30	7	7	70	70	-30	-4.3	10616	10053	50	VL042942.D	1		1									
Temperature (Fahrenheit) <table border="1"> <tr> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> </tr> </table>																	Ambient	Maximum	Minimum	Start			Stop		
Ambient	Maximum	Minimum																							
Start																									
Stop																									
Pressure (Inches of Hg) <table border="1"> <tr> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> </tr> </table>																	Ambient	Maximum	Minimum	Start			Stop		
Ambient	Maximum	Minimum																							
Start																									
Stop																									
GC/MS Analyst Signature (TO-15) <i>[Signature]</i>																									
** Submittal of this COC indicates approval of the analysis based on existing conditions.																									
Please follow the instructions on the back of this COC.																									
Special Instructions/QC Requirements & Comments :																									
Suspected Contamination: High Medium Low																									
Sampling site (State):																									
Quick Connector required : NO																									
Canisters Shipped by: <i>[Signature]</i> Date/Time: 10/18/10																									
Samples Relinquished by: <i>[Signature]</i> Date/Time: 10/18/10																									
Relinquished by: <i>[Signature]</i> Date/Time: 10/18/10																									
Canisters Received by: <i>[Signature]</i> Date/Time: 10/18/10																									
Received by: <i>[Signature]</i> Date/Time: 10/18/10																									
Received by: <i>[Signature]</i> Date/Time: 10/18/10																									
B2509079 - 1																									

Client Contact Information		Bottle Order ID : B2509079		Courier : F Galdun		2 of 13 COCs																			
Client ID : GFEL01		Project ID : All Projects		Sampler Name(s) : Frank Galdun		Analysis Matrix																			
Customer Name : GFE LLC		Project Manager : Frank galdun		AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified																					
Address : 58 Nokomis Ave		Phone Number : 646-542-3465																							
		Fax Number : 973-334-1692																							
City : Lake Hiawatha		Site Details: ZOO RESERVATION ST																							
State : NJ		Analysis Turnaround Time 7 DAYS																							
Zip Code : 07034		Standard : 10 business days OR 7 Days		Data Package Type :																					
Country :		Rush (Specify): 7 Days		EDD Type :																					
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas									
SV1	10/25/2019	8:59 AM	10:30 AM	2	2	70	70	-30	-5.9	10767	10332	6 L	50	1	VL042828.D	1									
Temperature (Fahrenheit) <table border="1"> <tr> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> </tr> </table>																	Ambient	Maximum	Minimum	Start			Stop		
Ambient	Maximum	Minimum																							
Start																									
Stop																									
Pressure (Inches of Hg) <table border="1"> <tr> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> </tr> </table>																	Ambient	Maximum	Minimum	Start			Stop		
Ambient	Maximum	Minimum																							
Start																									
Stop																									
GC/MS Analyst Signature (TO-15) <i>[Signature]</i>																									
** Submittal of this COC indicates approval of the analysis based on existing conditions.																									
Please follow the instructions on the back of this COC.																									
Special Instructions/QC Requirements & Comments :																									
Suspected Contamination: High Medium Low																									
PID Readings: 2.0																									
Sampling site (State):																									
Quick Connector required : No																									
Canisters Shipped by: <i>[Signature]</i> Date/Time: 10/25/2019																									
Samples Relinquished by: <i>[Signature]</i> Date/Time: 10/25/2019																									
Relinquished by: <i>[Signature]</i> Date/Time: 10/25/2019																									
Canisters Received by: <i>[Signature]</i> Date/Time: 10/25/2019																									
Received by: <i>[Signature]</i> Date/Time: 10/25/2019																									
Received by: <i>[Signature]</i> Date/Time: 10/25/2019																									
B2509079 - 4																									

Client Contact Information		Bottle Order ID : B2509079		Courier : F Galdun		3 of 13 COCs									
Client ID : GFEL01		Project ID : All Projects		Sampler Name(s) : Frank Galdun		Analysis Matrix									
Customer Name : GFE LLC		Project Manager : Frank galdun		AIR ANALYSIS											
Address : 58 Nokomis Ave		Phone Number : 646-542-3465		CHAIN-OF-CUSTODY											
		Fax Number : 973-334-1692		Batch Certified											
City : Lake Hiawatha		Site Details: 200 Reservoir St TRENTON, NJ													
State : NJ		Analysis Turnaround Time													
Zip Code : 07034		Standard : 10 Business Days OR		Data Package Type : RESULTS ONLY											
Country :		Rush (Specify): 7 Days		EDD Type :											
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID	Indoor Ambient Air	Soil Gas
IRZ	10/25/2018	10:18 AM	10:30 AM	5	5	70	70	-30	-5.1	10109	10602	6 L	50	VL042942.D	1
Temperature (Fahrenheit)															
		Ambient		Maximum		Minimum									
Start															
Stop															
Pressure (Inches of Hg)															
		Ambient		Maximum		Minimum									
Start															
Stop															
Special Instructions/QC Requirements & Comments :															
Suspected Contamination: High Medium Low															
Sampling site (State):															
PID Readings: 0.0															
Please follow the instructions on the back of this COC.															
GC/MS Analyst Signature (TO-15)															
Submittal of this COC indicates approval of the analysis based on existing conditions.															
Quick Connector required : No															
Canisters Shipped by: Sam		Date/Time: 10/27/18		Canisters Received by: [Signature]		Date/Time: 10/28/18									
Samples Relinquished by: F-GAL		Date/Time: 10/28/18		Received by:		Date/Time:									
Relinquished by:		Date/Time:		Received by:		Date/Time:									
B2509079 - 10															

Client Contact Information						Bottle Order ID : B2509079	Courier : T Galdun	4 of 13 COCs							
Client ID : GFEL01						Project ID :	Sampler Name(s) : FRANK GALDUN	Analysis Matrix							
Customer Name : GFE LLC						Project Manager : Frank galdun	AIR ANALYSIS								
Address : 58 Nokomis Ave						Phone Number : 646-542-3465	CHAIN-OF-CUSTODY								
						Fax Number : 973-334-1692	Batch Certified								
City : Lake Hlawatha						Site Details: 200 RESERVOIR ST LAKEHAWA, NJ									
State : NJ						Analysis Turnaround Time : 7 DAY									
Zip Code : 07034						Standard : 10 business days OR	Data Package Type : RESULTS ONLY								
Country :						Rush (Specify): 7 Days	EDD Type :								
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID	Indoor/Ambient Air	Soil Gas
SVZ	10/12/25	8:54 AM	10:54 AM	29.5	29.5	70	70	-30	-5.1	10185	10445	50	VL042828.D		
GC/MS Analyst Signature (TO-15)															
Signature: [Handwritten]															
** Submittal of this COC indicates approval of the analysis based on existing conditions.															
Please follow the instructions on the back of this COC.															
PID Reading: 0.0															
Special Instructions/QC Requirements & Comments :															
Suspected Contamination: High Medium Low															
Sampling site (State):															
Quick Connector required : No															
Canisters Shipped by: [Signature]															
Samples Relinquished by: [Signature]															
Relinquished by:															
Date/Time: 10/18/25															
Received by:															
Date/Time: 10/18/25															
Received by:															
Date/Time: 10/18/25															
B2509079 - 7															



284 Sheffield Street. Mountainside. New Jersey 07092 Phone : 908 789 8900 Fax : 908 789 8922

TECHNICAL GROUP 284 Sheffield Street, Mountainside, New Jersey 07092 Phone : 908 789 8900 Fax : 908 789 8922		Bottle Order ID : B2509079		Courier : F Galdun		S of 13 COCs										
Client Contact Information		Project ID : GFEL01		All Projects		Analysis Matrix										
Customer Name : GFE LLC	Project Manager : Frank galdun															
Address : 58 Nokomis Ave	Phone Number : 646-542-3465															
	Fax Number : 973-334-1692															
	Site Details: ZOO RESERVOIR ST <u>TRENTON NJ</u>															
City : Lake Hiawatha	Analysis Turnaround Time 7 DAY															
State : NJ	Standard : 10 days OR															
Zip Code : 07034	Rush (Specify): 7 Days															
Country :																
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum Field ("Hg) (Start)	Can Vacuum Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID	Indoor/Ambient Air	Soil Gas	
DPS	10/25/12	11:12	30	5	5	70	70	-30	-5.1	10579	10285	6 L	50	VL042907.D	/	
GC/MS Analyst Signature (TO-15)																
** Submittal of this COC Indicates approval of the analysis based on existing conditions.																
Please follow the instructions on the back of this COC.																
PID Readings: Low																
Special Instructions/QC Requirements & Comments :																
Suspected Contamination: High Medium Low																
Sampling site (State):																
Quick Connector required : No																
Canisters Shipped by: S&S		Date/Time: 10/25/12		Canisters Received by: [Signature]		Date/Time: 10/25/12		Received by:		Date/Time:		Received by:		Date/Time:		
Samples Relinquished by: S&S		Date/Time: 10/25/12		Relinquished by:		Date/Time:		Received by:		Date/Time:		Received by:		Date/Time:		
B2509079 - 2																

Client Contact Information		Bottle Order ID : 82509079		Courier : F. Gaudin		6 of 13 COCs																		
Client ID : GFELO1		Project ID : All Projects		Sampler Name(s) : FRANK GAUDIN		Analysis																		
Customer Name : GFE LLC		Project Manager : Frank gaudin		AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified		Matrix																		
Address : 58 Nokomis Ave		Phone Number : 646-542-3465																						
		Fax Number : 973-334-1692																						
City : Lake Hiawatha		Site Details : 200 RESERVOIR ST																						
State : NJ		Analysis Turnaround Time																						
Zip Code : 07034		Standard : 20 Business Days		Data Package Type :																				
Country :		Rush (Specify) : 7 Days		EDD Type :																				
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum In Field ("Hg) (Start)	Can Vacuum In Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID	Indoor/Ambient Air	Soil Gas									
S53	10/25/16	7:16 AM	7:40 AM	2	2	70	70	-30	-39	10613	10443	50	VL042942.D		1									
Temperature (Fahrenheit) <table border="1"> <tr> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> </tr> </table>																Ambient	Maximum	Minimum	Start			Stop		
Ambient	Maximum	Minimum																						
Start																								
Stop																								
Pressure (Inches of Hg) <table border="1"> <tr> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> </tr> </table>																Ambient	Maximum	Minimum	Start			Stop		
Ambient	Maximum	Minimum																						
Start																								
Stop																								
GC/MS Analyst Signature (TO-15)																								
** Submittal of this COC indicates approval of the analysis based on existing conditions.																								
Please follow the instructions on the back of this COC.																								
Special Instructions/QC Requirements & Comments :																								
Suspected Contamination: High Medium Low																								
Sampling site (State):																								
Quick Connector required : No																								
Canisters Shipped by: SEA Date/Time: 10/25/16 12:40																								
Samples Relinquished by: FRANK Date/Time: 10/25/16																								
Relinquished by: FRANK Date/Time: 10/25/16																								
Canisters Received by: FRANK Date/Time: 10/25/16 12:40																								
Received by: FRANK Date/Time: 10/25/16																								
Received by: FRANK Date/Time: 10/25/16																								

Client Contact Information		Bottle Order ID : B2509079		Courier : F Galdun		7 of 13 COCs	
Client ID : GFEL01		Project ID : All Projects		Sampler Name(s) FRANK GALDUN		Analysis Matrix	
Customer Name : GFE LLC		Project Manager : Frank galdun		AIR ANALYSIS			
Address : 58 Nokomis Ave		Phone Number : 646-542-3465		CHAIN-OF-CUSTODY			
City : Lake Hiawatha		Fax Number : 973-334-1692		Individual Certified			
State : NJ		Site Details: 200 RESERVOIR ST. IRONTON, NJ		Data Package Type : RESULTS ONLY			
Zip Code : 07034		Analysis Turnaround Time 7 DAY		EDD Type : RTX			
Country :		Standard : 10 business days		Can ID		Can Cert ID	
		Rush (Specify): 7 Days		Flow Reg. ID		Flow Controller Readout (ml/min)	
				In coming Can Pressure ("Hg)(Lab)		Indoor/Ambient Air	
				Out going Can Pressure ("Hg)(Lab)		Soil Gas	
				Interior Temp. (F) (Start)		TO-15	
				Interior Temp. (F) (Stop)		1	
				Can Vacuum In Field ("Hg) (Start)		VL042703.D	
				Can Vacuum In Field ("Hg) (Stop)**		6 L	
				Time Start (24 hr Clock)		10226	
				Time Stop (24 hr Clock)		10226	
				Sample Date(s)		10/18/25	
				Sample Identification		10/18/25	
				Temperature (Fahrenheit)			
				Ambient			
				Maximum			
				Minimum			
				Pressure (Inches of Hg)			
				Ambient			
				Maximum			
				Minimum			
				Start			
				Stop			
				Suspected Contamination:			
				High			
				Medium			
				Low			
				Sampling site (State):			
				Special Instructions/QC Requirements & Comments :			
				Please follow the instructions on the back of this COC.			
				GC/MS Analyst Signature (TO-15)			
				Sub			
				** Submittal of this COC indicates approval of the analysis based on existing conditions.			
				PID Readings			
				Date/Time: 10/18/25		1340	
				Canisters Received by:			
				Received by:			
				Date/Time:			
				Relinquished by:			
				Date/Time:			
				Quick Connector required : No			
				Canisters Shipped by:			
				Samples Relinquished by:			
				Relinquished by:			
				B2509079 - 3			

Client Contact Information		Bottle Order ID : B2509079	Courier : F. Galdun	8 of 13 COCs																							
Client ID : GFE01	Project ID : All Projects	Sampler Name(s) : Frank Galdun																									
Customer Name : GFE LLC	Project Manager : Frank galdun	Analysis																									
Address : 58 Nokomis Ave	Phone Number : 646-542-3465	Matrix																									
	Fax Number : 973-334-1692																										
	Site Details: 200 Reservoir St																										
	IRENTOX, NJ																										
City : Lake Hiawatha	Analysis Turnaround Time : 7 DAY																										
State : NJ	Standard : 10 business days OR 7 Days																										
Zip Code : 07034	Rush (Specify): 7																										
Country :																											
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum In Field ("Hg) (Start)	Can Vacuum In Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID	Indoor/Ambient Air	Soil Gas												
SJH	10/18/10	11:20 AM	12:00 PM	3	3	70	70	-30	-5.5	10525	10588	50	VL042702.D		1												
Temperature (Fahrenheit) <table border="1"> <tr> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td></td> <td></td> <td></td> </tr> <tr> <td>Start</td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> </tr> </table>																Ambient	Maximum	Minimum				Start			Stop		
Ambient	Maximum	Minimum																									
Start																											
Stop																											
Pressure (Inches of Hg) <table border="1"> <tr> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td></td> <td></td> <td></td> </tr> <tr> <td>Start</td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> </tr> </table>																Ambient	Maximum	Minimum				Start			Stop		
Ambient	Maximum	Minimum																									
Start																											
Stop																											
GC/MS Analyst Signature (TO-15) <i>SJH</i>																											
** Submittal of this COC indicates approval of the analysis based on existing conditions.																											
Please follow the instructions on the back of this COC.																											
Special Instructions/QC Requirements & Comments :																											
Suspected Contamination: High Medium Low																											
PID Readings: 0.0																											
Sampling site (State):																											
Quick Connector required : N/A																											
Canisters Shipped by: SJM																											
Samples Relinquished by: SJM																											
Relinquished by:																											
Date/Time: 10/18/10 Canisters Received by: OK																											
Date/Time: 10/18/10 Received by:																											
Date/Time: 10/18/10																											
B2509079 - 8																											



Alliance Project No. :

284 Sheffield Street, Mountainside, New Jersey 07092 Phone : 908 789 8900 Fax : 908 789 8922

Client Contact Information

Client ID : GFEL01

Customer Name : GFE LLC

Address : 58 Nokomis Ave

City : Lake Hiawatha

State : NJ

Zip Code : 07034

Country :

Bottle Order ID : B2509079

Project ID : All Projects

Project Manager : Frank galdun

Phone Number : 646-542-3465

Fax Number : 973-334-1692

Site Details: 200 Reservoir St

TRENTON, NJ

Analysis Turnaround Time 7 DAY

Standard : 10 business days OR

Rush (Specify): 7 Days

Courier : F Galdun

Sampler Name(s) Frank Galdun

AIR ANALYSIS

CHAIN-OF-CUSTODY

Batch Certified

Data Package Type

EDD Type :

Results only PDF

Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum In Field ("Hg) (Start)	Can Vacuum In Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID
IAS	10/25/16	11:30	12:30	30	5.5	70	70	-30	-5.1	10550	10601	50	VL042907.D

Temperature (Fahrenheit)

Ambient	Maximum	Minimum
Start		
Stop		

Pressure (Inches of Hg)

Ambient	Maximum	Minimum
Start		
Stop		

Special Instructions/QC Requirements & Comments :

Suspected Contamination:

High

Medium

Low

Sampling site (State):

PID Readings: 0.0

Please follow the instructions on the back of this COC.

** Submittal of this COC indicates approval of the analysis based on existing conditions.

GC/MS Analyst Signature (TO-15)

Signature

Quick Connector required :

Canisters Shipped by:

Samples Relinquished by:

Relinquished by:

Date/Time: 10/25/16

Date/Time: 10/25/16

Date/Time: 10/25/16

Date/Time: 10/25/16

Date/Time: 10/25/16

Date/Time: 10/25/16

B2509079 - 9



284 Sheffield Street, Mountainside, New Jersey 07092 Phone : 908 789 8900 Fax : 908 789 8922

TECHNICAL GROUP 284 Sheffield Street, Mountainside, New Jersey 07092 Phone : 908 789 8900 Fax : 908 705 0322		Bottle Order ID : B2509079		Courier : F. Galdun Sampler Name(s) : FRANK GALDUN		COCs 10 of 13	
Client Contact Information Client ID : GFEL01 Project ID : All Projects		Project Manager : Frank galdun Phone Number : 646-542-3465 Fax Number : 973-334-1692		AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified		Analysis Matrix	
Customer : GFE LLC Name : Address : 58 Nokomis Ave		Site Details: 200 Reservoir St. 1 RENTON, NJ Analysis Turnaround Time 7 DAY		Data Package Type : RESULTS ONLY EDD Type : PDF		Indoor/Ambient Air Soil Gas	
City : Lake Hiawatha State : NJ Zip Code : 07034 Country :		Standard : 10 Business Days OR 7 Days Rush (Specify):		Can ID Can Cert ID		Flow Controller Readout (ml/min) Can ID Can Cert ID	
Sample Identification 545		Sample Date(s) 10/16/15 11:11 AM		Time Start (24 hr Clock) 11:11 AM		Time Stop (24 hr Clock) 11:11 AM	
Can Vacuum in Field ("Hg) (Start) 30		Can Vacuum in Field ("Hg) (Stop)** 30		Interior Temp. (F) (Start) 70		Interior Temp. (F) (Stop) 70	
Out going Can Pressure ("Hg)(Lab) -30		In coming Can Pressure ("Hg)(Lab) -5.1		Flow Reg. ID 10648		Can ID 10604	
Temperature (Fahrenheit) Ambient Start Stop		Maximum Minimum		GC/MS Analyst Signature (TO-15) [Signature]		Flow Controller Readout (ml/min) 50	
Pressure (Inches of Hg) Ambient Start Stop		Maximum Minimum		** Submittal of this COC indicates approval of the analysis based on existing conditions.		Can ID VL042907.D	
Suspected Contamination: High Medium Low Low		PID Readings: 0.0		Please follow the instructions on the back of this COC.		Special Instructions/QC Requirements & Comments :	
Sampling site (State):		Relinquished by: Sam Date/Time: 10/16/15		Relinquished by: FRANK Date/Time: 10/16/15		Relinquished by:	
Canisters Shipped by:		Canisters Received by: CD Date/Time: 10/16/15		Date/Time: 10/16/15		Date/Time: 10/16/15	
Relinquished by:		Received by:		Received by:		Received by:	
B2509079 - 11							

Client Contact Information						Bottle Order ID : B2509079		Courier F Gaudin	11 of 13 COCs							
Client ID : GFEL01						Project ID :		Sampler Name(s) Frank Gaudin		Analysis	Matrix					
Customer Name : GFE LLC						Project Manager : Frank galdun		AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified								
Address : 58 Nokomis Ave						Phone Number : 646-542-3465										
						Fax Number : 973-334-1692										
City : Lake Hiawatha						Site Details: 200 Pleasant St TRENTON NJ										
State : NJ						Analysis Turnaround Time 7 DAY										
Zip Code : 07034						Standard : 10 business days OR		Data Package Type : Results ONLY								
Country :						Rush (Specify): 7 Days		EDD Type : PDF								
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)**	Can Vacuum in Field ("Hg) (Stop)	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor Ambient Air	Soil Gas
Temperature (Fahrenheit)																
Start		Ambient	Maximum	Minimum												
Stop																
		Pressure (Inches of Hg)														
Start		Ambient	Maximum	Minimum												
Stop																
Special Instructions/QC Requirements & Comments :																
Suspected Contamination: High Medium Low																
Sampling site (State):																
PID Readings:																
Please follow the instructions on the back of this COC.																
GC/MS Analyst Signature (TO-15) [Signature]																
** Submittal of this COC indicates approval of the analysis based on existing conditions.																
Quick Connector required : No																
Canisters Shipped by: Sam																
Samples Relinquished by: FGA																
Relinquished by:																
Date/Time: 10/27/18																
Received by:																
Date/Time: 10/28/18																
Received by:																
Date/Time: 10/28/18																
B2509079 - 12																

Client Contact Information		Bottle Order ID : B2509079		Courier : F. Galdun		12 of 12 COCs																		
Client ID : GFEL01		Project ID : All Projects		Sampler Name(s) : Frank Galdun		Analysis Matrix																		
Customer Name : GFE LLC		Project Manager : Frank galdun		Phone Number : 646-542-3465		AIR ANALYSIS																		
Address : 58 Nokomis Ave		Fax Number : 973-334-1692		Site Details : 200 Reservoir St		CHAIN-OF-CUSTODY																		
City : Lake Hiawatha		Analysis Turnaround Time : 7 DAY		Batch Certified																				
State : NJ		Standard : 19.1 hours		Data Package Type : Results only																				
Zip Code : 07034		Rush (Specify): 7 Days		EDD Type : RDF																				
Country : USA																								
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID	Indoor/Ambient Air	Soil Gas									
SN6	10/16/15 11:58	11:58	12:30	6.5	6.5	70	70	-30	-5.1	10528	10333	50	VL042907.D		1									
Temperature (Fahrenheit) <table border="1"> <tr> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> </tr> </table>																Ambient	Maximum	Minimum	Start			Stop		
Ambient	Maximum	Minimum																						
Start																								
Stop																								
Pressure (Inches of Hg) <table border="1"> <tr> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> </tr> </table>																Ambient	Maximum	Minimum	Start			Stop		
Ambient	Maximum	Minimum																						
Start																								
Stop																								
GC/MS Analyst Signature (TO-15) Suf																								
** Submittal of this COC indicates approval of the analysis based on existing conditions.																								
Please follow the instructions on the back of this COC.																								
Special Instructions/QC Requirements & Comments :																								
Suspected Contamination: High Medium Low																								
PID Readings: 0.7																								
Sampling site (State):																								
Quick Connector required : N/A																								
Canisters Shipped by: SEM																								
Samples Relinquished by: SEM																								
Relinquished by:																								
Date/Time: 10/16/15																								
Date/Time: 10/16/15																								
Date/Time: 10/16/15																								
B2509079 - 5																								

Client Contact Information		Bottle Order ID : B2509079		Courier : FGA		13 of 13 COCs																			
Client ID : GFEL01		Project ID : All Projects		Sampler Name(s) : Frank Galdun		Analysis																			
Customer Name : GFE LLC		Project Manager : Frank galdun		AIR ANALYSIS		Matrix																			
Address : 58 Nokomis Ave		Phone Number : 646-542-3465		CHAIN-OF-CUSTODY																					
City : Lake Hiawatha		Fax Number : 973-334-1692		Batch Certified																					
State : NJ		Site Details: 200 REMOND ST TRENTON, NJ																							
Zip Code : 07034		Analysis Turnaround Time 7 DAY																							
Country : USA		Standard : 15 minutes		Data Package Type : RESULTS ONLY																					
		Rush (Specify): 7 Days		EDD Type : PDF																					
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas									
07034	06/29/10	10:04	12:00	20	5.5	70	67	-30	4.3	10707	10609	50	VL042907.D	1	1										
Temperature (Fahrenheit) <table border="1"> <tr> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>70</td> <td></td> <td></td> </tr> <tr> <td>67</td> <td></td> <td></td> </tr> </table>																	Ambient	Maximum	Minimum	70			67		
Ambient	Maximum	Minimum																							
70																									
67																									
Pressure (Inches of Hg) <table border="1"> <tr> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> </tr> </table>																	Ambient	Maximum	Minimum						
Ambient	Maximum	Minimum																							
Special Instructions/QC Requirements & Comments :																									
Suspected Contamination: High Medium Low																									
Sampling site (State):																									
Quick Connector required : NO																									
Canisters Shipped by: Sevin																									
Samples Relinquished by: FPGA																									
Relinquished by:																									
Date/Time: 10/07/10																									
Date/Time: 10/08/10																									
Date/Time: 10/08/10																									
PID Readings: 0.0																									
GC/MS Analyst Signature (TO-15) Frank																									
** Submittal of this COC indicates approval of the analysis based on existing conditions.																									
Please follow the instructions on the back of this COC.																									
B2509079 - 13																									

Internal Chain of Custody

Instructions: Use 1 form for each 20 samples of aliquot

Laboratory Person Breaking Field Seal on Sample Shuttle & Accepting Responsibility for Sample			
Laboratory: <u>Chemtech</u>		Location: <u>284 Sheffield Street, Mountainside, NJ 7092</u>	
NORSE		Title: <u>Sample Custodian</u>	
Field Sample Seal No. <u>Q3320</u>		Date Broken: <u>10/8/2025</u>	
Case No.: <u>200 Reservoir St, Trenton</u>		Military Time Seal Broken: <u>13:40:00</u>	
		Analytical Parameter/Fraction: <u>OCMS Group2</u>	

Sample No.	Aliquot/Extract No.	Sample No.	Aliquot/Extract No.
Q3320-01	IA1	Q3320-11	IA6
Q3320-02	SV1	Q3320-12	SV6
Q3320-03	IA2	Q3320-13	OA1
Q3320-04	SV2		
Q3320-05	IA3		
Q3320-06	SV3		
Q3320-07	IA4		
Q3320-08	SV4		
Q3320-09	IA5		
Q3320-10	SV5		

Date	Time	Relinquished By		Received By	Purpose of Change of Custody
10/9	0850	Signature		Signature	
		Printed Name	George N.	Printed Name	
		Signature		Signature	
		Printed Name		Printed Name	
		Signature		Signature	
		Printed Name		Printed Name	
		Signature		Signature	
		Printed Name		Printed Name	
		Signature		Signature	
		Printed Name		Printed Name	
		Signature		Signature	
		Printed Name		Printed Name	
		Signature		Signature	
		Printed Name		Printed Name	
		Signature		Signature	
		Printed Name		Printed Name	

Distribution: White - Original (Sent With Report) Yellow - Contractor Archive Pink - Sample Custodian - Interim Copy

AIR SAMPLE PRESSURE & DILUTION LOGBOOKAnalyst Signature: [Signature]Supervisor Signature: [Signature]

METHOD: TO-15

Pressure Gauge ID: _____

Date	Sample Number	Canister #	Initial Pressure psia	Initial Pressure Hg	Final Pressure psia	Final Pressure Hg	Dilution Factor	Comment
09/16/25	Q3112-01	10198	12.0	-5.5				sy
↓	Q3112-02	10606	11.0	-7.5				↓
↓	Q3112-03	10279	11.8	-5.9				↓
09/17/25	Q3130-01	10154	10.8	-8.0				sy
↓	Q3130-02	10197	12.4	-4.7				↓
↓	Q3131-01	10275	11.4	-6.7				↓
↓	Q3131-02	10282	11.4	-6.7				↓
↓	Q3132-01	10599	13.6	-2.2				↓
↓	Q3132-02	10294	11.4	-6.7				↓
9/19	Q3154-01	10267	12.0	-5.5				sy
↓	Q3154-02	10595	13.6	-2.2				↓
10/03/25	Q3306-01	10334	13.4	-2.7				sy
10/07/25	Q3306-02	10329	12.6	-4.3				sy
↓	Q3306-03	10598	12.6	-4.3				sy
↓	Q3306-04	10439	12.4	-4.7				sy
10/8/25	Q3320-01	10053	12.6	-4.3				sy
↓	Q3320-02	10332	11.8	-5.9				↓
↓	Q3320-03	10602	12.2	-5.1				↓
↓	Q3320-04	10445	12.2	-5.1				↓
↓	Q3320-05	10285	12.2	-5.1				↓
↓	Q3320-06	10443	12.8	-3.9				↓

Process Report

284 Sheffield Street, Mountainside, New Jersey 07092 Phone : 908 789 8900 Fax : 908 789 8922

Order ID : Q3320

Date	Bottle ID	Lab Sample Number	InComing Vacuum	Canister ID	Can Size	Reg ID	Reg Size	Batch Code	Certification ID
10/10/2025	B2509079	Q3320-02	-5.9	10332	6 L	10767		C2508001	VL042828.D Seq :VL080725 TUNE : VL042823.D ICAL : VL042752.D CCAL : VL042824.D MB : VL042825.D
10/10/2025	B2509079	Q3320-12	-5.1	10333	6 L	10528		C2509001	VL042907.D Seq :vl090825 TUNE : VL042899.D ICAL : VL042847.D CCAL : VL042900.D MB : VL042901.D
10/10/2025	B2509079	Q3320-13	-4.3	10609	6 L	10707		C2509001	VL042907.D Seq :vl090825 TUNE : VL042899.D ICAL : VL042847.D CCAL : VL042900.D MB : VL042901.D
10/10/2025	B2509079	Q3320-11	-5.1	10607	6 L	10617		C2509001	VL042907.D Seq :vl090825 TUNE : VL042899.D ICAL : VL042847.D CCAL : VL042900.D MB : VL042901.D
10/10/2025	B2509079	Q3320-10	-5.1	10604	6 L	10648		C2509001	VL042907.D Seq :vl090825 TUNE : VL042899.D ICAL : VL042847.D CCAL : VL042900.D MB : VL042901.D
10/10/2025	B2509079	Q3320-03	-5.1	10602	6 L	10109		C2509002	VL042942.D Seq :VL091825 TUNE : VL042938.D ICAL : VL042934.D CCAL : VL042939.D MB : VL042940.D

Process Report

284 Sheffield Street, Mountainside, New Jersey 07092 Phone : 908 789 8900 Fax : 908 789 8922

Order ID : Q3320

Date	Bottle ID	Lab Sample Number	InComing Vacuum	Canister ID	Can Size	Reg ID	Reg Size	Batch Code	Certification ID
10/10/2025	B2509079	Q3320-09	-5.1	10601	6 L	10550		C2509001	VL042907.D Seq :vl090825 TUNE : VL042899.D ICAL : VL042847.D CCAL : VL042900.D MB : VL042901.D
10/10/2025	B2509079	Q3320-08	-5.5	10588	6 L	10525		C2506003	VL042702.D Seq :VL070325 TUNE : VL042698.D ICAL : VL042694.D CCAL : VL042699.D MB : VL042700.D
10/10/2025	B2509079	Q3320-04	-5.1	10445	6 L	10185		C2508001	VL042828.D Seq :VL080725 TUNE : VL042823.D ICAL : VL042752.D CCAL : VL042824.D MB : VL042825.D
10/10/2025	B2509079	Q3320-06	-3.9	10443	6 L	10613		C2509002	VL042942.D Seq :VL091825 TUNE : VL042938.D ICAL : VL042934.D CCAL : VL042939.D MB : VL042940.D
10/10/2025	B2509079	Q3320-07	-4.3	10311	6 L	10226		C2507001	VL042703.D Seq :VL070325 TUNE : VL042698.D ICAL : VL042694.D CCAL : VL042699.D MB : VL042700.D
10/10/2025	B2509079	Q3320-05	-5.1	10285	6 L	10579		C2509001	VL042907.D Seq :vl090825 TUNE : VL042899.D ICAL : VL042847.D CCAL : VL042900.D MB : VL042901.D
10/10/2025	B2509079	Q3320-01	-4.3	10053	6 L	10616		C2509002	VL042942.D Seq :VL091825 TUNE : VL042938.D ICAL : VL042934.D CCAL : VL042939.D MB : VL042940.D

10053

43

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8922

CHEMTECH

Client Sample ID #: IA1
Client Name: GFE
Project Name: RESERVOIR
Date: 10/8 Time: 10-15
Analysis: TO-15
Comments: TO-15
CHEMTECH'S SAMPLE ID: _____
Date Received: _____ Expiration Date: _____ Date: _____

Storage Location: D31
Sample: Q3320-01
Cust #: IA1

B2509079

10322

59

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

CHEMTECH

2.0

Client Sample ID #: SV1
Client Name: GFE
Project Name: RESERVOIR
Date: 10/8 Time: 10-15
Analysis: TO-15
Comments: TO-15
CHEMTECH'S SAMPLE ID: _____
Date Received: _____ Expiration Date: _____ Date: _____

Storage Location: D31
Sample: Q3320-02
Cust #: SV1

B2509079

CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8922

Client Sample ID #: IA2
Client Name: GFE
Project Name: RESERVOIR
Date: 10/8 Time: _____
Analysis: TO-15
Comments: TO-15

CHEMTECH'S SAMPLE ID: _____
Date Received: _____ Expiration Date: _____ Date: _____

Storage Location: D31
Sample: Q3320-03
Cust #: IA2

B2509079

15-

2090

57401

15

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8922

CHEMTECH

Client Sample ID #: SV2

Client Name: GFE

Project Name: RESERVOIR

Date: 10/8 Time: 10:15

Analysis: _____

Comments: _____

CHEMTECH'S SAMPLE ID: _____

Date Received: _____ Expiration Date: _____ Date: _____

Storage Location: D31
Sample: Q3320-04
Cust #: SV2

B2509079

58201

15

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8922

CHEMTECH

Client Sample ID #: IA3

Client Name: GFE

Project Name: RESERVOIR

Date: 10/8 Time: 10:15

Analysis: _____

Comments: _____

CHEMTECH'S SAMPLE ID: _____

Date Received: _____ Expiration Date: _____ Date: _____

Storage Location: D31
Sample: Q3320-05
Cust #: IA3

B2509079

D.O

57401

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8922

CHEMTECH

Client Sample ID #: SV3

Client Name: GFE

Project Name: RESERVOIR

Date: 10/8 Time: 10:15

Analysis: _____

Comments: _____

CHEMTECH'S SAMPLE ID: _____

Date Received: _____ Expiration Date: _____ Date: _____

Storage Location: D31
Sample: Q3320-06
Cust #: SV3

B2509079

1031 -4.3

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8922

CHEMTECH

Client Sample ID #: IA4

Client Name: GFE

Project Name: RESERVOIR

Date: 10/8 Time: TO-15

Analysis: _____

Comments: _____

CHEMTECH'S SAMPLE ID: _____

Date Received: _____ Expiration Date: _____

Storage Location: D31
Sample: Q3320-07
Cust #: IA4

B2509079

88501 -5.5

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8922

CHEMTECH

Client Sample ID #: SV4

Client Name: GFE

Project Name: RESERVOIR

Date: 10/8 Time: TO-15

Analysis: _____

Comments: _____

CHEMTECH'S SAMPLE ID: _____

Date Received: _____ Expiration Date: _____

Storage Location: D31
Sample: Q3320-08
Cust #: SV4

B2509079

15

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8922

CHEMTECH

Client Sample ID #: IA5

Client Name: GFE

Project Name: RESERVOIR

Date: 10/8 Time: TO-15

Analysis: _____

Comments: _____

CHEMTECH'S SAMPLE ID: _____

Date Received: _____ Expiration Date: _____

Storage Location: D31
Sample: Q3320-09
Cust #: IA5

B2509079

51

40901

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8922

CHEMTECH

Client Sample ID #: SV5

Client Name: RESERVOIR

Project Name: RESERVOIR

Date: 10/8 Time: 10:15

Analysis: 10-15

Comments: 10-15

CHEMTECH'S SAMPLE ID: _____

Date Received: _____ Expiration Date: _____

Storage Location: D31
Sample: Q3320-10
Cust #: SV5

132509079

51

40901

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8922

CHEMTECH

Client Sample ID #: IA6

Client Name: RESERVOIR

Project Name: RESERVOIR

Date: 10/8 Time: 10:15

Analysis: 10-15

Comments: 10-15

CHEMTECH'S SAMPLE ID: _____

Date Received: _____ Expiration Date: _____

Storage Location: D31
Sample: Q3320-11
Cust #: IA6

132509079

15

40901

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

CHEMTECH

Client Sample ID #: SV6

Client Name: RESERVOIR

Project Name: RESERVOIR

Date: 10/8 Time: 10:15

Analysis: 10-15

Comments: 10-15

CHEMTECH'S SAMPLE ID: _____

Date Received: _____ Expiration Date: _____

Storage Location: D31
Sample: Q3320-12
Cust #: SV6

132509079

CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789

1-8922

Client Sample ID #:

DA1

Client Name:

GFE

Project Name:

RESERVOIR

Date:

10/8

Time:

Analysis:

TD-15

Comments:

CHEMTECH'S SAMPLE ID:

Date Received:

Expiration Date:

D

Storage Location: D31

Sample: Q3320-13

Cust #: OA1

143

60901

132509079