

Hit Summary Sheet SW-846

SDG No.: Q3320

Client: GFE LLC

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID:	IA1							
Q3320-01	IA1	Air	Dichlorodifluoromethane	2.23	J	0.54	2.47	ug/m3
Q3320-01	IA1	Air	Chloromethane	1.36		0.21	1.03	ug/m3
Q3320-01	IA1	Air	Trichlorofluoromethane	1.29	J	0.96	2.81	ug/m3
Q3320-01	IA1	Air	tert-Butyl alcohol	0.55	J	0.49	1.52	ug/m3
Q3320-01	IA1	Air	Acetone	16.6		0.43	1.19	ug/m3
Q3320-01	IA1	Air	Methylene Chloride	3.02		0.80	1.74	ug/m3
Q3320-01	IA1	Air	2-Butanone	1.92		0.18	1.47	ug/m3
Q3320-01	IA1	Air	Carbon Tetrachloride	0.57		0.19	0.19	ug/m3
Q3320-01	IA1	Air	Chloroform	0.98	J	0.49	2.44	ug/m3
Q3320-01	IA1	Air	Benzene	0.35	J	0.26	1.60	ug/m3
Q3320-01	IA1	Air	Trichloroethene	0.38		0.11	0.16	ug/m3
Q3320-01	IA1	Air	4-Methyl-2-Pentanone	0.90	J	0.41	2.05	ug/m3
Q3320-01	IA1	Air	Toluene	0.60	J	0.60	1.88	ug/m3
Q3320-01	IA1	Air	Tetrachloroethene	0.41		0.14	0.20	ug/m3
Q3320-01	IA1	Air	1,1,2,2-Tetrachloroethane	0.34		0.14	0.21	ug/m3
Q3320-01	IA1	Air	Hexane	1.80		0.56	1.76	ug/m3
			Total Voc :		33.3			
			Total Concentration:		33.3			
Client ID:	SV1							
Q3320-02	SV1	Air	Tetrahydrofuran	6.49	J	2.36	14.8	ug/m3
Q3320-02	SV1	Air	Trichlorofluoromethane	364		9.55	28.1	ug/m3
Q3320-02	SV1	Air	Heptane	16.8	J	6.97	20.5	ug/m3
Q3320-02	SV1	Air	Acetone	144		4.28	11.9	ug/m3
Q3320-02	SV1	Air	Carbon Disulfide	23.0		2.49	15.6	ug/m3
Q3320-02	SV1	Air	Methylene Chloride	12.5	J	7.99	17.4	ug/m3
Q3320-02	SV1	Air	2-Butanone	14.8		1.65	14.8	ug/m3
Q3320-02	SV1	Air	Chloroform	26.9		4.69	24.4	ug/m3
Q3320-02	SV1	Air	1,1,1-Trichloroethane	25.6		0.87	1.64	ug/m3
Q3320-02	SV1	Air	Benzene	4.15	J	2.52	16.0	ug/m3
Q3320-02	SV1	Air	Trichloroethene	7520	E	1.29	1.61	ug/m3
Q3320-02	SV1	Air	Toluene	27.1		6.03	18.8	ug/m3
Q3320-02	SV1	Air	Tetrachloroethene	5700	E	1.02	2.03	ug/m3
Q3320-02	SV1	Air	o-Xylene	10.9	J	9.12	21.7	ug/m3
Q3320-02	SV1	Air	Hexane	99.4		5.64	17.6	ug/m3
			Total Voc :		14000			
			Total Concentration:		14000			

Hit Summary Sheet SW-846

SDG No.: Q3320

Client: GFE LLC

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID:	SV1DL							
Q3320-02DL	SV1DL	Air	Trichlorofluoromethane	427	JD	191	562	ug/m3
Q3320-02DL	SV1DL	Air	Trichloroethene	8600	D	25.8	32.3	ug/m3
Q3320-02DL	SV1DL	Air	Tetrachloroethene	5220	D	20.3	40.7	ug/m3
Total Voc :				14200				
Total Concentration:				14200				
Client ID:	IA2							
Q3320-03	IA2	Air	Dichlorodifluoromethane	2.08	J	0.54	2.47	ug/m3
Q3320-03	IA2	Air	Chloromethane	0.89	J	0.21	1.03	ug/m3
Q3320-03	IA2	Air	Trichlorofluoromethane	1.18	J	0.96	2.81	ug/m3
Q3320-03	IA2	Air	Acetone	7.36		0.43	1.19	ug/m3
Q3320-03	IA2	Air	Methylene Chloride	2.54		0.80	1.74	ug/m3
Q3320-03	IA2	Air	2-Butanone	0.65	J	0.18	1.47	ug/m3
Q3320-03	IA2	Air	Carbon Tetrachloride	0.44		0.19	0.19	ug/m3
Q3320-03	IA2	Air	Chloroform	0.68	J	0.49	2.44	ug/m3
Q3320-03	IA2	Air	Trichloroethene	0.27		0.11	0.16	ug/m3
Q3320-03	IA2	Air	Naphthalene	1.31		0.050	0.52	ug/m3
Q3320-03	IA2	Air	Hexane	1.16	J	0.56	1.76	ug/m3
Total Voc :				18.6				
Total Concentration:				18.6				
Client ID:	SV2							
Q3320-04	SV2	Air	Trichlorofluoromethane	66.3		9.55	28.1	ug/m3
Q3320-04	SV2	Air	Acetone	168		4.28	11.9	ug/m3
Q3320-04	SV2	Air	Carbon Disulfide	4.98	J	2.49	15.6	ug/m3
Q3320-04	SV2	Air	Methylene Chloride	10.8	J	7.99	17.4	ug/m3
Q3320-04	SV2	Air	2-Butanone	7.96	J	1.65	14.8	ug/m3
Q3320-04	SV2	Air	1,1,1-Trichloroethane	8.18		0.87	1.64	ug/m3
Q3320-04	SV2	Air	Trichloroethene	155		1.29	1.61	ug/m3
Q3320-04	SV2	Air	Toluene	12.8	J	6.03	18.8	ug/m3
Q3320-04	SV2	Air	Tetrachloroethene	2170	E	1.02	2.03	ug/m3
Q3320-04	SV2	Air	Hexane	33.5		5.64	17.6	ug/m3
Total Voc :				2640				
Total Concentration:				2640				
Client ID:	SV2DL							
Q3320-04DL	SV2DL	Air	Trichlorofluoromethane	66.3	JD	38.2	112	ug/m3
Q3320-04DL	SV2DL	Air	Acetone	167	D	17.1	47.5	ug/m3
Q3320-04DL	SV2DL	Air	Methylene Chloride	33.7	JD	32.0	69.5	ug/m3
Q3320-04DL	SV2DL	Air	1,1,1-Trichloroethane	9.28	D	3.49	6.55	ug/m3

Hit Summary Sheet
SW-846

SDG No.: Q3320

Client: GFE LLC

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Q3320-04DL	SV2DL	Air	Trichloroethene	153	D	5.16	6.45	ug/m3
Q3320-04DL	SV2DL	Air	Tetrachloroethene	2030	D	4.07	8.14	ug/m3
Q3320-04DL	SV2DL	Air	Hexane	31.4	JD	22.6	70.5	ug/m3
Total Voc :				2490				
Total Concentration:				2490				
Client ID:	IA3							
Q3320-05	IA3	Air	Dichlorodifluoromethane	2.62		0.54	2.47	ug/m3
Q3320-05	IA3	Air	Chloromethane	1.07		0.21	1.03	ug/m3
Q3320-05	IA3	Air	Trichlorofluoromethane	1.46	J	0.96	2.81	ug/m3
Q3320-05	IA3	Air	Acetone	9.50		0.43	1.19	ug/m3
Q3320-05	IA3	Air	Methylene Chloride	6.60		0.80	1.74	ug/m3
Q3320-05	IA3	Air	2-Butanone	0.59	J	0.18	1.47	ug/m3
Q3320-05	IA3	Air	Carbon Tetrachloride	0.57		0.19	0.19	ug/m3
Q3320-05	IA3	Air	Chloroform	0.49	J	0.49	2.44	ug/m3
Q3320-05	IA3	Air	Trichloroethene	0.21		0.11	0.16	ug/m3
Q3320-05	IA3	Air	Toluene	0.68	J	0.60	1.88	ug/m3
Q3320-05	IA3	Air	Tetrachloroethene	0.27		0.14	0.20	ug/m3
Q3320-05	IA3	Air	Hexane	4.23		0.56	1.76	ug/m3
Total Voc :				28.3				
Total Concentration:				28.3				
Client ID:	SV3							
Q3320-06	SV3	Air	Tetrahydrofuran	2.45	J	1.18	7.37	ug/m3
Q3320-06	SV3	Air	Trichlorofluoromethane	5.34	J	4.78	14.1	ug/m3
Q3320-06	SV3	Air	Heptane	9.02	J	3.48	10.3	ug/m3
Q3320-06	SV3	Air	Acetone	138		2.14	5.94	ug/m3
Q3320-06	SV3	Air	Methylene Chloride	4.52	J	4.17	8.69	ug/m3
Q3320-06	SV3	Air	2-Butanone	3.24	J	0.83	7.37	ug/m3
Q3320-06	SV3	Air	Trichloroethene	2.53		0.64	0.81	ug/m3
Q3320-06	SV3	Air	Toluene	11.3		3.01	9.42	ug/m3
Q3320-06	SV3	Air	Tetrachloroethene	3.05		0.54	1.02	ug/m3
Q3320-06	SV3	Air	o-Xylene	4.78	J	4.78	10.9	ug/m3
Q3320-06	SV3	Air	Hexane	60.6		2.82	8.81	ug/m3
Total Voc :				245				
Total Concentration:				245				
Client ID:	IA4							
Q3320-07	IA4	Air	Dichlorodifluoromethane	2.52		0.54	2.47	ug/m3
Q3320-07	IA4	Air	Chloromethane	1.03		0.21	1.03	ug/m3
Q3320-07	IA4	Air	Trichlorofluoromethane	1.46	J	0.96	2.81	ug/m3

Hit Summary Sheet
SW-846

SDG No.: Q3320

Client: GFE LLC

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Q3320-07	IA4	Air	Acetone	9.74		0.43	1.19	ug/m3
Q3320-07	IA4	Air	Methylene Chloride	2.15		0.80	1.74	ug/m3
Q3320-07	IA4	Air	2-Butanone	0.65	J	0.18	1.47	ug/m3
Q3320-07	IA4	Air	Carbon Tetrachloride	0.57		0.19	0.19	ug/m3
Q3320-07	IA4	Air	Chloroform	0.54	J	0.49	2.44	ug/m3
Q3320-07	IA4	Air	Trichloroethene	0.27		0.11	0.16	ug/m3
Q3320-07	IA4	Air	Hexane	1.30	J	0.56	1.76	ug/m3
Total Voc :				20.2				
Total Concentration:				20.2				
Client ID:	SV4							
Q3320-08	SV4	Air	Tetrahydrofuran	3.83	J	1.89	11.8	ug/m3
Q3320-08	SV4	Air	Heptane	11.9	J	5.74	16.4	ug/m3
Q3320-08	SV4	Air	Acetone	499	E	3.33	9.50	ug/m3
Q3320-08	SV4	Air	Carbon Disulfide	3.43	J	1.99	12.5	ug/m3
Q3320-08	SV4	Air	Methylene Chloride	11.1	J	6.25	13.9	ug/m3
Q3320-08	SV4	Air	2-Butanone	12.1		1.33	11.8	ug/m3
Q3320-08	SV4	Air	Trichloroethene	4.94		1.02	1.29	ug/m3
Q3320-08	SV4	Air	Toluene	17.0		4.90	15.1	ug/m3
Q3320-08	SV4	Air	Tetrachloroethene	10.8		0.81	1.63	ug/m3
Q3320-08	SV4	Air	o-Xylene	9.56	J	7.38	17.4	ug/m3
Q3320-08	SV4	Air	Hexane	90.6		4.58	14.1	ug/m3
Total Voc :				674				
Total Concentration:				674				
Client ID:	SV4DL							
Q3320-08DL	SV4DL	Air	Acetone	546	D	17.1	47.5	ug/m3
Q3320-08DL	SV4DL	Air	Methylene Chloride	33.7	JD	32.0	69.5	ug/m3
Q3320-08DL	SV4DL	Air	2-Butanone	13.9	JD	6.49	59.0	ug/m3
Q3320-08DL	SV4DL	Air	Tetrachloroethene	12.2	D	4.07	8.14	ug/m3
Q3320-08DL	SV4DL	Air	Hexane	59.6	JD	22.6	70.5	ug/m3
Total Voc :				666				
Total Concentration:				666				
Client ID:	IA5							
Q3320-09	IA5	Air	Dichlorodifluoromethane	2.47		0.54	2.47	ug/m3
Q3320-09	IA5	Air	Chloromethane	1.01	J	0.21	1.03	ug/m3
Q3320-09	IA5	Air	Trichlorofluoromethane	1.35	J	0.96	2.81	ug/m3
Q3320-09	IA5	Air	Acetone	24.0		0.43	1.19	ug/m3
Q3320-09	IA5	Air	Methylene Chloride	2.33		0.80	1.74	ug/m3
Q3320-09	IA5	Air	2-Butanone	1.06	J	0.18	1.47	ug/m3

Hit Summary Sheet SW-846

SDG No.: Q3320

Client: GFE LLC

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Q3320-09	IA5	Air	Carbon Tetrachloride	0.50		0.19	0.19	ug/m3
Q3320-09	IA5	Air	Chloroform	1.56	J	0.49	2.44	ug/m3
Q3320-09	IA5	Air	Toluene	1.13	J	0.60	1.88	ug/m3
Q3320-09	IA5	Air	Tetrachloroethene	0.34		0.14	0.20	ug/m3
Q3320-09	IA5	Air	Hexane	1.52	J	0.56	1.76	ug/m3
Total Voc :				37.3				
Total Concentration:				37.3				
Client ID:	SV5							
Q3320-10	SV5	Air	tert-Butyl alcohol	5.15	J	3.94	12.1	ug/m3
Q3320-10	SV5	Air	Acetone	174		3.33	9.50	ug/m3
Q3320-10	SV5	Air	Methylene Chloride	7.30	J	6.25	13.9	ug/m3
Q3320-10	SV5	Air	2-Butanone	2.51	J	1.33	11.8	ug/m3
Q3320-10	SV5	Air	Trichloroethene	5.37		1.02	1.29	ug/m3
Q3320-10	SV5	Air	Toluene	8.67	J	4.90	15.1	ug/m3
Q3320-10	SV5	Air	Tetrachloroethene	42.0		0.81	1.63	ug/m3
Q3320-10	SV5	Air	Hexane	28.2		4.58	14.1	ug/m3
Total Voc :				273				
Total Concentration:				273				
Client ID:	IA6							
Q3320-11	IA6	Air	Dichlorodifluoromethane	2.08	J	0.54	2.47	ug/m3
Q3320-11	IA6	Air	Chloromethane	0.95	J	0.21	1.03	ug/m3
Q3320-11	IA6	Air	Trichlorofluoromethane	1.12	J	0.96	2.81	ug/m3
Q3320-11	IA6	Air	Acetone	20.7		0.43	1.19	ug/m3
Q3320-11	IA6	Air	Methylene Chloride	1.84		0.80	1.74	ug/m3
Q3320-11	IA6	Air	2-Butanone	0.53	J	0.18	1.47	ug/m3
Q3320-11	IA6	Air	Carbon Tetrachloride	0.44		0.19	0.19	ug/m3
Q3320-11	IA6	Air	Chloroform	1.07	J	0.49	2.44	ug/m3
Q3320-11	IA6	Air	Toluene	1.09	J	0.60	1.88	ug/m3
Q3320-11	IA6	Air	Naphthalene	1.31		0.050	0.52	ug/m3
Q3320-11	IA6	Air	Hexane	0.99	J	0.56	1.76	ug/m3
Total Voc :				32.1				
Total Concentration:				32.1				
Client ID:	SV6							
Q3320-12	SV6	Air	tert-Butyl alcohol	9.70		2.43	7.58	ug/m3
Q3320-12	SV6	Air	Acetone	194	E	2.14	5.94	ug/m3
Q3320-12	SV6	Air	Methylene Chloride	4.17	J	4.17	8.69	ug/m3
Q3320-12	SV6	Air	2-Butanone	2.77	J	0.83	7.37	ug/m3
Q3320-12	SV6	Air	Benzene	1.69	J	1.28	7.99	ug/m3

Hit Summary Sheet SW-846

SDG No.: Q3320

Client: GFE LLC

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Q3320-12	SV6	Air	Trichloroethene	9.14		0.64	0.81	ug/m3
Q3320-12	SV6	Air	Toluene	6.41	J	3.01	9.42	ug/m3
Q3320-12	SV6	Air	Tetrachloroethene	57.0		0.54	1.02	ug/m3
Q3320-12	SV6	Air	Ethyl Benzene	43.9		4.13	10.9	ug/m3
Q3320-12	SV6	Air	m/p-Xylene	87.7		9.12	21.7	ug/m3
Q3320-12	SV6	Air	o-Xylene	16.5		4.78	10.9	ug/m3
Q3320-12	SV6	Air	Hexane	20.1		2.82	8.81	ug/m3
Total Voc :				453				
Total Concentration:				453				
Client ID:	SV6DL							
Q3320-12DL	SV6DL	Air	tert-Butyl alcohol	9.70	JD	4.85	15.2	ug/m3
Q3320-12DL	SV6DL	Air	Acetone	187	D	4.28	11.9	ug/m3
Q3320-12DL	SV6DL	Air	Trichloroethene	9.67	D	1.29	1.61	ug/m3
Q3320-12DL	SV6DL	Air	Toluene	6.03	JD	6.03	18.8	ug/m3
Q3320-12DL	SV6DL	Air	Tetrachloroethene	52.9	D	1.02	2.03	ug/m3
Q3320-12DL	SV6DL	Air	Ethyl Benzene	33.9	D	8.25	21.7	ug/m3
Q3320-12DL	SV6DL	Air	m/p-Xylene	67.8	D	17.8	43.4	ug/m3
Q3320-12DL	SV6DL	Air	o-Xylene	13.9	JD	9.12	21.7	ug/m3
Q3320-12DL	SV6DL	Air	Hexane	17.6	D	5.64	17.6	ug/m3
Total Voc :				399				
Total Concentration:				399				
Client ID:	OA1							
Q3320-13	OA1	Air	Dichlorodifluoromethane	2.32	J	0.54	2.47	ug/m3
Q3320-13	OA1	Air	Chloromethane	0.91	J	0.21	1.03	ug/m3
Q3320-13	OA1	Air	Trichlorofluoromethane	1.29	J	0.96	2.81	ug/m3
Q3320-13	OA1	Air	Acetone	8.08		0.43	1.19	ug/m3
Q3320-13	OA1	Air	Methylene Chloride	2.43		0.80	1.74	ug/m3
Q3320-13	OA1	Air	2-Butanone	0.41	J	0.18	1.47	ug/m3
Q3320-13	OA1	Air	Carbon Tetrachloride	0.50		0.19	0.19	ug/m3
Q3320-13	OA1	Air	Hexane	1.20	J	0.56	1.76	ug/m3
Total Voc :				17.1				
Total Concentration:				17.1				