

## Report of Analysis

|                    |                        |            |                 |       |
|--------------------|------------------------|------------|-----------------|-------|
| Client:            | Weston Solutions, Inc. |            | Date Collected: |       |
| Project:           | RFP 918                |            | Date Received:  |       |
| Client Sample ID:  | PB170053BS             |            | SDG No.:        | Q3321 |
| Lab Sample ID:     | PB170053BS             |            | Matrix:         | SOIL  |
| Analytical Method: | 8082A                  |            | % Solid:        | 100   |
| Sample Wt/Vol:     | 30.02 g                | Final Vol: | 10000 uL        | Test: |
| Prep Method:       | SW3541B                | Prep Date  | 10/10/25        | PCB   |

| CAS Number        | Parameter            | Conc. | Qua. | DF | MDL      | LOQ / CRQL | Units   | Date Ana.      | BatchID  |
|-------------------|----------------------|-------|------|----|----------|------------|---------|----------------|----------|
| <b>TARGETS</b>    |                      |       |      |    |          |            |         |                |          |
| 12674-11-2        | Aroclor-1016         | 130   |      | 1  | 3.90     | 17.0       | ug/kg   | 10/15/25 11:26 | PB170053 |
| 11104-28-2        | Aroclor-1221         | 4.00  | U    | 1  | 4.00     | 17.0       | ug/kg   | 10/15/25 11:26 | PB170053 |
| 11141-16-5        | Aroclor-1232         | 3.70  | U    | 1  | 3.70     | 17.0       | ug/kg   | 10/15/25 11:26 | PB170053 |
| 53469-21-9        | Aroclor-1242         | 4.00  | U    | 1  | 4.00     | 17.0       | ug/kg   | 10/15/25 11:26 | PB170053 |
| 12672-29-6        | Aroclor-1248         | 5.90  | U    | 1  | 5.90     | 17.0       | ug/kg   | 10/15/25 11:26 | PB170053 |
| 11097-69-1        | Aroclor-1254         | 3.20  | U    | 1  | 3.20     | 17.0       | ug/kg   | 10/15/25 11:26 | PB170053 |
| 37324-23-5        | Aroclor-1262         | 5.00  | U    | 1  | 5.00     | 17.0       | ug/kg   | 10/15/25 11:26 | PB170053 |
| 11100-14-4        | Aroclor-1268         | 3.60  | U    | 1  | 3.60     | 17.0       | ug/kg   | 10/15/25 11:26 | PB170053 |
| 11096-82-5        | Aroclor-1260         | 127   |      | 1  | 3.20     | 17.0       | ug/kg   | 10/15/25 11:26 | PB170053 |
| <b>SURROGATES</b> |                      |       |      |    |          |            |         |                |          |
| 877-09-8          | Tetrachloro-m-xylene | 15.9  |      |    | 32 - 144 | 80%        | SPK: 20 |                |          |
| 2051-24-3         | Decachlorobiphenyl   | 14.8  |      |    | 32 - 175 | 74%        | SPK: 20 |                |          |

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit