

Report of Analysis

Client:	Langan Engineering and Environmental Services, Inc		Date Collected:	10/09/25
Project:	Con Edison Richmond Terrace		Date Received:	10/09/25
Client Sample ID:	SED-03-0-2		SDG No.:	Q3323
Lab Sample ID:	Q3323-03		Matrix:	SOIL
Analytical Method:	8082A		% Solid:	71.6
Sample Wt/Vol:	30.08 g	Final Vol:	10000 uL	Test:
Prep Method:	SW3541B	Prep Date	10/13/25	PCB

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	BatchID
TARGETS									
12674-11-2	Aroclor-1016	5.50	U	1	5.50	23.7	ug/kg	10/13/25 14:01	PB170064
11104-28-2	Aroclor-1221	5.60	U	1	5.60	23.7	ug/kg	10/13/25 14:01	PB170064
11141-16-5	Aroclor-1232	5.20	U	1	5.20	23.7	ug/kg	10/13/25 14:01	PB170064
53469-21-9	Aroclor-1242	5.60	U	1	5.60	23.7	ug/kg	10/13/25 14:01	PB170064
12672-29-6	Aroclor-1248	8.20	U	1	8.20	23.7	ug/kg	10/13/25 14:01	PB170064
11097-69-1	Aroclor-1254	4.50	U	1	4.50	23.7	ug/kg	10/13/25 14:01	PB170064
37324-23-5	Aroclor-1262	7.00	U	1	7.00	23.7	ug/kg	10/13/25 14:01	PB170064
11100-14-4	Aroclor-1268	5.00	U	1	5.00	23.7	ug/kg	10/13/25 14:01	PB170064
11096-82-5	Aroclor-1260	4.50	U	1	4.50	23.7	ug/kg	10/13/25 14:01	PB170064
SURROGATES									
877-09-8	Tetrachloro-m-xylene	24.0			32 - 144	120%	SPK: 20		
2051-24-3	Decachlorobiphenyl	18.3			32 - 175	92%	SPK: 20		

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit