



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

**Hit Summary Sheet**  
**SW-846**

**SDG No.:** Q3323

**Order ID:** Q3323

**Client:** Langan Engineering and Environmental Services.

**Project ID:** Con Edison Richmond Terrace

| Sample ID | Client ID | Matrix | Parameter | Concentration | C | MDL | RDL | Units |
|-----------|-----------|--------|-----------|---------------|---|-----|-----|-------|
|-----------|-----------|--------|-----------|---------------|---|-----|-----|-------|

**Client ID :**

**Total Concentration:** 0.000



# SAMPLE DATA

A

B

C

D

## Report of Analysis

|                    |                                                    |            |                 |          |
|--------------------|----------------------------------------------------|------------|-----------------|----------|
| Client:            | Langan Engineering and Environmental Services, Inc |            | Date Collected: | 10/09/25 |
| Project:           | Con Edison Richmond Terrace                        |            | Date Received:  | 10/09/25 |
| Client Sample ID:  | SED-01-0-2                                         |            | SDG No.:        | Q3323    |
| Lab Sample ID:     | Q3323-01                                           |            | Matrix:         | SOIL     |
| Analytical Method: | 8082A                                              |            | % Solid:        | 66.8     |
| Sample Wt/Vol:     | 30.04 g                                            | Final Vol: | 10000 uL        | Test:    |
| Prep Method:       | SW3541B                                            | Prep Date  | 10/13/25        | PCB      |

| CAS Number        | Parameter            | Conc. | Qua. | DF | MDL      | LOQ / CRQL | Units   | Date Ana.      | BatchID  |
|-------------------|----------------------|-------|------|----|----------|------------|---------|----------------|----------|
| <b>TARGETS</b>    |                      |       |      |    |          |            |         |                |          |
| 12674-11-2        | Aroclor-1016         | 5.90  | U    | 1  | 5.90     | 25.4       | ug/kg   | 10/13/25 13:29 | PB170064 |
| 11104-28-2        | Aroclor-1221         | 6.00  | U    | 1  | 6.00     | 25.4       | ug/kg   | 10/13/25 13:29 | PB170064 |
| 11141-16-5        | Aroclor-1232         | 5.60  | U    | 1  | 5.60     | 25.4       | ug/kg   | 10/13/25 13:29 | PB170064 |
| 53469-21-9        | Aroclor-1242         | 6.00  | U    | 1  | 6.00     | 25.4       | ug/kg   | 10/13/25 13:29 | PB170064 |
| 12672-29-6        | Aroclor-1248         | 8.90  | U    | 1  | 8.90     | 25.4       | ug/kg   | 10/13/25 13:29 | PB170064 |
| 11097-69-1        | Aroclor-1254         | 4.80  | U    | 1  | 4.80     | 25.4       | ug/kg   | 10/13/25 13:29 | PB170064 |
| 37324-23-5        | Aroclor-1262         | 7.50  | U    | 1  | 7.50     | 25.4       | ug/kg   | 10/13/25 13:29 | PB170064 |
| 11100-14-4        | Aroclor-1268         | 5.40  | U    | 1  | 5.40     | 25.4       | ug/kg   | 10/13/25 13:29 | PB170064 |
| 11096-82-5        | Aroclor-1260         | 4.80  | U    | 1  | 4.80     | 25.4       | ug/kg   | 10/13/25 13:29 | PB170064 |
| <b>SURROGATES</b> |                      |       |      |    |          |            |         |                |          |
| 877-09-8          | Tetrachloro-m-xylene | 22.9  |      |    | 32 - 144 | 115%       | SPK: 20 |                |          |
| 2051-24-3         | Decachlorobiphenyl   | 17.0  |      |    | 32 - 175 | 85%        | SPK: 20 |                |          |

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

## Report of Analysis

|                    |                                                    |            |                 |          |
|--------------------|----------------------------------------------------|------------|-----------------|----------|
| Client:            | Langan Engineering and Environmental Services, Inc |            | Date Collected: | 10/09/25 |
| Project:           | Con Edison Richmond Terrace                        |            | Date Received:  | 10/09/25 |
| Client Sample ID:  | SED-02-0-2                                         |            | SDG No.:        | Q3323    |
| Lab Sample ID:     | Q3323-02                                           |            | Matrix:         | SOIL     |
| Analytical Method: | 8082A                                              |            | % Solid:        | 57.3     |
| Sample Wt/Vol:     | 30.03 g                                            | Final Vol: | 10000 uL        | Test:    |
| Prep Method:       | SW3541B                                            | Prep Date  | 10/13/25        | PCB      |

| CAS Number        | Parameter            | Conc. | Qua. | DF | MDL      | LOQ / CRQL | Units   | Date Ana.      | BatchID  |
|-------------------|----------------------|-------|------|----|----------|------------|---------|----------------|----------|
| <b>TARGETS</b>    |                      |       |      |    |          |            |         |                |          |
| 12674-11-2        | Aroclor-1016         | 6.90  | U    | 1  | 6.90     | 29.6       | ug/kg   | 10/13/25 13:45 | PB170064 |
| 11104-28-2        | Aroclor-1221         | 7.00  | U    | 1  | 7.00     | 29.6       | ug/kg   | 10/13/25 13:45 | PB170064 |
| 11141-16-5        | Aroclor-1232         | 6.50  | U    | 1  | 6.50     | 29.6       | ug/kg   | 10/13/25 13:45 | PB170064 |
| 53469-21-9        | Aroclor-1242         | 7.00  | U    | 1  | 7.00     | 29.6       | ug/kg   | 10/13/25 13:45 | PB170064 |
| 12672-29-6        | Aroclor-1248         | 10.3  | U    | 1  | 10.3     | 29.6       | ug/kg   | 10/13/25 13:45 | PB170064 |
| 11097-69-1        | Aroclor-1254         | 5.60  | U    | 1  | 5.60     | 29.6       | ug/kg   | 10/13/25 13:45 | PB170064 |
| 37324-23-5        | Aroclor-1262         | 8.80  | U    | 1  | 8.80     | 29.6       | ug/kg   | 10/13/25 13:45 | PB170064 |
| 11100-14-4        | Aroclor-1268         | 6.30  | U    | 1  | 6.30     | 29.6       | ug/kg   | 10/13/25 13:45 | PB170064 |
| 11096-82-5        | Aroclor-1260         | 5.60  | U    | 1  | 5.60     | 29.6       | ug/kg   | 10/13/25 13:45 | PB170064 |
| <b>SURROGATES</b> |                      |       |      |    |          |            |         |                |          |
| 877-09-8          | Tetrachloro-m-xylene | 24.8  |      |    | 32 - 144 | 124%       | SPK: 20 |                |          |
| 2051-24-3         | Decachlorobiphenyl   | 21.8  |      |    | 32 - 175 | 109%       | SPK: 20 |                |          |

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

## Report of Analysis

|                    |                                                    |                     |                 |          |
|--------------------|----------------------------------------------------|---------------------|-----------------|----------|
| Client:            | Langan Engineering and Environmental Services, Inc |                     | Date Collected: | 10/09/25 |
| Project:           | Con Edison Richmond Terrace                        |                     | Date Received:  | 10/09/25 |
| Client Sample ID:  | SED-03-0-2                                         |                     | SDG No.:        | Q3323    |
| Lab Sample ID:     | Q3323-03                                           |                     | Matrix:         | SOIL     |
| Analytical Method: | 8082A                                              |                     | % Solid:        | 71.6     |
| Sample Wt/Vol:     | 30.08 g                                            | Final Vol: 10000 uL | Test:           | PCB      |
| Prep Method:       | SW3541B                                            | Prep Date 10/13/25  |                 |          |

| CAS Number        | Parameter            | Conc. | Qua. | DF | MDL      | LOQ / CRQL | Units   | Date Ana.      | BatchID  |
|-------------------|----------------------|-------|------|----|----------|------------|---------|----------------|----------|
| <b>TARGETS</b>    |                      |       |      |    |          |            |         |                |          |
| 12674-11-2        | Aroclor-1016         | 5.50  | U    | 1  | 5.50     | 23.7       | ug/kg   | 10/13/25 14:01 | PB170064 |
| 11104-28-2        | Aroclor-1221         | 5.60  | U    | 1  | 5.60     | 23.7       | ug/kg   | 10/13/25 14:01 | PB170064 |
| 11141-16-5        | Aroclor-1232         | 5.20  | U    | 1  | 5.20     | 23.7       | ug/kg   | 10/13/25 14:01 | PB170064 |
| 53469-21-9        | Aroclor-1242         | 5.60  | U    | 1  | 5.60     | 23.7       | ug/kg   | 10/13/25 14:01 | PB170064 |
| 12672-29-6        | Aroclor-1248         | 8.20  | U    | 1  | 8.20     | 23.7       | ug/kg   | 10/13/25 14:01 | PB170064 |
| 11097-69-1        | Aroclor-1254         | 4.50  | U    | 1  | 4.50     | 23.7       | ug/kg   | 10/13/25 14:01 | PB170064 |
| 37324-23-5        | Aroclor-1262         | 7.00  | U    | 1  | 7.00     | 23.7       | ug/kg   | 10/13/25 14:01 | PB170064 |
| 11100-14-4        | Aroclor-1268         | 5.00  | U    | 1  | 5.00     | 23.7       | ug/kg   | 10/13/25 14:01 | PB170064 |
| 11096-82-5        | Aroclor-1260         | 4.50  | U    | 1  | 4.50     | 23.7       | ug/kg   | 10/13/25 14:01 | PB170064 |
| <b>SURROGATES</b> |                      |       |      |    |          |            |         |                |          |
| 877-09-8          | Tetrachloro-m-xylene | 24.0  |      |    | 32 - 144 | 120%       | SPK: 20 |                |          |
| 2051-24-3         | Decachlorobiphenyl   | 18.3  |      |    | 32 - 175 | 92%        | SPK: 20 |                |          |

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

## Report of Analysis

|                    |                                                    |                     |                 |          |
|--------------------|----------------------------------------------------|---------------------|-----------------|----------|
| Client:            | Langan Engineering and Environmental Services, Inc |                     | Date Collected: | 10/09/25 |
| Project:           | Con Edison Richmond Terrace                        |                     | Date Received:  | 10/09/25 |
| Client Sample ID:  | SED-04-0-2                                         |                     | SDG No.:        | Q3323    |
| Lab Sample ID:     | Q3323-04                                           |                     | Matrix:         | SOIL     |
| Analytical Method: | 8082A                                              |                     | % Solid:        | 70.2     |
| Sample Wt/Vol:     | 30.07 g                                            | Final Vol: 10000 uL | Test:           | PCB      |
| Prep Method:       | SW3541B                                            | Prep Date 10/13/25  |                 |          |

| CAS Number        | Parameter            | Conc. | Qua. | DF | MDL      | LOQ / CRQL | Units   | Date Ana.      | BatchID  |
|-------------------|----------------------|-------|------|----|----------|------------|---------|----------------|----------|
| <b>TARGETS</b>    |                      |       |      |    |          |            |         |                |          |
| 12674-11-2        | Aroclor-1016         | 5.60  | U    | 1  | 5.60     | 24.2       | ug/kg   | 10/13/25 14:17 | PB170064 |
| 11104-28-2        | Aroclor-1221         | 5.70  | U    | 1  | 5.70     | 24.2       | ug/kg   | 10/13/25 14:17 | PB170064 |
| 11141-16-5        | Aroclor-1232         | 5.30  | U    | 1  | 5.30     | 24.2       | ug/kg   | 10/13/25 14:17 | PB170064 |
| 53469-21-9        | Aroclor-1242         | 5.70  | U    | 1  | 5.70     | 24.2       | ug/kg   | 10/13/25 14:17 | PB170064 |
| 12672-29-6        | Aroclor-1248         | 8.40  | U    | 1  | 8.40     | 24.2       | ug/kg   | 10/13/25 14:17 | PB170064 |
| 11097-69-1        | Aroclor-1254         | 4.60  | U    | 1  | 4.60     | 24.2       | ug/kg   | 10/13/25 14:17 | PB170064 |
| 37324-23-5        | Aroclor-1262         | 7.10  | U    | 1  | 7.10     | 24.2       | ug/kg   | 10/13/25 14:17 | PB170064 |
| 11100-14-4        | Aroclor-1268         | 5.10  | U    | 1  | 5.10     | 24.2       | ug/kg   | 10/13/25 14:17 | PB170064 |
| 11096-82-5        | Aroclor-1260         | 4.60  | U    | 1  | 4.60     | 24.2       | ug/kg   | 10/13/25 14:17 | PB170064 |
| <b>SURROGATES</b> |                      |       |      |    |          |            |         |                |          |
| 877-09-8          | Tetrachloro-m-xylene | 23.7  |      |    | 32 - 144 | 119%       | SPK: 20 |                |          |
| 2051-24-3         | Decachlorobiphenyl   | 18.0  |      |    | 32 - 175 | 90%        | SPK: 20 |                |          |

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

## Report of Analysis

|                    |                                                    |                     |                 |          |
|--------------------|----------------------------------------------------|---------------------|-----------------|----------|
| Client:            | Langan Engineering and Environmental Services, Inc |                     | Date Collected: | 10/09/25 |
| Project:           | Con Edison Richmond Terrace                        |                     | Date Received:  | 10/09/25 |
| Client Sample ID:  | SED-05-0-2                                         |                     | SDG No.:        | Q3323    |
| Lab Sample ID:     | Q3323-05                                           |                     | Matrix:         | SOIL     |
| Analytical Method: | 8082A                                              |                     | % Solid:        | 77.4     |
| Sample Wt/Vol:     | 30.05 g                                            | Final Vol: 10000 uL | Test:           | PCB      |
| Prep Method:       | SW3541B                                            | Prep Date 10/13/25  |                 |          |

| CAS Number        | Parameter            | Conc. | Qua. | DF | MDL      | LOQ / CRQL | Units   | Date Ana.      | BatchID  |
|-------------------|----------------------|-------|------|----|----------|------------|---------|----------------|----------|
| <b>TARGETS</b>    |                      |       |      |    |          |            |         |                |          |
| 12674-11-2        | Aroclor-1016         | 5.10  | U    | 1  | 5.10     | 21.9       | ug/kg   | 10/13/25 14:33 | PB170064 |
| 11104-28-2        | Aroclor-1221         | 5.20  | U    | 1  | 5.20     | 21.9       | ug/kg   | 10/13/25 14:33 | PB170064 |
| 11141-16-5        | Aroclor-1232         | 4.80  | U    | 1  | 4.80     | 21.9       | ug/kg   | 10/13/25 14:33 | PB170064 |
| 53469-21-9        | Aroclor-1242         | 5.20  | U    | 1  | 5.20     | 21.9       | ug/kg   | 10/13/25 14:33 | PB170064 |
| 12672-29-6        | Aroclor-1248         | 7.60  | U    | 1  | 7.60     | 21.9       | ug/kg   | 10/13/25 14:33 | PB170064 |
| 11097-69-1        | Aroclor-1254         | 4.10  | U    | 1  | 4.10     | 21.9       | ug/kg   | 10/13/25 14:33 | PB170064 |
| 37324-23-5        | Aroclor-1262         | 6.50  | U    | 1  | 6.50     | 21.9       | ug/kg   | 10/13/25 14:33 | PB170064 |
| 11100-14-4        | Aroclor-1268         | 4.60  | U    | 1  | 4.60     | 21.9       | ug/kg   | 10/13/25 14:33 | PB170064 |
| 11096-82-5        | Aroclor-1260         | 4.20  | U    | 1  | 4.20     | 21.9       | ug/kg   | 10/13/25 14:33 | PB170064 |
| <b>SURROGATES</b> |                      |       |      |    |          |            |         |                |          |
| 877-09-8          | Tetrachloro-m-xylene | 30.7  | *    |    | 32 - 144 | 154%       | SPK: 20 |                |          |
| 2051-24-3         | Decachlorobiphenyl   | 18.9  |      |    | 32 - 175 | 94%        | SPK: 20 |                |          |

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

## Report of Analysis

|                    |                                                    |                 |          |
|--------------------|----------------------------------------------------|-----------------|----------|
| Client:            | Langan Engineering and Environmental Services, Inc | Date Collected: | 10/09/25 |
| Project:           | Con Edison Richmond Terrace                        | Date Received:  | 10/09/25 |
| Client Sample ID:  | SED-06-0-2                                         | SDG No.:        | Q3323    |
| Lab Sample ID:     | Q3323-06                                           | Matrix:         | SOIL     |
| Analytical Method: | 8082A                                              | % Solid:        | 80.8     |
| Sample Wt/Vol:     | 30.02 g                                            | Final Vol:      | 10000 uL |
| Prep Method:       | SW3541B                                            | Prep Date       | 10/13/25 |
|                    |                                                    | Test:           | PCB      |

| CAS Number        | Parameter            | Conc. | Qua. | DF | MDL      | LOQ / CRQL | Units   | Date Ana.      | BatchID  |
|-------------------|----------------------|-------|------|----|----------|------------|---------|----------------|----------|
| <b>TARGETS</b>    |                      |       |      |    |          |            |         |                |          |
| 12674-11-2        | Aroclor-1016         | 4.90  | U    | 1  | 4.90     | 21.0       | ug/kg   | 10/13/25 14:50 | PB170064 |
| 11104-28-2        | Aroclor-1221         | 5.00  | U    | 1  | 5.00     | 21.0       | ug/kg   | 10/13/25 14:50 | PB170064 |
| 11141-16-5        | Aroclor-1232         | 4.60  | U    | 1  | 4.60     | 21.0       | ug/kg   | 10/13/25 14:50 | PB170064 |
| 53469-21-9        | Aroclor-1242         | 5.00  | U    | 1  | 5.00     | 21.0       | ug/kg   | 10/13/25 14:50 | PB170064 |
| 12672-29-6        | Aroclor-1248         | 7.30  | U    | 1  | 7.30     | 21.0       | ug/kg   | 10/13/25 14:50 | PB170064 |
| 11097-69-1        | Aroclor-1254         | 4.00  | U    | 1  | 4.00     | 21.0       | ug/kg   | 10/13/25 14:50 | PB170064 |
| 37324-23-5        | Aroclor-1262         | 6.20  | U    | 1  | 6.20     | 21.0       | ug/kg   | 10/13/25 14:50 | PB170064 |
| 11100-14-4        | Aroclor-1268         | 4.50  | U    | 1  | 4.50     | 21.0       | ug/kg   | 10/13/25 14:50 | PB170064 |
| 11096-82-5        | Aroclor-1260         | 4.00  | U    | 1  | 4.00     | 21.0       | ug/kg   | 10/13/25 14:50 | PB170064 |
| <b>SURROGATES</b> |                      |       |      |    |          |            |         |                |          |
| 877-09-8          | Tetrachloro-m-xylene | 22.6  |      |    | 32 - 144 | 113%       | SPK: 20 |                |          |
| 2051-24-3         | Decachlorobiphenyl   | 12.8  |      |    | 32 - 175 | 64%        | SPK: 20 |                |          |

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

## Report of Analysis

|                    |                                                    |                 |          |
|--------------------|----------------------------------------------------|-----------------|----------|
| Client:            | Langan Engineering and Environmental Services, Inc | Date Collected: | 10/09/25 |
| Project:           | Con Edison Richmond Terrace                        | Date Received:  | 10/09/25 |
| Client Sample ID:  | SED-07-0-2                                         | SDG No.:        | Q3323    |
| Lab Sample ID:     | Q3323-07                                           | Matrix:         | SOIL     |
| Analytical Method: | 8082A                                              | % Solid:        | 81.2     |
| Sample Wt/Vol:     | 30.03 g                                            | Final Vol:      | 10000 uL |
| Prep Method:       | SW3541B                                            | Prep Date       | 10/13/25 |
|                    |                                                    | Test:           | PCB      |

| CAS Number        | Parameter            | Conc. | Qua. | DF | MDL      | LOQ / CRQL | Units   | Date Ana.      | BatchID  |
|-------------------|----------------------|-------|------|----|----------|------------|---------|----------------|----------|
| <b>TARGETS</b>    |                      |       |      |    |          |            |         |                |          |
| 12674-11-2        | Aroclor-1016         | 4.90  | U    | 1  | 4.90     | 20.9       | ug/kg   | 10/13/25 15:06 | PB170064 |
| 11104-28-2        | Aroclor-1221         | 5.00  | U    | 1  | 5.00     | 20.9       | ug/kg   | 10/13/25 15:06 | PB170064 |
| 11141-16-5        | Aroclor-1232         | 4.60  | U    | 1  | 4.60     | 20.9       | ug/kg   | 10/13/25 15:06 | PB170064 |
| 53469-21-9        | Aroclor-1242         | 4.90  | U    | 1  | 4.90     | 20.9       | ug/kg   | 10/13/25 15:06 | PB170064 |
| 12672-29-6        | Aroclor-1248         | 7.30  | U    | 1  | 7.30     | 20.9       | ug/kg   | 10/13/25 15:06 | PB170064 |
| 11097-69-1        | Aroclor-1254         | 3.90  | U    | 1  | 3.90     | 20.9       | ug/kg   | 10/13/25 15:06 | PB170064 |
| 37324-23-5        | Aroclor-1262         | 6.20  | U    | 1  | 6.20     | 20.9       | ug/kg   | 10/13/25 15:06 | PB170064 |
| 11100-14-4        | Aroclor-1268         | 4.40  | U    | 1  | 4.40     | 20.9       | ug/kg   | 10/13/25 15:06 | PB170064 |
| 11096-82-5        | Aroclor-1260         | 4.00  | U    | 1  | 4.00     | 20.9       | ug/kg   | 10/13/25 15:06 | PB170064 |
| <b>SURROGATES</b> |                      |       |      |    |          |            |         |                |          |
| 877-09-8          | Tetrachloro-m-xylene | 22.3  |      |    | 32 - 144 | 112%       | SPK: 20 |                |          |
| 2051-24-3         | Decachlorobiphenyl   | 16.3  |      |    | 32 - 175 | 82%        | SPK: 20 |                |          |

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

## LAB CHRONICLE

|                 |                                                    |                   |                             |
|-----------------|----------------------------------------------------|-------------------|-----------------------------|
| <b>OrderID:</b> | Q3323                                              | <b>OrderDate:</b> | 10/9/2025 2:32:00 PM        |
| <b>Client:</b>  | Langan Engineering and Environmental Services, Inc | <b>Project:</b>   | Con Edison Richmond Terrace |
| <b>Contact:</b> | Gregory DelMastro                                  | <b>Location:</b>  | D31,VOA Ref. #2 Soil        |

| LabID           | ClientID          | Matrix      | Test | Method | Sample Date     | Prep Date | Anal Date | Received        |
|-----------------|-------------------|-------------|------|--------|-----------------|-----------|-----------|-----------------|
| <b>Q3323-01</b> | <b>SED-01-0-2</b> | <b>SOIL</b> | PCB  | 8082A  | <b>10/09/25</b> | 10/13/25  | 10/13/25  | <b>10/09/25</b> |
| <b>Q3323-02</b> | <b>SED-02-0-2</b> | <b>SOIL</b> | PCB  | 8082A  | <b>10/09/25</b> | 10/13/25  | 10/13/25  | <b>10/09/25</b> |
| <b>Q3323-03</b> | <b>SED-03-0-2</b> | <b>SOIL</b> | PCB  | 8082A  | <b>10/09/25</b> | 10/13/25  | 10/13/25  | <b>10/09/25</b> |
| <b>Q3323-04</b> | <b>SED-04-0-2</b> | <b>SOIL</b> | PCB  | 8082A  | <b>10/09/25</b> | 10/13/25  | 10/13/25  | <b>10/09/25</b> |
| <b>Q3323-05</b> | <b>SED-05-0-2</b> | <b>SOIL</b> | PCB  | 8082A  | <b>10/09/25</b> | 10/13/25  | 10/13/25  | <b>10/09/25</b> |
| <b>Q3323-06</b> | <b>SED-06-0-2</b> | <b>SOIL</b> | PCB  | 8082A  | <b>10/09/25</b> | 10/13/25  | 10/13/25  | <b>10/09/25</b> |
| <b>Q3323-07</b> | <b>SED-07-0-2</b> | <b>SOIL</b> | PCB  | 8082A  | <b>10/09/25</b> | 10/13/25  | 10/13/25  | <b>10/09/25</b> |