

Report of Analysis

Client: Langan Engineering and Environmental Services, Inc
Project: Con Edison Richmond Terrace
Client Sample ID: SED-04-0-2
Lab Sample ID: Q3323-04
Analytical Method: 8270E Level : LOW
Sample Wt/Vol: 30.07 g Final Vol: 1000 uL
Prep Method : SW3541 Prep Date: 10/13/25

Date Collected: 10/09/25
Date Received: 10/09/25
SDG No.: Q3323
Matrix: SOIL
% Solid: 70.2
Test: SVOC-TCL BNA -20

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	Prep BatchID
TARGETS									
100-52-7	Benzaldehyde	220	U	1	220	470	ug/Kg	10/13/25 16:05	PB170067
108-95-2	Phenol	31.4	U	1	31.4	240	ug/Kg	10/13/25 16:05	PB170067
111-44-4	bis(2-Chloroethyl)ether	34.5	U	1	34.5	240	ug/Kg	10/13/25 16:05	PB170067
95-57-8	2-Chlorophenol	34.7	U	1	34.7	240	ug/Kg	10/13/25 16:05	PB170067
95-48-7	2-Methylphenol	42.5	U	1	42.5	240	ug/Kg	10/13/25 16:05	PB170067
108-60-1	2,2-oxybis(1-Chloropropane)	53.3	U	1	53.3	240	ug/Kg	10/13/25 16:05	PB170067
98-86-2	Acetophenone	41.9	U	1	41.9	240	ug/Kg	10/13/25 16:05	PB170067
65794-96-9	3+4-Methylphenols	58.4	U	1	58.4	470	ug/Kg	10/13/25 16:05	PB170067
621-64-7	n-Nitroso-di-n-propylamine	67.4	U	1	67.4	110	ug/Kg	10/13/25 16:05	PB170067
67-72-1	Hexachloroethane	25.0	U	1	25.0	240	ug/Kg	10/13/25 16:05	PB170067
98-95-3	Nitrobenzene	26.0	U	1	26.0	240	ug/Kg	10/13/25 16:05	PB170067
78-59-1	Isophorone	46.6	U	1	46.6	240	ug/Kg	10/13/25 16:05	PB170067
88-75-5	2-Nitrophenol	82.7	U	1	82.7	240	ug/Kg	10/13/25 16:05	PB170067
105-67-9	2,4-Dimethylphenol	92.1	U	1	92.1	240	ug/Kg	10/13/25 16:05	PB170067
111-91-1	bis(2-Chloroethoxy)methane	43.8	U	1	43.8	240	ug/Kg	10/13/25 16:05	PB170067
120-83-2	2,4-Dichlorophenol	40.2	U	1	40.2	240	ug/Kg	10/13/25 16:05	PB170067
91-20-3	Naphthalene	32.3	U	1	32.3	240	ug/Kg	10/13/25 16:05	PB170067
106-47-8	4-Chloroaniline	50.3	U	1	50.3	240	ug/Kg	10/13/25 16:05	PB170067
87-68-3	Hexachlorobutadiene	36.0	U	1	36.0	240	ug/Kg	10/13/25 16:05	PB170067
105-60-2	Caprolactam	74.0	U	1	74.0	470	ug/Kg	10/13/25 16:05	PB170067
59-50-7	4-Chloro-3-methylphenol	40.8	U	1	40.8	240	ug/Kg	10/13/25 16:05	PB170067
91-57-6	2-Methylnaphthalene	36.4	U	1	36.4	240	ug/Kg	10/13/25 16:05	PB170067
77-47-4	Hexachlorocyclopentadiene	160	U	1	160	470	ug/Kg	10/13/25 16:05	PB170067
88-06-2	2,4,6-Trichlorophenol	28.1	U	1	28.1	240	ug/Kg	10/13/25 16:05	PB170067
95-95-4	2,4,5-Trichlorophenol	41.4	U	1	41.4	240	ug/Kg	10/13/25 16:05	PB170067
92-52-4	1,1-Biphenyl	31.0	U	1	31.0	240	ug/Kg	10/13/25 16:05	PB170067
91-58-7	2-Chloronaphthalene	32.0	U	1	32.0	240	ug/Kg	10/13/25 16:05	PB170067
88-74-4	2-Nitroaniline	68.4	U	1	68.4	240	ug/Kg	10/13/25 16:05	PB170067
131-11-3	Dimethylphthalate	38.5	U	1	38.5	240	ug/Kg	10/13/25 16:05	PB170067
208-96-8	Acenaphthylene	41.1	U	1	41.1	240	ug/Kg	10/13/25 16:05	PB170067
606-20-2	2,6-Dinitrotoluene	47.8	U	1	47.8	240	ug/Kg	10/13/25 16:05	PB170067
99-09-2	3-Nitroaniline	65.4	U	1	65.4	240	ug/Kg	10/13/25 16:05	PB170067
83-32-9	Acenaphthene	30.3	U	1	30.3	240	ug/Kg	10/13/25 16:05	PB170067
51-28-5	2,4-Dinitrophenol	330	U	1	330	470	ug/Kg	10/13/25 16:05	PB170067
100-02-7	4-Nitrophenol	150	U	1	150	470	ug/Kg	10/13/25 16:05	PB170067
132-64-9	Dibenzofuran	32.3	U	1	32.3	240	ug/Kg	10/13/25 16:05	PB170067
121-14-2	2,4-Dinitrotoluene	71.2	U	1	71.2	240	ug/Kg	10/13/25 16:05	PB170067
84-66-2	Diethylphthalate	40.2	U	1	40.2	240	ug/Kg	10/13/25 16:05	PB170067
7005-72-3	4-Chlorophenyl-phenylether	37.9	U	1	37.9	240	ug/Kg	10/13/25 16:05	PB170067
86-73-7	Fluorene	36.0	U	1	36.0	240	ug/Kg	10/13/25 16:05	PB170067
100-01-6	4-Nitroaniline	91.2	U	1	91.2	240	ug/Kg	10/13/25 16:05	PB170067
534-52-1	4,6-Dinitro-2-methylphenol	150	U	1	150	470	ug/Kg	10/13/25 16:05	PB170067

Report of Analysis

Client: Langan Engineering and Environmental Services, Inc
Project: Con Edison Richmond Terrace
Client Sample ID: SED-04-0-2
Lab Sample ID: Q3323-04
Analytical Method: 8270E Level : LOW
Sample Wt/Vol: 30.07 g Final Vol: 1000 uL
Prep Method : SW3541 Prep Date: 10/13/25

Date Collected: 10/09/25
Date Received: 10/09/25
SDG No.: Q3323
Matrix: SOIL
% Solid: 70.2
Test: SVOC-TCL BNA -20

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	Prep BatchID
86-30-6	n-Nitrosodiphenylamine	46.8	U	1	46.8	240	ug/Kg	10/13/25 16:05	PB170067
101-55-3	4-Bromophenyl-phenylether	39.5	U	1	39.5	240	ug/Kg	10/13/25 16:05	PB170067
118-74-1	Hexachlorobenzene	36.0	U	1	36.0	240	ug/Kg	10/13/25 16:05	PB170067
1912-24-9	Atrazine	48.3	U	1	48.3	240	ug/Kg	10/13/25 16:05	PB170067
87-86-5	Pentachlorophenol	72.9	U	1	72.9	470	ug/Kg	10/13/25 16:05	PB170067
85-01-8	Phenanthrene	29.7	U	1	29.7	240	ug/Kg	10/13/25 16:05	PB170067
120-12-7	Anthracene	47.3	U	1	47.3	240	ug/Kg	10/13/25 16:05	PB170067
86-74-8	Carbazole	44.3	U	1	44.3	240	ug/Kg	10/13/25 16:05	PB170067
84-74-2	Di-n-butylphthalate	68.1	U	1	68.1	240	ug/Kg	10/13/25 16:05	PB170067
206-44-0	Fluoranthene	110	J	1	42.6	240	ug/Kg	10/13/25 16:05	PB170067
129-00-0	Pyrene	110	J	1	51.2	240	ug/Kg	10/13/25 16:05	PB170067
85-68-7	Butylbenzylphthalate	100	U	1	100	240	ug/Kg	10/13/25 16:05	PB170067
91-94-1	3,3-Dichlorobenzidine	52.2	U	1	52.2	470	ug/Kg	10/13/25 16:05	PB170067
56-55-3	Benzo(a)anthracene	100	J	1	32.7	240	ug/Kg	10/13/25 16:05	PB170067
218-01-9	Chrysene	28.3	U	1	28.3	240	ug/Kg	10/13/25 16:05	PB170067
117-81-7	Bis(2-ethylhexyl)phthalate	84.1	U	1	84.1	240	ug/Kg	10/13/25 16:05	PB170067
117-84-0	Di-n-octyl phthalate	120	U	1	120	470	ug/Kg	10/13/25 16:05	PB170067
205-99-2	Benzo(b)fluoranthene	27.0	U	1	27.0	240	ug/Kg	10/13/25 16:05	PB170067
207-08-9	Benzo(k)fluoranthene	31.8	U	1	31.8	240	ug/Kg	10/13/25 16:05	PB170067
50-32-8	Benzo(a)pyrene	41.9	U	1	41.9	240	ug/Kg	10/13/25 16:05	PB170067
193-39-5	Indeno(1,2,3-cd)pyrene	41.4	U	1	41.4	240	ug/Kg	10/13/25 16:05	PB170067
53-70-3	Dibenzo(a,h)anthracene	38.9	U	1	38.9	240	ug/Kg	10/13/25 16:05	PB170067
191-24-2	Benzo(g,h,i)perylene	36.5	U	1	36.5	240	ug/Kg	10/13/25 16:05	PB170067
95-94-3	1,2,4,5-Tetrachlorobenzene	36.4	U	1	36.4	240	ug/Kg	10/13/25 16:05	PB170067
123-91-1	1,4-Dioxane	64.2	U	1	64.2	240	ug/Kg	10/13/25 16:05	PB170067
58-90-2	2,3,4,6-Tetrachlorophenol	38.9	U	1	38.9	240	ug/Kg	10/13/25 16:05	PB170067

SURROGATES

367-12-4	2-Fluorophenol	87.8		18 - 112	59%	SPK: 150
13127-88-3	Phenol-d6	88.6		15 - 107	59%	SPK: 150
4165-60-0	Nitrobenzene-d5	58.2		18 - 107	58%	SPK: 100
321-60-8	2-Fluorobiphenyl	52.0		20 - 109	52%	SPK: 100
118-79-6	2,4,6-Tribromophenol	79.9		10 - 116	53%	SPK: 150
1718-51-0	Terphenyl-d14	39.0		10 - 105	39%	SPK: 100

INTERNAL STANDARDS

3855-82-1	1,4-Dichlorobenzene-d4	113000
1146-65-2	Naphthalene-d8	427000
15067-26-2	Acenaphthene-d10	220000
1517-22-2	Phenanthrene-d10	335000
1719-03-5	Chrysene-d12	244000
1520-96-3	Perylene-d12	312000

TENTATIVE IDENTIFIED COMPOUNDS

000119-61-9	Benzophenone	350	J	10.6	ug/Kg
000057-10-3	n-Hexadecanoic acid	460	J	11.9	ug/Kg

Report of Analysis

Client:	Langan Engineering and Environmental Services, Inc	Date Collected:	10/09/25
Project:	Con Edison Richmond Terrace	Date Received:	10/09/25
Client Sample ID:	SED-04-0-2	SDG No.:	Q3323
Lab Sample ID:	Q3323-04	Matrix:	SOIL
Analytical Method:	8270E	% Solid:	70.2
Sample Wt/Vol:	30.07 g	Test:	SVOC-TCL BNA -20
Prep Method :	SW3541		
	Level : LOW		
	Final Vol: 1000 uL		
	Prep Date: 10/13/25		

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	Prep BatchID
------------	-----------	-------	------	----	-----	------------	-------	-----------	--------------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products