



SAMPLE DATA

Report of Analysis

Client: Mars Chocolate North America, LLC
Project: W.T.P. Final Effluent 2025
Client Sample ID: 1 EFFLUENT-COMPOSITE
Lab Sample ID: Q3344-01

Date Collected: 10/14/25 05:00
Date Received: 10/14/25
SDG No.: Q3344
Matrix: WATER
% Solid: 0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Ammonia as N	55.1		1	1.50	5.00	mg/L	10/15/25 10:25	10/15/25 17:51	SM 4500-NH3 B plus G-21
BOD Soluble	58.0		1	0.20	2.00	mg/L		10/15/25 17:10	SM 5210 B-16
BOD5	62.9		1	0.20	2.00	mg/L		10/15/25 17:10	SM 5210 B-16
COD	133		1	1.50	10.0	mg/L		10/15/25 14:33	SM 5220 D-11
Apparent Color	800	D	20	100	100	cu		10/15/25 10:35	SM 2120 B-21
Phosphorus, Total	2.55	OR	1	0.0050	0.050	mg/L	10/21/25 09:10	10/21/25 11:26	365.3
TDS	4200		1	1.00	10.0	mg/L		10/15/25 12:30	SM 2540 C-20
TSS	56.9		1	1.00	4.00	mg/L		10/16/25 09:35	SM 2540 D-20

Comments: Apparent color result reported at pH 7.98

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

Report of Analysis

Client: Mars Chocolate North America, LLC
Project: W.T.P. Final Effluent 2025
Client Sample ID: 1 EFFLUENT-COMPOSITEDL
Lab Sample ID: Q3344-01DL

Date Collected: 10/14/25 05:00
Date Received: 10/14/25
SDG No.: Q3344
Matrix: WATER
% Solid: 0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Phosphorus, Total	3.52	D	5	0.023	0.25	mg/L	10/21/25 09:10	10/21/25 11:28	365.3

Comments: _____

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

Report of Analysis

Client: Mars Chocolate North America, LLC
Project: W.T.P. Final Effluent 2025
Client Sample ID: 2 EFFLUENT-GRAB
Lab Sample ID: Q3344-02

Date Collected: 10/14/25 05:00
Date Received: 10/14/25
SDG No.: Q3344
Matrix: WATER
% Solid: 0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Oil and Grease	0.40	J	1	0.29	5.00	mg/L		10/15/25 09:45	1664A
TPH	0.29	U	1	0.29	5.00	mg/L		10/16/25 09:35	1664A

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N = Spiked sample recovery not within control limits



QC RESULT SUMMARY

Initial and Continuing Calibration Verification

Client: Mars Chocolate North America, LLC

SDG No.: Q3344

Project: W.T.P. Final Effluent 2025

RunNo.: LB137539

Analyte	Units	Result	True Value	% Recovery	Acceptance Window (%R)	Analysis Date
Sample ID: ICV1 Ammonia as N	mg/L	1	1	100	90-110	10/15/2025
Sample ID: CCV1 Ammonia as N	mg/L	0.99	1	99	90-110	10/15/2025
Sample ID: CCV2 Ammonia as N	mg/L	1	1	100	90-110	10/15/2025
Sample ID: CCV3 Ammonia as N	mg/L	1	1	100	90-110	10/15/2025

Initial and Continuing Calibration Verification

Client: Mars Chocolate North America, LLC

SDG No.: Q3344

Project: W.T.P. Final Effluent 2025

RunNo.: LB137541

Analyte	Units	Result	True Value	% Recovery	Acceptance Window (%R)	Analysis Date
Sample ID: ICV COD	mg/L	50.173	50	100	95-105	09/08/2025
Sample ID: CCV1 COD	mg/L	48.150	50	96	95-105	10/15/2025
Sample ID: CCV2 COD	mg/L	51.184	50	102	95-105	10/15/2025

Initial and Continuing Calibration Verification

Client: Mars Chocolate North America, LLC

SDG No.: Q3344

Project: W.T.P. Final Effluent 2025

RunNo.: LB137597

Analyte	Units	Result	True Value	% Recovery	Acceptance Window (%R)	Analysis Date
Sample ID: ICV Phosphorus, Total	mg/L	0.507	0.50	101	90-110	10/21/2025
Sample ID: CCV1 Phosphorus, Total	mg/L	0.502	0.50	100	90-110	10/21/2025
Sample ID: CCV2 Phosphorus, Total	mg/L	0.501	0.50	100	90-110	10/21/2025
Sample ID: CCV3 Phosphorus, Total	mg/L	0.505	0.50	101	90-110	10/21/2025

Initial and Continuing Calibration Blank Summary

Client: Mars Chocolate North America, LLC

SDG No.: Q3344

Project: W.T.P. Final Effluent 2025

RunNo.: LB137539

Analyte	Units	Result	Acceptance Limits	Conc Qual	MDL	RDL	Analysis Date
Sample ID: ICB1 Ammonia as N	mg/L	< 0.0500	0.0500	U	0.030	0.1	10/15/2025
Sample ID: CCB1 Ammonia as N	mg/L	< 0.0500	0.0500	U	0.030	0.1	10/15/2025
Sample ID: CCB2 Ammonia as N	mg/L	0.03	0.0500	J	0.030	0.1	10/15/2025
Sample ID: CCB3 Ammonia as N	mg/L	0.033	0.0500	J	0.030	0.1	10/15/2025

Initial and Continuing Calibration Blank Summary

Client: Mars Chocolate North America, LLC

SDG No.: Q3344

Project: W.T.P. Final Effluent 2025

RunNo.: LB137541

Analyte	Units	Result	Acceptance Limits	Conc Qual	MDL	RDL	Analysis Date
Sample ID: ICB COD	mg/L	< 5.0000	5.0000	U	1.50	10	09/08/2025
Sample ID: CCB1 COD	mg/L	< 5.0000	5.0000	U	1.50	10	10/15/2025
Sample ID: CCB2 COD	mg/L	< 5.0000	5.0000	U	1.50	10	10/15/2025

Initial and Continuing Calibration Blank Summary

Client: Mars Chocolate North America, LLC

SDG No.: Q3344

Project: W.T.P. Final Effluent 2025

RunNo.: LB137597

Analyte	Units	Result	Acceptance Limits	Conc Qual	MDL	RDL	Analysis Date
Sample ID: ICB Phosphorus, Total	mg/L	0.006	0.0250	J	0.0045	0.05	10/21/2025
Sample ID: CCB1 Phosphorus, Total	mg/L	0.009	0.0250	J	0.0045	0.05	10/21/2025
Sample ID: CCB2 Phosphorus, Total	mg/L	0.008	0.0250	J	0.0045	0.05	10/21/2025
Sample ID: CCB3 Phosphorus, Total	mg/L	0.006	0.0250	J	0.0045	0.05	10/21/2025

Preparation Blank Summary

Client: Mars Chocolate North America, LLC

SDG No.: Q3344

Project: W.T.P. Final Effluent 2025

Analyte	Units	Result	Acceptance Limits	Conc Qual	MDL	RDL	Analysis Date
Sample ID: LB137535BL							
Apparent Color	cu	< 2.5000	2.5000	U	5.0	5.0	10/15/2025
Sample ID: LB137541BL							
COD	mg/L	< 5.0000	5.0000	U	1.5	10.0	10/15/2025
Sample ID: LB137545BL							
BOD Soluble	mg/L	< 1.0000	1.0000	U	0.20	2	10/15/2025
Sample ID: LB137546BL							
BOD5	mg/L	< 0.2000	0.2000	U	0.20	2.0	10/15/2025
Sample ID: LB137553BL							
TSS	mg/L	< 2.0000	2.0000	U	1	4	10/16/2025
Sample ID: LB137554BL							
TDS	mg/L	1	5.0000	J	1.0	10	10/15/2025
Sample ID: LB137556BL							
Oil and Grease	mg/L	< 2.5000	2.5000	U	0.29	5.0	10/15/2025
Sample ID: LB137557BL							
TPH	mg/L	< 2.5000	2.5000	U	0.29	5.0	10/16/2025
Sample ID: PB170111BL							
Ammonia as N	mg/L	0.03	0.0500	J	0.03	0.1	10/15/2025
Sample ID: PB170160BL							
Phosphorus, Total	mg/L	0.008	0.0250	J	0.005	0.05	10/21/2025

Matrix Spike Summary

Client:	Mars Chocolate North America, LLC	SDG No.:	Q3344
Project:	W.T.P. Final Effluent 2025	Sample ID:	Q3328-01
Client ID:	MH-10-10-25MS	Percent Solids for Spike Sample:	0

Analyte	Units	Acceptance Limit %R	Spiked Result	Conc. Qualifier	Sample Result	Conc. Qualifier	Spike Added	Dilution Factor	% Rec	Qual	Analysis Date
Oil and Grease	mg/L	78-114	196		176		20.0	1	101		10/15/2025

Matrix Spike Summary

Client:	Mars Chocolate North America, LLC	SDG No.:	Q3344
Project:	W.T.P. Final Effluent 2025	Sample ID:	Q3328-01
Client ID:	MH-10-10-25MSD	Percent Solids for Spike Sample:	0

Analyte	Units	Acceptance Limit %R	Spiked Result	Conc. Qualifier	Sample Result	Conc. Qualifier	Spike Added	Dilution Factor	% Rec	Qual	Analysis Date
Oil and Grease	mg/L	78-114	196		176		20.0	1	101		10/15/2025

Matrix Spike Summary

Client:	Mars Chocolate North America, LLC	SDG No.:	Q3344
Project:	W.T.P. Final Effluent 2025	Sample ID:	Q3344-01DL
Client ID:	1 EFFLUENT-COMPOSITES	Percent Solids for Spike Sample:	0

Analyte	Units	Acceptance Limit %R	Spiked Result	Conc. Qualifier	Sample Result	Conc. Qualifier	Spike Added	Dilution Factor	% Rec	Qual	Analysis Date
Phosphorus, Total	mg/L	90-110	4.00	D	3.52	D	0.5	5	96		10/21/2025

Matrix Spike Summary

Client:	Mars Chocolate North America, LLC	SDG No.:	Q3344
Project:	W.T.P. Final Effluent 2025	Sample ID:	Q3344-01DL
Client ID:	1 EFFLUENT-COMPOSITEMSD	Percent Solids for Spike Sample:	0

Analyte	Units	Acceptance Limit %R	Spiked Result	Conc. Qualifier	Sample Result	Conc. Qualifier	Spike Added	Dilution Factor	% Rec	Qual	Analysis Date
Phosphorus, Total	mg/L	90-110	3.98	D	3.52	D	0.5	5	92		10/21/2025

Matrix Spike Summary

Client:	Mars Chocolate North America, LLC	SDG No.:	Q3344
Project:	W.T.P. Final Effluent 2025	Sample ID:	Q3345-07
Client ID:	TANK-FARM-WATERMS	Percent Solids for Spike Sample:	0

Analyte	Units	Acceptance Limit %R	Spiked Result	Conc. Qualifier	Sample Result	Conc. Qualifier	Spike Added	Dilution Factor	% Rec	Qual	Analysis Date
COD	mg/L	75-125	52.2		5.67	J	50.0	1	93		10/15/2025
Ammonia as N	mg/L	75-125	0.99		0.031	J	1	1	96		10/15/2025

Matrix Spike Summary

Client:	Mars Chocolate North America, LLC	SDG No.:	Q3344
Project:	W.T.P. Final Effluent 2025	Sample ID:	Q3345-07
Client ID:	TANK-FARM-WATERMSD	Percent Solids for Spike Sample:	0

Analyte	Units	Acceptance Limit %R	Spiked Result	Conc. Qualifier	Sample Result	Conc. Qualifier	Spike Added	Dilution Factor	% Rec	Qual	Analysis Date
COD	mg/L	75-125	53.2		5.67	J	50.0	1	95		10/15/2025
Ammonia as N	mg/L	75-125	1.00		0.031	J	1	1	97		10/15/2025

Duplicate Sample Summary

Client:	Mars Chocolate North America, LLC	SDG No.:	Q3344
Project:	W.T.P. Final Effluent 2025	Sample ID:	LB137557BS
Client ID:	LB137557BSD	Percent Solids for Spike Sample:	0

Analyte	Units	Acceptance Limit	Sample Result	Conc. Qualifier	Duplicate Result	Conc. Qualifier	Dilution Factor	RPD/ AD	Qual	Analysis Date
TPH	mg/L	+/-18	17.0		17.1		1	0.59		10/16/2025

Duplicate Sample Summary

Client:	Mars Chocolate North America, LLC	SDG No.:	Q3344
Project:	W.T.P. Final Effluent 2025	Sample ID:	Q3328-01
Client ID:	MH-10-10-25MSD	Percent Solids for Spike Sample:	0

Analyte	Units	Acceptance Limit	Sample Result	Conc. Qualifier	Duplicate Result	Conc. Qualifier	Dilution Factor	RPD/ AD	Qual	Analysis Date
Oil and Grease	mg/L	+/-18	196		196		1	0.05		10/15/2025

Duplicate Sample Summary

Client:	Mars Chocolate North America, LLC	SDG No.:	Q3344
Project:	W.T.P. Final Effluent 2025	Sample ID:	Q3344-01
Client ID:	1 EFFLUENT-COMPOSITEDUP	Percent Solids for Spike Sample:	0

Analyte	Units	Acceptance Limit	Sample Result	Conc. Qualifier	Duplicate Result	Conc. Qualifier	Dilution Factor	RPD/AD	Qual	Analysis Date
BOD Soluble	mg/L	+/-20	58.0		57.0		1	1.83		10/15/2025
BOD5	mg/L	+/-20	62.9		61.0		1	3		10/15/2025
TSS	mg/L	+/-5	56.9		56.0		1	1.59		10/16/2025
TDS	mg/L	+/-5	4200		4240		1	0.78		10/15/2025

Duplicate Sample Summary

Client:	Mars Chocolate North America, LLC	SDG No.:	Q3344
Project:	W.T.P. Final Effluent 2025	Sample ID:	Q3344-01DL
Client ID:	1 EFFLUENT-COMPOSITEDUP	Percent Solids for Spike Sample:	0

Analyte	Units	Acceptance Limit	Sample Result	Conc. Qualifier	Duplicate Result	Conc. Qualifier	Dilution Factor	RPD/AD	Qual	Analysis Date
Apparent Color	cu	+/-20	800	D	800	D	20	0		10/15/2025
Phosphorus, Total	mg/L	+/-20	3.52	D	3.50	D	5	0.57		10/21/2025

Duplicate Sample Summary

Client:	Mars Chocolate North America, LLC	SDG No.:	Q3344
Project:	W.T.P. Final Effluent 2025	Sample ID:	Q3344-01DL
Client ID:	1 EFFLUENT-COMPOSITEMSD	Percent Solids for Spike Sample:	0

Analyte	Units	Acceptance Limit	Sample Result	Conc. Qualifier	Duplicate Result	Conc. Qualifier	Dilution Factor	RPD/AD	Qual	Analysis Date
Phosphorus, Total	mg/L	+/-20	4.00	D	3.98	D	5	0.5		10/21/2025

Duplicate Sample Summary

Client:	Mars Chocolate North America, LLC	SDG No.:	Q3344
Project:	W.T.P. Final Effluent 2025	Sample ID:	Q3345-07
Client ID:	TANK-FARM-WATERDUP	Percent Solids for Spike Sample:	0

Analyte	Units	Acceptance Limit	Sample Result	Conc. Qualifier	Duplicate Result	Conc. Qualifier	Dilution Factor	RPD/AD	Qual	Analysis Date
Ammonia as N	mg/L	+/-20	0.031	J	0.030	U	1	200	*	10/15/2025
COD	mg/L	+/-20	5.67	J	5.67	J	1	0		10/15/2025

Duplicate Sample Summary

Client:	Mars Chocolate North America, LLC	SDG No.:	Q3344
Project:	W.T.P. Final Effluent 2025	Sample ID:	Q3345-07
Client ID:	TANK-FARM-WATERMSD	Percent Solids for Spike Sample:	0

Analyte	Units	Acceptance Limit	Sample Result	Conc. Qualifier	Duplicate Result	Conc. Qualifier	Dilution Factor	RPD/AD	Qual	Analysis Date
Ammonia as N	mg/L	+/-20	0.99		1.00		1	1		10/15/2025
COD	mg/L	+/-20	52.2		53.2		1	1.9		10/15/2025

Laboratory Control Sample Summary

Client: Mars Chocolate North America, LLC

SDG No.: Q3344

Project: W.T.P. Final Effluent 2025

Run No.: LB137541

Analyte	Units	True Value	Result	Conc. Qualifier	% Recovery	Dilution Factor	Acceptance Limit %R	Analysis Date
Sample ID	LB137541BS							
COD	mg/L	50	51.2		102	1	90-110	10/15/2025

Laboratory Control Sample Summary

Client: Mars Chocolate North America, LLC

SDG No.: Q3344

Project: W.T.P. Final Effluent 2025

Run No.: LB137545

Analyte	Units	True Value	Result	Conc. Qualifier	% Recovery	Dilution Factor	Acceptance Limit %R	Analysis Date
Sample ID	LB137545BS							
BOD Soluble	mg/L	198	176		89	1	84.6-115.4	10/15/2025

Laboratory Control Sample Summary

Client: Mars Chocolate North America, LLC

SDG No.: Q3344

Project: W.T.P. Final Effluent 2025

Run No.: LB137546

Analyte	Units	True Value	Result	Conc. Qualifier	% Recovery	Dilution Factor	Acceptance Limit %R	Analysis Date
Sample ID	LB137546BS							
BOD5	mg/L	198	180		91	1	84.6-115.4	10/15/2025

Laboratory Control Sample Summary

Client: Mars Chocolate North America, LLC

SDG No.: Q3344

Project: W.T.P. Final Effluent 2025

Run No.: LB137553

Analyte	Units	True Value	Result	Conc. Qualifier	% Recovery	Dilution Factor	Acceptance Limit %R	Analysis Date
Sample ID	LB137553BS							
TSS	mg/L	550	561		102	1	90-110	10/16/2025

Laboratory Control Sample Summary

Client: Mars Chocolate North America, LLC

SDG No.: Q3344

Project: W.T.P. Final Effluent 2025

Run No.: LB137554

Analyte	Units	True Value	Result	Conc. Qualifier	% Recovery	Dilution Factor	Acceptance Limit %R	Analysis Date
Sample ID	LB137554BS							
TDS	mg/L	100	94.0		94	1	90-110	10/15/2025

Laboratory Control Sample Summary

Client: Mars Chocolate North America, LLC

SDG No.: Q3344

Project: W.T.P. Final Effluent 2025

Run No.: LB137556

Analyte	Units	True Value	Result	Conc. Qualifier	% Recovery	Dilution Factor	Acceptance Limit %R	Analysis Date
Sample ID	LB137556BS							
Oil and Grease	mg/L	20.0	16.8		84	1	78-114	10/15/2025

Laboratory Control Sample Summary

Client: Mars Chocolate North America, LLC

SDG No.: Q3344

Project: W.T.P. Final Effluent 2025

Run No.: LB137557

Analyte	Units	True Value	Result	Conc. Qualifier	% Recovery	Dilution Factor	Acceptance Limit %R	Analysis Date
Sample ID	LB137557BS							
TPH	mg/L	20.0	17.0		85	1	78-114	10/16/2025

Laboratory Control Sample Summary

Client:	Mars Chocolate North America, LLC	SDG No.:	Q3344
Project:	W.T.P. Final Effluent 2025	Run No.:	LB137557

Analyte	Units	True Value	Result	Conc. Qualifier	% Recovery	Dilution Factor	Acceptance Limit %R	Analysis Date
Sample ID	LB137557BSD							
TPH	mg/L	20.0	17.1		86	1	78-114	10/16/2025

Laboratory Control Sample Summary

Client: Mars Chocolate North America, LLC

SDG No.: Q3344

Project: W.T.P. Final Effluent 2025

Run No.: LB137539

Analyte	Units	True Value	Result	Conc. Qualifier	% Recovery	Dilution Factor	Acceptance Limit %R	Analysis Date
Sample ID	PB170111BS							
Ammonia as N	mg/L	1	0.97		97	1	90-110	10/15/2025

Laboratory Control Sample Summary

Client: Mars Chocolate North America, LLC

SDG No.: Q3344

Project: W.T.P. Final Effluent 2025

Run No.: LB137597

Analyte	Units	True Value	Result	Conc. Qualifier	% Recovery	Dilution Factor	Acceptance Limit %R	Analysis Date
Sample ID	PB170160BS							
Phosphorus, Total	mg/L	0.50	0.50		101	1	90-110	10/21/2025

Instrument ID: NESSLER TUBES

Daily Analysis Runlog For Sequence/QC Batch ID # LB137535

Review By	Iwona	Review On	10/15/2025 12:26:30 PM
Supervise By	jignesh	Supervise On	10/15/2025 12:27:53 PM
SubDirectory	LB137535	Test	Color
STD. NAME	STD REF.#		
ICAL Standard	N/A		
ICV Standard	N/A		
CCV Standard	N/A		
ICSA Standard	N/A		
CRI Standard	N/A		
LCS Standard	N/A		
Chk Standard	N/A		

Sr#	SampleID	ClientID	QcType	Date	Comment	Operator	Status
1	LB137535BL	LB137535BL	MB	10/15/25 10:30		Iwona	OK
2	Q3344-01	1 EFFLUENT-COMP	SAM	10/15/25 10:35		Iwona	OK
3	Q3344-01DUP	1 EFFLUENT-COMP	DUP	10/15/25 10:40		Iwona	OK

Instrument ID: KONELAB

Daily Analysis Runlog For Sequence/QC Batch ID # LB137539

Review By	rubina	Review On	10/17/2025 10:18:01 AM
Supervise By	Iwona	Supervise On	10/17/2025 12:55:23 PM
SubDirectory	LB137539	Test	Ammonia
STD. NAME	STD REF.#		
ICAL Standard	WP115213		
ICV Standard	WP115215		
CCV Standard	WP115214		
ICSA Standard	N/A		
CRI Standard	N/A		
LCS Standard	WP115088		
Chk Standard	WP114799,WP114133,WP113929,WP114132		

Sr#	SampleId	ClientID	QcType	Date	Comment	Operator	Status
1	0.0PPM	0.0PPM	CAL1	10/15/25 12:03		rubina	OK
2	0.1PPM	0.1PPM	CAL2	10/15/25 12:03		rubina	OK
3	0.2PPM	0.2PPM	CAL3	10/15/25 12:03		rubina	OK
4	0.4PPM	0.4PPM	CAL4	10/15/25 12:03		rubina	OK
5	1.0PPM	1.0PPM	CAL5	10/15/25 12:03		rubina	OK
6	1.3PPM	1.3PPM	CAL6	10/15/25 12:03		rubina	OK
7	2.0PPM	2.0PPM	CAL7	10/15/25 12:03		rubina	OK
8	ICV1	ICV1	ICV	10/15/25 17:29		rubina	OK
9	ICB1	ICB1	ICB	10/15/25 17:29		rubina	OK
10	CCV1	CCV1	CCV	10/15/25 17:29		rubina	OK
11	CCB1	CCB1	CCB	10/15/25 17:29		rubina	OK
12	RL	RL	SAM	10/15/25 17:30		rubina	OK
13	PB170110BL	PB170110BL	MB	10/15/25 17:30		rubina	OK
14	PB170110BS	PB170110BS	LCS	10/15/25 17:40		rubina	OK
15	Q3341-01	C-1	SAM	10/15/25 17:40		rubina	OK
16	Q3341-02	C-2	SAM	10/15/25 17:40		rubina	OK
17	Q3341-03	C-3	SAM	10/15/25 17:40		rubina	OK
18	Q3341-03DUP	C-3DUP	DUP	10/15/25 17:40		rubina	OK

Instrument ID: KONELAB

Daily Analysis Runlog For Sequence/QC Batch ID # LB137539

Review By	rubina	Review On	10/17/2025 10:18:01 AM
Supervise By	Iwona	Supervise On	10/17/2025 12:55:23 PM
SubDirectory	LB137539	Test	Ammonia
STD. NAME	STD REF.#		
ICAL Standard	WP115213		
ICV Standard	WP115215		
CCV Standard	WP115214		
ICSA Standard	N/A		
CRI Standard	N/A		
LCS Standard	WP115088		
Chk Standard	WP114799,WP114133,WP113929,WP114132		

19	Q3341-03MS	C-3MS	MS	10/15/25 17:40		rubina	OK
20	Q3341-03MSD	C-3MSD	MSD	10/15/25 17:51		rubina	OK
21	PB170111BL	PB170111BL	MB	10/15/25 17:51		rubina	OK
22	CCV2	CCV2	CCV	10/15/25 17:51		rubina	OK
23	CCB2	CCB2	CCB	10/15/25 17:51		rubina	OK
24	PB170111BS	PB170111BS	LCS	10/15/25 17:51		rubina	OK
25	Q3344-01	1 EFFLUENT-COMP	SAM	10/15/25 17:51		rubina	OK
26	Q3345-07	TANK-FARM-WATER	SAM	10/15/25 18:02		rubina	OK
27	Q3345-07DUP	TANK-FARM-WATER	DUP	10/15/25 18:02		rubina	OK
28	Q3345-07MS	TANK-FARM-WATER	MS	10/15/25 18:02		rubina	OK
29	Q3345-07MSD	TANK-FARM-WATER	MSD	10/15/25 18:02		rubina	OK
30	CCV3	CCV3	CCV	10/15/25 18:02		rubina	OK
31	CCB3	CCB3	CCB	10/15/25 18:02		rubina	OK

Instrument ID: SPECTROPHOTOMETER-2

Daily Analysis Runlog For Sequence/QC Batch ID # LB137541

Review By	Iwona	Review On	10/15/2025 2:45:04 PM
Supervise By	jignesh	Supervise On	10/15/2025 2:47:16 PM
SubDirectory	LB137541	Test	COD
STD. NAME	STD REF.#		
ICAL Standard	N/A		
ICV Standard	N/A		
CCV Standard	N/A		
ICSA Standard	N/A		
CRI Standard	N/A		
LCS Standard	N/A		
Chk Standard	WP114659,WP114658,WP114656,WP114655,WP114654,WP114661,WP114657,W3230,WP115210,WP115211,WP1		

Sr#	SampleId	ClientID	QcType	Date	Comment	Operator	Status
1	CAL1	CAL1	CAL	09/08/25 13:30		Iwona	OK
2	CAL2	CAL2	CAL	09/08/25 13:30		Iwona	OK
3	CAL3	CAL3	CAL	09/08/25 13:31		Iwona	OK
4	CAL4	CAL4	CAL	09/08/25 13:31		Iwona	OK
5	CAL5	CAL5	CAL	09/08/25 13:32		Iwona	OK
6	CAL6	CAL6	CAL	09/08/25 13:32		Iwona	OK
7	ICV	ICV	ICV	09/08/25 13:33		Iwona	OK
8	ICB	ICB	ICB	09/08/25 13:33		Iwona	OK
9	CCV1	CCV1	CCV	10/15/25 14:30		Iwona	OK
10	CCB1	CCB1	CCB	10/15/25 14:30		Iwona	OK
11	RL Check	RL Check	RL	10/15/25 14:31		Iwona	OK
12	LB137541BL	LB137541BL	MB	10/15/25 14:31		Iwona	OK
13	LB137541BS	LB137541BS	LCS	10/15/25 14:32		Iwona	OK
14	Q3328-01	MH-10-10-25	SAM	10/15/25 14:32		Iwona	OK
15	Q3344-01	1 EFFLUENT-COMPO	SAM	10/15/25 14:33		Iwona	OK
16	Q3345-07	TANK-FARM-WATER	SAM	10/15/25 14:33		Iwona	OK
17	Q3345-07DUP	TANK-FARM-WATER	DUP	10/15/25 14:34		Iwona	OK
18	Q3345-07MS	TANK-FARM-WATER	MS	10/15/25 14:34		Iwona	OK

Instrument ID: SPECTROPHOTOMETER-2

Daily Analysis Runlog For Sequence/QC Batch ID # LB137541

Review By	Iwona	Review On	10/15/2025 2:45:04 PM
Supervise By	jignesh	Supervise On	10/15/2025 2:47:16 PM
SubDirectory	LB137541	Test	COD
STD. NAME	STD REF.#		
ICAL Standard	N/A		
ICV Standard	N/A		
CCV Standard	N/A		
ICSA Standard	N/A		
CRI Standard	N/A		
LCS Standard	N/A		
Chk Standard	WP114659,WP114658,WP114656,WP114655,WP114654,WP114661,WP114657,W3230,WP115210,WP115211,WP1		

19	Q3345-07MSD	TANK-FARM-WATER	MSD	10/15/25 14:35		Iwona	OK
20	Q3351-01	SW-1	SAM	10/15/25 14:35		Iwona	OK
21	Q3351-02	SW-2	SAM	10/15/25 14:36		Iwona	OK
22	CCV2	CCV2	CCV	10/15/25 14:36		Iwona	OK
23	CCB2	CCB2	CCB	10/15/25 14:37		Iwona	OK

Instrument ID: DO METER

Daily Analysis Runlog For Sequence/QC Batch ID # LB137545

Review By	rubina	Review On	10/21/2025 9:39:38 AM
Supervise By	Iwona	Supervise On	10/21/2025 10:46:06 AM
SubDirectory	LB137545	Test	BOD Soluble
STD. NAME	STD REF.#		
ICAL Standard	N/A		
ICV Standard	N/A		
CCV Standard	N/A		
ICSA Standard	N/A		
CRI Standard	N/A		
LCS Standard	N/A		
Chk Standard	WP115220,W3149,WP112832,W3103,W3109,W3248,WP115222,WP115221,WP113878		

Sr#	SampleId	ClientID	QcType	Date	Comment	Operator	Status
1	LB137545BL	LB137545BL	MB	10/15/25 17:10		rubina	OK
2	LB137545BS	LB137545BS	LCS	10/15/25 17:10		rubina	OK
3	LB137545BSD1	LB137545BSD1	LCS	10/15/25 17:10		rubina	OK
4	LB137545BSD2	LB137545BSD2	LCS	10/15/25 17:10		rubina	OK
5	Q3344-01	1 EFFLUENT-COMP	SAM	10/15/25 17:10	Due to bad matrix difference between highest and lowest results is >30% for	rubina	OK
6	Q3344-01DUP	1 EFFLUENT-COMP	DUP	10/15/25 17:10	Due to bad matrix difference between highest and lowest results is >30% for	rubina	OK

Instrument ID: DO METER

Daily Analysis Runlog For Sequence/QC Batch ID # LB137546

Review By	rubina	Review On	10/21/2025 9:39:36 AM
Supervise By	Iwona	Supervise On	10/21/2025 10:45:47 AM
SubDirectory	LB137546	Test	BOD5
STD. NAME	STD REF.#		
ICAL Standard	N/A		
ICV Standard	N/A		
CCV Standard	N/A		
ICSA Standard	N/A		
CRI Standard	N/A		
LCS Standard	N/A		
Chk Standard	WP115220,W3149,WP112832,W3103,W3109,W3248,WP115222,WP115221,WP113878		

Sr#	SampleId	ClientID	QcType	Date	Comment	Operator	Status
1	LB137546BL	LB137546BL	MB	10/15/25 17:10		rubina	OK
2	LB137546BS	LB137546BS	LCS	10/15/25 17:10		rubina	OK
3	Q3344-01	1 EFFLUENT-COMP	SAM	10/15/25 17:10	Due to bad matrix difference between highest and lowest results is >30% for	rubina	OK
4	Q3344-01DUP	1 EFFLUENT-COMP	DUP	10/15/25 17:10	Due to bad matrix difference between highest and lowest results is >30% for	rubina	OK
5	Q3345-07	TANK-FARM-WATER	SAM	10/15/25 17:10		rubina	OK

Instrument ID: WC SC-3

Daily Analysis Runlog For Sequence/QC Batch ID # LB137553

Review By	jignesh	Review On	10/16/2025 1:57:29 PM
Supervise By	Iwona	Supervise On	10/16/2025 2:57:43 PM
SubDirectory	LB137553	Test	TSS
STD. NAME	STD REF.#		
ICAL Standard	N/A		
ICV Standard	N/A		
CCV Standard	N/A		
ICSA Standard	N/A		
CRI Standard	N/A		
LCS Standard	N/A		
Chk Standard	N/A		

Sr#	SampleId	ClientID	QcType	Date	Comment	Operator	Status
1	LB137553BL	LB137553BL	MB	10/16/25 09:35		jignesh	OK
2	LB137553BS	LB137553BS	LCS	10/16/25 09:35	55 mg W3186 + 100ML FOR W3112	jignesh	OK
3	Q3019-10	WP0925-PT-SOL-WP	SAM	10/16/25 09:35		jignesh	OK
4	Q3344-01	1 EFFLUENT-COMPO	SAM	10/16/25 09:35		jignesh	OK
5	Q3344-01DUP	1 EFFLUENT-COMPO	DUP	10/16/25 09:35		jignesh	OK
6	Q3345-07	TANK-FARM-WATER	SAM	10/16/25 09:35		jignesh	OK
7	Q3351-01	SW-1	SAM	10/16/25 09:35		jignesh	OK
8	Q3351-02	SW-2	SAM	10/16/25 09:35		jignesh	OK
9	Q3359-02	Comp	SAM	10/16/25 09:35		jignesh	OK

Instrument ID: WC SC-3

Daily Analysis Runlog For Sequence/QC Batch ID # LB137554

Review By	jignesh	Review On	10/16/2025 2:48:16 PM
Supervise By	Iwona	Supervise On	10/16/2025 2:57:14 PM
SubDirectory	LB137554	Test	TDS
STD. NAME	STD REF.#		
ICAL Standard	N/A		
ICV Standard	N/A		
CCV Standard	N/A		
ICSA Standard	N/A		
CRI Standard	N/A		
LCS Standard	N/A		
Chk Standard	N/A		

Sr#	SampleId	ClientID	QcType	Date	Comment	Operator	Status
1	LB137554BL	LB137554BL	MB	10/15/25 12:30		jignesh	OK
2	LB137554BS	LB137554BS	LCS	10/15/25 12:30	WP115238	jignesh	OK
3	Q3019-10	WP0925-PT-SOL-WP	SAM	10/15/25 12:30		jignesh	OK
4	Q3344-01	1 EFFLUENT-COMP	SAM	10/15/25 12:30		jignesh	OK
5	Q3344-01DUP	1 EFFLUENT-COMP	DUP	10/15/25 12:30		jignesh	OK

Instrument ID: WC SC-3

Daily Analysis Runlog For Sequence/QC Batch ID # LB137556

Review By	jignesh	Review On	10/16/2025 11:19:34 AM
Supervise By	Iwona	Supervise On	10/16/2025 2:55:18 PM
SubDirectory	LB137556	Test	Oil and Grease
STD. NAME	STD REF.#		
ICAL Standard	N/A		
ICV Standard	N/A		
CCV Standard	N/A		
ICSA Standard	N/A		
CRI Standard	N/A		
LCS Standard	N/A		
Chk Standard	W3240,M6069,EP2646,WP115016,N/A,N/A,WP115017,N/A,WP115018		

Sr#	SampleId	ClientID	QcType	Date	Comment	Operator	Status
1	LB137556BL	LB137556BL	MB	10/15/25 09:45		jignesh	OK
2	LB137556BS	LB137556BS	LCS	10/15/25 09:45		jignesh	OK
3	Q3328-01	MH-10-10-25	SAM	10/15/25 09:45		jignesh	OK
4	Q3328-02	Q3328-01MS	MS	10/15/25 09:45		jignesh	OK
5	Q3328-03	Q3328-01MSD	MSD	10/15/25 09:45		jignesh	OK
6	Q3344-02	2 EFFLUENT-GRAB	SAM	10/15/25 09:45		jignesh	OK

Instrument ID: WC SC-3

Daily Analysis Runlog For Sequence/QC Batch ID # LB137557

Review By	jignesh	Review On	10/16/2025 12:21:55 PM
Supervise By	Iwona	Supervise On	10/16/2025 2:55:04 PM
SubDirectory	LB137557	Test	TPH
STD. NAME	STD REF.#		
ICAL Standard	N/A		
ICV Standard	N/A		
CCV Standard	N/A		
ICSA Standard	N/A		
CRI Standard	N/A		
LCS Standard	N/A		
Chk Standard	W3240,M6069,EP2652,WP115016,W3246,N/A,WP115017,WP115018,N/A		

Sr#	SampleId	ClientID	QcType	Date	Comment	Operator	Status
1	LB137557BL	LB137557BL	MB	10/16/25 09:35		jignesh	OK
2	LB137557BS	LB137557BS	LCS	10/16/25 09:35		jignesh	OK
3	LB137557BSD	LB137557BSD	LCSD	10/16/25 09:35		jignesh	OK
4	Q3316-01	GRAB	SAM	10/16/25 09:35		jignesh	OK
5	Q3328-01	MH-10-10-25	SAM	10/16/25 09:35		jignesh	OK
6	Q3344-02	2 EFFLUENT-GRAB	SAM	10/16/25 09:35		jignesh	OK
7	Q3345-07	TANK-FARM-WATER	SAM	10/16/25 09:35		jignesh	OK
8	Q3359-01	Grab	SAM	10/16/25 09:35		jignesh	OK

Instrument ID: SPECTROPHOTOMETER-1

Daily Analysis Runlog For Sequence/QC Batch ID # LB137597

Review By	Iwona	Review On	10/21/2025 11:49:15 AM
Supervise By	jignesh	Supervise On	10/21/2025 11:57:27 AM
SubDirectory	LB137597	Test	Phosphorus-Total
STD. NAME	STD REF.#		
ICAL Standard	N/A		
ICV Standard	N/A		
CCV Standard	N/A		
ICSA Standard	N/A		
CRI Standard	N/A		
LCS Standard	N/A		
Chk Standard	WP115259,WP115258,WP115257,WP115256,WP115255,WP115254,WP115261,WP112831,WP115264,WP113378,V		

Sr#	SampleId	ClientID	QcType	Date	Comment	Operator	Status
1	CAL1	CAL1	CAL	10/21/25 11:20		Iwona	OK
2	CAL2	CAL2	CAL	10/21/25 11:20		Iwona	OK
3	CAL3	CAL3	CAL	10/21/25 11:21		Iwona	OK
4	CAL4	CAL4	CAL	10/21/25 11:21		Iwona	OK
5	CAL5	CAL5	CAL	10/21/25 11:22		Iwona	OK
6	CAL6	CAL6	CAL	10/21/25 11:22		Iwona	OK
7	ICV	ICV	ICV	10/21/25 11:23		Iwona	OK
8	ICB	ICB	ICB	10/21/25 11:23		Iwona	OK
9	CCV1	CCV1	CCV	10/21/25 11:24		Iwona	OK
10	CCB1	CCB1	CCB	10/21/25 11:24		Iwona	OK
11	RL Check	RL Check	RL	10/21/25 11:25		Iwona	OK
12	PB170160BL	PB170160BL	MB	10/21/25 11:25		Iwona	OK
13	PB170160BS	PB170160BS	LCS	10/21/25 11:26		Iwona	OK
14	Q3344-01	1 EFFLUENT-COMP	SAM	10/21/25 11:26		Iwona	OK
15	Q3344-01DUP	1 EFFLUENT-COMP	DUP	10/21/25 11:27		Iwona	OK
16	Q3344-01MS	1 EFFLUENT-COMP	MS	10/21/25 11:27		Iwona	OK
17	Q3344-01MSD	1 EFFLUENT-COMP	MSD	10/21/25 11:28		Iwona	OK
18	Q3344-01DL	1 EFFLUENT-COMP	SAM	10/21/25 11:28		Iwona	OK

Instrument ID: SPECTROPHOTOMETER-1

Daily Analysis Runlog For Sequence/QC Batch ID # LB137597

Review By	Iwona	Review On	10/21/2025 11:49:15 AM
Supervise By	jignesh	Supervise On	10/21/2025 11:57:27 AM
SubDirectory	LB137597	Test	Phosphorus-Total
STD. NAME	STD REF.#		
ICAL Standard	N/A		
ICV Standard	N/A		
CCV Standard	N/A		
ICSA Standard	N/A		
CRI Standard	N/A		
LCS Standard	N/A		
Chk Standard	WP115259,WP115258,WP115257,WP115256,WP115255,WP115254,WP115261,WP112831,WP115264,WP113378,V		

19	Q3344-01DUP	1 EFFLUENT-COMP	DUP	10/21/25 11:29		Iwona	OK
20	Q3344-01MS	1 EFFLUENT-COMP	MS	10/21/25 11:29		Iwona	OK
21	CCV2	CCV2	CCV	10/21/25 11:30		Iwona	OK
22	CCB2	CCB2	CCB	10/21/25 11:30		Iwona	OK
23	Q3344-01MSD	1 EFFLUENT-COMP	MSD	10/21/25 11:31		Iwona	OK
24	CCV3	CCV3	CCV	10/21/25 11:31		Iwona	OK
25	CCB3	CCB3	CCB	10/21/25 11:32		Iwona	OK

LAB CHRONICLE

OrderID:	Q3344	OrderDate:	10/14/2025 1:00:00 PM
Client:	Mars Chocolate North America, LLC	Project:	W.T.P. Final Effluent 2025
Contact:	Anthony Fosco	Location:	J22

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q3344-01	1	WATER			10/14/25			10/14/25
	EFFLUENT-COMPOSIT				05:00			
	E		Ammonia	SM4500-NH3		10/15/25	10/15/25 17:51	
			BOD Soluble	SM5210 B			10/15/25 17:10	
			BOD5	SM5210 B			10/15/25 17:10	
			COD	SM5220 D			10/15/25 14:33	
			Apparent Color	SM2120 B			10/15/25 10:35	
			Phosphorus-Total	365.3		10/21/25	10/21/25 11:26	
			TDS	SM2540 C			10/15/25 12:30	
			TSS	SM2540 D			10/16/25 09:35	
Q3344-01DL	1	WATER			10/14/25			10/14/25
	EFFLUENT-COMPOSIT				05:00			
	EDL		Phosphorus-Total	365.3		10/21/25	10/21/25 11:28	
Q3344-02	2	WATER			10/14/25			10/14/25
	EFFLUENT-GRAB				05:00			
			Oil and Grease	1664A			10/15/25 09:45	
			TPH	1664A			10/16/25 09:35	

SOP ID : MSM4500-NH3 B,G-Ammonia-18

SDG No : N/A

Start Digest Date: 10/15/2025 Time : 10:25 Temp : 150 °C

Matrix : WATER

End Digest Date: 10/15/2025 Time : 11:25 Temp : 160 °C

Pipette ID : WC

Balance ID : N/A

Hood ID : HOOD#2

Digestion tube ID : M5595

Block Thermometer ID : WC CYANIDE

Block ID : WC-DIST-BLOCK-1

Filter paper ID : N/A

Prep Technician Signature: RM

Weigh By : N/A

pH Meter ID : N/A

Supervisor Signature:

Standard Name	MLS USED	STD REF. # FROM LOG
LCSW	1.0ML	WP115088
MS/MSD SPIKE SOL.	1.0ML	WP115087
PBW	50.0ML	W3112
RL CHECK	N/A	AS PER PB170110
N/A	N/A	N/A

Chemical Used	ML/SAMPLE USED	Lot Number
BORATE BUFFER	2.5ML	WP113886
NAOH 6N	0.5-2.0ML	WP113887
H2SO4 0.04N	5.0ML	WP112828
pH strip-Ammonia	N/A	W3133
KI-starch paper	N/A	W3155
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Extraction Conformance/Non-Conformance Comments:

ALL GLASSWEAR ARE STEAMED OUT AND THERE WERE NO TRACE OF AMMONIA USING NESLER REAGENT
WP114104, Due to bad matrix and client history 1ML was taken as an initial volume for Q3344-01

Date / Time	Prepped Sample Relinquished By/Location	Received By/Location
10/15/2025 11:40	RM CWG	RM CWG
	Preparation Group	Analysis Group

Lab Sample ID	Client Sample ID	Initial Vol (ml)	Final Vol (ml)	pH	Sulfide	Oxidizing	Nitrate/ Nitrite	Comment	Prep Pos
PB170111BL	PBW111	50	50	<2	N/A	Negative	N/A	AFTER ADDING 6N NAOH PH IS 9.5	N/A
PB170111BS	LCS111	50	50	<2	N/A	Negative	N/A	AFTER ADDING 6N NAOH PH IS 9.5	N/A
Q3344-01	1 EFFLUENT-COMPOSITE	1	50	<2	N/A	Negative	N/A	AFTER ADDING 6N NAOH PH IS 9.5	N/A
Q3345-07	TANK-FARM-WATER	50	50	<2	N/A	Negative	N/A	AFTER ADDING 6N NAOH PH IS 9.5	N/A
Q3345-07DUP	TANK-FARM-WATERDUP	50	50	<2	N/A	Negative	N/A	AFTER ADDING 6N NAOH PH IS 9.5	N/A
Q3345-07MS	TANK-FARM-WATERMS	50	50	<2	N/A	Negative	N/A	AFTER ADDING 6N NAOH PH IS 9.5	N/A
Q3345-07MSD	TANK-FARM-WATERMSD	50	50	<2	N/A	Negative	N/A	AFTER ADDING 6N NAOH PH IS 9.5	N/A

SOP ID : M365.3 & SM4500-P E-19

SDG No : N/A

Start Digest Date: 10/21/2025 Time : 09:10 Temp : 94 °C

Matrix : WATER

End Digest Date: 10/21/2025 Time : 10:15 Temp : 96 °C

Pippete ID : WC

Balance ID : N/A

Hood ID : HOOD#3

Digestion tube ID : M5595

Block Thermometer ID : WC-BLOCK#1

Block ID : WC S-1, WC S-2

Filter paper ID : 400213

Prep Technician Signature: 12

Weigh By : N/A

pH Meter ID : N/A

Supervisor Signature:

Standardized Name	MLS USED	STD REF. # FROM LOG
LCSW	0.5ML	WP112914
MS/MSD SPIKE SOL.	0.5ML	WP112913
PBW	50. ML	W3112
RL CHECK	50.0ML	WP115262
N/A	N/A	N/A

Chemical Used	ML/SAMPLE USED	Lot Number
11N H2SO4	1ML	WP115089
AMMONIUM PERSULFATE	0.4g	W3035
pH Paper 0-14	N/A	W3241
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

LAB SAMPLE ID	CLIENT SAMPLE ID	Wt(g)/Vol(ml)	Comment
CAL1	CAL1	50.0ML	WP115254
CAL2	CAL2	50.0ML	WP115255
CAL3	CAL3	50.0ML	WP115256
CAL4	CAL4	50.0ML	WP115257
CAL5	CAL5	50.0ML	WP115258
CAL6	CAL6	50.0ML	WP115259
ICV	ICV	50.0ML	WP115260
ICB	ICB	50.0ML	W3112
CCV	CCV	50.0ML	WP115261
CCB	CCB	50.0ML	W3112

Extraction Conformance/Non-Conformance Comments:

N/A

Date / Time	Prepped Sample Relinquished By/Location	Received By/Location
	Preparation Group	Analysis Group

12/21/25

Lab Sample ID	Client Sample ID	Initial Vol (ml)	Final Vol (ml)	pH	Sulfide	Oxidizing	Nitrate/Nitrite	Comment	Prep Pos
PB170160BL	PBW160	50	50	<2	N/A	N/A	N/A	N/A	N/A
PB170160BS	LCS160	50	50	<2	N/A	N/A	N/A	N/A	N/A
Q3344-01	1 EFFLUENT-COMPOSITE	50	50	<2	N/A	N/A	N/A	N/A	N/A
Q3344-01DUP	1 EFFLUENT-COMPOSITEDUP	50	50	<2	N/A	N/A	N/A	N/A	N/A
Q3344-01MS	1 EFFLUENT-COMPOSITEMS	50	50	<2	N/A	N/A	N/A	N/A	N/A
Q3344-01MSD	1 EFFLUENT-COMPOSITEMSD	50	50	<2	N/A	N/A	N/A	N/A	N/A