

Report of Analysis

Client: Garden State Laboratories, Inc.
Project: Waste Water 2025
Client Sample ID: VX1017WBSD01
Lab Sample ID: VX1017WBSD01
Analytical Method: 8260D
Sample Wt/Vol: 5 mL

Level : LOW
Final Vol: 5000 uL

Date Collected:
Date Received:
SDG No.: Q3361
Matrix: Water
% Solid: 0
Test: VOCMS Group2

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	BatchID
TARGETS									
75-71-8	Dichlorodifluoromethane	17.5		1	0.22	1.00	ug/L	10/17/25 14:30	VX101725
74-87-3	Chloromethane	17.5		1	0.32	1.00	ug/L	10/17/25 14:30	VX101725
75-01-4	Vinyl Chloride	18.5		1	0.26	1.00	ug/L	10/17/25 14:30	VX101725
74-83-9	Bromomethane	18.5		1	1.40	5.00	ug/L	10/17/25 14:30	VX101725
75-00-3	Chloroethane	17.3		1	0.47	1.00	ug/L	10/17/25 14:30	VX101725
75-69-4	Trichlorofluoromethane	17.8		1	0.33	1.00	ug/L	10/17/25 14:30	VX101725
76-13-1	1,1,2-Trichlorotrifluoroethane	18.7		1	0.25	1.00	ug/L	10/17/25 14:30	VX101725
75-35-4	1,1-Dichloroethene	18.5		1	0.23	1.00	ug/L	10/17/25 14:30	VX101725
67-64-1	Acetone	83.7		1	1.50	5.00	ug/L	10/17/25 14:30	VX101725
75-15-0	Carbon Disulfide	18.5		1	0.21	1.00	ug/L	10/17/25 14:30	VX101725
1634-04-4	Methyl tert-butyl Ether	18.8		1	0.16	1.00	ug/L	10/17/25 14:30	VX101725
79-20-9	Methyl Acetate	19.6		1	0.27	1.00	ug/L	10/17/25 14:30	VX101725
75-09-2	Methylene Chloride	18.3		1	0.28	1.00	ug/L	10/17/25 14:30	VX101725
156-60-5	trans-1,2-Dichloroethene	18.4		1	0.23	1.00	ug/L	10/17/25 14:30	VX101725
75-34-3	1,1-Dichloroethane	17.7		1	0.23	1.00	ug/L	10/17/25 14:30	VX101725
110-82-7	Cyclohexane	20.3		1	1.50	5.00	ug/L	10/17/25 14:30	VX101725
78-93-3	2-Butanone	96.7		1	0.98	5.00	ug/L	10/17/25 14:30	VX101725
56-23-5	Carbon Tetrachloride	19.7		1	0.25	1.00	ug/L	10/17/25 14:30	VX101725
156-59-2	cis-1,2-Dichloroethene	18.2		1	0.19	1.00	ug/L	10/17/25 14:30	VX101725
74-97-5	Bromochloromethane	18.8		1	0.22	1.00	ug/L	10/17/25 14:30	VX101725
67-66-3	Chloroform	18.5		1	0.25	1.00	ug/L	10/17/25 14:30	VX101725
71-55-6	1,1,1-Trichloroethane	19.2		1	0.20	1.00	ug/L	10/17/25 14:30	VX101725
108-87-2	Methylcyclohexane	19.9		1	0.16	1.00	ug/L	10/17/25 14:30	VX101725
71-43-2	Benzene	19.2		1	0.15	1.00	ug/L	10/17/25 14:30	VX101725
107-06-2	1,2-Dichloroethane	20.5		1	0.22	1.00	ug/L	10/17/25 14:30	VX101725
79-01-6	Trichloroethene	18.5		1	0.090	1.00	ug/L	10/17/25 14:30	VX101725
78-87-5	1,2-Dichloropropane	19.7		1	0.20	1.00	ug/L	10/17/25 14:30	VX101725
75-27-4	Bromodichloromethane	19.5		1	0.22	1.00	ug/L	10/17/25 14:30	VX101725
108-10-1	4-Methyl-2-Pentanone	110		1	0.68	5.00	ug/L	10/17/25 14:30	VX101725
108-88-3	Toluene	20.0		1	0.14	1.00	ug/L	10/17/25 14:30	VX101725
10061-02-6	t-1,3-Dichloropropene	20.5		1	0.17	1.00	ug/L	10/17/25 14:30	VX101725
10061-01-5	cis-1,3-Dichloropropene	19.8		1	0.16	1.00	ug/L	10/17/25 14:30	VX101725
79-00-5	1,1,2-Trichloroethane	20.5		1	0.21	1.00	ug/L	10/17/25 14:30	VX101725
591-78-6	2-Hexanone	110		1	0.89	5.00	ug/L	10/17/25 14:30	VX101725
124-48-1	Dibromochloromethane	21.2		1	0.18	1.00	ug/L	10/17/25 14:30	VX101725
106-93-4	1,2-Dibromoethane	21.1		1	0.15	1.00	ug/L	10/17/25 14:30	VX101725
127-18-4	Tetrachloroethene	18.9		1	0.23	1.00	ug/L	10/17/25 14:30	VX101725
108-90-7	Chlorobenzene	19.3		1	0.12	1.00	ug/L	10/17/25 14:30	VX101725
100-41-4	Ethyl Benzene	18.2		1	0.13	1.00	ug/L	10/17/25 14:30	VX101725
179601-23-1	m/p-Xylenes	37.2		1	0.24	2.00	ug/L	10/17/25 14:30	VX101725
95-47-6	o-Xylene	18.5		1	0.12	1.00	ug/L	10/17/25 14:30	VX101725
100-42-5	Styrene	19.0		1	0.15	1.00	ug/L	10/17/25 14:30	VX101725
75-25-2	Bromoform	18.8		1	0.19	1.00	ug/L	10/17/25 14:30	VX101725

Report of Analysis

Client: Garden State Laboratories, Inc.

Project: Waste Water 2025

Client Sample ID: VX1017WBSD01

Lab Sample ID: VX1017WBSD01

Analytical Method: 8260D

Sample Wt/Vol: 5 mL

Level : LOW

Final Vol: 5000 uL

Date Collected:

Date Received:

SDG No.: Q3361

Matrix: Water

% Solid: 0

Test: VOCMS Group2

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	BatchID
98-82-8	Isopropylbenzene	19.9		1	0.12	1.00	ug/L	10/17/25 14:30	VX101725
79-34-5	1,1,2,2-Tetrachloroethane	20.1		1	0.26	1.00	ug/L	10/17/25 14:30	VX101725
541-73-1	1,3-Dichlorobenzene	19.4		1	0.16	1.00	ug/L	10/17/25 14:30	VX101725
106-46-7	1,4-Dichlorobenzene	18.9		1	0.19	1.00	ug/L	10/17/25 14:30	VX101725
95-50-1	1,2-Dichlorobenzene	19.3		1	0.16	1.00	ug/L	10/17/25 14:30	VX101725
96-12-8	1,2-Dibromo-3-Chloropropane	20.3		1	0.53	1.00	ug/L	10/17/25 14:30	VX101725
120-82-1	1,2,4-Trichlorobenzene	19.3		1	0.20	1.00	ug/L	10/17/25 14:30	VX101725
87-61-6	1,2,3-Trichlorobenzene	20.5		1	0.20	1.00	ug/L	10/17/25 14:30	VX101725
SURROGATES									
17060-07-0	1,2-Dichloroethane-d4	45.5			74 - 125	91%	SPK: 50		
1868-53-7	Dibromofluoromethane	50.6			75 - 124	101%	SPK: 50		
2037-26-5	Toluene-d8	47.7			86 - 113	95%	SPK: 50		
460-00-4	4-Bromofluorobenzene	48.3			77 - 121	97%	SPK: 50		
INTERNAL STANDARDS									
		Area Count							
363-72-4	Pentafluorobenzene	149000							
540-36-3	1,4-Difluorobenzene	237000							
3114-55-4	Chlorobenzene-d5	229000							
3855-82-1	1,4-Dichlorobenzene-d4	106000							

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products