

ANALYTICAL RESULTS SUMMARY

GENERAL CHEMISTRY
METALS

PROJECT NAME : BANKER

G ENVIRONMENTAL

8 Carriage Ln

Succasunna, NJ - 07876

Phone No: 973-294-1771

ORDER ID : Q3365

ATTENTION : Gary Landis



Laboratory Certification ID # 20012



1) Signature Page	3
2) Case Narrative	5
2.1) Metals-AES- Case Narrative	5
2.2) Genchem- Case Narrative	6
3) Qualifier Page	7
4) QA Checklist	8
5) Metals-AES Data	9
6) Genchem Data	17
7) Shipping Document	32
7.1) CHAIN OF CUSTODY	33
7.2) Lab Certificate	34

1
2
3
4
5
6
7

DATA OF KNOWN QUALITY CONFORMANCE/NON-CONFORMANCE SUMMARY QUESTIONNAIRE

1

Laboratory Name : Alliance Technical Group LLC Client : G Environmental
 Project Location : NJ Project Number : Banker
 Laboratory Sample ID(s) : Q3365 Sampling Date(s) : 10/16/2025
 List DKQP Methods Used (e.g., 8260,8270, et Cetra) **300.0,6010D,SOP**

1	For each analytical method referenced in this laboratory report package, were all specified QA/QC performance criteria followed, including the requirement to explain any criteria falling outside of acceptable guidelines, as specified in the NJDEP Data of Known Quality performance standards?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
1A	Were the method specified handling, preservation, and holding time requirements met?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
1B	EPH Method: Was the EPH method conducted without significant modifications (see Section 11.3 of respective DKQ methods)	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
2	Were all samples received by the laboratory in a condition consistent with that described on the associated chain-of-custody document(s)?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
3	Were samples received at an appropriate temperature (4±2° C)?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
4	Were all QA/QC performance criteria specified in the NJDEP DKQP standards achieved?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
5	a)Were reporting limits specified or referenced on the chain-of-custody or communicated to the laboratory prior to sample receipt? b)Were these reporting limits met?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
6	For each analytical method referenced in this laboratory report package, were results reported for all constituents identified in the method-specific analyte lists presented in the DKQP documents and/or site-specific QAPP?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
7	Are project-specific matrix spikes and/or laboratory duplicates included in this data set?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

Notes: For all questions to which the response was "No" (with the exception of question #7), additional information should be provided in an attached narrative. If the answer to question #1, #1A, or #1B is "No", the data package does not meet the requirements for "Data of Known Quality."

Cover Page

Order ID : Q3365

Project ID : Banker

Client : G Environmental

Lab Sample Number

Q3365-01
Q3365-02
Q3365-03
Q3365-04
Q3365-05

Client Sample Number

MW25
MW2D
SUPPLY
17 HARVEY
19 HARVEY

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

Signature : _____

Date: 10/29/2025

NYDOH CERTIFICATION NO - 11376

NJDEP CERTIFICATION NO - 20012



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

CASE NARRATIVE

G Environmental

Project Name: Banker

Project # N/A

Order ID # Q3365

Test Name: Metals Group4

A. Number of Samples and Date of Receipt:

5 Water samples were received on 10/16/2025.

B. Parameters:

According to the Chain of Custody document, the following analyses were requested: Metals Group4. This data package contains results for Metals Group4.

C. Analytical Techniques:

The analysis of Metals Group4 was based on method 6010D and digestion based on method 3010 (waters).

D. QA/ QC Samples:

The Holding Times were met for all analysis.

Sample MW25 was diluted due to high concentrations for Sodium & Sample MW2D was diluted due to high concentrations for Sodium.

The Blank Spike met requirements for all compounds.

The Duplicate analysis met criteria for all compounds.

The Matrix Spike analysis met criteria for all compounds.

The Matrix Spike Duplicate analysis met criteria for all compounds.

The Blank analysis did not indicate the presence of lab contamination.

The Calibration met the requirements.

The Serial Dilution met the acceptable requirements.

E. Additional Comments:

In analytical sequence LB137630, The % recovery was outside of acceptance limit for Sodium of CCV11 and CCV12 but, no any samples associated under these CCVs.

In analytical sequence LB137630, The Result was outside of acceptance limit for Sodium of CCB10, CCB11 and CCB12 but, no any samples associated under these CCBs.

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature_____



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

CASE NARRATIVE

G Environmental

Project Name: Banker

Project # N/A

Order ID # Q3365

Test Name: Anions Group1

A. Number of Samples and Date of Receipt:

5 Water samples were received on 10/16/2025.

B. Parameters:

According to the Chain of Custody document, the following analyses were requested: Anions Group1. This data package contains results for Anions Group1.

C. Analytical Techniques:

The analysis of Anions Group1 was based on method 300.0.

D. QA/ QC Samples:

The Holding Times were met for all analysis.

Sample MW25 was diluted due to high concentrations for Chloride & Sample MW25DL was diluted due to high concentrations for Chloride & Sample MW2D was diluted due to high concentrations for Chloride & Sample MW2DDL was diluted due to high concentrations for Chloride & Sample SUPPLY was diluted due to high concentrations for Chloride & Sample 17 HARVEY was diluted due to high concentrations for Chloride & Sample 19 HARVEY was diluted due to high concentrations for Chloride.

The Blank Spike met requirements for all compounds.

The Duplicate analysis met criteria for all compounds.

The Matrix Spike (19 HARVEYMS) analysis met criteria for all compounds except for Anions Group1(Chloride) due to sample matrix interference.

The Matrix Spike Duplicate (19 HARVEYMSD) analysis met criteria for all compounds except for Anions Group1(Chloride) due to sample matrix interference.

The Blank analysis did not indicate the presence of lab contamination.

The Calibration met the requirements.

E. Additional Comments:

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature_____

DATA REPORTING QUALIFIERS- INORGANIC

For reporting results, the following “ Results Qualifiers” are used:

J	Indicates the reported value was obtained from a reading that was less than the Contract Required Detection Limit (CRDL), but greater than or equal to the Instrument Detection Limit (IDL).
U	Indicates the analyte was analyzed for, but not detected.
ND	Indicates the analyte was analyzed for, but not detected
E	Indicates the reported value is estimated because of the presence of interference
M	Indicates Duplicate injection precision not met.
N	Indicates the spiked sample recovery is not within control limits.
S	Indicates the reported value was determined by the Method of Standard Addition (MSA).
*	Indicates that the duplicate analysis is not within control limits.
+	Indicates the correlation coefficient for the MSA is less than 0.995.
D	Indicates the reported value is from a secondary analysis with a dilution factor. The original analysis exceeded the calibration range.
M	Method qualifiers “P” for ICP instrument “PM” for ICP when Microwave Digestion is used “CV” for Manual Cold Vapor AA “AV” for automated Cold Vapor AA “CA” for MIDI-Distillation Spectrophotometric “AS” for Semi -Automated Spectrophotometric “C” for Manual Spectrophotometric “T” for Titrimetric “NR” for analyte not required to be analyzed
OR	Indicates the analyte’s concentration exceeds the calibrated range of the instrument for that specific analysis.
Q	Indicates the LCS did not meet the control limits requirements
H	Sample Analysis Out Of Hold Time

APPENDIX A

QA REVIEW GENERAL DOCUMENTATION

Project #: Q3365

Completed

For thorough review, the report must have the following:

GENERAL:

Are all original paperwork present (chain of custody, record of communication,airbill, sample management lab chronicle, login page)

✓

Check chain-of-custody for proper relinquish/return of samples

✓

Is the chain of custody signed and complete

✓

Check internal chain-of-custody for proper relinquish/return of samples /sample extracts

✓

Collect information for each project id from server. Were all requirements followed

✓

COVER PAGE:

Do numbers of samples correspond to the number of samples in the Chain of Custody on login page

✓

Do lab numbers and client Ids on cover page agree with the Chain of Custody

✓

CHAIN OF CUSTODY:

Do requested analyses on Chain of Custody agree with form I results

✓

Do requested analyses on Chain of Custody agree with the log-in page

✓

Were the correct method log-in for analysis according to the Analytical Request and Chain of Custody

✓

Were the samples received within hold time

✓

Were any problems found with the samples at arrival recorded in the Sample Management Laboratory Chronicle

✓

ANALYTICAL:

Was method requirement followed?

✓

Was client requirement followed?

✓

Does the case narrative summarize all QC failure?

✓

All runlogs and manual integration are reviewed for requirements

✓

All manual calculations and /or hand notations verified

✓

QA Review Signature: SOHIL JODHANI

Date: 10/29/2025

Hit Summary Sheet
SW-846

SDG No.: Q3365 **Order ID:** Q3365
Client: G Environmental **Project ID:** Banker

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID : MW25								
Q3365-01	MW25	Water	Sodium	2570000	D	2170	5000	ug/L
Client ID : MW2D								
Q3365-02	MW2D	Water	Sodium	2000000	D	2170	5000	ug/L
Client ID : SUPPLY								
Q3365-03	SUPPLY	Water	Sodium	47400		434	1000	ug/L
Client ID : 17 HARVEY								
Q3365-04	17 HARVEY	Water	Sodium	126000		434	1000	ug/L
Client ID : 19 HARVEY								
Q3365-05	19 HARVEY	Water	Sodium	159000		434	1000	ug/L



SAMPLE DATA

Report of Analysis

Client:	G Environmental	Date Collected:	10/16/25
Project:	Banker	Date Received:	10/16/25
Client Sample ID:	MW25	SDG No.:	Q3365
Lab Sample ID:	Q3365-01	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-23-5	Sodium	2570000	D	5	2170	5000	ug/L	10/21/25 16:10	10/23/25 14:28	6010D	

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N = Spiked sample recovery not within control limits

Report of Analysis

Client:	G Environmental	Date Collected:	10/16/25
Project:	Banker	Date Received:	10/16/25
Client Sample ID:	MW2D	SDG No.:	Q3365
Lab Sample ID:	Q3365-02	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-23-5	Sodium	2000000	D	5	2170	5000	ug/L	10/21/25 16:10	10/23/25 14:32	6010D	

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N = Spiked sample recovery not within control limits

Report of Analysis

Client:	G Environmental	Date Collected:	10/16/25
Project:	Banker	Date Received:	10/16/25
Client Sample ID:	SUPPLY	SDG No.:	Q3365
Lab Sample ID:	Q3365-03	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-23-5	Sodium	47400	1	434		1000	ug/L	10/21/25 16:10	10/21/25 17:53	6010D	

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

Report of Analysis

Client: G Environmental
Project: Banker
Client Sample ID: 17 HARVEY
Lab Sample ID: Q3365-04
Level (low/med): low

Date Collected: 10/16/25
Date Received: 10/16/25
SDG No.: Q3365
Matrix: Water
% Solid: 0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-23-5	Sodium	126000	1	434		1000	ug/L	10/21/25 16:10	10/21/25 17:58	6010D	

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

Report of Analysis

Client: G Environmental
Project: Banker
Client Sample ID: 19 HARVEY
Lab Sample ID: Q3365-05
Level (low/med): low

Date Collected: 10/16/25
Date Received: 10/16/25
SDG No.: Q3365
Matrix: Water
% Solid: 0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-23-5	Sodium	159000	1	434		1000	ug/L	10/21/25 16:10	10/21/25 18:02	6010D	

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

LAB CHRONICLE

OrderID:	Q3365	OrderDate:	10/16/2025 1:32:00 PM
Client:	G Environmental	Project:	Banker
Contact:	Gary Landis	Location:	J13

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q3365-01	MW25	Water	Metals Group4	6010D	10/16/25	10/21/25	10/23/25	10/16/25
Q3365-02	MW2D	Water	Metals Group4	6010D	10/16/25	10/21/25	10/23/25	10/16/25
Q3365-03	SUPPLY	Water	Metals Group4	6010D	10/16/25	10/21/25	10/21/25	10/16/25
Q3365-04	17 HARVEY	Water	Metals Group4	6010D	10/16/25	10/21/25	10/21/25	10/16/25
Q3365-05	19 HARVEY	Water	Metals Group4	6010D	10/16/25	10/21/25	10/21/25	10/16/25



SAMPLE DATA

Report of Analysis

Client: G Environmental
Project: Banker
Client Sample ID: MW25
Lab Sample ID: Q3365-01

Date Collected: 10/16/25 09:25
Date Received: 10/16/25
SDG No.: Q3365
Matrix: WATER
% Solid: 0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Chloride	7190	OR	1	0.19	0.60	mg/L		10/16/25 14:17	300.0

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N = Spiked sample recovery not within control limits

Report of Analysis

Client: G Environmental
Project: Banker
Client Sample ID: MW25DL
Lab Sample ID: Q3365-01DL

Date Collected: 10/16/25 09:25
Date Received: 10/16/25
SDG No.: Q3365
Matrix: WATER
% Solid: 0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Chloride	4970	OR	100	19.0	60.0	mg/L		10/16/25 17:01	300.0

Comments: _____

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N = Spiked sample recovery not within control limits

Report of Analysis

Client: G Environmental
Project: Banker
Client Sample ID: MW25DL2
Lab Sample ID: Q3365-01DL2

Date Collected: 10/16/25 09:25
Date Received: 10/16/25
SDG No.: Q3365
Matrix: WATER
% Solid: 0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Chloride	4240	D	1000	190	600	mg/L		10/17/25 11:41	300.0

Comments: _____

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N = Spiked sample recovery not within control limits

Report of Analysis

Client: G Environmental
Project: Banker
Client Sample ID: MW2D
Lab Sample ID: Q3365-02

Date Collected: 10/16/25 10:39
Date Received: 10/16/25
SDG No.: Q3365
Matrix: WATER
% Solid: 0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Chloride	5370	OR	1	0.19	0.60	mg/L		10/16/25 14:39	300.0

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N = Spiked sample recovery not within control limits

Report of Analysis

Client: G Environmental
Project: Banker
Client Sample ID: MW2DDL
Lab Sample ID: Q3365-02DL

Date Collected: 10/16/25 10:39
Date Received: 10/16/25
SDG No.: Q3365
Matrix: WATER
% Solid: 0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Chloride	3630	OR	100	19.0	60.0	mg/L		10/16/25 19:11	300.0

Comments: _____

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N = Spiked sample recovery not within control limits

Report of Analysis

Client: G Environmental
Project: Banker
Client Sample ID: MW2DDL2
Lab Sample ID: Q3365-02DL2

Date Collected: 10/16/25 10:39
Date Received: 10/16/25
SDG No.: Q3365
Matrix: WATER
% Solid: 0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Chloride	3200	D	1000	190	600	mg/L		10/17/25 12:02	300.0

Comments: _____

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N = Spiked sample recovery not within control limits

Report of Analysis

Client: G Environmental
Project: Banker
Client Sample ID: SUPPLY
Lab Sample ID: Q3365-03

Date Collected: 10/16/25 11:00
Date Received: 10/16/25
SDG No.: Q3365
Matrix: WATER
% Solid: 0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Chloride	304	OR	1	0.19	0.60	mg/L		10/16/25 15:01	300.0

Comments: _____

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N = Spiked sample recovery not within control limits

Report of Analysis

Client: G Environmental
Project: Banker
Client Sample ID: SUPPLYDL
Lab Sample ID: Q3365-03DL

Date Collected: 10/16/25 11:00
Date Received: 10/16/25
SDG No.: Q3365
Matrix: WATER
% Solid: 0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Chloride	211	D	100	19.0	60.0	mg/L		10/16/25 19:54	300.0

Comments: _____

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N = Spiked sample recovery not within control limits

Report of Analysis

Client: G Environmental
Project: Banker
Client Sample ID: 17 HARVEY
Lab Sample ID: Q3365-04

Date Collected: 10/16/25 11:10
Date Received: 10/16/25
SDG No.: Q3365
Matrix: WATER
% Solid: 0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Chloride	305	OR	1	0.19	0.60	mg/L		10/16/25 15:22	300.0

Comments: _____

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N = Spiked sample recovery not within control limits

Report of Analysis

Client: G Environmental
Project: Banker
Client Sample ID: 17 HARVEYDL
Lab Sample ID: Q3365-04DL

Date Collected: 10/16/25 11:10
Date Received: 10/16/25
SDG No.: Q3365
Matrix: WATER
% Solid: 0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Chloride	209	D	100	19.0	60.0	mg/L		10/16/25 20:15	300.0

Comments: _____

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N = Spiked sample recovery not within control limits

Report of Analysis

Client: G Environmental
Project: Banker
Client Sample ID: 19 HARVEY
Lab Sample ID: Q3365-05

Date Collected: 10/16/25 11:19
Date Received: 10/16/25
SDG No.: Q3365
Matrix: WATER
% Solid: 0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Chloride	493	OR	1	0.19	0.60	mg/L		10/16/25 15:44	300.0

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N = Spiked sample recovery not within control limits

Report of Analysis

Client: G Environmental
Project: Banker
Client Sample ID: 19 HARVEYDL
Lab Sample ID: Q3365-05DL

Date Collected: 10/16/25 11:19
Date Received: 10/16/25
SDG No.: Q3365
Matrix: WATER
% Solid: 0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Chloride	320	D	100	19.0	60.0	mg/L		10/16/25 20:37	300.0

Comments: _____

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N = Spiked sample recovery not within control limits

LAB CHRONICLE

OrderID:	Q3365	OrderDate:	10/16/2025 1:32:00 PM
Client:	G Environmental	Project:	Banker
Contact:	Gary Landis	Location:	J13

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q3365-01	MW25	WATER			10/16/25			10/16/25
			Anions Group1	300.0	09:25		10/16/25 14:17	
Q3365-01DL	MW25DL	WATER			10/16/25			10/16/25
			Anions Group1	300.0	09:25		10/16/25 17:01	
Q3365-01DL 2	MW25DL2	WATER			10/16/25			10/16/25
			Anions Group1	300.0	09:25		10/17/25 11:41	
Q3365-02	MW2D	WATER			10/16/25			10/16/25
			Anions Group1	300.0	10:39		10/16/25 14:39	
Q3365-02DL	MW2DDL	WATER			10/16/25			10/16/25
			Anions Group1	300.0	10:39		10/16/25 19:11	
Q3365-02DL 2	MW2DDL2	WATER			10/16/25			10/16/25
			Anions Group1	300.0	10:39		10/17/25 12:02	
Q3365-03	SUPPLY	WATER			10/16/25			10/16/25
			Anions Group1	300.0	11:00		10/16/25 15:01	

LAB CHRONICLE

Q3365-03DL	SUPPLYDL	WATER			10/16/25		10/16/25
			Anions Group1	300.0	11:00	10/16/25 19:54	
Q3365-04	17 HARVEY	WATER			10/16/25		10/16/25
			Anions Group1	300.0	11:10	10/16/25 15:22	
Q3365-04DL	17 HARVEYDL	WATER			10/16/25		10/16/25
			Anions Group1	300.0	11:10	10/16/25 20:15	
Q3365-05	19 HARVEY	WATER			10/16/25		10/16/25
			Anions Group1	300.0	11:19	10/16/25 15:44	
Q3365-05DL	19 HARVEYDL	WATER			10/16/25		10/16/25
			Anions Group1	300.0	11:19	10/16/25 20:37	



SHIPPING DOCUMENTS

CLIENT INFORMATION

COMPANY: **Environmental**
ADDRESS: **8 CARRAGE**
CITY: **Succasunna** STATE: **ST** ZIP:
ATTENTION:
PHONE: FAX:

CLIENT PROJECT INFORMATION

PROJECT NAME: **BANK**
PROJECT NO.: LOCATION: **NJ**
PROJECT MANAGER: **GL**
e-mail:
PHONE: FAX:

CLIENT BILLING INFORMATION

BILL TO: **Environmental** PO#:
ADDRESS: **8 CARRAGE**
CITY: **Succasunna** STATE: **NJ** ZIP:
ATTENTION: PHONE:

ANALYSIS

DATA TURNAROUND INFORMATION

FAX (RUSH) **Standard** DAYS*
HARDCOPY (DATA PACKAGE): **Standard** DAYS*
EDD: DAYS*
*TO BE APPROVED BY CHEMTECH
STANDARD HARDCOPY TURNAROUND TIME IS 10 BUSINESS

DATA DELIVERABLE INFORMATION

☐ Level 1 (Results Only) ☒ Level 4 (QC + Full Raw Data)
☐ Level 2 (Results + QC) ☐ NJ Reduced ☐ US EPA CLP
☐ Level 3 (Results + QC) ☐ NYS ASP A ☐ NYS ASP B
+ Raw Data ☐ Other
EDD FORMAT **Hardcopy, Excel**

PRESERVATIVES

COMMENTS

ALLIANCE SAMPLE ID	PROJECT SAMPLE IDENTIFICATION	SAMPLE MATRIX	SAMPLE TYPE		SAMPLE COLLECTION		# OF BOTTLES	PRESERVATIVES									COMMENTS
			COMP	GRAB	DATE	TIME		1	2	3	4	5	6	7	8	9	
1.	MW25	GW		X	10/16/25	0925	2		X		X						
2.	MW20	GW				1039			X		X						
3.	Supply	DW				1100			X		X						
4.	17 Harvey	DW				1110			X		X						
5.	19 Harvey	DW	X		10/16/25	1119	2		X		X						
6.																	
7.																	
8.																	
9.																	
10.																	

SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION INCLUDING COURIER DELIVERY

RELINQUISHED BY SAMPLER: 1. AK	DATE/TIME: 10/16/25	RECEIVED BY: 1. AK	Conditions of bottles or coolers at receipt: <input type="checkbox"/> COMPLIANT <input type="checkbox"/> NON COMPLIANT <input type="checkbox"/> COOLER TEMP 2.1 °C
RELINQUISHED BY SAMPLER: 2.	DATE/TIME:	RECEIVED BY: 2.	Comments: IL Gu
RELINQUISHED BY SAMPLER: 3.	DATE/TIME:	RECEIVED BY: 3.	Page ____ of ____ CLIENT: <input type="checkbox"/> Hand Delivered <input type="checkbox"/> Other Shipment Complete <input type="checkbox"/> YES <input type="checkbox"/> NO

Laboratory Certification

Certified By	License No.
Connecticut	PH-0830
DOD ELAP (ANAB)	L2219
Maine	2024021
Maryland	296
New Hampshire	255425
New Jersey	20012
New York	11376
Pennsylvania	68-00548
Soil Permit	525-24-234-08441
Texas	TX-C25-00189
Virginia	460312