

DATA PACKAGE

GENERAL CHEMISTRY
METALS
GC SEMI-VOLATILES
SEMI-VOLATILE ORGANICS
VOLATILE ORGANICS

PROJECT NAME : MONTHLY 2025

ARAMARK UNIFORMS

740 Frelinghuysen Ave.

Newark, NJ - 07114-

Phone No: 973-824-1101

ORDER ID : Q3368

ATTENTION : Tom Dikos



Laboratory Certification ID # 20012



Table Of Contents for Q3368

1) Signature Page	3
2) Case Narrative	4
3) Qualifier Page	9
4) QA Checklist	11
5) TCLP VOA Data	12
6) TCLP BNA Group1 Data	17
7) TCLP Pesticide Data	23
8) PCB Data	31
9) TCLP Herbicide Data	36
10) Metals-TCLP Data	42
11) Genchem Data	47
12) Shipping Document	54
12.1) CHAIN OF CUSTODY	55
12.2) ROC	57
12.3) Lab Certificate	61

1
2
3
4
5
6
7
8
9
10
11
12

Cover Page

Order ID : Q3368

Project ID : Monthly 2025

Client : Aramark Uniforms

Lab Sample Number

Q3368-06
Q3368-07
Q3368-13
Q3368-14

Client Sample Number

OUTSIDE-DUMPSTER
PRESS-SLUDGE
OUTSIDE-DUMPSTER
PRESS-SLUDGE

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

Signature : _____

Date: 11/11/2025

NYDOH CERTIFICATION NO - 11376

NJDEP CERTIFICATION NO - 20012

CASE NARRATIVE

Aramark Uniforms

Project Name: Monthly 2025

Project # N/A

Order ID # Q3368

Test Name: TCLP VOA,TCLP BNA Group1,PCB,TCLP Herbicide,TCLP Pesticide,TCLP Mercury,TCLPMetals Group2, ASTM Ammonia,ASTM COD,ASTM Oil and Grease,ASTM TS,Corrosivity,Ignitability,Oil and Grease,Paint Filter,pH,Reactive Cyanide,Reactive Sulfide,TS,TVS

A. Number of Samples and Date of Receipt:

4 Solid samples were received on 10/16/2025.

B. Parameters

According to the Chain of Custody document, the following analyses were requested: TCLP VOA,TCLP BNA Group1,PCB,TCLP Herbicide,TCLP Pesticide,TCLP Mercury,TCLPMetals Group2, ASTM Ammonia,ASTM COD,ASTM Oil and Grease,ASTM TS, Corrosivity, Ignitability,Oil and Grease,Paint Filter,pH,Reactive Cyanide,Reactive Sulfide,TS,TVS This data package contains results for TCLP VOA(8260D),TCLP BNA Group1(8270E),PCB(8082A),TCLP Herbicide(8151A),TCLP Pesticide(8081B),TCLP Mercury(7470A),TCLPMetals Group2(6010D), ASTM Ammonia(SM4500-NH3),ASTM COD(SM5220 D),ASTM Oil and Grease(1664A),ASTM TS(SM2540 B),Corrosivity(9045D),Ignitability(1030),Oil and Grease(9071B),Paint Filter(9095B),pH(9045D),Reactive Cyanide(9012B),Reactive Sulfide(9034),TS(SM2540 B),TVS(160.4).

C. Analytical Techniques:

TCLP VOA : The analysis performed on instrument MSVOA_X were done using GC column DB-624UI 20m 0.18mm 1.0 um. Cat#121-1324UI. The analysis of TCLP VOA was based on method 8260D and TCLP extraction method was 1311.

TCLP BNA Group1 : The samples were analyzed on instrument BNA_P using GC Column ZB-SemiVolatiles Guardian which is 30 meters, 0.25 mm ID, 0.5 um df, Catalog # 7HG-G027-17-GGA. The analysis of TCLP BNA Group1 was based on method 8270E and extraction was done based on method 3510 and TCLP extraction method was 1311.

TCLP Pesticide : The analysis was performed on instrument ECD_D. The front column is ZB-MR1 which is 30 meters, 0.32 mm ID, 0.5 um df, Catalog # 7HM-G016-17. The rear column is ZB-MR2 which is 30 meters, 0.32 mm ID, 0.25 um df, Catalog #: 7HMG017- 11.The analysis of TCLP Pesticides was based on method 8081B and extraction was done based on method 3510 and TCLP extraction method was 1311.

284 Sheffield Street, Mountainside, NJ 7092, Phone: 908 789 8900, Fax: 908 789 8922

TCLP Herbicide : The analysis was performed on instrument ECD_S. The front column is RTX-CLPesticides which is 30 meters, 0.32 mm ID, 0.5 μ m df,; Catalog # 11139. The rear column is RTX-CLPesticides2 which is 30 meters, 0.32 mm ID, 0.25 μ m df, Catalog #: 11324. The analysis of TCLP Herbicides was based on method 8151A and extraction was done based on method 3510 and TCLP extraction method was 1311.

PCB : The analyses were performed on instrument GCECD_Q. The front column is ZB-MR1 which is 30 meters, 0.32 mm ID, 0.5 μ m df, Catalogue # 7HM-G016-17. The rear column is ZB-MR2 which is 30 meters, 0.32 mm ID, 0.25 μ m; Catalogue # 7HM-G017-11. The analyses were performed on instrument GCECD_O. The front column is ZB-MR1 which is 30 meters, 0.32 mm ID, 0.5 μ m df, Catalogue # 7HM-G016-17. The rear column is ZB-MR2 which is 30 meters, 0.32 mm ID, 0.25 μ m; Catalogue # 7HM-G017-11. The analysis of PCBs was based on method 8082A and extraction was done based on method 3541.

TCLP Mercury, TCLP Metals Group2 : The analysis of TCLP Metals Group2 was based on method 6010D, digestion based on method 3010 (waters). The analysis and digestion of TCLP Mercury was based on method 7470A and TCLP extraction method was 1311.

Wetchem : The analysis of Ignitability was based on method 1030, The analysis of TVS was based on method 160.4, The analysis of ASTM Oil and Grease was based on method 1664A, The analysis of Reactive Cyanide was based on method 9012B, The analysis of Reactive Sulfide was based on method 9034, The analysis of pH was based on method 9040C, The analysis of Corrosivity, pH was based on method 9045D, The analysis of Oil and Grease was based on method 9071B, The analysis of Paint Filter was based on method 9095B, The analysis of ASTM TS, TS was based on method SM2540 B, The analysis of ASTM Ammonia was based on method SM4500-NH3 and The analysis of ASTM COD was based on method SM5220 D

D. QA/ QC Samples:

The Holding Times were met for all analysis except following Wetchem : OUTSIDE-DUMPSTER of Corrosivity, pH as sample was receive out of holding time. for PRESS-SLUDGE of Corrosivity, pH as sample was receive out of holding time. OUTSIDE-DUMPSTER of TS, TVS as sample was analyzed out of holding time due to activated sample. for PRESS-SLUDGE of TS, TVS as sample was analyzed out of holding time for activated sample due to samples activate later. TCLP Herbicide: TCLP extraction to normal extraction out of hold because sample's activate later. TCLP Pesticide: TCLP extraction to normal extraction out of hold because sample's activate later.

The Surrogate recoveries were met for all analysis except following
TCLP Pesticide : OUTSIDE-DUMPSTER [Decachlorobiphenyl(1)38%,
Decachlorobiphenyl(2)20%, Tetrachloro-m-xylene(1)46%, Tetrachloro-m-xylene(2)55%], OUTSIDE-DUMPSTERRE [Decachlorobiphenyl(1)44%,

284 Sheffield Street, Mountainside, NJ 7092, Phone: 908 789 8900, Fax: 908 789 8922

Decachlorobiphenyl(2)41%, Tetrachloro-m-xylene(1)48%, Tetrachloro-m-xylene(2)59%], PRESS-SLUDGE [Decachlorobiphenyl(1)27%, Decachlorobiphenyl(2)21%, Tetrachloro-m-xylene(1)15% and Tetrachloro-m-xylene(2)37%], PRESS-SLUDGERE [Decachlorobiphenyl(1)32%, Decachlorobiphenyl(2)28%, Tetrachloro-m-xylene(1)15% and Tetrachloro-m-xylene(2)39%], OUTSIDE-DUMPSTERMS [Decachlorobiphenyl(1)47%, Decachlorobiphenyl(2)31%], OUTSIDE-DUMPSTERMSD [Decachlorobiphenyl(1)48%, Decachlorobiphenyl(2)35%], due to matrix interference. These samples did not re-extracted as there was no extra volume. Hence samples re-analyzed and original & Reanalysis both are reported.

PCB : PRESS-SLUDGE [Decachlorobiphenyl(1)182%]AS per method one surrogate allowed to fail to meet the criteria per column, No further corrective action was taken.

The Internal Standards Areas met the acceptable requirements.

The Retention Times were acceptable for all samples.

The MS recoveries met the requirements for all compounds except following

TCLP Pesticide : The MS {Q3368-06MS} with File ID: PD090945.D recoveries met the requirements for all compounds except for [Endrin(1)68% - Endrin(2)58%], [Heptachlor epoxide(1)72% - Heptachlor epoxide(2)66%] and [Methoxychlor(2)52%] due matrix interference.

TCLP Herbicide : The MS {Q3368-06MS} with File ID: PS032272.D recoveries met the requirements for all compounds except for [2,4,5-TP(Silvex)(1)51%] and [2,4-D(1)48% - 2,4-D(2)58%] due to matrix interference.

TCLP Mercury,TCLPMetals Group2 : The Matrix Spike (TP-6MS) analysis met criteria for all compounds except for Barium due to Chemical Interference during Digestion Process.

Wetchem : The Matrix Spike (OUTSIDE-DUMPSTERMS) analysis met criteria for all compounds except for Oil and Grease due to sample matrix interference.

The MSD recoveries met the requirements for all compounds except following

TCLP Pesticide : The MSD {Q3368-06MSD} with File ID: PD090946.D recoveries met the requirements for all compounds except for Endrin(1)72% - Endrin(2)62%], [Heptachlor epoxide(1)76% - Heptachlor epoxide(2)70%] and [Methoxychlor(2)58%] due to matrix interference.

TCLP Herbicide : The MSD {Q3368-06MSD} with File ID: PS032273.D recoveries met the requirements for all compounds except for [2,4,5-TP(Silvex)(1)51%] and [2,4-D(1)48% - 2,4-D(2)58%]due to matrix interference.

284 Sheffield Street, Mountainside, NJ 7092, Phone: 908 789 8900, Fax: 908 789 8922

TCLP Mercury, TCLP Metals Group 2 : The Matrix Spike Duplicate (TP-6MSD) analysis met criteria for all compounds except for Barium due to Chemical Interference during Digestion Process.

Wetchem : The Matrix Spike Duplicate (OUTSIDE-DUMPSTER MSD) analysis met criteria for all compounds except for Oil and Grease due to sample matrix interference.

The RPD recoveries met criteria.

The Blank Spike met requirements for all compounds.

The Blank Spike Duplicate met requirements for all compounds.

The Blank analysis did not indicate the presence of lab contamination.

The Initial Calibration met the requirements.

The Continuous Calibration met the requirements except following

TCLP BNA Group 1 : The Continuous Calibration File ID BP026001.D met the requirements except for Terphenyl-d14. Which is not our target compound, therefore no corrective action taken.

TCLP Pesticide : The Continuous Calibration File ID PD090949.D met the requirements except for Heptachlor is failing in 1st column, failing high but associated samples have no positive hit for this compound therefore no corrective action was taken. AND Decachlorobiphenyl is failing in 2nd column, failing marginally therefore no corrective action was taken.

The Continuous Calibration File ID PD090957.D met the requirements except for Heptachlor is failing in 1st column, failing high but associated samples have no positive hit for this compound therefore no corrective action was taken.

The Continuous Calibration File ID PD090961.D met the requirements except for Heptachlor is failing in 1st column, failing high but associated samples have no positive hit for this compound therefore no corrective action was taken.

The Continuous Calibration File ID PD090969.D met the requirements except for Heptachlor is failing in 1st column, failing high but associated samples have no positive hit for this compound therefore no corrective action was taken.

The Tuning criteria met requirements.

The Duplicate analysis met criteria for all samples.

The Serial Dilution met the acceptable requirements.

TCLP VOA: Samples PRESS-SLUDGE was diluted due to sample has difficult matrix and did not purge well, lab has analyzed sample at 50x straight dilution.

284 Sheffield Street, Mountainside, NJ 7092, Phone: 908 789 8900, Fax: 908 789 8922

E. Additional Comments:

The soil samples results are based on a dry weight basis.

ASTM Ammonia,ASTM COD,ASTM Oil and Grease,ASTM TS,Corrosivity,Ignitability,Oil and Grease,Paint Filter,pH,Reactive Cyanide,Reactive Sulfide,TS,TVS : Sample Q3368-13 and Q3368-14 were analyzed straight dilution for ASTM COD because the original samples were reading over range, only 5X has been reported.

PCB: As per special requirement for this project form-1 and Hit Summary are reported in mg/kg.

TCLP VOA : Samples for MS/MSD for VOC analysis were not provided with this set of samples. The Blank Spike Duplicate is reported with the data.

Trip Blank was not provided with this set of samples.

F. Manual Integration Comments:

Please refer to the Manual integration Report included with the Run Logs for information on the manual integrations performed.

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature_____

DATA REPORTING QUALIFIERS- INORGANIC

For reporting results, the following “ Results Qualifiers” are used:

J	Indicates the reported value was obtained from a reading that was less than the Contract Required Detection Limit (CRDL), but greater than or equal to the Instrument Detection Limit (IDL).
U	Indicates the analyte was analyzed for, but not detected.
ND	Indicates the analyte was analyzed for, but not detected
E	Indicates the reported value is estimated because of the presence of interference
M	Indicates Duplicate injection precision not met.
N	Indicates the spiked sample recovery is not within control limits.
S	Indicates the reported value was determined by the Method of Standard Addition (MSA).
*	Indicates that the duplicate analysis is not within control limits.
+	Indicates the correlation coefficient for the MSA is less than 0.995.
D	Indicates the reported value is from a secondary analysis with a dilution factor. The original analysis exceeded the calibration range.
M	Method qualifiers “P” for ICP instrument “PM” for ICP when Microwave Digestion is used “CV” for Manual Cold Vapor AA “AV” for automated Cold Vapor AA “CA” for MIDI-Distillation Spectrophotometric “AS” for Semi -Automated Spectrophotometric “C” for Manual Spectrophotometric “T” for Titrimetric “NR” for analyte not required to be analyzed
OR	Indicates the analyte’s concentration exceeds the calibrated range of the instrument for that specific analysis.
Q	Indicates the LCS did not meet the control limits requirements
H	Sample Analysis Out Of Hold Time

DATA REPORTING QUALIFIERS- ORGANIC

For reporting results, the following “Results Qualifiers” are used:

Value	If the result is a value greater than or equal to the detection limit, report the value
U	Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. “10 U”. This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
ND	Indicates the analyte was analyzed for, but not detected
J	Indicates an estimated value. This flag is used: <ul style="list-style-type: none"> (1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.) (2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3 ug/L was calculated report as 3 J. This flag is used when similar situation arise on any organic parameter i.e. Pest, PCB and others.
B	Indicates the analyte was found in the blank as well as the sample report as “12 B”.
E	Indicates the analyte ‘s concentration exceeds the calibrated range of the instrument for that specific analysis.
D	This flag identifies all compounds identified in an analysis at a secondary dilution factor.
P	This flag is used for Pesticide/PCB target analyte when there is >25% difference for detected concentrations between the two GC columns. The lower of the two values is reported on Form 1 and flagged with a “P”.
N	This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.
A	This flag indicates that a Tentatively Identified Compound is a suspected aldol-condensation product.
Q	Indicates the LCS did not meet the control limits requirements

APPENDIX A

QA REVIEW GENERAL DOCUMENTATION

Project #: Q3368

Completed

For thorough review, the report must have the following:

GENERAL:

Are all original paperwork present (chain of custody, record of communication,airbill, sample management lab chronicle, login page)

✓

Check chain-of-custody for proper relinquish/return of samples

✓

Is the chain of custody signed and complete

✓

Check internal chain-of-custody for proper relinquish/return of samples /sample extracts

✓

Collect information for each project id from server. Were all requirements followed

✓

COVER PAGE:

Do numbers of samples correspond to the number of samples in the Chain of Custody on login page

✓

Do lab numbers and client Ids on cover page agree with the Chain of Custody

✓

CHAIN OF CUSTODY:

Do requested analyses on Chain of Custody agree with form I results

✓

Do requested analyses on Chain of Custody agree with the log-in page

✓

Were the correct method log-in for analysis according to the Analytical Request and Chain of Custody

✓

Were the samples received within hold time

✓

Were any problems found with the samples at arrival recorded in the Sample Management Laboratory Chronicle

✓

ANALYTICAL:

Was method requirement followed?

✓

Was client requirement followed?

✓

Does the case narrative summarize all QC failure?

✓

All runlogs and manual integration are reviewed for requirements

✓

All manual calculations and /or hand notations verified

✓

QA Review Signature: SOHIL JODHANI

Date: 11/11/2025

Hit Summary Sheet
SW-846

SDG No.: Q3368
Client: Aramark Uniforms

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID: Q3368-06	OUTSIDE-DUMPSTER OUTSIDE-DUMPS TCLP		2-Butanone	11.8	J	0.98	25.0	ug/L
			Total Voc :	11.8				
			Total Concentration:	11.8				
Client ID: Q3368-07	PRESS-SLUDGE PRESS-SLUDGE TCLP		2-Butanone	180	J	49.0	1300	ug/L
			Total Voc :	180				
			Total Concentration:	180				

A

B

C

D



SAMPLE DATA

Report of Analysis

Client: Aramark Uniforms
Project: Monthly 2025
Client Sample ID: OUTSIDE-DUMPSTER
Lab Sample ID: Q3368-06
Analytical Method: 8260D
Sample Wt/Vol: 5 mL

Level : LOW
Final Vol: 5000 uL

Date Collected: 10/16/25
Date Received: 10/16/25
SDG No.: Q3368
Matrix: TCLP
% Solid: 0
Test: TCLP VOA

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	BatchID
TARGETS									
75-01-4	Vinyl Chloride	0.26	U	1	0.26	5.00	ug/L	10/22/25 10:39	VX102225
75-35-4	1,1-Dichloroethene	0.23	U	1	0.23	5.00	ug/L	10/22/25 10:39	VX102225
78-93-3	2-Butanone	11.8	J	1	0.98	25.0	ug/L	10/22/25 10:39	VX102225
56-23-5	Carbon Tetrachloride	0.25	U	1	0.25	5.00	ug/L	10/22/25 10:39	VX102225
67-66-3	Chloroform	0.25	U	1	0.25	5.00	ug/L	10/22/25 10:39	VX102225
71-43-2	Benzene	0.15	U	1	0.15	5.00	ug/L	10/22/25 10:39	VX102225
107-06-2	1,2-Dichloroethane	0.22	U	1	0.22	5.00	ug/L	10/22/25 10:39	VX102225
79-01-6	Trichloroethene	0.090	U	1	0.090	5.00	ug/L	10/22/25 10:39	VX102225
127-18-4	Tetrachloroethene	0.23	U	1	0.23	5.00	ug/L	10/22/25 10:39	VX102225
108-90-7	Chlorobenzene	0.12	U	1	0.12	5.00	ug/L	10/22/25 10:39	VX102225
SURROGATES									
17060-07-0	1,2-Dichloroethane-d4	51.5			74 - 125	103%	SPK: 50		
1868-53-7	Dibromofluoromethane	45.5			75 - 124	91%	SPK: 50		
2037-26-5	Toluene-d8	44.8			86 - 113	90%	SPK: 50		
460-00-4	4-Bromofluorobenzene	50.6			77 - 121	101%	SPK: 50		
INTERNAL STANDARDS									
		Area Count							
363-72-4	Pentafluorobenzene	101000							
540-36-3	1,4-Difluorobenzene	194000							
3114-55-4	Chlorobenzene-d5	190000							
3855-82-1	1,4-Dichlorobenzene-d4	98400							

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client: Aramark Uniforms
Project: Monthly 2025
Client Sample ID: PRESS-SLUDGE
Lab Sample ID: Q3368-07
Analytical Method: 8260D
Sample Wt/Vol: 5 mL

Level : LOW
Final Vol: 5000 uL

Date Collected: 10/16/25
Date Received: 10/16/25
SDG No.: Q3368
Matrix: TCLP
% Solid: 0
Test: TCLP VOA

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	BatchID
TARGETS									
75-01-4	Vinyl Chloride	13.0	U	50	13.0	250	ug/L	10/22/25 11:41	VX102225
75-35-4	1,1-Dichloroethene	11.5	U	50	11.5	250	ug/L	10/22/25 11:41	VX102225
78-93-3	2-Butanone	180	J	50	49.0	1300	ug/L	10/22/25 11:41	VX102225
56-23-5	Carbon Tetrachloride	12.5	U	50	12.5	250	ug/L	10/22/25 11:41	VX102225
67-66-3	Chloroform	12.5	U	50	12.5	250	ug/L	10/22/25 11:41	VX102225
71-43-2	Benzene	7.50	U	50	7.50	250	ug/L	10/22/25 11:41	VX102225
107-06-2	1,2-Dichloroethane	11.0	U	50	11.0	250	ug/L	10/22/25 11:41	VX102225
79-01-6	Trichloroethene	4.70	U	50	4.70	250	ug/L	10/22/25 11:41	VX102225
127-18-4	Tetrachloroethene	11.5	U	50	11.5	250	ug/L	10/22/25 11:41	VX102225
108-90-7	Chlorobenzene	6.00	U	50	6.00	250	ug/L	10/22/25 11:41	VX102225
SURROGATES									
17060-07-0	1,2-Dichloroethane-d4	53.8			74 - 125	108%	SPK: 50		
1868-53-7	Dibromofluoromethane	45.1			75 - 124	90%	SPK: 50		
2037-26-5	Toluene-d8	47.8			86 - 113	96%	SPK: 50		
460-00-4	4-Bromofluorobenzene	59.3			77 - 121	119%	SPK: 50		
INTERNAL STANDARDS									
		Area Count							
363-72-4	Pentafluorobenzene	96400							
540-36-3	1,4-Difluorobenzene	193000							
3114-55-4	Chlorobenzene-d5	220000							
3855-82-1	1,4-Dichlorobenzene-d4	121000							

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

LAB CHRONICLE

OrderID:	Q3368	OrderDate:	10/16/2025 2:05:00 PM
Client:	Aramark Uniforms	Project:	Monthly 2025
Contact:	Tom Dikos	Location:	D41

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q3368-06	OUTSIDE-DUMPSTER	TCLP	TCLP VOA	8260D	10/16/25		10/22/25	10/16/25
Q3368-07	PRESS-SLUDGE	TCLP	TCLP VOA	8260D	10/16/25		10/22/25	10/16/25



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Hit Summary Sheet
SW-846

SDG No.: Q3368
Client: Aramark Uniforms

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID :	PRESS-SLUDGE							
Q3368-07	PRESS-SLUDGE	TCLP	3+4-Methylphenols	110.000	11		100	ug/L
			Total Svoc :		110.00			
			Total Concentration:		110.00			



SAMPLE DATA

Report of Analysis

Client:	Aramark Uniforms		Date Collected:	10/22/25
Project:	Monthly 2025		Date Received:	10/22/25
Client Sample ID:	PB170172TB		SDG No.:	Q3368
Lab Sample ID:	PB170172TB		Matrix:	TCLP
Analytical Method:	8270E	Level : LOW	% Solid:	0
Sample Wt/Vol:	100 mL	Final Vol: 1000 uL	Test:	TCLP BNA Group1
Prep Method :	SW3541	Prep Date: 10/22/25		

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	Prep BatchID
TARGETS									
110-86-1	Pyridine	12.8	U	1	12.8	50.0	ug/L	10/22/25 18:36	PB170216
106-46-7	1,4-Dichlorobenzene	5.30	U	1	5.30	50.0	ug/L	10/22/25 18:36	PB170216
95-48-7	2-Methylphenol	11.2	U	1	11.2	50.0	ug/L	10/22/25 18:36	PB170216
65794-96-9	3+4-Methylphenols	11.0	U	1	11.0	100	ug/L	10/22/25 18:36	PB170216
67-72-1	Hexachloroethane	6.50	U	1	6.50	50.0	ug/L	10/22/25 18:36	PB170216
98-95-3	Nitrobenzene	7.60	U	1	7.60	50.0	ug/L	10/22/25 18:36	PB170216
88-06-2	2,4,6-Trichlorophenol	5.10	U	1	5.10	50.0	ug/L	10/22/25 18:36	PB170216
95-95-4	2,4,5-Trichlorophenol	6.20	U	1	6.20	50.0	ug/L	10/22/25 18:36	PB170216
121-14-2	2,4-Dinitrotoluene	12.2	U	1	12.2	50.0	ug/L	10/22/25 18:36	PB170216
118-74-1	Hexachlorobenzene	5.20	U	1	5.20	50.0	ug/L	10/22/25 18:36	PB170216
87-86-5	Pentachlorophenol	15.8	U	1	15.8	100	ug/L	10/22/25 18:36	PB170216
SURROGATES									
367-12-4	2-Fluorophenol	146			23 - 138	98%	SPK: 150		
13127-88-3	Phenol-d6	136			10 - 134	91%	SPK: 150		
4165-60-0	Nitrobenzene-d5	80.4			67 - 132	80%	SPK: 100		
321-60-8	2-Fluorobiphenyl	77.1			52 - 132	77%	SPK: 100		
118-79-6	2,4,6-Tribromophenol	129			44 - 137	86%	SPK: 150		
1718-51-0	Terphenyl-d14	89.0			42 - 152	89%	SPK: 100		
INTERNAL STANDARDS									
		Area Count							
3855-82-1	1,4-Dichlorobenzene-d4	158000							
1146-65-2	Naphthalene-d8	655000							
15067-26-2	Acenaphthene-d10	478000							
1517-22-2	Phenanthrene-d10	1020000							
1719-03-5	Chrysene-d12	810000							
1520-96-3	Perylene-d12	659000							

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	Aramark Uniforms		Date Collected:	10/16/25
Project:	Monthly 2025		Date Received:	10/16/25
Client Sample ID:	OUTSIDE-DUMPSTER		SDG No.:	Q3368
Lab Sample ID:	Q3368-06		Matrix:	TCLP
Analytical Method:	8270E	Level : LOW	% Solid:	0
Sample Wt/Vol:	100 mL	Final Vol: 1000 uL	Test:	TCLP BNA Group1
Prep Method :	SW3541	Prep Date: 10/22/25		

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	Prep BatchID
TARGETS									
110-86-1	Pyridine	12.8	U	1	12.8	50.0	ug/L	10/22/25 19:17	PB170216
106-46-7	1,4-Dichlorobenzene	5.30	U	1	5.30	50.0	ug/L	10/22/25 19:17	PB170216
95-48-7	2-Methylphenol	11.2	U	1	11.2	50.0	ug/L	10/22/25 19:17	PB170216
65794-96-9	3+4-Methylphenols	11.0	U	1	11.0	100	ug/L	10/22/25 19:17	PB170216
67-72-1	Hexachloroethane	6.50	U	1	6.50	50.0	ug/L	10/22/25 19:17	PB170216
98-95-3	Nitrobenzene	7.60	U	1	7.60	50.0	ug/L	10/22/25 19:17	PB170216
88-06-2	2,4,6-Trichlorophenol	5.10	U	1	5.10	50.0	ug/L	10/22/25 19:17	PB170216
95-95-4	2,4,5-Trichlorophenol	6.20	U	1	6.20	50.0	ug/L	10/22/25 19:17	PB170216
121-14-2	2,4-Dinitrotoluene	12.2	U	1	12.2	50.0	ug/L	10/22/25 19:17	PB170216
118-74-1	Hexachlorobenzene	5.20	U	1	5.20	50.0	ug/L	10/22/25 19:17	PB170216
87-86-5	Pentachlorophenol	15.8	U	1	15.8	100	ug/L	10/22/25 19:17	PB170216
SURROGATES									
367-12-4	2-Fluorophenol	130			23 - 138	87%	SPK: 150		
13127-88-3	Phenol-d6	122			10 - 134	81%	SPK: 150		
4165-60-0	Nitrobenzene-d5	74.6			67 - 132	75%	SPK: 100		
321-60-8	2-Fluorobiphenyl	68.9			52 - 132	69%	SPK: 100		
118-79-6	2,4,6-Tribromophenol	129			44 - 137	86%	SPK: 150		
1718-51-0	Terphenyl-d14	55.3			42 - 152	55%	SPK: 100		
INTERNAL STANDARDS									
		Area Count							
3855-82-1	1,4-Dichlorobenzene-d4	151000							
1146-65-2	Naphthalene-d8	649000							
15067-26-2	Acenaphthene-d10	478000							
1517-22-2	Phenanthrene-d10	1050000							
1719-03-5	Chrysene-d12	1090000							
1520-96-3	Perylene-d12	970000							

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	Aramark Uniforms		Date Collected:	10/16/25
Project:	Monthly 2025		Date Received:	10/16/25
Client Sample ID:	PRESS-SLUDGE		SDG No.:	Q3368
Lab Sample ID:	Q3368-07		Matrix:	TCLP
Analytical Method:	8270E	Level : LOW	% Solid:	0
Sample Wt/Vol:	100 mL	Final Vol: 1000 uL	Test:	TCLP BNA Group1
Prep Method :	SW3541	Prep Date: 10/22/25		

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	Prep BatchID
TARGETS									
110-86-1	Pyridine	12.8	U	1	12.8	50.0	ug/L	10/23/25 02:46	PB170216
106-46-7	1,4-Dichlorobenzene	5.30	U	1	5.30	50.0	ug/L	10/23/25 02:46	PB170216
95-48-7	2-Methylphenol	11.2	U	1	11.2	50.0	ug/L	10/23/25 02:46	PB170216
65794-96-9	3+4-Methylphenols	110		1	11.0	100	ug/L	10/23/25 02:46	PB170216
67-72-1	Hexachloroethane	6.50	U	1	6.50	50.0	ug/L	10/23/25 02:46	PB170216
98-95-3	Nitrobenzene	7.60	U	1	7.60	50.0	ug/L	10/23/25 02:46	PB170216
88-06-2	2,4,6-Trichlorophenol	5.10	U	1	5.10	50.0	ug/L	10/23/25 02:46	PB170216
95-95-4	2,4,5-Trichlorophenol	6.20	U	1	6.20	50.0	ug/L	10/23/25 02:46	PB170216
121-14-2	2,4-Dinitrotoluene	12.2	U	1	12.2	50.0	ug/L	10/23/25 02:46	PB170216
118-74-1	Hexachlorobenzene	5.20	U	1	5.20	50.0	ug/L	10/23/25 02:46	PB170216
87-86-5	Pentachlorophenol	15.8	U	1	15.8	100	ug/L	10/23/25 02:46	PB170216
SURROGATES									
367-12-4	2-Fluorophenol	129			23 - 138	86%	SPK: 150		
13127-88-3	Phenol-d6	119			10 - 134	79%	SPK: 150		
4165-60-0	Nitrobenzene-d5	75.7			67 - 132	76%	SPK: 100		
321-60-8	2-Fluorobiphenyl	73.5			52 - 132	73%	SPK: 100		
118-79-6	2,4,6-Tribromophenol	94.4			44 - 137	63%	SPK: 150		
1718-51-0	Terphenyl-d14	58.0			42 - 152	58%	SPK: 100		
INTERNAL STANDARDS									
		Area Count							
3855-82-1	1,4-Dichlorobenzene-d4	175000							
1146-65-2	Naphthalene-d8	752000							
15067-26-2	Acenaphthene-d10	463000							
1517-22-2	Phenanthrene-d10	721000							
1719-03-5	Chrysene-d12	673000							
1520-96-3	Perylene-d12	811000							

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

LAB CHRONICLE

OrderID:	Q3368	OrderDate:	10/16/2025 2:05:00 PM
Client:	Aramark Uniforms	Project:	Monthly 2025
Contact:	Tom Dikos	Location:	D41

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q3368-06	OUTSIDE-DUMPSTER	TCLP	TCLP BNA Group1	8270E	10/16/25	10/22/25	10/22/25	10/16/25
Q3368-07	PRESS-SLUDGE	TCLP	TCLP BNA Group1	8270E	10/16/25	10/22/25	10/23/25	10/16/25

Hit Summary Sheet
SW-846

A

B

C

D

SDG No.:	Q3368	Order ID:	Q3368
Client:	Aramark Uniforms	Project ID:	Monthly 2025

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID :								

Total Concentration: 0.000



SAMPLE DATA

Report of Analysis

Client:	Aramark Uniforms		Date Collected:	
Project:	Monthly 2025		Date Received:	11/03/25
Client Sample ID:	PB170172TB		SDG No.:	Q3368
Lab Sample ID:	PB170172TB		Matrix:	TCLP
Analytical Method:	8081B		% Solid:	0
Sample Wt/Vol:	100 mL	Final Vol: 10000 uL	Test:	TCLP Pesticide
Prep Method:	SW3541B		Prep Date:	11/03/25

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	BatchID
TARGETS									
58-89-9	gamma-BHC (Lindane)	0.037	U	1	0.037	0.50	ug/L	11/04/25 16:17	PB170387
76-44-8	Heptachlor	0.027	U	1	0.027	0.50	ug/L	11/04/25 16:17	PB170387
1024-57-3	Heptachlor epoxide	0.096	U	1	0.096	0.50	ug/L	11/04/25 16:17	PB170387
72-20-8	Endrin	0.032	U	1	0.032	0.50	ug/L	11/04/25 16:17	PB170387
72-43-5	Methoxychlor	0.11	U	1	0.11	0.50	ug/L	11/04/25 16:17	PB170387
8001-35-2	Toxaphene	1.70	U	1	1.70	10.0	ug/L	11/04/25 16:17	PB170387
57-74-9	Chlordane	0.88	U	1	0.88	5.00	ug/L	11/04/25 16:17	PB170387
SURROGATES									
2051-24-3	Decachlorobiphenyl	18.6			57 - 171	93%	SPK: 20		
877-09-8	Tetrachloro-m-xylene	19.8			61 - 148	99%	SPK: 20		

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	Aramark Uniforms		Date Collected:	10/16/25
Project:	Monthly 2025		Date Received:	10/16/25
Client Sample ID:	OUTSIDE-DUMPSTER		SDG No.:	Q3368
Lab Sample ID:	Q3368-06		Matrix:	TCLP
Analytical Method:	8081B		% Solid:	0
Sample Wt/Vol:	100 mL	Final Vol: 10000 uL	Test:	TCLP Pesticide
Prep Method:	SW3541B	Prep Date: 11/03/25		

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	BatchID
TARGETS									
58-89-9	gamma-BHC (Lindane)	0.037	U	1	0.037	0.50	ug/L	11/04/25 11:39	PB170387
76-44-8	Heptachlor	0.027	U	1	0.027	0.50	ug/L	11/04/25 11:39	PB170387
1024-57-3	Heptachlor epoxide	0.096	U	1	0.096	0.50	ug/L	11/04/25 11:39	PB170387
72-20-8	Endrin	0.032	U	1	0.032	0.50	ug/L	11/04/25 11:39	PB170387
72-43-5	Methoxychlor	0.11	U	1	0.11	0.50	ug/L	11/04/25 11:39	PB170387
8001-35-2	Toxaphene	1.70	U	1	1.70	10.0	ug/L	11/04/25 11:39	PB170387
57-74-9	Chlordane	0.88	U	1	0.88	5.00	ug/L	11/04/25 11:39	PB170387
SURROGATES									
2051-24-3	Decachlorobiphenyl	7.53	*		57 - 171	38%	SPK: 20		
877-09-8	Tetrachloro-m-xylene	11.0	*		61 - 148	55%	SPK: 20		

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	Aramark Uniforms		Date Collected:	10/16/25
Project:	Monthly 2025		Date Received:	10/16/25
Client Sample ID:	OUTSIDE-DUMPSTERRE		SDG No.:	Q3368
Lab Sample ID:	Q3368-06RE		Matrix:	TCLP
Analytical Method:	8081B		% Solid:	0
Sample Wt/Vol:	100 mL	Final Vol: 10000 uL	Test:	TCLP Pesticide
Prep Method:	SW3541B	Prep Date: 11/03/25		

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	BatchID
TARGETS									
58-89-9	gamma-BHC (Lindane)	0.037	U	1	0.037	0.50	ug/L	11/05/25 10:39	PB170387
76-44-8	Heptachlor	0.027	U	1	0.027	0.50	ug/L	11/05/25 10:39	PB170387
1024-57-3	Heptachlor epoxide	0.096	U	1	0.096	0.50	ug/L	11/05/25 10:39	PB170387
72-20-8	Endrin	0.032	U	1	0.032	0.50	ug/L	11/05/25 10:39	PB170387
72-43-5	Methoxychlor	0.11	U	1	0.11	0.50	ug/L	11/05/25 10:39	PB170387
8001-35-2	Toxaphene	1.70	U	1	1.70	10.0	ug/L	11/05/25 10:39	PB170387
57-74-9	Chlordane	0.88	U	1	0.88	5.00	ug/L	11/05/25 10:39	PB170387
SURROGATES									
2051-24-3	Decachlorobiphenyl	8.73	*		57 - 171	44%	SPK: 20		
877-09-8	Tetrachloro-m-xylene	11.8	*		61 - 148	59%	SPK: 20		

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	Aramark Uniforms		Date Collected:	10/16/25
Project:	Monthly 2025		Date Received:	10/16/25
Client Sample ID:	PRESS-SLUDGE		SDG No.:	Q3368
Lab Sample ID:	Q3368-07		Matrix:	TCLP
Analytical Method:	8081B		% Solid:	0
Sample Wt/Vol:	100 mL	Final Vol: 10000 uL	Test:	TCLP Pesticide
Prep Method:	SW3541B	Prep Date: 11/03/25		

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	BatchID
TARGETS									
58-89-9	gamma-BHC (Lindane)	0.037	U	1	0.037	0.50	ug/L	11/04/25 12:22	PB170387
76-44-8	Heptachlor	0.027	U	1	0.027	0.50	ug/L	11/04/25 12:22	PB170387
1024-57-3	Heptachlor epoxide	0.096	U	1	0.096	0.50	ug/L	11/04/25 12:22	PB170387
72-20-8	Endrin	0.032	U	1	0.032	0.50	ug/L	11/04/25 12:22	PB170387
72-43-5	Methoxychlor	0.11	U	1	0.11	0.50	ug/L	11/04/25 12:22	PB170387
8001-35-2	Toxaphene	1.70	U	1	1.70	10.0	ug/L	11/04/25 12:22	PB170387
57-74-9	Chlordane	0.88	U	1	0.88	5.00	ug/L	11/04/25 12:22	PB170387
SURROGATES									
2051-24-3	Decachlorobiphenyl	5.30	*		57 - 171	27%	SPK: 20		
877-09-8	Tetrachloro-m-xylene	7.46	*		61 - 148	37%	SPK: 20		

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	Aramark Uniforms		Date Collected:	10/16/25
Project:	Monthly 2025		Date Received:	10/16/25
Client Sample ID:	PRESS-SLUDGERE		SDG No.:	Q3368
Lab Sample ID:	Q3368-07RE		Matrix:	TCLP
Analytical Method:	8081B		% Solid:	0
Sample Wt/Vol:	100 mL	Final Vol: 10000 uL	Test:	TCLP Pesticide
Prep Method:	SW3541B	Prep Date: 11/03/25		

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	BatchID
TARGETS									
58-89-9	gamma-BHC (Lindane)	0.037	U	1	0.037	0.50	ug/L	11/05/25 11:20	PB170387
76-44-8	Heptachlor	0.027	U	1	0.027	0.50	ug/L	11/05/25 11:20	PB170387
1024-57-3	Heptachlor epoxide	0.096	U	1	0.096	0.50	ug/L	11/05/25 11:20	PB170387
72-20-8	Endrin	0.032	U	1	0.032	0.50	ug/L	11/05/25 11:20	PB170387
72-43-5	Methoxychlor	0.11	U	1	0.11	0.50	ug/L	11/05/25 11:20	PB170387
8001-35-2	Toxaphene	1.70	U	1	1.70	10.0	ug/L	11/05/25 11:20	PB170387
57-74-9	Chlordane	0.88	U	1	0.88	5.00	ug/L	11/05/25 11:20	PB170387
SURROGATES									
2051-24-3	Decachlorobiphenyl	6.41	*		57 - 171	32%	SPK: 20		
877-09-8	Tetrachloro-m-xylene	7.85	*		61 - 148	39%	SPK: 20		

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

LAB CHRONICLE

OrderID:	Q3368	OrderDate:	10/16/2025 2:05:00 PM
Client:	Aramark Uniforms	Project:	Monthly 2025
Contact:	Tom Dikos	Location:	D41

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q3368-06	OUTSIDE-DUMPSTER	SOIL			10/16/25			10/16/25
			PCB	8082A		10/21/25	10/21/25	
			TCLP Herbicide	8151A		11/03/25	11/04/25	
			TCLP Pesticide	8081B		11/03/25	11/04/25	
Q3368-06RE	OUTSIDE-DUMPSTERR E	TCLP			10/16/25			10/16/25
			TCLP Pesticide	8081B		11/03/25	11/05/25	
Q3368-07	PRESS-SLUDGE	SOIL			10/16/25			10/16/25
			PCB	8082A		10/21/25	10/21/25	
			TCLP Herbicide	8151A		11/03/25	11/04/25	
			TCLP Pesticide	8081B		11/03/25	11/04/25	
Q3368-07RE	PRESS-SLUDGERE	TCLP			10/16/25			10/16/25
			TCLP Pesticide	8081B		11/03/25	11/05/25	



Hit Summary Sheet
SW-846

A

B

C

D

SDG No.:	Q3368	Order ID:	Q3368
Client:	Aramark Uniforms	Project ID:	Monthly 2025

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID :								

Total Concentration: 0.000



SAMPLE DATA

Report of Analysis

Client:	Aramark Uniforms		Date Collected:	10/16/25
Project:	Monthly 2025		Date Received:	10/16/25
Client Sample ID:	OUTSIDE-DUMPSTER		SDG No.:	Q3368
Lab Sample ID:	Q3368-06		Matrix:	SOIL
Analytical Method:	8082A		% Solid:	67.4
Sample Wt/Vol:	30.03 g	Final Vol: 10000 uL	Test:	PCB
Prep Method:	SW3541B	Prep Date: 10/21/25		

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	BatchID
TARGETS									
12674-11-2	Aroclor-1016	0.059	U	10	0.059	0.25	mg/Kg	10/21/25 18:42	PB170178
11104-28-2	Aroclor-1221	0.060	U	10	0.060	0.25	mg/Kg	10/21/25 18:42	PB170178
11141-16-5	Aroclor-1232	0.055	U	10	0.055	0.25	mg/Kg	10/21/25 18:42	PB170178
53469-21-9	Aroclor-1242	0.059	U	10	0.059	0.25	mg/Kg	10/21/25 18:42	PB170178
12672-29-6	Aroclor-1248	0.088	U	10	0.088	0.25	mg/Kg	10/21/25 18:42	PB170178
11097-69-1	Aroclor-1254	0.048	U	10	0.048	0.25	mg/Kg	10/21/25 18:42	PB170178
37324-23-5	Aroclor-1262	0.074	U	10	0.074	0.25	mg/Kg	10/21/25 18:42	PB170178
11100-14-4	Aroclor-1268	0.053	U	10	0.053	0.25	mg/Kg	10/21/25 18:42	PB170178
11096-82-5	Aroclor-1260	0.048	U	10	0.048	0.25	mg/Kg	10/21/25 18:42	PB170178
SURROGATES									
877-09-8	Tetrachloro-m-xylene	20.7			32 - 144	104%	SPK: 20		
2051-24-3	Decachlorobiphenyl	24.4			32 - 175	122%	SPK: 20		

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	Aramark Uniforms		Date Collected:	10/16/25
Project:	Monthly 2025		Date Received:	10/16/25
Client Sample ID:	PRESS-SLUDGE		SDG No.:	Q3368
Lab Sample ID:	Q3368-07		Matrix:	SOIL
Analytical Method:	8082A		% Solid:	65.1
Sample Wt/Vol:	30.04 g	Final Vol: 10000 uL	Test:	PCB
Prep Method:	SW3541B	Prep Date: 10/21/25		

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	BatchID
TARGETS									
12674-11-2	Aroclor-1016	0.061	U	10	0.061	0.26	mg/Kg	10/21/25 19:01	PB170178
11104-28-2	Aroclor-1221	0.062	U	10	0.062	0.26	mg/Kg	10/21/25 19:01	PB170178
11141-16-5	Aroclor-1232	0.057	U	10	0.057	0.26	mg/Kg	10/21/25 19:01	PB170178
53469-21-9	Aroclor-1242	0.062	U	10	0.062	0.26	mg/Kg	10/21/25 19:01	PB170178
12672-29-6	Aroclor-1248	0.091	U	10	0.091	0.26	mg/Kg	10/21/25 19:01	PB170178
11097-69-1	Aroclor-1254	0.049	U	10	0.049	0.26	mg/Kg	10/21/25 19:01	PB170178
37324-23-5	Aroclor-1262	0.077	U	10	0.077	0.26	mg/Kg	10/21/25 19:01	PB170178
11100-14-4	Aroclor-1268	0.055	U	10	0.055	0.26	mg/Kg	10/21/25 19:01	PB170178
11096-82-5	Aroclor-1260	0.050	U	10	0.050	0.26	mg/Kg	10/21/25 19:01	PB170178
SURROGATES									
877-09-8	Tetrachloro-m-xylene	20.6			32 - 144	103%	SPK: 20		
2051-24-3	Decachlorobiphenyl	36.4	*		32 - 175	182%	SPK: 20		

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

LAB CHRONICLE

OrderID:	Q3368	OrderDate:	10/16/2025 2:05:00 PM
Client:	Aramark Uniforms	Project:	Monthly 2025
Contact:	Tom Dikos	Location:	D41

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q3368-06	OUTSIDE-DUMPSTER	SOIL	PCB	8082A	10/16/25	10/21/25	10/21/25	10/16/25
Q3368-07	PRESS-SLUDGE	SOIL	PCB	8082A	10/16/25	10/21/25	10/21/25	10/16/25

Hit Summary Sheet
SW-846

A

B

C

D

SDG No.:	Q3368	Order ID:	Q3368
Client:	Aramark Uniforms	Project ID:	Monthly 2025

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID :								

Total Concentration: 0.000



SAMPLE DATA

Report of Analysis

Client:	Aramark Uniforms		Date Collected:	
Project:	Monthly 2025		Date Received:	11/03/25
Client Sample ID:	PB170172TB		SDG No.:	Q3368
Lab Sample ID:	PB170172TB		Matrix:	TCLP
Analytical Method:	8151A		% Solid:	0
Sample Wt/Vol:	100 mL	Final Vol: 10000 uL	Test:	TCLP Herbicide
Prep Method:	8151A	Prep Date: 11/03/25		

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	BatchID
TARGETS									
94-75-7	2,4-D	9.20	U	1	9.20	20.0	ug/L	11/06/25 13:47	PB170386
93-72-1	2,4,5-TP (Silvex)	7.80	U	1	7.80	20.0	ug/L	11/06/25 13:47	PB170386
SURROGATES									
19719-28-9	2,4-DCAA	498			61 - 136	100%	SPK: 500		

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	Aramark Uniforms		Date Collected:	10/16/25
Project:	Monthly 2025		Date Received:	10/16/25
Client Sample ID:	OUTSIDE-DUMPSTER		SDG No.:	Q3368
Lab Sample ID:	Q3368-06		Matrix:	TCLP
Analytical Method:	8151A		% Solid:	0
Sample Wt/Vol:	100 mL	Final Vol: 10000 uL	Test:	TCLP Herbicide
Prep Method:	8151A	Prep Date: 11/03/25		

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	BatchID
TARGETS									
94-75-7	2,4-D	9.20	U	1	9.20	20.0	ug/L	11/04/25 12:11	PB170386
93-72-1	2,4,5-TP (Silvex)	7.80	U	1	7.80	20.0	ug/L	11/04/25 12:11	PB170386
SURROGATES									
19719-28-9	2,4-DCAA	439			61 - 136	88%	SPK: 500		

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	Aramark Uniforms		Date Collected:	10/16/25
Project:	Monthly 2025		Date Received:	10/16/25
Client Sample ID:	PRESS-SLUDGE		SDG No.:	Q3368
Lab Sample ID:	Q3368-07		Matrix:	TCLP
Analytical Method:	8151A		% Solid:	0
Sample Wt/Vol:	100 mL	Final Vol: 10000 uL	Test:	TCLP Herbicide
Prep Method:	8151A	Prep Date: 11/03/25		

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	BatchID
TARGETS									
94-75-7	2,4-D	9.20	U	1	9.20	20.0	ug/L	11/04/25 13:23	PB170386
93-72-1	2,4,5-TP (Silvex)	7.80	U	1	7.80	20.0	ug/L	11/04/25 13:23	PB170386
SURROGATES									
19719-28-9	2,4-DCAA	478			61 - 136	96%	SPK: 500		

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

LAB CHRONICLE

OrderID:	Q3368	OrderDate:	10/16/2025 2:05:00 PM
Client:	Aramark Uniforms	Project:	Monthly 2025
Contact:	Tom Dikos	Location:	D41

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q3368-06	OUTSIDE-DUMPSTER	SOIL			10/16/25			10/16/25
			PCB	8082A		10/21/25	10/21/25	
			TCLP Herbicide	8151A		11/03/25	11/04/25	
			TCLP Pesticide	8081B		11/03/25	11/04/25	
Q3368-06RE	OUTSIDE-DUMPSTERR E	TCLP			10/16/25			10/16/25
			TCLP Pesticide	8081B		11/03/25	11/05/25	
Q3368-07	PRESS-SLUDGE	SOIL			10/16/25			10/16/25
			PCB	8082A		10/21/25	10/21/25	
			TCLP Herbicide	8151A		11/03/25	11/04/25	
			TCLP Pesticide	8081B		11/03/25	11/04/25	
Q3368-07RE	PRESS-SLUDGERE	TCLP			10/16/25			10/16/25
			TCLP Pesticide	8081B		11/03/25	11/05/25	

Hit Summary Sheet
SW-846

SDG No.: Q3368
Client: Aramark Uniforms

Order ID: Q3368
Project ID: Monthly 2025

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID : OUTSIDE-DUMPSTER								
Q3368-06	OUTSIDE-DUMPSTER	TCLP	Barium	581		72.8	500	ug/L
Q3368-06	OUTSIDE-DUMPSTER	TCLP	Cadmium	5.80	J	2.50	30.0	ug/L
Q3368-06	OUTSIDE-DUMPSTER	TCLP	Copper	39.5	J	23.0	100	ug/L
Q3368-06	OUTSIDE-DUMPSTER	TCLP	Lead	25.4	J	11.5	60.0	ug/L
Q3368-06	OUTSIDE-DUMPSTER	TCLP	Nickel	49.9	J	15.3	200	ug/L
Q3368-06	OUTSIDE-DUMPSTER	TCLP	Zinc	2740		83.3	200	ug/L
Client ID : PRESS-SLUDGE								
Q3368-07	PRESS-SLUDGE	TCLP	Barium	631		72.8	500	ug/L
Q3368-07	PRESS-SLUDGE	TCLP	Cadmium	3.52	J	2.50	30.0	ug/L
Q3368-07	PRESS-SLUDGE	TCLP	Copper	50.7	J	23.0	100	ug/L
Q3368-07	PRESS-SLUDGE	TCLP	Lead	58.2	J	11.5	60.0	ug/L
Q3368-07	PRESS-SLUDGE	TCLP	Nickel	119	J	15.3	200	ug/L
Q3368-07	PRESS-SLUDGE	TCLP	Zinc	5800		83.3	200	ug/L



SAMPLE DATA

Report of Analysis

Client: Aramark Uniforms
Project: Monthly 2025
Client Sample ID: OUTSIDE-DUMPSTER
Lab Sample ID: Q3368-06
Level (low/med): low

Date Collected: 10/16/25
Date Received: 10/16/25
SDG No.: Q3368
Matrix: TCLP
% Solid: 0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-38-2	Arsenic	25.6	U	1	25.6	100	ug/L	10/22/25 12:30	10/23/25 15:17	6010D	SW3010A
7440-39-3	Barium	581	N	1	72.8	500	ug/L	10/22/25 12:30	10/23/25 15:17	6010D	SW3010A
7440-43-9	Cadmium	5.80	J	1	2.50	30.0	ug/L	10/22/25 12:30	10/23/25 15:17	6010D	SW3010A
7440-47-3	Chromium	10.6	U	1	10.6	50.0	ug/L	10/22/25 12:30	10/23/25 15:17	6010D	SW3010A
7440-50-8	Copper	39.5	J	1	23.0	100	ug/L	10/22/25 12:30	10/23/25 15:17	6010D	SW3010A
7439-92-1	Lead	25.4	J	1	11.5	60.0	ug/L	10/22/25 12:30	10/23/25 15:17	6010D	SW3010A
7439-97-6	Mercury	0.76	U	1	0.76	2.00	ug/L	10/22/25 13:30	10/23/25 08:38	7470A	7470A
7440-02-0	Nickel	49.9	J	1	15.3	200	ug/L	10/22/25 12:30	10/23/25 15:17	6010D	SW3010A
7782-49-2	Selenium	48.2	U	1	48.2	100	ug/L	10/22/25 12:30	10/23/25 15:17	6010D	SW3010A
7440-22-4	Silver	8.10	U	1	8.10	50.0	ug/L	10/22/25 12:30	10/23/25 15:17	6010D	SW3010A
7440-66-6	Zinc	2740		1	83.3	200	ug/L	10/22/25 12:30	10/23/25 15:17	6010D	SW3010A

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

Report of Analysis

Client: Aramark Uniforms
Project: Monthly 2025
Client Sample ID: PRESS-SLUDGE
Lab Sample ID: Q3368-07
Level (low/med): low

Date Collected: 10/16/25
Date Received: 10/16/25
SDG No.: Q3368
Matrix: TCLP
% Solid: 0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-38-2	Arsenic	25.6	U	1	25.6	100	ug/L	10/22/25 12:30	10/23/25 15:21	6010D	SW3010A
7440-39-3	Barium	631	N	1	72.8	500	ug/L	10/22/25 12:30	10/23/25 15:21	6010D	SW3010A
7440-43-9	Cadmium	3.52	J	1	2.50	30.0	ug/L	10/22/25 12:30	10/23/25 15:21	6010D	SW3010A
7440-47-3	Chromium	10.6	U	1	10.6	50.0	ug/L	10/22/25 12:30	10/23/25 15:21	6010D	SW3010A
7440-50-8	Copper	50.7	J	1	23.0	100	ug/L	10/22/25 12:30	10/23/25 15:21	6010D	SW3010A
7439-92-1	Lead	58.2	J	1	11.5	60.0	ug/L	10/22/25 12:30	10/23/25 15:21	6010D	SW3010A
7439-97-6	Mercury	0.76	U	1	0.76	2.00	ug/L	10/22/25 13:30	10/23/25 08:41	7470A	7470A
7440-02-0	Nickel	119	J	1	15.3	200	ug/L	10/22/25 12:30	10/23/25 15:21	6010D	SW3010A
7782-49-2	Selenium	48.2	U	1	48.2	100	ug/L	10/22/25 12:30	10/23/25 15:21	6010D	SW3010A
7440-22-4	Silver	8.10	U	1	8.10	50.0	ug/L	10/22/25 12:30	10/23/25 15:21	6010D	SW3010A
7440-66-6	Zinc	5800		1	83.3	200	ug/L	10/22/25 12:30	10/23/25 15:21	6010D	SW3010A

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

LAB CHRONICLE

OrderID:	Q3368	OrderDate:	10/16/2025 2:05:00 PM
Client:	Aramark Uniforms	Project:	Monthly 2025
Contact:	Tom Dikos	Location:	D41

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q3368-06	OUTSIDE-DUMPSTER	TCLP			10/16/25			10/16/25
			TCLP Mercury	7470A		10/22/25	10/23/25	
			TCLPMetals Group2	6010D		10/22/25	10/23/25	
Q3368-07	PRESS-SLUDGE	TCLP			10/16/25			10/16/25
			TCLP Mercury	7470A		10/22/25	10/23/25	
			TCLPMetals Group2	6010D		10/22/25	10/23/25	



SAMPLE DATA

Report of Analysis

Client: Aramark Uniforms
Project: Monthly 2025
Client Sample ID: OUTSIDE-DUMPSTER
Lab Sample ID: Q3368-06

Date Collected: 10/16/25 13:00
Date Received: 10/16/25
SDG No.: Q3368
Matrix: SOIL
% Solid: 67.4

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Corrosivity	7.00	H	1	0	0	pH		10/21/25 12:44	9045D
Ignitability	NO		1	0	0	oC		10/21/25 10:10	1030
Oil and Grease	89200		1	8.60	37.0	mg/Kg		10/29/25 10:00	SW9071B
Paint Filter	1.00	U	1	1.00	1.00	ml/100gm		10/21/25 08:35	9095B
Reactive Cyanide	0.0083	U	1	0.0083	0.050	mg/Kg	10/21/25 08:45	10/21/25 12:39	9012B
Reactive Sulfide	3.17	J	1	0.20	10.0	mg/Kg	10/20/25 16:10	10/21/25 09:03	9034
TS	65.1	H	1	1.00	5.00	%		10/28/25 11:00	SM 2540 B-20
TVS	41.8	H	1	1.00	10.0	%		10/28/25 17:30	160.4

Comments: pH result reported at temperature 20.7 °C

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

Report of Analysis

Client: Aramark Uniforms
Project: Monthly 2025
Client Sample ID: PRESS-SLUDGE
Lab Sample ID: Q3368-07

Date Collected: 10/16/25 13:04
Date Received: 10/16/25
SDG No.: Q3368
Matrix: SOIL
% Solid: 65.1

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Corrosivity	5.42	H	1	0	0	pH		10/21/25 12:49	9045D
Ignitability	NO		1	0	0	oC		10/21/25 10:24	1030
Oil and Grease	99900		1	8.91	38.3	mg/Kg		10/29/25 10:00	SW9071B
Paint Filter	1.00	U	1	1.00	1.00	ml/100gm		10/21/25 08:49	9095B
Reactive Cyanide	0.0084	U	1	0.0084	0.050	mg/Kg	10/21/25 08:45	10/21/25 12:39	9012B
Reactive Sulfide	4.73	J	1	0.20	10.0	mg/Kg	10/20/25 16:10	10/21/25 09:06	9034
TS	54.6	H	1	1.00	5.00	%		10/28/25 11:00	SM 2540 B-20
TVS	19.7	H	1	1.00	10.0	%		10/28/25 17:30	160.4

Comments: pH result reported at temperature 20.7 °C

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Aramark Uniforms	Date Collected:	10/16/25 13:00
Project:	Monthly 2025	Date Received:	10/16/25
Client Sample ID:	OUTSIDE-DUMPSTER	SDG No.:	Q3368
Lab Sample ID:	Q3368-13	Matrix:	WATER
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
ASTM Ammonia	0.28		1	0.030	0.10	mg/L	10/29/25 13:50	10/29/25 15:53	SM 4500-NH3 B plus NH3 G-11
ASTM COD	382	D	5	7.50	50.0	mg/L		10/30/25 14:02	SM 5220 D-11
ASTM Oil and Grease	0.40	J	1	0.29	5.00	mg/L		10/29/25 15:00	SW1664A
ASTM TS	509		1	1.00	5.00	mg/L		10/29/25 11:00	SM 2540 B-20
pH	7.62	H	1	0	0	pH		11/04/25 13:30	9045D

Comments: pH result reported at temperature 20.8 °C

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N = Spiked sample recovery not within control limits

Report of Analysis

Client:	Aramark Uniforms	Date Collected:	10/16/25 13:04
Project:	Monthly 2025	Date Received:	10/16/25
Client Sample ID:	PRESS-SLUDGE	SDG No.:	Q3368
Lab Sample ID:	Q3368-14	Matrix:	WATER
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
ASTM Ammonia	0.090	J	1	0.030	0.10	mg/L	10/29/25 13:50	10/29/25 16:01	SM 4500-NH3 B plus NH3 G-11
ASTM COD	448	D	5	7.50	50.0	mg/L		10/30/25 14:04	SM 5220 D-11
ASTM Oil and Grease	0.60	J	1	0.29	5.00	mg/L		10/29/25 15:00	SW1664A
ASTM TS	342		1	1.00	5.00	mg/L		10/29/25 11:00	SM 2540 B-20
pH	8.01	H	1	0	0	pH		11/04/25 13:37	9045D

Comments: pH result reported at temperature 20.1 °C

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N = Spiked sample recovery not within control limits

LAB CHRONICLE

OrderID:	Q3368	OrderDate:	10/16/2025 2:05:00 PM
Client:	Aramark Uniforms	Project:	Monthly 2025
Contact:	Tom Dikos	Location:	D41

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q3368-06	OUTSIDE-DUMPSTER	SOIL			10/16/25 13:00			10/16/25
			Corrosivity	9045D			10/21/25 12:44	
			Ignitability	1030			10/21/25 10:10	
			Oil and Grease	9071B			10/29/25 10:00	
			Paint Filter	9095B			10/21/25 08:35	
			Reactive Cyanide	9012B		10/21/25	10/21/25 12:39	
			Reactive Sulfide	9034		10/20/25	10/21/25 09:03	
			TS	SM2540 B			10/28/25 11:00	
			TVS	160.4			10/28/25 17:30	
Q3368-07	PRESS-SLUDGE	SOIL			10/16/25 13:04			10/16/25
			Corrosivity	9045D			10/21/25 12:49	
			Ignitability	1030			10/21/25 10:24	
			Oil and Grease	9071B			10/29/25 10:00	
			Paint Filter	9095B			10/21/25 08:49	
			Reactive Cyanide	9012B		10/21/25	10/21/25 12:39	

LAB CHRONICLE

Q3368-13	OUTSIDE-DUMPSTER	SOIL	Reactive Sulfide	9034	10/20/25	10/21/25 09:06	10/16/25 13:00	10/16/25
			TS	SM2540 B		10/28/25 11:00		
			TVS	160.4		10/28/25 17:30		
			pH	9045D		11/04/25 13:30		
			ASTM Ammonia	SM4500-NH3	10/29/25	10/29/25 15:53		
			ASTM COD	SM5220 D		10/30/25 14:02		
			ASTM Oil and Grease	1664A		10/29/25 15:00		
			ASTM TS	SM2540 B		10/29/25 11:00		
Q3368-14	PRESS-SLUDGE	SOIL					10/16/25 13:04	10/16/25
			pH	9045D		11/04/25 13:37		
			ASTM Ammonia	SM4500-NH3	10/29/25	10/29/25 16:01		
			ASTM COD	SM5220 D		10/30/25 14:04		
			ASTM Oil and Grease	1664A		10/29/25 15:00		
			ASTM TS	SM2540 B		10/29/25 11:00		



SHIPPING DOCUMENTS

CLIENT INFORMATION

CLIENT PROJECT INFORMATION

CLIENT BILLING INFORMATION

REPORT TO BE SENT TO:

COMPANY: Aramark Uniforms
ADDRESS: 740 Frelinghuysen Ave
CITY: Newark STATE: NJ ZIP: 07114
ATTENTION: Jarrod Mills
PHONE: 973-824-1101 FAX: _____

PROJECT NAME: _____
PROJECT NO.: _____ LOCATION: _____
PROJECT MANAGER: _____
e-mail: _____
PHONE: _____ FAX: _____

BILL TO: _____ PO#: _____
ADDRESS: _____
CITY: _____ STATE: _____ ZIP: _____
ATTENTION: _____ PHONE: _____

ANALYSIS

DATA TURNAROUND INFORMATION

DATA DELIVERABLE INFORMATION

FAX (RUSH) _____ DAYS*
HARDCOPY (DATA PACKAGE): _____ DAYS*
EDD: _____ DAYS*
*TO BE APPROVED BY CHEMTECH
STANDARD HARDCOPY TURNAROUND TIME IS 10 BUSINESS

☐ Level 1 (Results Only) ☐ Level 4 (QC + Full Raw Data)
☐ Level 2 (Results + QC) ☐ NJ Reduced ☐ US EPA CLP
☐ Level 3 (Results + QC) ☐ NYS ASP A ☐ NYS ASP B
+ Raw Data ☐ Other _____
☐ EDD FORMAT _____

1 2 3 4 5 6 7 8 9

PRESERVATIVES

COMMENTS

ALLIANCE SAMPLE ID	PROJECT SAMPLE IDENTIFICATION	SAMPLE MATRIX	SAMPLE TYPE		SAMPLE COLLECTION		# OF BOTTLES	PRESERVATIVES									COMMENTS
			COMP	GRAB	DATE	TIME		1	2	3	4	5	6	7	8	9	
1.	Outside Dumpster	S		✓	10-16-25	1300	7										
2.	Press Sludge	I		✓	1	1304	7										
3.	Tank 1	I		✓	1	1308	7										
4.	Tank 2	I		✓	1	1312	7										
5.	Oil Sludge	I		✓	1	1315	7										
6.																	
7.																	
8.																	
9.																	
10.																	

SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION INCLUDING COURIER DELIVERY

RELINQUISHED BY SAMPLER: 10-16-25 RECEIVED BY: 10-16-25
RELINQUISHED BY SAMPLER: 10-16-25 RECEIVED BY: 10-16-25
RELINQUISHED BY SAMPLER: 10-16-25 RECEIVED BY: 10-16-25

Conditions of bottles or coolers at receipt: ☐ COMPLIANT ☐ NON COMPLIANT ☐ COOLER TEMP 3.1 °C
Comments: _____

Page _____ of _____ CLIENT: ☐ Hand Delivered ☐ Other _____
Shipment Complete ☐ YES ☐ NO



Outlook

RE: [WMSolutions.com] Profile 100601PAE (Vestis Uniform Services) has been returned to your drafts tab

From Barnes, Tommy <tommy.barnes@vestis.com>

Date Mon 10/6/2025 10:25 AM

To Vanegas, Jose <Jose.Vanegas@vestis.com>

Cc Dikos, Tom <tom.dikos@vestis.com>; Castillo Vasquez, Gustavo A. <gustavo.castillo@vestis.com>; Williams III, Jack <jack.williams@vestis.com>; Romain, Sobner <sobner.romain@vestis.com>

Jose,

I will complete Form 25R and also fix the section G of the profile.

Unfortunately, it looks like we need to run additional analysis on the sludge per the landfill.

Can you please call your lab (Alliance Technical Group 908-789-8900) and let them know you need to analyze your filter cake asap? It should be analyzed for the following:

- Oil & Grease (as received) ✖
- Paint Filter Test ✖
- Total PCBs (mg/kg) ✖
- Total Solids (as received)
- Total Volatile Solids (as received)
- Ammonia-Nitrogen (ASTM Extraction - mg/L)
- Chemical Oxygen Demand (ASTM Extraction - mg/L)
- Oil & Grease (ASTM Extraction - mg/L)
- Total Solids (ASTM Extraction - mg/L)
- pH (ASTM Extraction) ✖
- TCLP Copper ✖
- TCLP Nickel ✖
- TCLP Zinc ✖
- TCLP Pesticides TCLP Herbicides ✖

Thanks,

Tommy Barnes

Manager, Environmental Compliance

M: 317.910.4373

tommy.barnes@vestis.com | www.vestis.com



Uniforms and Workplace Supplies

© 2023 Vestis. All rights reserved. This communication, including attachments, is for the exclusive use of addressee as directed by Vestis and may contain proprietary, confidential and/or privileged information. If you are not the intended recipient, any use, copying, disclosure, dissemination or distribution is strictly prohibited. If you are not the intended recipient, please notify the sender immediately by return e-mail, delete this communication and destroy all copies.

From: Vanegas, Jose <Jose.Vanegas@vestis.com>

Sent: Monday, October 6, 2025 8:51 AM

To: Barnes, Tommy <tommy.barnes@vestis.com>

From: Barnes, Tommy <tommy.barnes@vestis.com>
Sent: Tuesday, October 28, 2025 3:02 PM
To: Yazmeen Gomez
Cc: Dikos, Tom; Vanegas, Jose
Subject: FW: SLUDGE ANALYZE (Section G)
Attachments: Summary Report Details For Project Monthly 2025-Q3368.; Summary Report Details For Project Monthly 2025-Q3368.

EXTERNAL EMAIL - This email was sent by a person from outside your organization. Exercise caution when clicking links, opening attachments or taking further action, before validating its authenticity.

Secured by Check Point

Yazmeen,
Thanks for taking my call. Per our discussion, the landfill is requesting the following additional analysis. It looks like the same list that was previously provided and included with the lab report.
Can you check to see if the analysis was already done?
If it wasn't, can you let us know if you have enough sample on hand to complete? We would also like to request a rush turn-around on the results if possible.

- Oil & Grease (as received)
 - Total Solids (as received)
 - Total Volatile Solids (as received)
 - Ammonia-Nitrogen (ASTM Extraction - mg/L)
 - Chemical Oxygen Demand (ASTM Extraction - mg/L)
 - Oil & Grease (ASTM Extraction - mg/L)
 - Total Solids (ASTM Extraction - mg/L)
 - pH (ASTM Extraction)
 - TCLP Copper
 - TCLP Nickel
 - TCLP Zinc
 - TCLP Pesticides
 - TCLP Herbicides

Thanks,

Tommy Barnes
Manager, Environmental Compliance
M: 317.910.4373
tommy.barnes@vestis.com | www.vestis.com



© 2023 Vestis. All rights reserved. This communication, including attachments, is for the exclusive use of addressee as directed by Vestis and may contain proprietary, confidential and/or privileged information. If you are not the intended recipient, any use, copying, disclosure, dissemination or distribution is strictly prohibited. If you are not the intended recipient, please notify the sender immediately by return e-mail, delete this communication and destroy all copies.

From: Dikos, Tom <tom.dikos@vestis.com>
Sent: Tuesday, October 28, 2025 9:24 AM
To: Barnes, Tommy <tommy.barnes@vestis.com>
Subject: FW: SLUDGE ANALYZE (Section G)

Is this everything needed for the Newark profile renewal.

Could you please work with Jose to complete.

Thanks,

Tom Dikos
 Director, Environmental Compliance
M: 708.567.0275
tom.dikos@vestis.com | www.vestis.com



[LinkedIn](#) | [Facebook](#) | [X](#) | [Instagram](#)

Visit shop.vestis.com to purchase the best in uniforms and workwear.



From: Yazmeen Gomez <yazmeen.gomez@alliancetg.com>
Sent: Monday, October 27, 2025 2:59 PM
To: Vanegas, Jose <Jose.Vanegas@vestis.com>
Cc: Barnes, Tommy <tommy.barnes@vestis.com>; Dikos, Tom <tom.dikos@vestis.com>; Castillo Vasquez, Gustavo A. <gustavo.castillo@vestis.com>; Romain, Sobner <sobner.romain@vestis.com>
Subject: RE: SLUDGE ANALYZE (Section G)






CAUTION: This email was sent from outside of Vestis. Please do not click links or open attachments unless you recognize the sender and know the content is safe.

Good afternoon,

Please see attached unsure if this has already been forwarded over to you.

Best Regards,



Yazmeen Gomez
Sr. Project Manager
 An Alliance Technical Group Company
Main: 908-789-8900
Direct: 908-728-3147
Address: 284 Sheffield St, Ste 1, Mountainside, NJ 07092
www.alliancetg.com     

From: Vanegas, Jose <Jose.Vanegas@vestis.com>
Sent: Thursday, October 23, 2025 11:48 AM
To: Yazmeen Gomez <yazmeen.gomez@alliancetg.com>
Cc: Barnes, Tommy <tommy.barnes@vestis.com>; Dikos, Tom <tom.dikos@vestis.com>; Castillo Vasquez, Gustavo A. <gustavo.castillo@vestis.com>; Romain, Sobner <sobner.romain@vestis.com>
Subject: Re: SLUDGE ANALYZE (Section G)

EXTERNAL EMAIL - This email was sent by a person from outside your organization. Exercise caution when clicking links, opening attachments or taking further action, before validating its authenticity.

Secured by Check Point

Good morning, Yazmeen:
Could you please send me the results of the sludge analysis?

Thank you.
Jose Vanegas
Industrial Maintenance Manager
740 Frelinghuysen Avenue
Newark, NJ 07114
P: (973) 824-1101
C: (908) 323-9050
jose.vanegas@vestis.com



From: Vanegas, Jose
Sent: Wednesday, October 8, 2025 10:13 AM
To: yazmeen.gomez@alliancetg.com <yazmeen.gomez@alliancetg.com>
Cc: Barnes, Tommy <tommy.barnes@vestis.com>; Dikos, Tom <tom.dikos@vestis.com>; Castillo Vasquez, Gustavo A. <gustavo.castillo@vestis.com>; Romain, Sobner <sobner.romain@vestis.com>
Subject: SLUDGE ANALYZE (Section G)

Good morning, Yazmeen:
Our company requires your technical services for a sludge analysis. Could you please send one of your technicians for this analysis, ASAP. (See the attachment)

Thank you.
Jose Vanegas
Industrial Maintenance Manager
740 Frelinghuysen Avenue
Newark, NJ 07114
P: (973) 824-1101
C: (908) 323-9050
jose.vanegas@vestis.com

Aramark Uniform Services is now Vestis! Visit www.vestis.com to learn more.

© 2023 Vestis. All rights reserved. This communication, including attachments, is for the exclusive use of addressee as directed by Vestis and may contain proprietary, confidential and/or privileged information. If you are not the intended recipient, any use, copying, disclosure, dissemination or distribution is strictly prohibited. If you are not the intended recipient, please notify the sender immediately by return e-mail, delete this communication and destroy all copies.

Laboratory Certification

Certified By	License No.
Connecticut	PH-0830
DOD ELAP (ANAB)	L2219
Maine	2024021
Maryland	296
New Hampshire	255425
New Jersey	20012
New York	11376
Pennsylvania	68-00548
Soil Permit	525-24-234-08441
Texas	TX-C25-00189
Virginia	460312