

Hit Summary Sheet SW-846

SDG No.: Q3368
Client: Aramark Uniforms

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID: Q3368-06	OUTSIDE-DUMPSTER OUTSIDE-DUMPS TCLP		2-Butanone	11.8	J	0.98	25.0	ug/L
			Total Voc :	11.8				
			Total Concentration:	11.8				
Client ID: Q3368-07	PRESS-SLUDGE PRESS-SLUDGE TCLP		2-Butanone	180	J	49.0	1300	ug/L
			Total Voc :	180				
			Total Concentration:	180				



SAMPLE DATA

A

B

C

D

Report of Analysis

Client: Aramark Uniforms
Project: Monthly 2025
Client Sample ID: OUTSIDE-DUMPSTER
Lab Sample ID: Q3368-06
Analytical Method: 8260D
Sample Wt/Vol: 5 mL

Level : LOW
Final Vol: 5000 uL

Date Collected: 10/16/25
Date Received: 10/16/25
SDG No.: Q3368
Matrix: TCLP
% Solid: 0
Test: TCLP VOA

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	BatchID
TARGETS									
75-01-4	Vinyl Chloride	0.26	U	1	0.26	5.00	ug/L	10/22/25 10:39	VX102225
75-35-4	1,1-Dichloroethene	0.23	U	1	0.23	5.00	ug/L	10/22/25 10:39	VX102225
78-93-3	2-Butanone	11.8	J	1	0.98	25.0	ug/L	10/22/25 10:39	VX102225
56-23-5	Carbon Tetrachloride	0.25	U	1	0.25	5.00	ug/L	10/22/25 10:39	VX102225
67-66-3	Chloroform	0.25	U	1	0.25	5.00	ug/L	10/22/25 10:39	VX102225
71-43-2	Benzene	0.15	U	1	0.15	5.00	ug/L	10/22/25 10:39	VX102225
107-06-2	1,2-Dichloroethane	0.22	U	1	0.22	5.00	ug/L	10/22/25 10:39	VX102225
79-01-6	Trichloroethene	0.090	U	1	0.090	5.00	ug/L	10/22/25 10:39	VX102225
127-18-4	Tetrachloroethene	0.23	U	1	0.23	5.00	ug/L	10/22/25 10:39	VX102225
108-90-7	Chlorobenzene	0.12	U	1	0.12	5.00	ug/L	10/22/25 10:39	VX102225
SURROGATES									
17060-07-0	1,2-Dichloroethane-d4	51.5			74 - 125	103%	SPK: 50		
1868-53-7	Dibromofluoromethane	45.5			75 - 124	91%	SPK: 50		
2037-26-5	Toluene-d8	44.8			86 - 113	90%	SPK: 50		
460-00-4	4-Bromofluorobenzene	50.6			77 - 121	101%	SPK: 50		
INTERNAL STANDARDS									
		Area Count							
363-72-4	Pentafluorobenzene	101000							
540-36-3	1,4-Difluorobenzene	194000							
3114-55-4	Chlorobenzene-d5	190000							
3855-82-1	1,4-Dichlorobenzene-d4	98400							

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client: Aramark Uniforms
Project: Monthly 2025
Client Sample ID: PRESS-SLUDGE
Lab Sample ID: Q3368-07
Analytical Method: 8260D
Sample Wt/Vol: 5 mL

Level : LOW
Final Vol: 5000 uL

Date Collected: 10/16/25
Date Received: 10/16/25
SDG No.: Q3368
Matrix: TCLP
% Solid: 0
Test: TCLP VOA

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	BatchID
TARGETS									
75-01-4	Vinyl Chloride	13.0	U	50	13.0	250	ug/L	10/22/25 11:41	VX102225
75-35-4	1,1-Dichloroethene	11.5	U	50	11.5	250	ug/L	10/22/25 11:41	VX102225
78-93-3	2-Butanone	180	J	50	49.0	1300	ug/L	10/22/25 11:41	VX102225
56-23-5	Carbon Tetrachloride	12.5	U	50	12.5	250	ug/L	10/22/25 11:41	VX102225
67-66-3	Chloroform	12.5	U	50	12.5	250	ug/L	10/22/25 11:41	VX102225
71-43-2	Benzene	7.50	U	50	7.50	250	ug/L	10/22/25 11:41	VX102225
107-06-2	1,2-Dichloroethane	11.0	U	50	11.0	250	ug/L	10/22/25 11:41	VX102225
79-01-6	Trichloroethene	4.70	U	50	4.70	250	ug/L	10/22/25 11:41	VX102225
127-18-4	Tetrachloroethene	11.5	U	50	11.5	250	ug/L	10/22/25 11:41	VX102225
108-90-7	Chlorobenzene	6.00	U	50	6.00	250	ug/L	10/22/25 11:41	VX102225
SURROGATES									
17060-07-0	1,2-Dichloroethane-d4	53.8			74 - 125	108%	SPK: 50		
1868-53-7	Dibromofluoromethane	45.1			75 - 124	90%	SPK: 50		
2037-26-5	Toluene-d8	47.8			86 - 113	96%	SPK: 50		
460-00-4	4-Bromofluorobenzene	59.3			77 - 121	119%	SPK: 50		
INTERNAL STANDARDS									
		Area Count							
363-72-4	Pentafluorobenzene	96400							
540-36-3	1,4-Difluorobenzene	193000							
3114-55-4	Chlorobenzene-d5	220000							
3855-82-1	1,4-Dichlorobenzene-d4	121000							

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

LAB CHRONICLE

OrderID:	Q3368	OrderDate:	10/16/2025 2:05:00 PM
Client:	Aramark Uniforms	Project:	Monthly 2025
Contact:	Tom Dikos	Location:	D41

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q3368-06	OUTSIDE-DUMPSTER	TCLP	TCLP VOA	8260D	10/16/25		10/22/25	10/16/25
Q3368-07	PRESS-SLUDGE	TCLP	TCLP VOA	8260D	10/16/25		10/22/25	10/16/25



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

A

B

C

D

Hit Summary Sheet SW-846

SDG No.: Q3368
Client: Aramark Uniforms

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID :	PRESS-SLUDGE							
Q3368-07	PRESS-SLUDGE	TCLP	3+4-Methylphenols	110.000	11		100	ug/L
			Total Svoc :		110.00			
			Total Concentration:		110.00			



SAMPLE DATA

A

B

C

D

Report of Analysis

Client:	Aramark Uniforms		Date Collected:	10/22/25
Project:	Monthly 2025		Date Received:	10/22/25
Client Sample ID:	PB170172TB		SDG No.:	Q3368
Lab Sample ID:	PB170172TB		Matrix:	TCLP
Analytical Method:	8270E	Level : LOW	% Solid:	0
Sample Wt/Vol:	100 mL	Final Vol: 1000 uL	Test:	TCLP BNA Group1
Prep Method :	SW3541	Prep Date: 10/22/25		

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	Prep BatchID
TARGETS									
110-86-1	Pyridine	12.8	U	1	12.8	50.0	ug/L	10/22/25 18:36	PB170216
106-46-7	1,4-Dichlorobenzene	5.30	U	1	5.30	50.0	ug/L	10/22/25 18:36	PB170216
95-48-7	2-Methylphenol	11.2	U	1	11.2	50.0	ug/L	10/22/25 18:36	PB170216
65794-96-9	3+4-Methylphenols	11.0	U	1	11.0	100	ug/L	10/22/25 18:36	PB170216
67-72-1	Hexachloroethane	6.50	U	1	6.50	50.0	ug/L	10/22/25 18:36	PB170216
98-95-3	Nitrobenzene	7.60	U	1	7.60	50.0	ug/L	10/22/25 18:36	PB170216
88-06-2	2,4,6-Trichlorophenol	5.10	U	1	5.10	50.0	ug/L	10/22/25 18:36	PB170216
95-95-4	2,4,5-Trichlorophenol	6.20	U	1	6.20	50.0	ug/L	10/22/25 18:36	PB170216
121-14-2	2,4-Dinitrotoluene	12.2	U	1	12.2	50.0	ug/L	10/22/25 18:36	PB170216
118-74-1	Hexachlorobenzene	5.20	U	1	5.20	50.0	ug/L	10/22/25 18:36	PB170216
87-86-5	Pentachlorophenol	15.8	U	1	15.8	100	ug/L	10/22/25 18:36	PB170216
SURROGATES									
367-12-4	2-Fluorophenol	146			23 - 138	98%	SPK: 150		
13127-88-3	Phenol-d6	136			10 - 134	91%	SPK: 150		
4165-60-0	Nitrobenzene-d5	80.4			67 - 132	80%	SPK: 100		
321-60-8	2-Fluorobiphenyl	77.1			52 - 132	77%	SPK: 100		
118-79-6	2,4,6-Tribromophenol	129			44 - 137	86%	SPK: 150		
1718-51-0	Terphenyl-d14	89.0			42 - 152	89%	SPK: 100		
INTERNAL STANDARDS									
		Area Count							
3855-82-1	1,4-Dichlorobenzene-d4	158000							
1146-65-2	Naphthalene-d8	655000							
15067-26-2	Acenaphthene-d10	478000							
1517-22-2	Phenanthrene-d10	1020000							
1719-03-5	Chrysene-d12	810000							
1520-96-3	Perylene-d12	659000							

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	Aramark Uniforms		Date Collected:	10/16/25
Project:	Monthly 2025		Date Received:	10/16/25
Client Sample ID:	OUTSIDE-DUMPSTER		SDG No.:	Q3368
Lab Sample ID:	Q3368-06		Matrix:	TCLP
Analytical Method:	8270E	Level : LOW	% Solid:	0
Sample Wt/Vol:	100 mL	Final Vol: 1000 uL	Test:	TCLP BNA Group1
Prep Method :	SW3541	Prep Date: 10/22/25		

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	Prep BatchID
TARGETS									
110-86-1	Pyridine	12.8	U	1	12.8	50.0	ug/L	10/22/25 19:17	PB170216
106-46-7	1,4-Dichlorobenzene	5.30	U	1	5.30	50.0	ug/L	10/22/25 19:17	PB170216
95-48-7	2-Methylphenol	11.2	U	1	11.2	50.0	ug/L	10/22/25 19:17	PB170216
65794-96-9	3+4-Methylphenols	11.0	U	1	11.0	100	ug/L	10/22/25 19:17	PB170216
67-72-1	Hexachloroethane	6.50	U	1	6.50	50.0	ug/L	10/22/25 19:17	PB170216
98-95-3	Nitrobenzene	7.60	U	1	7.60	50.0	ug/L	10/22/25 19:17	PB170216
88-06-2	2,4,6-Trichlorophenol	5.10	U	1	5.10	50.0	ug/L	10/22/25 19:17	PB170216
95-95-4	2,4,5-Trichlorophenol	6.20	U	1	6.20	50.0	ug/L	10/22/25 19:17	PB170216
121-14-2	2,4-Dinitrotoluene	12.2	U	1	12.2	50.0	ug/L	10/22/25 19:17	PB170216
118-74-1	Hexachlorobenzene	5.20	U	1	5.20	50.0	ug/L	10/22/25 19:17	PB170216
87-86-5	Pentachlorophenol	15.8	U	1	15.8	100	ug/L	10/22/25 19:17	PB170216
SURROGATES									
367-12-4	2-Fluorophenol	130			23 - 138	87%	SPK: 150		
13127-88-3	Phenol-d6	122			10 - 134	81%	SPK: 150		
4165-60-0	Nitrobenzene-d5	74.6			67 - 132	75%	SPK: 100		
321-60-8	2-Fluorobiphenyl	68.9			52 - 132	69%	SPK: 100		
118-79-6	2,4,6-Tribromophenol	129			44 - 137	86%	SPK: 150		
1718-51-0	Terphenyl-d14	55.3			42 - 152	55%	SPK: 100		
INTERNAL STANDARDS									
		Area Count							
3855-82-1	1,4-Dichlorobenzene-d4	151000							
1146-65-2	Naphthalene-d8	649000							
15067-26-2	Acenaphthene-d10	478000							
1517-22-2	Phenanthrene-d10	1050000							
1719-03-5	Chrysene-d12	1090000							
1520-96-3	Perylene-d12	970000							

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	Aramark Uniforms		Date Collected:	10/16/25
Project:	Monthly 2025		Date Received:	10/16/25
Client Sample ID:	PRESS-SLUDGE		SDG No.:	Q3368
Lab Sample ID:	Q3368-07		Matrix:	TCLP
Analytical Method:	8270E	Level : LOW	% Solid:	0
Sample Wt/Vol:	100 mL	Final Vol: 1000 uL	Test:	TCLP BNA Group1
Prep Method :	SW3541	Prep Date: 10/22/25		

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	Prep BatchID
TARGETS									
110-86-1	Pyridine	12.8	U	1	12.8	50.0	ug/L	10/23/25 02:46	PB170216
106-46-7	1,4-Dichlorobenzene	5.30	U	1	5.30	50.0	ug/L	10/23/25 02:46	PB170216
95-48-7	2-Methylphenol	11.2	U	1	11.2	50.0	ug/L	10/23/25 02:46	PB170216
65794-96-9	3+4-Methylphenols	110		1	11.0	100	ug/L	10/23/25 02:46	PB170216
67-72-1	Hexachloroethane	6.50	U	1	6.50	50.0	ug/L	10/23/25 02:46	PB170216
98-95-3	Nitrobenzene	7.60	U	1	7.60	50.0	ug/L	10/23/25 02:46	PB170216
88-06-2	2,4,6-Trichlorophenol	5.10	U	1	5.10	50.0	ug/L	10/23/25 02:46	PB170216
95-95-4	2,4,5-Trichlorophenol	6.20	U	1	6.20	50.0	ug/L	10/23/25 02:46	PB170216
121-14-2	2,4-Dinitrotoluene	12.2	U	1	12.2	50.0	ug/L	10/23/25 02:46	PB170216
118-74-1	Hexachlorobenzene	5.20	U	1	5.20	50.0	ug/L	10/23/25 02:46	PB170216
87-86-5	Pentachlorophenol	15.8	U	1	15.8	100	ug/L	10/23/25 02:46	PB170216
SURROGATES									
367-12-4	2-Fluorophenol	129			23 - 138	86%	SPK: 150		
13127-88-3	Phenol-d6	119			10 - 134	79%	SPK: 150		
4165-60-0	Nitrobenzene-d5	75.7			67 - 132	76%	SPK: 100		
321-60-8	2-Fluorobiphenyl	73.5			52 - 132	73%	SPK: 100		
118-79-6	2,4,6-Tribromophenol	94.4			44 - 137	63%	SPK: 150		
1718-51-0	Terphenyl-d14	58.0			42 - 152	58%	SPK: 100		
INTERNAL STANDARDS									
		Area Count							
3855-82-1	1,4-Dichlorobenzene-d4	175000							
1146-65-2	Naphthalene-d8	752000							
15067-26-2	Acenaphthene-d10	463000							
1517-22-2	Phenanthrene-d10	721000							
1719-03-5	Chrysene-d12	673000							
1520-96-3	Perylene-d12	811000							

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

LAB CHRONICLE

OrderID:	Q3368	OrderDate:	10/16/2025 2:05:00 PM
Client:	Aramark Uniforms	Project:	Monthly 2025
Contact:	Tom Dikos	Location:	D41

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q3368-06	OUTSIDE-DUMPSTER	TCLP	TCLP BNA Group1	8270E	10/16/25	10/22/25	10/22/25	10/16/25
Q3368-07	PRESS-SLUDGE	TCLP	TCLP BNA Group1	8270E	10/16/25	10/22/25	10/23/25	10/16/25



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Hit Summary Sheet
SW-846

SDG No.:Q3368

Order ID:Q3368

Client:Aramark Uniforms

Project ID:Monthly 2025

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID :								

Total Concentration:0.000



SAMPLE DATA

A

B

C

D

Report of Analysis

Client:	Aramark Uniforms		Date Collected:	
Project:	Monthly 2025		Date Received:	11/03/25
Client Sample ID:	PB170172TB		SDG No.:	Q3368
Lab Sample ID:	PB170172TB		Matrix:	TCLP
Analytical Method:	8081B		% Solid:	0
Sample Wt/Vol:	100 mL	Final Vol: 10000 uL	Test:	TCLP Pesticide
Prep Method:	SW3541B	Prep Date: 11/03/25		

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	BatchID
TARGETS									
58-89-9	gamma-BHC (Lindane)	0.037	U	1	0.037	0.50	ug/L	11/04/25 16:17	PB170387
76-44-8	Heptachlor	0.027	U	1	0.027	0.50	ug/L	11/04/25 16:17	PB170387
1024-57-3	Heptachlor epoxide	0.096	U	1	0.096	0.50	ug/L	11/04/25 16:17	PB170387
72-20-8	Endrin	0.032	U	1	0.032	0.50	ug/L	11/04/25 16:17	PB170387
72-43-5	Methoxychlor	0.11	U	1	0.11	0.50	ug/L	11/04/25 16:17	PB170387
8001-35-2	Toxaphene	1.70	U	1	1.70	10.0	ug/L	11/04/25 16:17	PB170387
57-74-9	Chlordane	0.88	U	1	0.88	5.00	ug/L	11/04/25 16:17	PB170387
SURROGATES									
2051-24-3	Decachlorobiphenyl	18.6			57 - 171	93%	SPK: 20		
877-09-8	Tetrachloro-m-xylene	19.8			61 - 148	99%	SPK: 20		

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	Aramark Uniforms		Date Collected:	10/16/25
Project:	Monthly 2025		Date Received:	10/16/25
Client Sample ID:	OUTSIDE-DUMPSTER		SDG No.:	Q3368
Lab Sample ID:	Q3368-06		Matrix:	TCLP
Analytical Method:	8081B		% Solid:	0
Sample Wt/Vol:	100 mL	Final Vol: 10000 uL	Test:	TCLP Pesticide
Prep Method:	SW3541B	Prep Date: 11/03/25		

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	BatchID
TARGETS									
58-89-9	gamma-BHC (Lindane)	0.037	U	1	0.037	0.50	ug/L	11/04/25 11:39	PB170387
76-44-8	Heptachlor	0.027	U	1	0.027	0.50	ug/L	11/04/25 11:39	PB170387
1024-57-3	Heptachlor epoxide	0.096	U	1	0.096	0.50	ug/L	11/04/25 11:39	PB170387
72-20-8	Endrin	0.032	U	1	0.032	0.50	ug/L	11/04/25 11:39	PB170387
72-43-5	Methoxychlor	0.11	U	1	0.11	0.50	ug/L	11/04/25 11:39	PB170387
8001-35-2	Toxaphene	1.70	U	1	1.70	10.0	ug/L	11/04/25 11:39	PB170387
57-74-9	Chlordane	0.88	U	1	0.88	5.00	ug/L	11/04/25 11:39	PB170387
SURROGATES									
2051-24-3	Decachlorobiphenyl	7.53	*		57 - 171	38%	SPK: 20		
877-09-8	Tetrachloro-m-xylene	11.0	*		61 - 148	55%	SPK: 20		

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	Aramark Uniforms		Date Collected:	10/16/25
Project:	Monthly 2025		Date Received:	10/16/25
Client Sample ID:	OUTSIDE-DUMPSTERRE		SDG No.:	Q3368
Lab Sample ID:	Q3368-06RE		Matrix:	TCLP
Analytical Method:	8081B		% Solid:	0
Sample Wt/Vol:	100 mL	Final Vol: 10000 uL	Test:	TCLP Pesticide
Prep Method:	SW3541B		Prep Date:	11/03/25

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	BatchID
TARGETS									
58-89-9	gamma-BHC (Lindane)	0.037	U	1	0.037	0.50	ug/L	11/05/25 10:39	PB170387
76-44-8	Heptachlor	0.027	U	1	0.027	0.50	ug/L	11/05/25 10:39	PB170387
1024-57-3	Heptachlor epoxide	0.096	U	1	0.096	0.50	ug/L	11/05/25 10:39	PB170387
72-20-8	Endrin	0.032	U	1	0.032	0.50	ug/L	11/05/25 10:39	PB170387
72-43-5	Methoxychlor	0.11	U	1	0.11	0.50	ug/L	11/05/25 10:39	PB170387
8001-35-2	Toxaphene	1.70	U	1	1.70	10.0	ug/L	11/05/25 10:39	PB170387
57-74-9	Chlordane	0.88	U	1	0.88	5.00	ug/L	11/05/25 10:39	PB170387
SURROGATES									
2051-24-3	Decachlorobiphenyl	8.73	*		57 - 171	44%	SPK: 20		
877-09-8	Tetrachloro-m-xylene	11.8	*		61 - 148	59%	SPK: 20		

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	Aramark Uniforms		Date Collected:	10/16/25
Project:	Monthly 2025		Date Received:	10/16/25
Client Sample ID:	PRESS-SLUDGE		SDG No.:	Q3368
Lab Sample ID:	Q3368-07		Matrix:	TCLP
Analytical Method:	8081B		% Solid:	0
Sample Wt/Vol:	100 mL	Final Vol: 10000 uL	Test:	TCLP Pesticide
Prep Method:	SW3541B	Prep Date: 11/03/25		

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	BatchID
TARGETS									
58-89-9	gamma-BHC (Lindane)	0.037	U	1	0.037	0.50	ug/L	11/04/25 12:22	PB170387
76-44-8	Heptachlor	0.027	U	1	0.027	0.50	ug/L	11/04/25 12:22	PB170387
1024-57-3	Heptachlor epoxide	0.096	U	1	0.096	0.50	ug/L	11/04/25 12:22	PB170387
72-20-8	Endrin	0.032	U	1	0.032	0.50	ug/L	11/04/25 12:22	PB170387
72-43-5	Methoxychlor	0.11	U	1	0.11	0.50	ug/L	11/04/25 12:22	PB170387
8001-35-2	Toxaphene	1.70	U	1	1.70	10.0	ug/L	11/04/25 12:22	PB170387
57-74-9	Chlordane	0.88	U	1	0.88	5.00	ug/L	11/04/25 12:22	PB170387
SURROGATES									
2051-24-3	Decachlorobiphenyl	5.30	*		57 - 171	27%	SPK: 20		
877-09-8	Tetrachloro-m-xylene	7.46	*		61 - 148	37%	SPK: 20		

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	Aramark Uniforms		Date Collected:	10/16/25
Project:	Monthly 2025		Date Received:	10/16/25
Client Sample ID:	PRESS-SLUDGERE		SDG No.:	Q3368
Lab Sample ID:	Q3368-07RE		Matrix:	TCLP
Analytical Method:	8081B		% Solid:	0
Sample Wt/Vol:	100 mL	Final Vol: 10000 uL	Test:	TCLP Pesticide
Prep Method:	SW3541B	Prep Date: 11/03/25		

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	BatchID
TARGETS									
58-89-9	gamma-BHC (Lindane)	0.037	U	1	0.037	0.50	ug/L	11/05/25 11:20	PB170387
76-44-8	Heptachlor	0.027	U	1	0.027	0.50	ug/L	11/05/25 11:20	PB170387
1024-57-3	Heptachlor epoxide	0.096	U	1	0.096	0.50	ug/L	11/05/25 11:20	PB170387
72-20-8	Endrin	0.032	U	1	0.032	0.50	ug/L	11/05/25 11:20	PB170387
72-43-5	Methoxychlor	0.11	U	1	0.11	0.50	ug/L	11/05/25 11:20	PB170387
8001-35-2	Toxaphene	1.70	U	1	1.70	10.0	ug/L	11/05/25 11:20	PB170387
57-74-9	Chlordane	0.88	U	1	0.88	5.00	ug/L	11/05/25 11:20	PB170387
SURROGATES									
2051-24-3	Decachlorobiphenyl	6.41	*		57 - 171	32%	SPK: 20		
877-09-8	Tetrachloro-m-xylene	7.85	*		61 - 148	39%	SPK: 20		

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

LAB CHRONICLE

OrderID:	Q3368	OrderDate:	10/16/2025 2:05:00 PM
Client:	Aramark Uniforms	Project:	Monthly 2025
Contact:	Tom Dikos	Location:	D41

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q3368-06	OUTSIDE-DUMPSTER	SOIL			10/16/25			10/16/25
			PCB	8082A		10/21/25	10/21/25	
			TCLP Herbicide	8151A		11/03/25	11/04/25	
			TCLP Pesticide	8081B		11/03/25	11/04/25	
Q3368-06RE	OUTSIDE-DUMPSTERR E	TCLP			10/16/25			10/16/25
			TCLP Pesticide	8081B		11/03/25	11/05/25	
Q3368-07	PRESS-SLUDGE	SOIL			10/16/25			10/16/25
			PCB	8082A		10/21/25	10/21/25	
			TCLP Herbicide	8151A		11/03/25	11/04/25	
			TCLP Pesticide	8081B		11/03/25	11/04/25	
Q3368-07RE	PRESS-SLUDGERE	TCLP			10/16/25			10/16/25
			TCLP Pesticide	8081B		11/03/25	11/05/25	



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Hit Summary Sheet
SW-846

SDG No.:Q3368

Order ID:Q3368

Client:Aramark Uniforms

Project ID:Monthly 2025

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID :								

Total Concentration:0.000



SAMPLE DATA

A

B

C

D

Report of Analysis

Client:	Aramark Uniforms		Date Collected:	10/16/25
Project:	Monthly 2025		Date Received:	10/16/25
Client Sample ID:	OUTSIDE-DUMPSTER		SDG No.:	Q3368
Lab Sample ID:	Q3368-06		Matrix:	SOIL
Analytical Method:	8082A		% Solid:	67.4
Sample Wt/Vol:	30.03 g	Final Vol: 10000 uL	Test:	PCB
Prep Method:	SW3541B	Prep Date: 10/21/25		

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	BatchID
TARGETS									
12674-11-2	Aroclor-1016	0.059	U	10	0.059	0.25	mg/Kg	10/21/25 18:42	PB170178
11104-28-2	Aroclor-1221	0.060	U	10	0.060	0.25	mg/Kg	10/21/25 18:42	PB170178
11141-16-5	Aroclor-1232	0.055	U	10	0.055	0.25	mg/Kg	10/21/25 18:42	PB170178
53469-21-9	Aroclor-1242	0.059	U	10	0.059	0.25	mg/Kg	10/21/25 18:42	PB170178
12672-29-6	Aroclor-1248	0.088	U	10	0.088	0.25	mg/Kg	10/21/25 18:42	PB170178
11097-69-1	Aroclor-1254	0.048	U	10	0.048	0.25	mg/Kg	10/21/25 18:42	PB170178
37324-23-5	Aroclor-1262	0.074	U	10	0.074	0.25	mg/Kg	10/21/25 18:42	PB170178
11100-14-4	Aroclor-1268	0.053	U	10	0.053	0.25	mg/Kg	10/21/25 18:42	PB170178
11096-82-5	Aroclor-1260	0.048	U	10	0.048	0.25	mg/Kg	10/21/25 18:42	PB170178
SURROGATES									
877-09-8	Tetrachloro-m-xylene	20.7			32 - 144	104%	SPK: 20		
2051-24-3	Decachlorobiphenyl	24.4			32 - 175	122%	SPK: 20		

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	Aramark Uniforms		Date Collected:	10/16/25
Project:	Monthly 2025		Date Received:	10/16/25
Client Sample ID:	PRESS-SLUDGE		SDG No.:	Q3368
Lab Sample ID:	Q3368-07		Matrix:	SOIL
Analytical Method:	8082A		% Solid:	65.1
Sample Wt/Vol:	30.04 g	Final Vol: 10000 uL	Test:	PCB
Prep Method:	SW3541B	Prep Date: 10/21/25		

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	BatchID
TARGETS									
12674-11-2	Aroclor-1016	0.061	U	10	0.061	0.26	mg/Kg	10/21/25 19:01	PB170178
11104-28-2	Aroclor-1221	0.062	U	10	0.062	0.26	mg/Kg	10/21/25 19:01	PB170178
11141-16-5	Aroclor-1232	0.057	U	10	0.057	0.26	mg/Kg	10/21/25 19:01	PB170178
53469-21-9	Aroclor-1242	0.062	U	10	0.062	0.26	mg/Kg	10/21/25 19:01	PB170178
12672-29-6	Aroclor-1248	0.091	U	10	0.091	0.26	mg/Kg	10/21/25 19:01	PB170178
11097-69-1	Aroclor-1254	0.049	U	10	0.049	0.26	mg/Kg	10/21/25 19:01	PB170178
37324-23-5	Aroclor-1262	0.077	U	10	0.077	0.26	mg/Kg	10/21/25 19:01	PB170178
11100-14-4	Aroclor-1268	0.055	U	10	0.055	0.26	mg/Kg	10/21/25 19:01	PB170178
11096-82-5	Aroclor-1260	0.050	U	10	0.050	0.26	mg/Kg	10/21/25 19:01	PB170178
SURROGATES									
877-09-8	Tetrachloro-m-xylene	20.6			32 - 144	103%	SPK: 20		
2051-24-3	Decachlorobiphenyl	36.4	*		32 - 175	182%	SPK: 20		

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

LAB CHRONICLE

OrderID: Q3368	OrderDate: 10/16/2025 2:05:00 PM
Client: Aramark Uniforms	Project: Monthly 2025
Contact: Tom Dikos	Location: D41

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q3368-06	OUTSIDE-DUMPSTER	SOIL	PCB	8082A	10/16/25	10/21/25	10/21/25	10/16/25
Q3368-07	PRESS-SLUDGE	SOIL	PCB	8082A	10/16/25	10/21/25	10/21/25	10/16/25



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Hit Summary Sheet
SW-846

SDG No.:Q3368

Order ID:Q3368

Client:Aramark Uniforms

Project ID:Monthly 2025

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID :								

Total Concentration:0.000



SAMPLE DATA

A

B

C

D

Report of Analysis

Client:	Aramark Uniforms		Date Collected:	
Project:	Monthly 2025		Date Received:	11/03/25
Client Sample ID:	PB170172TB		SDG No.:	Q3368
Lab Sample ID:	PB170172TB		Matrix:	TCLP
Analytical Method:	8151A		% Solid:	0
Sample Wt/Vol:	100 mL	Final Vol: 10000 uL	Test:	TCLP Herbicide
Prep Method:	8151A	Prep Date: 11/03/25		

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	BatchID
TARGETS									
94-75-7	2,4-D	9.20	U	1	9.20	20.0	ug/L	11/06/25 13:47	PB170386
93-72-1	2,4,5-TP (Silvex)	7.80	U	1	7.80	20.0	ug/L	11/06/25 13:47	PB170386
SURROGATES									
19719-28-9	2,4-DCAA	498			61 - 136	100%	SPK: 500		

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	Aramark Uniforms		Date Collected:	10/16/25
Project:	Monthly 2025		Date Received:	10/16/25
Client Sample ID:	OUTSIDE-DUMPSTER		SDG No.:	Q3368
Lab Sample ID:	Q3368-06		Matrix:	TCLP
Analytical Method:	8151A		% Solid:	0
Sample Wt/Vol:	100 mL	Final Vol: 10000 uL	Test:	TCLP Herbicide
Prep Method:	8151A	Prep Date: 11/03/25		

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	BatchID
TARGETS									
94-75-7	2,4-D	9.20	U	1	9.20	20.0	ug/L	11/04/25 12:11	PB170386
93-72-1	2,4,5-TP (Silvex)	7.80	U	1	7.80	20.0	ug/L	11/04/25 12:11	PB170386
SURROGATES									
19719-28-9	2,4-DCAA	439			61 - 136	88%	SPK: 500		

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	Aramark Uniforms		Date Collected:	10/16/25
Project:	Monthly 2025		Date Received:	10/16/25
Client Sample ID:	PRESS-SLUDGE		SDG No.:	Q3368
Lab Sample ID:	Q3368-07		Matrix:	TCLP
Analytical Method:	8151A		% Solid:	0
Sample Wt/Vol:	100 mL	Final Vol: 10000 uL	Test:	TCLP Herbicide
Prep Method:	8151A	Prep Date: 11/03/25		

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	BatchID
TARGETS									
94-75-7	2,4-D	9.20	U	1	9.20	20.0	ug/L	11/04/25 13:23	PB170386
93-72-1	2,4,5-TP (Silvex)	7.80	U	1	7.80	20.0	ug/L	11/04/25 13:23	PB170386
SURROGATES									
19719-28-9	2,4-DCAA	478			61 - 136	96%	SPK: 500		

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

LAB CHRONICLE

OrderID:	Q3368	OrderDate:	10/16/2025 2:05:00 PM
Client:	Aramark Uniforms	Project:	Monthly 2025
Contact:	Tom Dikos	Location:	D41

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q3368-06	OUTSIDE-DUMPSTER	SOIL			10/16/25			10/16/25
			PCB	8082A		10/21/25	10/21/25	
			TCLP Herbicide	8151A		11/03/25	11/04/25	
			TCLP Pesticide	8081B		11/03/25	11/04/25	
Q3368-06RE	OUTSIDE-DUMPSTERR E	TCLP			10/16/25			10/16/25
			TCLP Pesticide	8081B		11/03/25	11/05/25	
Q3368-07	PRESS-SLUDGE	SOIL			10/16/25			10/16/25
			PCB	8082A		10/21/25	10/21/25	
			TCLP Herbicide	8151A		11/03/25	11/04/25	
			TCLP Pesticide	8081B		11/03/25	11/04/25	
Q3368-07RE	PRESS-SLUDGERE	TCLP			10/16/25			10/16/25
			TCLP Pesticide	8081B		11/03/25	11/05/25	

Hit Summary Sheet
SW-846

SDG No.: Q3368 **Order ID:** Q3368
Client: Aramark Uniforms **Project ID:** Monthly 2025

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID : OUTSIDE-DUMPSTER								
Q3368-06	OUTSIDE-DUMPSTER	TCLP	Barium	581		72.8	500	ug/L
Q3368-06	OUTSIDE-DUMPSTER	TCLP	Cadmium	5.80	J	2.50	30.0	ug/L
Q3368-06	OUTSIDE-DUMPSTER	TCLP	Copper	39.5	J	23.0	100	ug/L
Q3368-06	OUTSIDE-DUMPSTER	TCLP	Lead	25.4	J	11.5	60.0	ug/L
Q3368-06	OUTSIDE-DUMPSTER	TCLP	Nickel	49.9	J	15.3	200	ug/L
Q3368-06	OUTSIDE-DUMPSTER	TCLP	Zinc	2740		83.3	200	ug/L
Client ID : PRESS-SLUDGE								
Q3368-07	PRESS-SLUDGE	TCLP	Barium	631		72.8	500	ug/L
Q3368-07	PRESS-SLUDGE	TCLP	Cadmium	3.52	J	2.50	30.0	ug/L
Q3368-07	PRESS-SLUDGE	TCLP	Copper	50.7	J	23.0	100	ug/L
Q3368-07	PRESS-SLUDGE	TCLP	Lead	58.2	J	11.5	60.0	ug/L
Q3368-07	PRESS-SLUDGE	TCLP	Nickel	119	J	15.3	200	ug/L
Q3368-07	PRESS-SLUDGE	TCLP	Zinc	5800		83.3	200	ug/L



SAMPLE DATA

A

B

C

D

Report of Analysis

Client: Aramark Uniforms
Project: Monthly 2025
Client Sample ID: OUTSIDE-DUMPSTER
Lab Sample ID: Q3368-06
Level (low/med): low

Date Collected: 10/16/25
Date Received: 10/16/25
SDG No.: Q3368
Matrix: TCLP
% Solid: 0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-38-2	Arsenic	25.6	U	1	25.6	100	ug/L	10/22/25 12:30	10/23/25 15:17	6010D	SW3010A
7440-39-3	Barium	581	N	1	72.8	500	ug/L	10/22/25 12:30	10/23/25 15:17	6010D	SW3010A
7440-43-9	Cadmium	5.80	J	1	2.50	30.0	ug/L	10/22/25 12:30	10/23/25 15:17	6010D	SW3010A
7440-47-3	Chromium	10.6	U	1	10.6	50.0	ug/L	10/22/25 12:30	10/23/25 15:17	6010D	SW3010A
7440-50-8	Copper	39.5	J	1	23.0	100	ug/L	10/22/25 12:30	10/23/25 15:17	6010D	SW3010A
7439-92-1	Lead	25.4	J	1	11.5	60.0	ug/L	10/22/25 12:30	10/23/25 15:17	6010D	SW3010A
7439-97-6	Mercury	0.76	U	1	0.76	2.00	ug/L	10/22/25 13:30	10/23/25 08:38	7470A	7470A
7440-02-0	Nickel	49.9	J	1	15.3	200	ug/L	10/22/25 12:30	10/23/25 15:17	6010D	SW3010A
7782-49-2	Selenium	48.2	U	1	48.2	100	ug/L	10/22/25 12:30	10/23/25 15:17	6010D	SW3010A
7440-22-4	Silver	8.10	U	1	8.10	50.0	ug/L	10/22/25 12:30	10/23/25 15:17	6010D	SW3010A
7440-66-6	Zinc	2740		1	83.3	200	ug/L	10/22/25 12:30	10/23/25 15:17	6010D	SW3010A

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

Report of Analysis

Client: Aramark Uniforms
Project: Monthly 2025
Client Sample ID: PRESS-SLUDGE
Lab Sample ID: Q3368-07
Level (low/med): low

Date Collected: 10/16/25
Date Received: 10/16/25
SDG No.: Q3368
Matrix: TCLP
% Solid: 0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-38-2	Arsenic	25.6	U	1	25.6	100	ug/L	10/22/25 12:30	10/23/25 15:21	6010D	SW3010A
7440-39-3	Barium	631	N	1	72.8	500	ug/L	10/22/25 12:30	10/23/25 15:21	6010D	SW3010A
7440-43-9	Cadmium	3.52	J	1	2.50	30.0	ug/L	10/22/25 12:30	10/23/25 15:21	6010D	SW3010A
7440-47-3	Chromium	10.6	U	1	10.6	50.0	ug/L	10/22/25 12:30	10/23/25 15:21	6010D	SW3010A
7440-50-8	Copper	50.7	J	1	23.0	100	ug/L	10/22/25 12:30	10/23/25 15:21	6010D	SW3010A
7439-92-1	Lead	58.2	J	1	11.5	60.0	ug/L	10/22/25 12:30	10/23/25 15:21	6010D	SW3010A
7439-97-6	Mercury	0.76	U	1	0.76	2.00	ug/L	10/22/25 13:30	10/23/25 08:41	7470A	7470A
7440-02-0	Nickel	119	J	1	15.3	200	ug/L	10/22/25 12:30	10/23/25 15:21	6010D	SW3010A
7782-49-2	Selenium	48.2	U	1	48.2	100	ug/L	10/22/25 12:30	10/23/25 15:21	6010D	SW3010A
7440-22-4	Silver	8.10	U	1	8.10	50.0	ug/L	10/22/25 12:30	10/23/25 15:21	6010D	SW3010A
7440-66-6	Zinc	5800		1	83.3	200	ug/L	10/22/25 12:30	10/23/25 15:21	6010D	SW3010A

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

LAB CHRONICLE

OrderID:	Q3368	OrderDate:	10/16/2025 2:05:00 PM
Client:	Aramark Uniforms	Project:	Monthly 2025
Contact:	Tom Dikos	Location:	D41

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q3368-06	OUTSIDE-DUMPSTER	TCLP			10/16/25			10/16/25
			TCLP Mercury	7470A		10/22/25	10/23/25	
			TCLPMetals Group2	6010D		10/22/25	10/23/25	
Q3368-07	PRESS-SLUDGE	TCLP			10/16/25			10/16/25
			TCLP Mercury	7470A		10/22/25	10/23/25	
			TCLPMetals Group2	6010D		10/22/25	10/23/25	



SAMPLE DATA

A

B

C

Report of Analysis

Client: Aramark Uniforms
Project: Monthly 2025
Client Sample ID: OUTSIDE-DUMPSTER
Lab Sample ID: Q3368-06

Date Collected: 10/16/25 13:00
Date Received: 10/16/25
SDG No.: Q3368
Matrix: SOIL
% Solid: 67.4

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Corrosivity	7.00	H	1	0	0	pH		10/21/25 12:44	9045D
Ignitability	NO		1	0	0	oC		10/21/25 10:10	1030
Oil and Grease	89200		1	8.60	37.0	mg/Kg		10/29/25 10:00	SW9071B
Paint Filter	1.00	U	1	1.00	1.00	ml/100gm		10/21/25 08:35	9095B
Reactive Cyanide	0.0083	U	1	0.0083	0.050	mg/Kg	10/21/25 08:45	10/21/25 12:39	9012B
Reactive Sulfide	3.17	J	1	0.20	10.0	mg/Kg	10/20/25 16:10	10/21/25 09:03	9034
TS	65.1	H	1	1.00	5.00	%		10/28/25 11:00	SM 2540 B-20
TVS	41.8	H	1	1.00	10.0	%		10/28/25 17:30	160.4

Comments: pH result reported at temperature 20.7 °C

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

Client: Aramark Uniforms
Project: Monthly 2025
Client Sample ID: PRESS-SLUDGE
Lab Sample ID: Q3368-07

Date Collected: 10/16/25 13:04
Date Received: 10/16/25
SDG No.: Q3368
Matrix: SOIL
% Solid: 65.1

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Corrosivity	5.42	H	1	0	0	pH		10/21/25 12:49	9045D
Ignitability	NO		1	0	0	oC		10/21/25 10:24	1030
Oil and Grease	99900		1	8.91	38.3	mg/Kg		10/29/25 10:00	SW9071B
Paint Filter	1.00	U	1	1.00	1.00	ml/100gm		10/21/25 08:49	9095B
Reactive Cyanide	0.0084	U	1	0.0084	0.050	mg/Kg	10/21/25 08:45	10/21/25 12:39	9012B
Reactive Sulfide	4.73	J	1	0.20	10.0	mg/Kg	10/20/25 16:10	10/21/25 09:06	9034
TS	54.6	H	1	1.00	5.00	%		10/28/25 11:00	SM 2540 B-20
TVS	19.7	H	1	1.00	10.0	%		10/28/25 17:30	160.4

Comments: pH result reported at temperature 20.7 °C

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

Client: Aramark Uniforms
Project: Monthly 2025
Client Sample ID: OUTSIDE-DUMPSTER
Lab Sample ID: Q3368-13

Date Collected: 10/16/25 13:00
Date Received: 10/16/25
SDG No.: Q3368
Matrix: WATER
% Solid: 0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
ASTM Ammonia	0.28		1	0.030	0.10	mg/L	10/29/25 13:50	10/29/25 15:53	SM 4500-NH3 B plus NH3 G-11
ASTM COD	382	D	5	7.50	50.0	mg/L		10/30/25 14:02	SM 5220 D-11
ASTM Oil and Grease	0.40	J	1	0.29	5.00	mg/L		10/29/25 15:00	SW1664A
ASTM TS	509		1	1.00	5.00	mg/L		10/29/25 11:00	SM 2540 B-20
pH	7.62	H	1	0	0	pH		11/04/25 13:30	9045D

Comments: pH result reported at temperature 20.8 °C

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

Client: Aramark Uniforms
Project: Monthly 2025
Client Sample ID: PRESS-SLUDGE
Lab Sample ID: Q3368-14

Date Collected: 10/16/25 13:04
Date Received: 10/16/25
SDG No.: Q3368
Matrix: WATER
% Solid: 0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
ASTM Ammonia	0.090	J	1	0.030	0.10	mg/L	10/29/25 13:50	10/29/25 16:01	SM 4500-NH3 B plus NH3 G-11
ASTM COD	448	D	5	7.50	50.0	mg/L		10/30/25 14:04	SM 5220 D-11
ASTM Oil and Grease	0.60	J	1	0.29	5.00	mg/L		10/29/25 15:00	SW1664A
ASTM TS	342		1	1.00	5.00	mg/L		10/29/25 11:00	SM 2540 B-20
pH	8.01	H	1	0	0	pH		11/04/25 13:37	9045D

Comments: pH result reported at temperature 20.1 °C

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

LAB CHRONICLE

OrderID:	Q3368	OrderDate:	10/16/2025 2:05:00 PM
Client:	Aramark Uniforms	Project:	Monthly 2025
Contact:	Tom Dikos	Location:	D41

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q3368-06	OUTSIDE-DUMPSTER	SOIL			10/16/25 13:00			10/16/25
			Corrosivity	9045D			10/21/25 12:44	
			Ignitability	1030			10/21/25 10:10	
			Oil and Grease	9071B			10/29/25 10:00	
			Paint Filter	9095B			10/21/25 08:35	
			Reactive Cyanide	9012B		10/21/25	10/21/25 12:39	
			Reactive Sulfide	9034		10/20/25	10/21/25 09:03	
			TS	SM2540 B			10/28/25 11:00	
			TVS	160.4			10/28/25 17:30	
Q3368-07	PRESS-SLUDGE	SOIL			10/16/25 13:04			10/16/25
			Corrosivity	9045D			10/21/25 12:49	
			Ignitability	1030			10/21/25 10:24	
			Oil and Grease	9071B			10/29/25 10:00	
			Paint Filter	9095B			10/21/25 08:49	
			Reactive Cyanide	9012B		10/21/25	10/21/25 12:39	

LAB CHRONICLE

Q3368-13	OUTSIDE-DUMPSTER	SOIL	Reactive Sulfide	9034	10/20/25	10/21/25 09:06	10/16/25 13:00	10/16/25
			TS	SM2540 B		10/28/25 11:00		
			TVS	160.4		10/28/25 17:30		
			pH	9045D		11/04/25 13:30		
			ASTM Ammonia	SM4500-NH3	10/29/25	10/29/25 15:53		
			ASTM COD	SM5220 D		10/30/25 14:02		
			ASTM Oil and Grease	1664A		10/29/25 15:00		
			ASTM TS	SM2540 B		10/29/25 11:00		
			pH	9045D		11/04/25 13:37		
			ASTM Ammonia	SM4500-NH3	10/29/25	10/29/25 16:01		
Q3368-14	PRESS-SLUDGE	SOIL	ASTM COD	SM5220 D		10/30/25 14:04	10/16/25 13:04	10/16/25
			ASTM Oil and Grease	1664A		10/29/25 15:00		
			ASTM TS	SM2540 B		10/29/25 11:00		
			pH	9045D		11/04/25 13:37		
			ASTM Ammonia	SM4500-NH3	10/29/25	10/29/25 16:01		