

Analytical Sequence

Client: Aramark Uniforms

SDG No.: Q3368

Project: Monthly 2025

Instrument ID: ECD_S

GC Column: RTX-CLP

ID: 0.32 (mm)

Inst. Calib. Date(s): 11/03/2025 11/03/2025

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES,
AND STANDARDS IS GIVEN BELOW:

CLIENT ID	LAB SAMPLE ID	DATE ANALYZED	TIME ANALYZED	DATAFILE	DCAA RT #	RT #
IBLK	IBLK	11/03/2025	09:16	PS032225.D	7.29	0.00
HSTDICC200	HSTDICC200	11/03/2025	09:40	PS032226.D	7.29	0.00
HSTDICC500	HSTDICC500	11/03/2025	10:04	PS032227.D	7.29	0.00
HSTDICC750	HSTDICC750	11/03/2025	10:28	PS032228.D	7.28	0.00
HSTDICC1000	HSTDICC1000	11/03/2025	10:52	PS032229.D	7.28	0.00
HSTDICC1500	HSTDICC1500	11/03/2025	11:17	PS032230.D	7.28	0.00
IBLK	IBLK	11/04/2025	09:31	PS032266.D	7.29	0.00
HSTDCCC750	HSTDCCC750	11/04/2025	09:55	PS032267.D	7.28	0.00
PB170386BS	PB170386BS	11/04/2025	11:23	PS032269.D	7.28	0.00
OUTSIDE-DUMPSTER	Q3368-06	11/04/2025	12:11	PS032271.D	7.28	0.00
OUTSIDE-DUMPSTERMS	Q3368-06MS	11/04/2025	12:35	PS032272.D	7.28	0.00
OUTSIDE-DUMPSTERMSD	Q3368-06MSD	11/04/2025	12:59	PS032273.D	7.28	0.00
PRESS-SLUDGE	Q3368-07	11/04/2025	13:23	PS032274.D	7.28	0.00
IBLK	IBLK	11/04/2025	13:48	PS032275.D	7.28	0.00
HSTDCCC750	HSTDCCC750	11/04/2025	14:42	PS032276.D	7.28	0.00
IBLK	IBLK	11/06/2025	10:35	PS032278.D	7.28	0.00
HSTDCCC750	HSTDCCC750	11/06/2025	11:39	PS032279.D	7.28	0.00
PB170386BL	PB170386BL	11/06/2025	13:23	PS032283.D	7.28	0.00
PB170172TB	PB170172TB	11/06/2025	13:47	PS032284.D	7.28	0.00
IBLK	IBLK	11/06/2025	14:59	PS032287.D	7.28	0.00
HSTDCCC750	HSTDCCC750	11/06/2025	15:23	PS032288.D	7.28	0.00

Analytical Sequence

Client: Aramark Uniforms

SDG No.: Q3368

Project: Monthly 2025

Instrument ID: ECD_S

GC Column: RTX-CLP2

ID: 0.32 (mm)

Inst. Calib. Date(s): 11/03/2025 11/03/2025

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES,
AND STANDARDS IS GIVEN BELOW:

CLIENT ID	LAB SAMPLE ID	DATE ANALYZED	TIME ANALYZED	DATAFILE	DCAA RT #	RT #
IBLK	IBLK	11/03/2025	09:16	PS032225.D	7.63	0.00
HSTDICC200	HSTDICC200	11/03/2025	09:40	PS032226.D	7.63	0.00
HSTDICC500	HSTDICC500	11/03/2025	10:04	PS032227.D	7.62	0.00
HSTDICC750	HSTDICC750	11/03/2025	10:28	PS032228.D	7.62	0.00
HSTDICC1000	HSTDICC1000	11/03/2025	10:52	PS032229.D	7.62	0.00
HSTDICC1500	HSTDICC1500	11/03/2025	11:17	PS032230.D	7.61	0.00
IBLK	IBLK	11/04/2025	09:31	PS032266.D	7.63	0.00
HSTDCCC750	HSTDCCC750	11/04/2025	09:55	PS032267.D	7.62	0.00
PB170386BS	PB170386BS	11/04/2025	11:23	PS032269.D	7.62	0.00
OUTSIDE-DUMPSTER	Q3368-06	11/04/2025	12:11	PS032271.D	7.61	0.00
OUTSIDE-DUMPSTERMS	Q3368-06MS	11/04/2025	12:35	PS032272.D	7.61	0.00
OUTSIDE-DUMPSTERMSD	Q3368-06MSD	11/04/2025	12:59	PS032273.D	7.61	0.00
PRESS-SLUDGE	Q3368-07	11/04/2025	13:23	PS032274.D	7.61	0.00
IBLK	IBLK	11/04/2025	13:48	PS032275.D	7.61	0.00
HSTDCCC750	HSTDCCC750	11/04/2025	14:42	PS032276.D	7.61	0.00
IBLK	IBLK	11/06/2025	10:35	PS032278.D	7.62	0.00
HSTDCCC750	HSTDCCC750	11/06/2025	11:39	PS032279.D	7.61	0.00
PB170386BL	PB170386BL	11/06/2025	13:23	PS032283.D	7.61	0.00
PB170172TB	PB170172TB	11/06/2025	13:47	PS032284.D	7.61	0.00
IBLK	IBLK	11/06/2025	14:59	PS032287.D	7.62	0.00
HSTDCCC750	HSTDCCC750	11/06/2025	15:23	PS032288.D	7.61	0.00