

Report of Analysis

Client: Aramark Uniforms
Project: Monthly 2025
Client Sample ID: VX1022WBSD01
Lab Sample ID: VX1022WBSD01
Analytical Method: 8260D
Sample Wt/Vol: 5 mL

Level : LOW
Final Vol: 5000 uL

Date Collected:
Date Received:
SDG No.: Q3368
Matrix: TCLP
% Solid: 0
Test: TCLP VOA

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	BatchID
TARGETS									
75-01-4	Vinyl Chloride	17.8		1	0.26	1.00	ug/L	10/22/25 10:18	VX102225
75-35-4	1,1-Dichloroethene	17.0		1	0.23	1.00	ug/L	10/22/25 10:18	VX102225
78-93-3	2-Butanone	88.8		1	0.98	5.00	ug/L	10/22/25 10:18	VX102225
56-23-5	Carbon Tetrachloride	18.3		1	0.25	1.00	ug/L	10/22/25 10:18	VX102225
67-66-3	Chloroform	19.2		1	0.25	1.00	ug/L	10/22/25 10:18	VX102225
71-43-2	Benzene	18.6		1	0.15	1.00	ug/L	10/22/25 10:18	VX102225
107-06-2	1,2-Dichloroethane	19.6		1	0.22	1.00	ug/L	10/22/25 10:18	VX102225
79-01-6	Trichloroethene	18.8		1	0.090	1.00	ug/L	10/22/25 10:18	VX102225
127-18-4	Tetrachloroethene	18.3		1	0.23	1.00	ug/L	10/22/25 10:18	VX102225
108-90-7	Chlorobenzene	19.1		1	0.12	1.00	ug/L	10/22/25 10:18	VX102225
SURROGATES									
17060-07-0	1,2-Dichloroethane-d4	49.3			74 - 125	99%	SPK: 50		
1868-53-7	Dibromofluoromethane	49.3			75 - 124	99%	SPK: 50		
2037-26-5	Toluene-d8	49.2			86 - 113	98%	SPK: 50		
460-00-4	4-Bromofluorobenzene	49.4			77 - 121	99%	SPK: 50		
INTERNAL STANDARDS									
		Area Count							
363-72-4	Pentafluorobenzene	120000							
540-36-3	1,4-Difluorobenzene	196000							
3114-55-4	Chlorobenzene-d5	181000							
3855-82-1	1,4-Dichlorobenzene-d4	92300							

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products